

Appendix B: Test Results of Radiated Spurious Emissions & Mains Conducted Emission Test for Left and Right Ears

Left Ear


Band Edges, 2.31GHz ~ 2.5GHz

GFSK

Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2314.70	54.60	16.88	37.72	74.00	-19.40		130	293	Peak	Horizontal	
2 *	2402.00	91.14	53.07	38.07	74.00	17.14	130	293	Peak	Horizontal		
3	2495.06	54.69	16.42	38.27	74.00	-19.31		130	293	Peak	Horizontal	

Low Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2372.04	54.72	16.76	37.96	74.00	-19.28		100	139	Peak	Vertical	
2 *	2402.00	87.61	49.54	38.07	74.00	13.61	100	139	Peak	Vertical		
3	2489.50	56.28	18.00	38.28	74.00	-17.72		100	139	Peak	Vertical	

GFSK

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2351.23	41.12	3.22	37.90	54.00	-12.08	130	293 Average	Horizontal	
2 *	2402.00	87.09	49.02	38.07	54.00	33.09	130	293 Average	Horizontal	
3	2486.56	41.90	3.62	38.28	54.00	-12.10	130	293 Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2383.25	41.16	3.15	38.01	54.00	-12.84	100	139 Average	Vertical	
2 *	2402.00	83.49	45.42	38.07	54.00	29.49	100	139 Average	Vertical	
3	2489.55	42.00	3.72	38.28	54.00	-12.00	100	139 Average	Vertical	

GFSK

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2383.91	54.83	16.82	38.01	74.00	-19.17	130	291	Peak	Horizontal		
2 *	2441.00	90.44	52.18	38.26	74.00	16.44	130	291	Peak	Horizontal		
3	2494.21	55.13	16.86	38.27	74.00	-18.87	130	291	Peak	Horizontal		

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2355.70	54.69	16.77	37.92	74.00	-19.31	100	144	Peak	Vertical		
2 *	2441.00	85.53	47.27	38.26	74.00	11.53	100	144	Peak	Vertical		
3	2493.02	54.79	16.52	38.27	74.00	-19.21	100	144	Peak	Vertical		

GFSK

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2378.97	41.25	3.26	37.99	54.00	-12.75	130	291 Average	Horizontal	
2 *	2441.00	89.91	51.65	38.26	54.00	35.91	130	291 Average	Horizontal	
3	2485.37	41.89	3.61	38.28	54.00	-12.11	130	291 Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2378.97	41.15	3.14	38.01	54.00	-12.85	100	144 Average	Vertical	
2 *	2441.00	84.95	46.69	38.26	54.00	30.95	100	144 Average	Vertical	
3	2485.13	42.02	3.74	38.28	54.00	-11.98	100	144 Average	Vertical	

GFSK

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2334.75	54.31	16.49	37.82	74.00	-19.69	308	293	Peak	Horizontal		
2 *	2480.00	89.00	50.71	38.29	74.00	15.00	308	293	Peak	Horizontal		
3	2495.82	55.16	16.88	38.28	74.00	-18.84	308	293	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2316.79	54.45	16.72	37.73	74.00	-19.55	100	144	Peak	Vertical		
2 *	2480.00	84.62	46.33	38.29	74.00	10.62	100	144	Peak	Vertical		
3	2490.50	54.83	16.55	38.28	74.00	-19.17	100	144	Peak	Vertical		

GFSK

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2357.31	41.23	3.31	37.92	54.00	-12.77	308	293 Average	Horizontal	
2 *	2480.00	88.31	50.02	38.29	54.00	34.31	308	293 Average	Horizontal	
3	2483.52	42.38	4.10	38.28	54.00	-11.62	308	293 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2334.56	41.12	3.30	37.82	54.00	-12.88	100	144 Average	Vertical	
2 *	2480.00	83.88	45.59	38.29	54.00	29.88	100	144 Average	Vertical	
3	2483.50	41.99	3.71	38.28	54.00	-12.01	100	144 Average	Vertical	

$\pi/4$ -DQPSK

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	2318.22	54.32	16.59	37.73	74.00	-19.68	132	293 Peak	Horizontal	
2 *	2402.00	91.36	53.29	38.07	74.00	17.36	132	293 Peak	Horizontal	
3	2485.61	54.90	16.62	38.28	74.00	-19.10	132	293 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	2353.27	54.99	17.08	37.91	74.00	-19.01	100	139 Peak	Vertical	
2 *	2402.00	87.31	49.24	38.07	74.00	13.31	100	139 Peak	Vertical	
3	2499.38	55.00	16.73	38.27	74.00	-19.00	100	139 Peak	Vertical	

$\pi/4$ -DQPSK

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




$\pi/4$ -DQPSK

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2384.34	54.87	16.86	38.01	74.00	-19.13	352	290	Peak	Horizontal	
2 *	2441.00	90.44	52.18	38.26	74.00	16.44	352	290	Peak	Horizontal	
3	2485.66	55.08	16.80	38.28	74.00	-18.92	352	290	Peak	Horizontal	

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2347.05	54.37	16.48	37.89	74.00	-19.63	100	144	Peak	Vertical	
2 *	2441.00	85.53	47.27	38.26	74.00	11.53	100	144	Peak	Vertical	
3	2489.69	55.04	16.76	38.28	74.00	-18.96	100	144	Peak	Vertical	

$\pi/4$ -DQPSK

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2385.62	41.18	3.17	38.01	54.00	-12.82	352	290	Average	Horizontal		
2 *	2441.00	86.36	48.19	38.26	54.00	32.36	352	290	Average	Horizontal		
3	2493.30	41.95	3.68	38.27	54.00	-12.05	352	290	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2313.33	41.25	3.54	37.71	54.00	-12.75	100	144	Average	Vertical		
2 *	2441.00	81.49	43.23	38.26	54.00	27.49	100	144	Average	Vertical		
3	2495.30	42.00	3.73	38.27	54.00	-12.00	100	144	Average	Vertical		

$\pi/4$ -DQPSK

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2359.92	54.25	16.32	37.93	74.00	-19.75	399	293	Peak	Horizontal		
2 *	2480.00	89.19	50.90	38.29	74.00	15.19	399	293	Peak	Horizontal		
3	2494.87	55.21	16.94	38.27	74.00	-18.79	309	293	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2361.06	55.13	17.20	37.93	74.00	-18.87	100	143	Peak	Vertical		
2 *	2480.00	84.71	46.42	38.29	74.00	10.71	100	143	Peak	Vertical		
3	2484.61	55.14	16.86	38.28	74.00	-18.86	100	143	Peak	Vertical		

$\pi/4$ -DQPSK

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2325.11	41.21	3.44	37.77	54.00	-12.79	399	293 Average	Horizontal	
2 *	2480.00	85.00	46.71	38.29	54.00	31.00	399	293 Average	Horizontal	
3	2498.01	42.13	3.86	38.27	54.00	-11.87	309	293 Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2367.67	41.13	3.17	37.96	54.00	-12.87	100	143 Average	Vertical	
2 *	2480.00	80.55	42.26	38.29	54.00	26.55	100	143 Average	Vertical	
3	2484.66	42.07	3.79	38.28	54.00	-11.93	100	143 Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


π/4-DQPSK

Low Channel(Open) 9kHz~150kHz

Low Channel(Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	59.94	41.63	18.31	127.60	-67.66	100	49 Peak	Open
2	0.03	66.23	46.42	19.81	119.13	-52.90	100	103 Peak	Open
3	0.05	45.68	26.38	19.30	113.09	-67.41	100	23 Peak	Open
4	0.06	41.55	22.75	18.80	111.72	-70.17	100	4 Peak	Open
5	0.11	32.33	13.72	18.61	106.49	-74.16	100	348 Peak	Open
6	0.12	30.05	11.37	18.68	105.70	-75.65	100	220 Peak	Open



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.15	43.95	25.11	18.84	104.08	-60.13	100	0 Peak	Open
2	5.67	33.52	12.97	20.55	69.50	-35.98	100	354 Peak	Open
3	14.09	35.43	13.94	21.49	69.50	-34.07	100	292 Peak	Open
4	20.75	36.56	14.04	22.52	69.50	-32.94	100	274 Peak	Open
5	25.37	36.96	13.90	23.06	69.50	-32.54	100	301 Peak	Open
6	28.93	37.21	14.08	23.13	69.50	-32.29	100	47 Peak	Open


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

$\pi/4$ -DQPSK

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	49.40	23.28	29.22	-5.94	40.00	-16.72	100	172 Peak	Horizontal	
2	163.86	22.14	27.81	-5.67	43.50	-21.36	300	224 Peak	Horizontal	
3	286.08	23.46	29.11	-5.65	46.00	-22.54	300	232 Peak	Horizontal	
4	515.97	27.82	28.90	-1.08	46.00	-18.18	300	357 Peak	Horizontal	
5	709.00	31.24	28.70	2.54	46.00	-14.76	100	0 Peak	Horizontal	
6	844.80	34.54	30.15	4.39	46.00	-11.46	100	212 Peak	Horizontal	

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	54.25	22.32	28.17	-5.85	40.00	-17.68	101	360 Peak	Vertical	
2	166.77	22.02	27.65	-5.63	43.50	-21.48	300	70 Peak	Vertical	
3	282.20	22.58	28.37	-5.79	46.00	-23.42	130	360 Peak	Vertical	
4	443.22	26.30	28.52	-2.22	46.00	-19.70	200	255 Peak	Vertical	
5	737.13	32.41	29.58	2.83	46.00	-13.59	300	109 Peak	Vertical	
6	856.44	34.29	29.86	4.43	46.00	-11.71	100	153 Peak	Vertical	


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

GFSK

Low Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




GFSK

Middle Channel (Horizontal)


Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




GFSK

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	17.21	25.23	-8.02	54.00	-36.79	100	160	Average	Horizontal	CF
2	4960.00	47.31	55.33	-8.02	74.00	-26.69	100	160	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	14.45	22.47	-8.02	54.00	-39.55	100	264	Average	Vertical	CF
2	4960.00	44.55	52.57	-8.02	74.00	-29.45	100	264	Peak	Vertical	


$\pi/4$ -DQPSK

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4884.00	16.53	24.76	-8.23	54.00	-37.47	100	159	Average	Horizontal	CF	
2	4884.00	46.63	54.86	-8.23	74.00	-27.37	100	159	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4884.00	15.91	24.14	-8.23	54.00	-38.89	100	248	Average	Vertical	CF	
2	4884.00	46.01	54.24	-8.23	74.00	-27.99	100	248	Peak	Vertical		

π/4-DQPSK

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4882.00	14.50	22.64	-8.14	54.00	-39.50	100	164	Average	Horizontal	CF	
2	4882.00	44.60	52.74	-8.14	74.00	-29.40	100	164	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4882.00	15.22	23.36	-8.14	54.00	-30.76	100	323	Average	Vertical	CF	
2	4882.00	45.32	53.46	-8.14	74.00	-28.68	100	323	Peak	Vertical		


π/4-DQPSK

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4960.00	17.46	25.48	-8.02	54.00	-36.54	100	161	Average	Horizontal	CF	
2	4960.00	47.56	55.58	-8.02	74.00	-26.44	100	161	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4960.00	14.67	22.69	-8.02	54.00	-39.33	100	328	Average	Vertical	CF	
2	4960.00	44.77	52.79	-8.02	74.00	-29.23	100	328	Peak	Vertical		

Mains Conducted Emission, Tx Mode, 150kHz ~ 30MHz


Worst Band

(Line)


(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Right Ear Band Edges, 2.31GHz ~ 2.5GHz

GFSK

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2347.10	56.05	10.16	37.89	74.00	-17.95	346	145	Peak	Horizontal		
2 *	2402.00	92.70	54.63	38.07	74.00	18.70	346	145	Peak	Horizontal		
3	2488.08	56.48	18.20	38.28	74.00	-17.52	346	145	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2345.10	55.43	17.56	37.87	74.00	-18.57	100	265	Peak	Vertical		
2 *	2402.00	87.09	49.02	38.07	74.00	13.09	100	265	Peak	Vertical		
3	2487.41	55.51	17.22	38.29	74.00	-18.49	100	265	Peak	Vertical		

GFSK

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2378.64	41.15	3.16	37.99	54.00	-12.85	346	145 Average	Horizontal	
2 *	2402.00	92.18	54.11	38.07	54.00	38.18	346	145 Average	Horizontal	
3	2499.29	41.91	3.64	38.27	54.00	-12.09	346	145 Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2349.81	41.25	3.35	37.90	54.00	-12.75	100	265 Average	Vertical	
2 *	2402.00	86.50	48.43	38.07	54.00	32.50	100	265 Average	Vertical	
3	2497.86	42.04	3.77	38.27	54.00	-11.96	100	265 Average	Vertical	

GFSK

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2367.29	54.50	16.55	37.95	74.00	-19.50	331	146	Peak	Horizontal		
2 *	2441.00	91.82	53.56	38.26	74.00	17.82	331	146	Peak	Horizontal		
3	2484.71	55.22	16.94	38.28	74.00	-18.78	331	146	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2365.34	54.15	16.14	38.01	74.00	-19.85	100	266	Peak	Vertical		
2 *	2441.00	86.66	48.40	38.26	74.00	12.66	100	266	Peak	Vertical		
3	2486.32	55.17	16.89	38.28	74.00	-18.83	100	266	Peak	Vertical		

GFSK

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2357.26	41.11	3.19	37.92	54.00	-12.89	331	146 Average	Horizontal	
2 *	2441.00	91.28	53.02	38.26	54.00	37.28	331	146 Average	Horizontal	
3	2492.02	41.92	3.64	38.28	54.00	-12.08	331	146 Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2312.66	41.14	3.43	37.71	54.00	-12.86	100	266 Average	Vertical	
2 *	2441.00	86.11	47.85	38.26	54.00	32.11	100	266 Average	Vertical	
3	2489.12	42.13	3.85	38.28	54.00	-11.87	100	266 Average	Vertical	

GFSK

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2387.00	55.34	17.33	38.01	74.00	-18.66	364	167	Peak	Horizontal		
2 *	2480.00	90.44	52.15	38.29	74.00	16.44	364	167	Peak	Horizontal		
3	2485.61	55.08	16.80	38.28	74.00	-18.92	364	167	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2360.64	54.15	16.22	37.93	74.00	-19.85	100	141	Peak	Vertical		
2 *	2480.00	86.23	47.94	38.29	74.00	12.23	100	141	Peak	Vertical		
3	2484.94	54.71	16.43	38.28	74.00	-19.29	100	141	Peak	Vertical		

GFSK

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2377.55	41.12	3.13	37.99	54.00	-12.88	364	167 Average	Horizontal	
2 *	2480.00	89.88	51.59	38.29	54.00	35.88	364	167 Average	Horizontal	
3	2483.50	42.97	4.69	38.28	54.00	-11.03	364	167 Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2385.72	41.20	3.19	38.01	54.00	-12.80	100	141 Average	Vertical	
2 *	2480.00	85.67	47.38	38.29	54.00	31.67	100	141 Average	Vertical	
3	2483.50	42.50	4.22	38.28	54.00	-11.50	100	141 Average	Vertical	

$\pi/4$ -DQPSK

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2340.07	55.11	17.26	37.85	74.00	-18.89	346	146	Peak	Horizontal		
2 *	2402.00	92.45	54.38	38.07	74.00	18.45	346	146	Peak	Horizontal		
3	2492.50	55.51	17.23	38.28	74.00	-18.49	346	146	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2324.92	54.41	16.64	37.77	74.00	-19.59	100	266	Peak	Vertical		
2 *	2402.00	87.04	48.97	38.07	74.00	13.04	100	266	Peak	Vertical		
3	2488.51	54.67	16.39	38.28	74.00	-19.33	100	266	Peak	Vertical		

$\pi/4$ -DQPSK

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2365.01	41.22	3.27	37.95	54.00	-12.78	346	146 Average	Horizontal	
2 *	2402.00	88.35	50.28	38.07	54.00	34.35	346	146 Average	Horizontal	
3	2486.08	41.98	3.70	38.28	54.00	-12.02	346	146 Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2379.49	41.13	3.14	37.99	54.00	-12.87	100	266 Average	Vertical	
2 *	2402.00	83.07	45.00	38.07	54.00	29.07	100	266 Average	Vertical	
3	2493.78	41.99	3.72	38.27	54.00	-12.01	100	266 Average	Vertical	

$\pi/4$ -DQPSK

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2358.83	54.57	16.64	37.93	74.00	-19.43	333	147	Peak	Horizontal	
2 *	2441.00	92.08	53.82	38.26	74.00	18.08	333	147	Peak	Horizontal	
3	2491.40	54.87	16.59	38.28	74.00	-19.13	333	147	Peak	Horizontal	

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2314.94	54.72	17.00	37.72	74.00	-19.28	100	265	Peak	Vertical	
2 *	2441.00	92.08	53.82	38.26	74.00	18.08	100	265	Peak	Vertical	
3	2486.94	54.88	16.59	38.29	74.00	-19.12	100	265	Peak	Vertical	

$\pi/4$ -DQPSK

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2386.04	41.19	3.17	38.02	54.00	-12.81	333	147 Average	Horizontal	
2 *	2441.00	87.93	49.67	38.26	54.00	33.93	333	147 Average	Horizontal	
3	2496.68	42.11	3.83	38.28	54.00	-11.89	333	147 Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2386.24	41.08	3.07	38.01	54.00	-12.92	100	265 Average	Vertical	
2 *	2441.00	82.60	44.34	38.26	54.00	28.60	100	265 Average	Vertical	
3	2485.23	42.01	3.73	38.28	54.00	-11.99	100	265 Average	Vertical	

$\pi/4$ -DQPSK

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2366.57	55.05	17.10	37.95	74.00	-18.95	287	90	Peak	Horizontal		
2 *	2480.00	91.86	53.57	38.29	74.00	17.86	287	90	Peak	Horizontal		
3	2486.61	55.35	17.07	38.28	74.00	-18.65	287	90	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2345.58	55.17	17.30	37.87	74.00	-18.83	100	266	Peak	Vertical		
2 *	2480.00	85.71	47.42	38.29	74.00	11.71	100	266	Peak	Vertical		
3	2492.78	55.75	17.48	38.27	74.00	-18.25	100	266	Peak	Vertical		

$\pi/4$ -DQPSK

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.00	41.05	3.03	38.02	54.00	-12.95	287	90 Average	Horizontal	
2 *	2480.00	87.75	49.46	38.29	54.00	33.75	287	90 Average	Horizontal	
3	2483.52	42.35	4.07	38.28	54.00	-11.65	287	90 Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.59	41.09	3.10	37.99	54.00	-12.91	100	266 Average	Vertical	
2 *	2480.00	81.56	43.27	38.29	54.00	27.56	100	266 Average	Vertical	
3	2490.07	41.89	3.61	38.28	54.00	-12.11	100	266 Average	Vertical	


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

$\pi/4$ -DQPSK

Low Channel(Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	59.51	41.20	18.31	127.60	-68.09	100	145 Peak	Open
2	0.03	66.26	46.45	19.81	119.13	-52.87	100	46 Peak	Open
3	0.05	45.39	26.09	19.30	113.09	-67.70	100	44 Peak	Open
4	0.06	41.13	22.33	18.80	111.72	-70.59	100	136 Peak	Open
5	0.08	35.36	16.76	18.60	110.00	-74.64	100	108 Peak	Open
6	0.11	33.10	14.49	18.61	106.49	-73.39	100	319 Peak	Open



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.151	44.07	25.05	19.02	102.50	-58.43	100	219 Peak	Open
2	2.63	34.67	15.54	19.13	69.50	-34.83	100	85 Peak	Open
3	7.40	33.32	12.39	20.93	69.50	-36.18	100	113 Peak	Open
4	14.60	34.69	13.15	21.54	69.50	-34.81	100	158 Peak	Open
5	22.33	35.28	13.27	22.01	69.50	-34.22	100	184 Peak	Open
6	28.12	35.96	12.92	23.04	69.50	-33.54	100	200 Peak	Open


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

$\pi/4$ -DQPSK

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	56.19	22.82	28.80	-5.98	40.00	-17.18	300	210 Peak	Horizontal	
2	170.65	22.47	28.29	-5.82	43.50	-21.03	300	302 Peak	Horizontal	
3	355.92	24.76	28.96	-4.20	46.00	-21.24	200	21 Peak	Horizontal	
4	535.37	28.08	28.76	-0.68	46.00	-17.92	300	208 Peak	Horizontal	
5	759.44	32.48	28.90	3.58	46.00	-13.52	300	334 Peak	Horizontal	
6	844.80	34.79	30.40	4.39	46.00	-11.21	200	158 Peak	Horizontal	

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	54.25	22.72	28.57	-5.85	40.00	-17.28	103	360 Peak	Vertical	
2	170.65	22.85	28.67	-5.82	43.50	-20.65	200	183 Peak	Vertical	
3	371.44	26.10	29.87	-3.77	46.00	-19.90	100	272 Peak	Vertical	
4	553.00	29.84	30.09	-0.25	46.00	-16.16	100	318 Peak	Vertical	
5	618.79	30.14	29.12	1.02	46.00	-15.86	100	34 Peak	Vertical	
6	846.74	35.68	31.24	4.44	46.00	-10.32	200	360 Peak	Vertical	


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

GFSK

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4884.00	10.73	18.96	-8.23	54.00	-43.27	127	77 Average	Horizontal	CF
2	4884.00	40.83	49.06	-8.23	74.00	-33.17	127	77 Peak	Horizontal	

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4884.00	10.05	18.28	-8.23	54.00	-43.95	100	40 Average	Vertical	CF
2	4884.00	40.15	48.38	-8.23	74.00	-33.85	100	40 Peak	Vertical	

GFSK

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.00	8.64	16.78	-8.14	54.00	-45.36	100	177 Average	Horizontal	CF
2	4882.00	38.74	46.88	-8.14	74.00	-35.26	100	177 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.00	8.93	17.07	-8.14	54.00	-45.07	100	222 Average	Vertical	CF
2	4882.00	39.03	47.17	-8.14	74.00	-34.97	100	222 Peak	Vertical	

GFSK


High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




$\pi/4$ -DQPSK

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4884.00	9.59	17.82	-8.23	54.00	-44.41	100	340	Average	Horizontal	CF	
2	4884.00	39.69	47.92	-8.23	74.00	-34.31	100	340	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4884.00	8.98	17.21	-8.23	54.00	-45.02	100	266	Average	Vertical	CF	
2	4884.00	39.08	47.31	-8.23	74.00	-34.92	100	266	Peak	Vertical		

$\pi/4$ -DQPSK

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4882.00	10.22	18.36	-8.14	54.00	-43.78	100	129	Average	Horizontal	CF	
2	4882.00	40.32	48.46	-8.14	74.00	-33.68	100	129	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4882.00	8.87	17.01	-8.14	54.00	-45.13	100	330	Average	Vertical	CF	
2	4882.00	38.97	47.11	-8.14	74.00	-35.03	100	330	Peak	Vertical		


$\pi/4$ -DQPSK

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	14.64	22.66	-8.02	54.00	-39.36	100	31	Average	Horizontal	CF	
2	4960.00	44.74	52.76	-8.02	74.00	-29.26	100	31	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	9.22	17.24	-8.02	54.00	-44.78	100	66	Average	Vertical	CF	
2	4960.00	39.32	47.34	-8.02	74.00	-34.68	100	66	Peak	Vertical		

Mains Conducted Emission, Tx Mode, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
	MHz	dBuV	dB	dB	dB		
1	0.19	16.71	7.09	9.62	54.01	-37.30 Average	line1
2	0.19	28.45	18.83	9.62	64.01	-35.56 QP	line1
3	0.47	30.64	21.01	9.63	46.00	-15.96 Average	line1
4	0.47	36.65	27.02	9.63	56.00	-19.95 QP	line1
5	0.85	19.45	9.81	9.64	46.00	-26.55 Average	line1
6	0.85	23.33	13.69	9.64	56.00	-32.67 QP	line1
7	2.73	13.86	4.20	9.66	46.00	-32.14 Average	line1
8	2.73	18.16	8.50	9.66	56.00	-37.84 QP	line1
9	7.97	14.92	5.18	9.74	50.00	-35.08 Average	line1
10	7.97	19.74	10.00	9.74	60.00	-40.26 QP	line1
11	25.70	25.99	16.25	9.74	50.00	-24.01 Average	line1
12	25.70	31.96	22.22	9.74	60.00	-28.04 QP	line1



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
	MHz	dBuV	dB	dB	dB		
1	0.20	16.68	7.06	9.62	53.52	-36.84 Average	neutral
2	0.20	27.21	17.59	9.62	63.52	-36.31 QP	neutral
3	0.47	27.89	18.26	9.63	46.56	-18.67 Average	neutral
4	0.47	33.58	23.95	9.63	56.56	-22.98 QP	neutral
5	0.80	15.66	6.02	9.64	46.00	-30.34 Average	neutral
6	0.80	20.18	10.54	9.64	56.00	-35.82 QP	neutral
7	3.04	12.05	2.37	9.68	46.00	-33.95 Average	neutral
8	3.04	17.21	7.53	9.68	56.00	-38.79 QP	neutral
9	14.20	19.80	9.97	9.83	50.00	-30.20 Average	neutral
10	14.20	25.01	15.18	9.83	60.00	-34.99 QP	neutral
11	25.96	27.94	18.07	9.87	50.00	-22.06 Average	neutral
12	25.96	34.55	24.68	9.87	60.00	-25.45 QP	neutral


Charge Mode

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

Low Channel(Open) 9kHz~150kHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	59.36	41.05	18.31	127.60	-68.24	100	360	Peak	Open	
2	0.03	66.33	46.52	19.81	119.13	-52.80	100	177	Peak	Open	
3	0.05	46.38	27.08	19.30	113.09	-66.71	100	44	Peak	Open	
4	0.06	33.20	14.27	18.93	112.25	-79.05	100	286	Peak	Open	
5	0.06	41.19	22.39	18.80	111.72	-70.53	100	129	Peak	Open	
6	0.11	32.90	14.29	18.61	106.49	-73.59	100	302	Peak	Open	

Low Channel(Open) 150kHz~30MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	1.88	33.30	14.26	19.04	69.50	-36.20	100	318	Peak	Open	
2	5.76	34.33	13.67	20.66	69.50	-35.17	100	204	Peak	Open	
3	9.94	33.81	12.52	21.29	69.50	-35.69	100	360	Peak	Open	
4	14.78	34.11	12.54	21.57	69.50	-35.39	100	322	Peak	Open	
5	23.40	35.37	13.32	22.05	69.50	-34.13	100	204	Peak	Open	
6	27.70	36.25	13.22	23.03	69.50	-33.25	100	142	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	76.56	24.04	34.29	-10.25	40.00	-15.96	300	88	Peak	Horizontal	
2	144.46	26.11	32.32	-6.21	43.50	-17.39	200	80	Peak	Horizontal	
3	327.79	26.06	30.72	-4.66	46.00	-19.94	100	217	Peak	Horizontal	
4	504.33	27.93	29.32	-1.39	46.00	-18.07	100	214	Peak	Horizontal	
5	729.37	31.98	29.47	2.51	46.00	-14.02	100	78	Peak	Horizontal	
6	845.77	34.85	30.43	4.42	46.00	-11.15	200	47	Peak	Horizontal	

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	47.46	26.48	32.56	-6.08	40.00	-13.52	100	195	Peak	Vertical	
2	76.56	25.98	36.23	-10.25	40.00	-14.02	100	298	Peak	Vertical	
3	140.58	26.99	33.57	-6.58	43.50	-16.51	103	360	Peak	Vertical	
4	371.44	26.60	30.37	-3.77	46.00	-19.40	100	290	Peak	Vertical	
5	635.28	30.00	28.71	1.29	46.00	-16.00	100	181	Peak	Vertical	
6	845.77	35.41	30.99	4.42	46.00	-10.59	200	195	Peak	Vertical	

Mains Conducted Emission, Tx Mode, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

