



HORIZONTAL




Above 1G (1GHz~40GHz)


Test mode: 11AC160MIMO

Test Channel:50

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5150.000	31.37	33.43	64.80	74.00	-9.20	peak		
2		5150.000	16.74	33.43	50.17	54.00	-3.83	AVG		
3		5350.000	28.03	33.47	61.50	74.00	-12.50	peak		
4		5350.000	16.87	33.47	50.34	54.00	-3.66	AVG		
5 *		5383.200	40.24	33.48	73.72	74.00	-0.28	peak		
6		5383.200	18.73	33.48	52.21	54.00	-1.79	AVG		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10499.500	52.53	-3.38	49.15	68.20	-19.05	peak		
2 *		15750.258	38.71	-0.13	38.58	54.00	-15.42	AVG		
3		15758.550	51.52	-0.13	51.39	74.00	-22.61	peak		

HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5150.000	26.26	33.43	59.69	74.00	-14.31	peak		
2		5150.000	15.76	33.43	49.19	54.00	-4.81	AVG		
3		5350.000	26.13	33.47	59.60	74.00	-14.40	peak		
4		5350.000	15.82	33.47	49.29	54.00	-4.71	AVG		
5		5383.200	30.70	33.48	64.18	74.00	-9.82	peak		
6 *		5383.200	17.74	33.48	51.22	54.00	-2.78	AVG		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10500.500	52.06	-3.38	48.68	68.20	-19.52	peak		
2 *		15745.131	38.73	-0.14	38.59	54.00	-15.41	AVG		
3		15747.500	51.53	-0.14	51.39	74.00	-22.61	peak		

Above 1G (1GHz~40GHz)


Test mode: 11AX20MIMO

Test Channel:36

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5148.800	29.82	33.43	63.25	74.00	-10.75	peak		
2 *		5150.000	19.87	33.43	53.30	54.00	-0.70	AVG		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		10356.800	52.36	-3.62	48.74	68.20	-19.46	peak		
2		15540.500	51.36	-0.16	51.20	74.00	-22.80	peak		
3 *		15549.081	40.12	-0.16	39.96	54.00	-14.04	AVG		

HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5148.800	25.37	33.43	58.80	74.00	-15.20	peak		
2 *		5148.800	19.55	33.43	52.98	54.00	-1.02	AVG		
3		5150.000	25.77	33.43	59.20	74.00	-14.80	peak		
4		5150.000	18.15	33.43	51.58	54.00	-2.42	AVG		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		10352.550	52.19	-3.63	48.56	68.20	-19.64	peak		
2		15542.500	51.43	-0.16	51.27	74.00	-22.73	peak		
3 *		15551.960	40.09	-0.15	39.94	54.00	-14.06	AVG		

Above 1G (1GHz~40GHz)


Test mode: 11AX20MIMO

Test Channel:40

VERTICAL



HORIZONTAL




Above 1G (1GHz~40GHz)

Test mode: 11AX20MIMO


Test Channel:48

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10481.750	52.21	-3.41	48.80	68.20	-19.40	peak		
2		15713.500	51.02	-0.14	50.88	74.00	-23.12	peak		
3 *		15720.776	38.47	-0.14	38.33	54.00	-15.67	AVG		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10480.500	51.84	-3.41	48.43	68.20	-19.77	peak		
2		15719.500	50.91	-0.14	50.77	74.00	-23.23	peak		
3 *		15727.255	38.60	-0.14	38.46	54.00	-15.54	AVG		

Above 1G (1GHz~40GHz)


Test mode: 11AX20MIMO

Test Channel:52

VERTICAL



HORIZONTAL




Above 1G (1GHz~40GHz)

Test mode: 11AX20MIMO


Test Channel:60

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		10599.050	53.78	-3.27	50.51	68.20	-17.69	peak	
2		10600.505	41.51	-3.27	38.24	54.00	-15.76	AVG	
3 *		15894.901	38.58	-0.12	38.46	54.00	-15.54	AVG	
4		15900.500	49.33	-0.12	49.21	74.00	-24.79	peak	

HORIZONTAL





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		10612.440	41.38	-3.26	38.12	54.00	-15.88	AVG	
2		10613.500	53.91	-3.26	50.65	74.00	-23.35	peak	
3 *		15894.282	38.63	-0.12	38.51	54.00	-15.49	AVG	
4		15900.500	49.99	-0.12	49.87	74.00	-24.13	peak	

Above 1G (1GHz~40GHz)



Test mode: 11AX20MIMO

Test Channel:64

VERTICAL



HORIZONTAL




Above 1G (1GHz~40GHz)


Test mode: 11AX20MIMO

Test Channel:100

VERTICAL





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5460.000	29.83	33.49	63.32	74.00	-10.68	peak		
2		5460.000	18.62	33.49	52.11	54.00	-1.89	AVG		
3 *		5470.000	33.38	33.49	66.87	68.20	-1.33	peak		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10996.942	40.74	-2.83	37.91	54.00	-16.09	AVG		
2		10997.500	52.75	-2.83	49.92	74.00	-24.08	peak		
3 *		16496.350	52.06	1.26	53.32	68.20	-14.88	peak		

HORIZONTAL




Above 1G (1GHz~40GHz)


Test mode: 11AX20MIMO

Test Channel:116

VERTICAL



HORIZONTAL





Above 1G (1GHz~40GHz)


Test mode: 11AX20MIMO

Test Channel:140


VERTICAL



HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5850.000	27.19	34.13	61.32	68.20	-6.88	peak		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11398.900	51.13	-0.82	50.31	74.00	-23.69	peak		
2	*	11399.891	41.34	-0.81	40.53	54.00	-13.47	AVG		
3		17095.600	48.36	2.98	51.34	68.20	-16.86	peak		

Above 1G (1GHz~40GHz)


Test mode: 11AX20MIMO

Test Channel:144

VERTICAL




HORIZONTAL




Test Channel:149

VERTICAL





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	!	5621.000	29.64	33.72	63.36	68.20	-4.84	peak		
2	*	5943.400	29.48	34.30	63.78	68.20	-4.42	peak		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11431.276	40.36	-0.66	39.70	54.00	-14.30	AVG		
2		11440.500	51.43	-0.61	50.82	74.00	-23.18	peak		
3 *		17158.510	51.12	3.35	54.47	68.20	-13.73	peak		

HORIZONTAL




Above 1G (1GHz~40GHz)


Test mode: 11AX20MIMO

Test Channel:157

VERTICAL



HORIZONTAL





Above 1G (1GHz~40GHz)


Test mode: 11AX20MIMO

Test Channel:165


VERTICAL



HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	!	5627.400	28.49	33.73	62.22	68.20	-5.98	peak		
2	*	6007.000	30.05	34.42	64.47	68.20	-3.73	peak		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11649.800	43.76	-0.86	42.90	54.00	-11.10	AVG		
2		11650.500	54.84	-0.86	53.98	74.00	-20.02	peak		
3		17481.500	50.13	5.21	55.34	68.20	-12.86	peak		

Above 1G (1GHz~40GHz)


Test mode: 11AX40MIMO

Test Channel:38

VERTICAL





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5149.200	29.32	33.43	62.75	74.00	-11.25	peak		
2	*	5150.000	19.79	33.43	53.22	54.00	-0.78	AVG		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10374.650	53.21	-3.59	49.62	68.20	-18.58	peak		
2		15568.150	51.88	-0.15	51.73	74.00	-22.27	peak		
3	*	15568.831	40.62	-0.15	40.47	54.00	-13.53	AVG		

HORIZONTAL




Above 1G (1GHz~40GHz)


Test mode: 11AX40MIMO

Test Channel:46

VERTICAL



HORIZONTAL




Above 1G (1GHz~40GHz)


Test mode: 11AX40MIMO

Test Channel:54

VERTICAL



HORIZONTAL




Above 1G (1GHz~40GHz)


Test mode: 11AX40MIMO

Test Channel:62

VERTICAL





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	30.29	33.47	63.76	74.00	-10.24	peak		
2 *		5350.000	19.46	33.47	52.93	54.00	-1.07	AVG		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		10616.867	42.05	-3.25	38.80	54.00	-15.20	AVG		
2		10620.450	52.87	-3.25	49.62	74.00	-24.38	peak		
3		15933.650	50.25	-0.12	50.13	74.00	-23.87	peak		
4		15939.736	38.36	-0.12	38.24	54.00	-15.76	AVG		

HORIZONTAL





Above 1G (1GHz~40GHz)


Test mode: 11AX40MIMO

Test Channel:102


VERTICAL



HORIZONTAL



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table	
		MHz	dBuV	Factor	ment	dBuV/m	dB	Height	Degree	
1		11024.900	52.59	-2.70	49.89	74.00	-24.11	peak		
2 *		11033.900	41.09	-2.66	38.43	54.00	-15.57	AVG		
3		16538.000	50.08	1.36	51.44	68.20	-16.76	peak		




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table	
		MHz	dBuV	Factor	ment	dBuV/m	dB	Height	Degree	
1		5460.000	26.16	33.49	59.65	74.00	-14.35	peak		
2 *		5460.000	16.53	33.49	50.02	54.00	-3.98	AVG		
3		5470.000	26.50	33.49	59.99	68.20	-8.21	peak		

Above 1G (1GHz~40GHz)

Test mode: 11AX40MIMO


Test Channel:110

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11096.300	52.63	-2.34	50.29	74.00	-23.71	peak		
2 *		11097.219	41.15	-2.34	38.81	54.00	-15.19	AVG		
3		16653.600	51.08	1.63	52.71	68.20	-15.49	peak		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		11099.831	41.03	-2.33	38.70	54.00	-15.30	AVG		
2		11100.550	52.06	-2.32	49.74	74.00	-24.26	peak		
3		16648.500	50.45	1.61	52.06	68.20	-16.14	peak		

Above 1G (1GHz~40GHz)


Test mode: 11AX40MIMO

Test Channel:134

VERTICAL





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5725.000	31.22	33.91	65.13	68.20	-3.07	peak		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11337.102	40.56	-1.13	39.43	54.00	-14.57	AVG		
2		11343.650	51.49	-1.10	50.39	74.00	-23.61	peak		
3		17010.000	50.95	2.49	53.44	68.20	-14.76	peak		

HORIZONTAL




Above 1G (1GHz~40GHz)


Test mode: 11AX40MIMO

Test Channel:142

VERTICAL



HORIZONTAL




Above 1G (1GHz~40GHz)


Test mode: 11AX40MIMO

Test Channel:151

VERTICAL





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5643.000	33.30	33.76	67.06	68.20	-1.14	peak		
2	!	5939.800	30.20	34.29	64.49	68.20	-3.71	peak		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11504.044	43.00	-0.32	42.68	54.00	-11.32	AVG		
2		11510.300	54.15	-0.35	53.80	74.00	-20.20	peak		
3		17265.150	49.47	3.96	53.43	68.20	-14.77	peak		

HORIZONTAL




Above 1G (1GHz~40GHz)


Test mode: 11AX40MIMO

Test Channel:159

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	!	5625.000	29.76	33.73	63.49	68.20	-4.71	peak		
2	*	5920.600	35.05	34.26	69.31	71.44	-2.13	peak		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11587.600	54.82	-0.63	54.19	74.00	-19.81	peak		
2	*	11590.495	44.31	-0.64	43.67	54.00	-10.33	AVG		
3		17385.450	50.10	4.66	54.76	68.20	-13.44	peak		

HORIZONTALA



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	!	5623.000	28.81	33.72	62.53	68.20	-5.67	peak		
2	*	5977.800	29.84	34.36	64.20	68.20	-4.00	peak		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11590.430	43.90	-0.64	43.26	54.00	-10.74	AVG		
2		11597.800	54.40	-0.67	53.73	74.00	-20.27	peak		
3		17385.000	51.94	4.66	56.60	68.20	-11.60	peak		

Above 1G (1GHz~40GHz)


Test mode: 11AX80MIMO

Test Channel:42

VERTICAL





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5150.000	28.24	33.43	61.67	74.00	-12.33	peak		
2	*	5150.000	18.87	33.43	52.30	54.00	-1.70	AVG		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10418.850	52.62	-3.52	49.10	68.20	-19.10	peak		
2		15630.750	51.56	-0.15	51.41	74.00	-22.59	peak		
3	*	15634.299	39.11	-0.15	38.96	54.00	-15.04	AVG		

HORIZONTAL





Above 1G (1GHz~40GHz)



Test mode: 11AX80MIMO

Test Channel:58

VERTICAL



HORIZONTAL




Above 1G (1GHz~40GHz)


Test mode: 11AX80MIMO

Test Channel:106

VERTICAL




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		5458.800	31.52	33.49	65.01	74.00	-8.99	peak			
2 *		5458.800	20.39	33.49	53.88	54.00	-0.12	AVG			
3		5460.000	30.71	33.49	64.20	74.00	-9.80	peak			
4		5460.000	19.36	33.49	52.85	54.00	-1.15	AVG			
5		5470.000	31.28	33.49	64.77	68.20	-3.43	peak			




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1		11066.280	40.49	-2.50	37.99	54.00	-16.01	AVG			
2		11068.250	52.03	-2.49	49.54	74.00	-24.46	peak			
3 *		16584.750	51.18	1.47	52.65	68.20	-15.55	peak			

HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5459.200	27.91	33.49	61.40	74.00	-12.60	peak		
2 *		5459.200	19.73	33.49	53.22	54.00	-0.78	AVG		
3		5460.000	26.82	33.49	60.31	74.00	-13.69	peak		
4		5460.000	19.15	33.49	52.64	54.00	-1.36	AVG		
5		5470.000	27.37	33.49	60.86	68.20	-7.34	peak		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11054.650	52.25	-2.55	49.70	74.00	-24.30	peak		
2 *		11060.060	40.31	-2.53	37.78	54.00	-16.22	AVG		
3		16590.700	50.44	1.48	51.92	68.20	-16.28	peak		

Above 1G (1GHz~40GHz)

Test mode: 11AX80MIMO


Test Channel:138

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11380.350	50.98	-0.91	50.07	74.00	-23.93	peak		
2 *		11386.856	40.61	-0.88	39.73	54.00	-14.27	AVG		
3		17065.000	50.32	2.81	53.13	68.20	-15.07	peak		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11380.850	51.36	-0.91	50.45	74.00	-23.55	peak		
2 *		11383.532	40.30	-0.90	39.40	54.00	-14.60	AVG		
3		17067.550	49.94	2.82	52.76	68.20	-15.44	peak		

Above 1G (1GHz~40GHz)


Test mode: 11AX80MIMO

Test Channel:155

VERTICAL





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.600	34.25	33.77	68.02	68.65	-0.63	peak		
2	!	5946.200	31.39	34.30	65.69	68.20	-2.51	peak		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11550.550	54.08	-0.49	53.59	74.00	-20.41	peak		
2	*	11558.677	41.13	-0.52	40.61	54.00	-13.39	AVG		
3		17325.350	50.35	4.31	54.66	68.20	-13.54	peak		

HORIZONTAL




Above 1G (1GHz~40GHz)


Test mode: 11AX160MIMO

Test Channel:50

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5136.400	35.76	33.43	69.19	74.00	-4.81	peak		
2		5136.400	19.76	33.43	53.19	54.00	-0.81	AVG		
3		5150.000	31.28	33.43	64.71	74.00	-9.29	peak		
4		5150.000	18.45	33.43	51.88	54.00	-2.12	AVG		
5		5350.000	32.13	33.47	65.60	74.00	-8.40	peak		
6		5350.000	19.33	33.47	52.80	54.00	-1.20	AVG		
7		5372.800	35.35	33.47	68.82	74.00	-5.18	peak		
8 *		5372.800	20.13	33.47	53.60	54.00	-0.40	AVG		




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		10500.900	51.27	-3.38	47.89	68.20	-20.31	peak		
2 *		15745.807	38.80	-0.14	38.66	54.00	-15.34	AVG		
3		15748.350	51.16	-0.14	51.02	74.00	-22.98	peak		

HORIZONTAL



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Antenna Height cm	Table Degree degree	Comment
1		5136.000	26.96	33.43	60.39	74.00	-13.61	peak			
2		5136.000	18.42	33.43	51.85	54.00	-2.15	AVG			
3		5150.000	27.57	33.43	61.00	74.00	-13.00	peak			
4		5150.000	16.77	33.43	50.20	54.00	-3.80	AVG			
5		5350.000	25.74	33.47	59.21	74.00	-14.79	peak			
6		5350.000	19.05	33.47	52.52	54.00	-1.48	AVG			
7		5383.600	30.48	33.48	63.96	74.00	-10.04	peak			
8	*	5383.600	19.35	33.48	52.83	54.00	-1.17	AVG			



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Antenna Height cm	Table Degree degree	Comment
1		10501.750	52.39	-3.38	49.01	68.20	-19.19	peak			
2	*	15754.186	38.76	-0.13	38.63	54.00	-15.37	AVG			
3		15757.700	51.18	-0.13	51.05	74.00	-22.95	peak			

Note: All the EUT's emissions had been evaluated for simultaneous transmission with the WIFI 2.4GHz and WIFI 5GHz, and there were no any additional or worse emissions found.

3.3 Spectrum Bandwidth

3.3.1 Limit

FCC Part15, Subpart E (15.407)			
Section	Test Item	Limit	Frequency Range (MHz)
15.407(a)	26 dB Bandwidth	-	5150-5250
	26 dB Bandwidth	-	5250-5350
	26 dB Bandwidth	-	5470-5725
15.407(e)	26 dB Bandwidth	-	5725-5850
	6 dB Bandwidth	Minimum 500 kHz	5725-5850

3.3.2 Test Procedure

Test Method	
●Conducted Measurement	○Radiated Measurement
Test Channels	
●Lowest, Middle and Highest Channel	○ Lowest and Highest Channel
Environmental conditions	
●Normal	○Normal and Extreme
Note:●:Test ○:No Test	

a) The EUT was directly connected to the tonscond test system and antenna output port as show in the block diagram below.

b) the spectrum analyser is set as follow:

For 26 dB Bandwidth


Centre Frequency	The centre frequency of the channel under test
RBW	$\geq 1\% \times \text{Nominal Channel Bandwidth}$
VBW	$\geq 3 \times \text{RBW}$
Frequency span	$2 \times \text{Nominal Channel Bandwidth}$
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

For 6 dB Bandwidth

Centre Frequency	The centre frequency of the channel under test
RBW	100 kHz
VBW	300 kHz
Frequency span	$2 \times \text{Nominal Channel Bandwidth}$
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

- c) Wait for the trace to stabilize then find the peak value of the trace and place the analyser marker on this peak.
- d) Use the -26/-6dB bandwidth function of the spectrum analyser to measure the -26/-6dB Bandwidth of the EUT. This value shall be recorded.
- e) Make sure that the power envelope is sufficiently above the noise floor of the analyser to avoid the noise signals left and right from the power envelope being taken into account by this measurement.

3.3.3 Test Setup



3.3.4 Test Result

26 dB Bandwidth

TestMode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	24.880	5168.280	5193.160	---	---
	Ant2	5180	24.120	5168.560	5192.680	---	---
	Ant1	5200	32.480	5183.640	5216.120	---	---
	Ant2	5200	29.880	5184.880	5214.760	---	---
	Ant1	5240	33.720	5223.520	5257.240	---	---
	Ant2	5240	30.960	5224.800	5255.760	---	---
	Ant1	5260	21.840	5249.120	5270.960	---	---
	Ant2	5260	21.560	5249.320	5270.880	---	---
	Ant1	5300	21.480	5289.360	5310.840	---	---
	Ant2	5300	21.720	5289.280	5311.000	---	---
	Ant1	5320	21.760	5309.280	5331.040	---	---
	Ant2	5320	22.160	5308.400	5330.560	---	---
	Ant1	5500	21.720	5489.160	5510.880	---	---
	Ant2	5500	22.760	5488.280	5511.040	---	---
	Ant1	5580	22.000	5568.960	5590.960	---	---
	Ant2	5580	24.160	5568.480	5592.640	---	---
	Ant1	5700	21.200	5689.440	5710.640	---	---
	Ant2	5700	21.560	5689.200	5710.760	---	---
	Ant1	5720	22.040	5709.240	5731.280	---	---
	Ant2	5720	21.960	5709.080	5731.040	---	---
	Ant1	5720_UNII-2C	15.76	5709.240	5725	---	---
	Ant2	5720_UNII-2C	15.92	5709.080	5725	---	---
	Ant1	5720_UNII-3	6.28	5725	5731.280	---	---
	Ant2	5720_UNII-3	6.04	5725	5731.040	---	---
	Ant1	5745	27.800	5731.040	5758.840	---	---
	Ant2	5745	33.440	5728.480	5761.920	---	---
	Ant1	5785	28.920	5770.240	5799.160	---	---
	Ant2	5785	35.640	5766.640	5802.280	---	---
	Ant1	5825	30.760	5808.920	5839.680	---	---
	Ant2	5825	33.960	5808.040	5842.000	---	---
11AC80MIMO	Ant1	5210	103.520	5163.440	5266.960	---	---
	Ant2	5210	86.080	5166.480	5252.560	---	---
	Ant1	5290	94.240	5246.000	5340.240	---	---
	Ant2	5290	89.920	5243.280	5333.200	---	---
	Ant1	5530	102.560	5482.000	5584.560	---	---

	Ant2	5530	93.280	5482.960	5576.240	---	---
	Ant1	5690	101.600	5643.120	5744.720	---	---
	Ant2	5690	88.160	5648.080	5736.240	---	---
	Ant1	5690_UNII-2C	81.88	5643.120	5725	---	---
	Ant2	5690_UNII-2C	76.92	5648.080	5725	---	---
	Ant1	5690_UNII-3	19.72	5725	5744.720	---	---
	Ant2	5690_UNII-3	11.24	5725	5736.240	---	---
	Ant1	5775	149.600	5700.440	5850.040	---	---
	Ant2	5775	145.600	5704.600	5850.200	---	---
11AC160MIMO	Ant1	5250	213.440	5169.040	5382.480	---	---
	Ant2	5250	162.880	5169.040	5331.920	---	---
	Ant1	5250_UNII-1	80.96	5169.040	5250	---	---
	Ant2	5250_UNII-1	80.96	5169.040	5250	---	---
	Ant1	5250_UNII-2A	132.48	5250	5382.480	---	---
	Ant2	5250_UNII-2A	81.92	5250	5331.920	---	---
11AX20MIMO	Ant1	5180	25.800	5167.680	5193.480	---	---
	Ant2	5180	22.080	5168.840	5190.920	---	---
	Ant1	5200	39.720	5180.000	5219.720	---	---
	Ant2	5200	29.680	5185.440	5215.120	---	---
	Ant1	5240	35.400	5222.600	5258.000	---	---
	Ant2	5240	33.480	5223.120	5256.600	---	---
	Ant1	5260	22.360	5248.600	5270.960	---	---
	Ant2	5260	23.400	5247.480	5270.880	---	---
	Ant1	5300	23.680	5287.640	5311.320	---	---
	Ant2	5300	22.000	5288.840	5310.840	---	---
	Ant1	5320	23.280	5307.640	5330.920	---	---
	Ant2	5320	21.480	5309.280	5330.760	---	---
	Ant1	5500	23.880	5487.520	5511.400	---	---
	Ant2	5500	22.320	5488.880	5511.200	---	---
	Ant1	5580	22.280	5568.640	5590.920	---	---
	Ant2	5580	22.640	5568.640	5591.280	---	---
	Ant1	5700	21.800	5689.120	5710.920	---	---
	Ant2	5700	21.120	5689.440	5710.560	---	---
	Ant1	5720	23.440	5707.440	5730.880	---	---
	Ant2	5720	22.000	5708.960	5730.960	---	---
	Ant1	5720_UNII-2C	17.56	5707.440	5725	---	---
	Ant2	5720_UNII-2C	16.04	5708.960	5725	---	---
	Ant1	5720_UNII-3	5.88	5725	5730.880	---	---
	Ant2	5720_UNII-3	5.96	5725	5730.960	---	---
	Ant1	5745	33.200	5728.040	5761.240	---	---
	Ant2	5745	35.160	5726.520	5761.680	---	---

	Ant1	5785	32.000	5769.280	5801.280	---	---
	Ant2	5785	36.160	5765.960	5802.120	---	---
	Ant1	5825	37.360	5807.520	5844.880	---	---
	Ant2	5825	37.160	5806.040	5843.200	---	---
11AX40MIMO	Ant1	5190	45.040	5169.200	5214.240	---	---
	Ant2	5190	41.120	5169.440	5210.560	---	---
	Ant1	5230	78.320	5190.960	5269.280	---	---
	Ant2	5230	77.040	5191.200	5268.240	---	---
	Ant1	5270	41.520	5250.000	5291.520	---	---
	Ant2	5270	40.240	5249.920	5290.160	---	---
	Ant1	5310	43.920	5288.160	5332.080	---	---
	Ant2	5310	41.600	5289.520	5331.120	---	---
	Ant1	5510	45.040	5489.280	5534.320	---	---
	Ant2	5510	41.280	5489.760	5531.040	---	---
	Ant1	5550	52.720	5523.040	5575.760	---	---
	Ant2	5550	47.040	5524.320	5571.360	---	---
	Ant1	5670	42.880	5649.040	5691.920	---	---
	Ant2	5670	44.960	5648.880	5693.840	---	---
	Ant1	5710	45.360	5688.880	5734.240	---	---
	Ant2	5710	46.560	5689.440	5736.000	---	---
	Ant1	5710_UNII-2C	36.12	5688.880	5725	---	---
	Ant2	5710_UNII-2C	35.56	5689.440	5725	---	---
	Ant1	5710_UNII-3	9.24	5725	5734.240	---	---
	Ant2	5710_UNII-3	11	5725	5736.000	---	---
	Ant1	5755	76.960	5716.040	5793.000	---	---
	Ant2	5755	77.280	5715.960	5793.240	---	---
	Ant1	5795	78.400	5755.800	5834.200	---	---
	Ant2	5795	78.320	5756.040	5834.360	---	---
11AX80MIMO	Ant1	5210	95.520	5167.120	5262.640	---	---
	Ant2	5210	85.280	5167.280	5252.560	---	---
	Ant1	5290	83.040	5249.360	5332.400	---	---
	Ant2	5290	81.600	5249.840	5331.440	---	---
	Ant1	5530	94.560	5487.920	5582.480	---	---
	Ant2	5530	94.720	5487.920	5582.640	---	---
	Ant1	5690	82.400	5649.680	5732.080	---	---
	Ant2	5690	85.440	5647.280	5732.720	---	---
	Ant1	5690_UNII-2C	75.32	5649.680	5725	---	---
	Ant2	5690_UNII-2C	77.72	5647.280	5725	---	---
	Ant1	5690_UNII-3	7.08	5725	5732.080	---	---
	Ant2	5690_UNII-3	7.72	5725	5732.720	---	---
	Ant1	5775	125.280	5709.880	5835.160	---	---

	Ant2	5775	140.960	5705.880	5846.840	---	---
11AX160MIMO	Ant1	5250	163.840	5168.400	5332.240	---	---
	Ant2	5250	163.840	5168.720	5332.560	---	---
	Ant1	5250_UNII-1	81.6	5168.400	5250	---	---
	Ant2	5250_UNII-1	81.28	5168.720	5250	---	---
	Ant1	5250_UNII-2A	82.24	5250	5332.240	---	---
	Ant2	5250_UNII-2A	82.56	5250	5332.560	---	---

11A_Ant1_5180



11A_Ant2_5180



11A_Ant1_5200



11A_Ant2_5200



11A_Ant1_5240



11A_Ant2_5240



11A_Ant1_5260



11A_Ant2_5260



11A_Ant1_5300



11A_Ant2_5300



11A_Ant1_5320



11A_Ant2_5320



11A_Ant1_5500



11A_Ant2_5500



11A_Ant1_5580



11A_Ant2_5580



11A_Ant1_5700



11A_Ant2_5700



11A_Ant1_5720



11A_Ant2_5720



11A_Ant1_5745