Test Mode	UNII-2A_TX A Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.27	0.14	0.41	8.48	Complies
60	5300	0.55	0.14	0.69	8.48	Complies
64	5320	0.64	0.14	0.78	8.48	Complies

CH52



Date: 6.AUG.2024 23:57:04

CH60



Date: 6.AUG.2024 23:58:01

CH64



Date: 6.AUG.2024 23:58:54

Test Mode	UNII-2A_TX A Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-1.01	0.14	-0.87	8.48	Complies
60	5300	1.28	0.14	1.42	8.48	Complies
64	5320	1.68	0.14	1.82	8.48	Complies

CH52



Date: 7.AUG.2024 01:11:27

CH60



Date: 7.AUG.2024 01:12:19

CH64



Date: 7.AUG.2024 01:13:57

Test Mode	UNII-2A_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.15	8.48	Complies
60	5300	6.55	8.48	Complies
64	5320	6.92	8.48	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.50	0.00	-2.50	8.48	Complies
60	5300	-1.05	0.00	-1.05	8.48	Complies
64	5320	-4.68	0.00	-4.68	8.48	Complies

CH52



Date: 6.AUG.2024 00:48:44

CH60



Date: 6.AUG.2024 00:50:40

CH64



Date: 6.AUG.2024 00:53:08

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.75	0.00	-2.75	8.48	Complies
60	5300	-1.60	0.00	-1.60	8.48	Complies
64	5320	-5.23	0.00	-5.23	8.48	Complies

CH52



Date: 6.AUG.2024 22:41:04

CH60



Date: 6.AUG.2024 22:41:46

CH64



Date: 6.AUG.2024 22:42:17

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-1.40	0.00	-1.40	8.48	Complies
60	5300	-0.53	0.00	-0.53	8.48	Complies
64	5320	-4.97	0.00	-4.97	8.48	Complies

CH52



Date: 7.AUG.2024 00:11:07

CH60



Date: 7.AUG.2024 00:12:10

CH64



Date: 7.AUG.2024 00:12:54

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.72	0.00	-0.72	8.48	Complies
60	5300	0.37	0.00	0.37	8.48	Complies
64	5320	-3.37	0.00	-3.37	8.48	Complies

CH52



Date: 7.AUG.2024 01:22:50

CH60



Date: 7.AUG.2024 01:23:20

CH64



Date: 7.AUG.2024 01:23:51

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.26	8.48	Complies
60	5300	5.38	8.48	Complies
64	5320	1.52	8.48	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-4.26	0.00	-4.26	8.48	Complies
62	5310	-3.24	0.00	-3.24	8.48	Complies

CH54



CH62



Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-3.33	0.00	-3.33	8.48	Complies
62	5310	-2.23	0.00	-2.23	8.48	Complies

CH54



CH62



Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.65	0.00	-1.65	8.48	Complies
62	5310	-0.91	0.00	-0.91	8.48	Complies

CH54



CH62



Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-3.24	0.00	-3.24	8.48	Complies
62	5310	-2.17	0.00	-2.17	8.48	Complies

CH54



CH62



Test Mode	UNII-2A_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.01	8.48	Complies
62	5310	3.96	8.48	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-7.14	0.00	-7.14	8.48	Complies

CH58



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-5.70	0.00	-5.70	8.48	Complies

CH58



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-4.89	0.00	-4.89	8.48	Complies

CH58



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-6.05	0.00	-6.05	8.48	Complies

CH58



Test Mode	UNII-2A_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.15	8.48	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.09	0.00	0.09	8.48	Complies
60	5300	1.28	0.00	1.28	8.48	Complies
64	5320	-1.01	0.00	-1.01	8.48	Complies

CH52



Date: 6.AUG.2024 20:13:21

CH60



Date: 6.AUG.2024 20:14:30

CH64



Date: 6.AUG.2024 20:15:39

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.55	0.00	-0.55	8.48	Complies
60	5300	0.79	0.00	0.79	8.48	Complies
64	5320	-2.38	0.00	-2.38	8.48	Complies

CH52



Date: 6.AUG.2024 23:24:22

CH60



Date: 6.AUG.2024 23:25:00

CH64



Date: 6.AUG.2024 23:25:30

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.39	0.00	0.39	8.48	Complies
60	5300	1.63	0.00	1.63	8.48	Complies
64	5320	-2.53	0.00	-2.53	8.48	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.78	0.00	-0.78	8.48	Complies
60	5300	0.66	0.00	0.66	8.48	Complies
64	5320	2.15	0.00	2.15	8.48	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.83	8.48	Complies
60	5300	7.13	8.48	Complies
64	5320	5.53	8.48	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-2.56	0.00	-2.56	8.48	Complies
62	5310	-2.03	0.00	-2.03	8.48	Complies

CH54



CH62



Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-3.42	0.00	-3.42	8.48	Complies
62	5310	-2.32	0.00	-2.32	8.48	Complies

CH54



CH62



Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-2.47	0.00	-2.47	8.48	Complies
62	5310	-1.79	0.00	-1.79	8.48	Complies

CH54



CH62



Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-3.76	0.00	-3.76	8.48	Complies
62	5310	-2.63	0.00	-2.63	8.48	Complies

CH54



CH62



Test Mode	UNII-2A_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.00	8.48	Complies
62	5310	3.84	8.48	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-4.77	0.00	-4.77	8.48	Complies

CH58



Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-5.31	0.00	-5.31	8.48	Complies

CH58



Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-4.51	0.00	-4.51	8.48	Complies

CH58



Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-5.63	0.00	-5.63	8.48	Complies

CH58



Test Mode	UNII-2A_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.99	8.48	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-6.66	0.48	-6.18	8.48	Complies

CH50



Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-4.97	0.48	-4.49	8.48	Complies

CH50



Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-5.02	0.48	-4.54	8.48	Complies

CH50



Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-6.25	0.48	-5.77	8.48	Complies

CH50



Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	0.84	8.48	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-5.07	0.67	-4.40	8.48	Complies

CH50



Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-4.81	0.67	-4..14	8.48	Complies

CH50



Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-4.74	0.67	-4.07	8.48	Complies

CH50



Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-5.98	0.67	-5.31	8.48	Complies

CH50



Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	1.57	8.48	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.27	0.14	1.41	8.48	Complies
116	5580	0.62	0.14	0.76	8.48	Complies
140	5700	-0.31	0.14	-0.17	8.48	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.24	0.14	2.38	8.48	Complies
116	5580	0.68	0.14	0.82	8.48	Complies
140	5700	0.66	0.14	0.80	8.48	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX A Mode_Ant.

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.36	0.14	1.50	8.48	Complies
116	5580	0.28	0.14	0.42	8.48	Complies
140	5700	-0.81	0.14	-0.67	8.48	Complies

CH100



Date: 6.AUG.2024 23:59:31

CH116



Date: 7.AUG.2024 00:00:30

CH140



Date: 7.AUG.2024 00:01:13

Test Mode	UNII-2C_TX A Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.19	0.14	2.33	8.48	Complies
116	5580	1.89	0.14	2.03	8.48	Complies
140	5700	1.47	0.14	1.61	8.48	Complies

CH100



Date: 7.AUG.2024 01:14:39

CH116



Date: 7.AUG.2024 01:15:19

CH140



Date: 7.AUG.2024 01:15:56

Test Mode	UNII-2C_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.95	8.48	Complies
116	5580	7.07	8.48	Complies
140	5700	6.50	8.48	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.23	0.00	-0.23	8.48	Complies
116	5580	-1.42	0.00	-1.42	8.48	Complies
140	5700	-1.84	0.00	-1.84	8.48	Complies

CH100



Date: 6.AUG.2024 00:55:11

CH116



Date: 6.AUG.2024 00:57:54

CH140



Date: 6.AUG.2024 00:59:07

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.10	0.00	0.10	8.48	Complies
116	5580	-0.48	0.00	-0.48	8.48	Complies
140	5700	0.29	0.00	0.29	8.48	Complies

CH100



Date: 6.AUG.2024 22:43:27

CH116



Date: 6.AUG.2024 22:45:14

CH140



Date: 6.AUG.2024 22:49:33

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.46	0.00	0.46	8.48	Complies
116	5580	-0.89	0.00	-0.89	8.48	Complies
140	5700	-2.01	0.00	-2.01	8.48	Complies

CH100



Date: 7.AUG.2024 00:13:52

CH116



Date: 7.AUG.2024 00:14:40

CH140



Date: 7.AUG.2024 00:15:31

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.22	0.00	1.22	8.48	Complies
116	5580	0.22	0.00	0.22	8.48	Complies
140	5700	0.21	0.00	0.21	8.48	Complies

CH100



Date: 7.AUG.2024 01:24:29

CH116



Date: 7.AUG.2024 01:25:06

CH140



Date: 7.AUG.2024 01:25:43

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.44	8.48	Complies
116	5580	5.42	8.48	Complies
140	5700	5.32	8.48	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-5.25	0.00	-5.25	8.48	Complies
110	5550	-3.38	0.00	-3.38	8.48	Complies
134	5670	-5.08	0.00	-5.08	8.48	Complies

CH102



Date: 6.AUG.2024 01:12:16

CH110



Date: 6.AUG.2024 01:13:42

CH134



Date: 6.AUG.2024 01:15:08

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-3.50	0.00	-3.50	8.48	Complies
110	5550	-0.96	0.00	-0.96	8.48	Complies
134	5670	-1.71	0.00	-1.71	8.48	Complies

CH102



Date: 6.AUG.2024 23:05:22

CH110



Date: 6.AUG.2024 23:06:09

CH134



Date: 6.AUG.2024 23:07:13

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-3.14	0.00	-3.14	8.48	Complies
110	5550	-1.22	0.00	-1.22	8.48	Complies
134	5670	-1.31	0.00	-1.31	8.48	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-4.20	0.00	-4.20	8.48	Complies
110	5550	-1.90	0.00	-1.90	8.48	Complies
134	5670	-1.71	0.00	-1.71	8.48	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.07	8.48	Complies
110	5550	4.25	8.48	Complies
134	5670	3.80	8.48	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-8.29	0.00	-8.29	8.48	Complies
122	5610	-8.01	0.00	-8.01	8.48	Complies

CH106



CH122



Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-5.87	0.00	-5.87	8.48	Complies
122	5610	-4.91	0.00	-4.91	8.48	Complies

CH106



CH122



Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-5.73	0.00	-5.73	8.48	Complies
122	5610	-5.78	0.00	-5.78	8.48	Complies

CH106



CH122



Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-6.19	0.00	-6.19	8.48	Complies
122	5610	-6.13	0.00	-6.13	8.48	Complies

CH106



CH122



Test Mode	UNII-2C_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.39	8.48	Complies
122	5610	-0.05	8.48	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-8.97	0.48	-8.49	8.48	Complies

CH114



Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-6.65	0.48	-6.17	8.48	Complies

CH114



Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-7.28	0.48	-6.80	8.48	Complies

CH114



Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-7.12	0.48	-6.64	8.48	Complies

CH114



Test Mode	UNII-2C_TX AC(VHT160) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-0.92	8.48	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.83	0.00	0.83	8.48	Complies
116	5580	-0.41	0.00	-0.41	8.48	Complies
140	5700	-1.06	0.00	-1.06	8.48	Complies

CH100



Date: 6.AUG.2024 20:34:19

CH116



Date: 6.AUG.2024 20:35:24

CH140



Date: 6.AUG.2024 20:36:59

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.46	0.00	1.46	8.48	Complies
116	5580	1.16	0.00	1.16	8.48	Complies
140	5700	1.97	0.00	1.97	8.48	Complies

CH100



Date: 6.AUG.2024 23:26:11

CH116



Date: 6.AUG.2024 23:26:50

CH140



Date: 6.AUG.2024 23:27:30

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.86	0.00	1.86	8.48	Complies
116	5580	0.48	0.00	0.48	8.48	Complies
140	5700	-0.15	0.00	-0.15	8.48	Complies

CH100



Date: 7.AUG.2024 00:43:39

CH116



Date: 7.AUG.2024 00:44:21

CH140



Date: 7.AUG.2024 00:45:11

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.13	0.00	1.13	8.48	Complies
116	5580	-0.06	0.00	-0.06	8.48	Complies
140	5700	-0.52	0.00	-0.52	8.48	Complies

CH100



Date: 7.AUG.2024 01:57:12

CH116



Date: 7.AUG.2024 01:58:11

CH140



Date: 7.AUG.2024 01:58:55

Test Mode	UNII-2C_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.36	8.48	Complies
116	5580	6.35	8.48	Complies
140	5700	6.24	8.48	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-3.07	0.00	-3.07	8.48	Complies
110	5550	-1.93	0.00	-1.93	8.48	Complies
134	5670	-3.86	0.00	-3.86	8.48	Complies

CH102



Date: 6.AUG.2024 21:38:28

CH110



Date: 6.AUG.2024 21:40:14

CH134



Date: 6.AUG.2024 21:42:21

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-2.89	0.00	-2.89	8.48	Complies
110	5550	-1.60	0.00	-1.60	8.48	Complies
134	5670	-1.93	0.00	-1.93	8.48	Complies

CH102



Date: 6.AUG.2024 23:34:24

CH110



Date: 6.AUG.2024 23:35:52

CH134



Date: 6.AUG.2024 23:36:36

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-2.77	0.00	-2.77	8.48	Complies
110	5550	-2.11	0.00	-2.11	8.48	Complies
134	5670	-5.77	0.00	-5.77	8.48	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-3.78	0.00	-3.78	8.48	Complies
110	5550	-2.19	0.00	-2.19	8.48	Complies
134	5670	-2.81	0.00	-2.81	8.48	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.91	8.48	Complies
110	5550	4.07	8.48	Complies
134	5670	2.65	8.48	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-5.61	0.00	-5.61	8.48	Complies
122	5610	-6.10	0.00	-6.10	8.48	Complies

CH106



CH122



Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-5.82	0.00	-5.82	8.48	Complies
122	5610	-5.09	0.00	-5.09	8.48	Complies

CH106



CH122



Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-5.38	0.00	-5.38	8.48	Complies
122	5610	-6.05	0.00	-6.05	8.48	Complies

CH106



CH122



Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-5.79	0.00	-5.79	8.48	Complies
122	5610	-6.16	0.00	-6.16	8.48	Complies

CH106



CH122



Test Mode	UNII-2C_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.37	8.48	Complies
122	5610	0.19	8.48	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-7.59	0.67	-6.92	8.48	Complies

CH114



Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-6.64	0.67	-5.97	8.48	Complies

CH114



Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-7.41	0.67	-6.74	8.48	Complies

CH114



Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-7.34	0.67	-6.67	8.48	Complies

CH114



Test Mode	UNII-2C_TX AX(HE160) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-0.54	8.48	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.06	0.14	4.20	27.48	Complies
157	5785	3.45	0.14	3.59	27.48	Complies
165	5825	3.29	0.14	3.43	27.48	Complies

CH149



Date: 6.AUG.2024 00:36:37

CH157



Date: 6.AUG.2024 00:38:13

CH165



Date: 6.AUG.2024 00:39:27

Test Mode	UNII-3_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.97	0.14	5.11	27.48	Complies
157	5785	5.09	0.14	5.23	27.48	Complies
165	5825	5.24	0.14	5.38	27.48	Complies

CH149



Date: 6.AUG.2024 22:34:40

CH157



Date: 6.AUG.2024 22:35:27

CH165



Date: 6.AUG.2024 22:36:20