


6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX


6785MHz\_TX

EUT\_Y\_2TX  
Setting 29  
01-I-C-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.56355G    | 57.62             | 88.20             | -30.58         | 36.73         | 3           | Horizontal | 278            | 1.80          | -       | 40.25      | 11.71      | 31.07      |  |  |  |
| RMS  | 13.56988G    | 46.91             | 68.20             | -21.29         | 26.04         | 3           | Horizontal | 278            | 1.80          | -       | 40.22      | 11.72      | 31.07      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6785MHz\_TX




EUT\_Y\_2TX  
Setting 29  
01-I-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.34786G    | 54.28             | 83.54             | -29.26         | 49.88         | 1           | Vertical  | 266            | 1.73          | -       | 38.10      | 15.48      | 49.18      |  |  |  |
| AV   | 20.38524G    | 42.34             | 63.54             | -21.20         | 37.97         | 1           | Vertical  | 266            | 1.73          | -       | 38.03      | 15.51      | 49.17      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX


6785MHz\_TX

EUT\_Y\_2TX  
Setting 29  
01-I-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.37362G | 55.29    | 83.54    | -28.25 | 50.91  | 1    | Horizontal | 240     | 1.71   | -       | 38.05 | 15.50 | 49.17 |  |  |  |
| AV   | 20.37264G | 42.40    | 63.54    | -21.14 | 38.02  | 1    | Horizontal | 240     | 1.71   | -       | 38.05 | 15.50 | 49.17 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6185MHz\_TX




EUT\_Y\_2TX  
Setting 29  
01-I-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9246G      | 63.03             | 88.20             | -25.17         | 55.43         | 3           | Vertical  | 216            | 1.80          | -       | 32.40      | 7.64       | 32.44      |  |  |  |
| RMS  | 5.9246G      | 52.63             | 68.20             | -15.57         | 45.03         | 3           | Vertical  | 216            | 1.80          | -       | 32.40      | 7.64       | 32.44      |  |  |  |
| PK   | 6.2494G      | 117.29            | Inf               | -Inf           | 108.91        | 3           | Vertical  | 216            | 1.80          | -       | 33.00      | 7.79       | 32.41      |  |  |  |
| RMS  | 6.2018G      | 106.09            | Inf               | -Inf           | 97.98         | 3           | Vertical  | 216            | 1.80          | -       | 32.81      | 7.72       | 32.42      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX


6185MHz\_TX

EUT\_Y\_2TX  
Setting 29  
01-I-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9008G      | 61.70             | 88.20             | -26.50         | 54.11         | 3           | Horizontal | 32             | 1.80          | -       | 32.40      | 7.63       | 32.44      |  |  |  |
| RMS  | 5.8994G      | 51.45             | 68.20             | -16.75         | 43.86         | 3           | Horizontal | 32             | 1.80          | -       | 32.40      | 7.63       | 32.44      |  |  |  |
| PK   | 6.171G       | 106.58            | Inf               | -Inf           | 98.55         | 3           | Horizontal | 32             | 1.80          | -       | 32.74      | 7.71       | 32.42      |  |  |  |
| RMS  | 6.1822G      | 96.06             | Inf               | -Inf           | 88.00         | 3           | Horizontal | 32             | 1.80          | -       | 32.76      | 7.72       | 32.42      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6185MHz\_TX




EUT Y\_2TX  
Setting 29  
01-I-C-6

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.36187G | 57.06    | 74.00    | -16.94 | 39.20  | 3    | Vertical  | 159     | 1.51   | -       | 38.88 | 11.26 | 32.28 |  |  |  |
| AV   | 12.38203G | 45.19    | 54.00    | -8.81  | 27.33  | 3    | Vertical  | 159     | 1.51   | -       | 38.84 | 11.27 | 32.25 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6185MHz\_TX




EUT\_Y\_2TX  
Setting 29  
01-I-C-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.38272G    | 57.12             | 74.00             | -16.88         | 39.27         | 3           | Horizontal | 265            | 2.62          | -       | 38.83      | 11.27      | 32.25      |  |  |  |
| AV   | 12.38371G    | 45.10             | 54.00             | -8.90          | 27.25         | 3           | Horizontal | 265            | 2.62          | -       | 38.83      | 11.27      | 32.25      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX


6185MHz\_TX

EUT\_Y\_2TX  
Setting 29  
01-I-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.79745G    | 50.80             | 83.54             | -32.74         | 47.22         | 1           | Vertical  | 334            | 1.96          | -       | 37.80      | 15.26      | 49.48      |  |  |  |
| AV   | 18.79275G    | 39.19             | 63.54             | -24.35         | 35.61         | 1           | Vertical  | 334            | 1.96          | -       | 37.80      | 15.26      | 49.48      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6185MHz\_TX




EUT\_Y\_2TX  
Setting 29  
01-I-J-8

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.7958G | 52.21    | 83.54    | -31.33 | 48.63  | 1    | Horizontal | 280     | 1.80   | -       | 37.80 | 15.26 | 49.48 |  |  |  |
| AV   | 18.7938G | 40.27    | 63.54    | -23.27 | 36.69  | 1    | Horizontal | 280     | 1.80   | -       | 37.80 | 15.26 | 49.48 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6345MHz\_TX




EUT\_Y\_2TX  
Setting 29  
01-I-C-6

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.68586G | 56.59    | 74.00    | -17.41 | 38.30  | 3    | Vertical  | 93      | 1.80   | -       | 38.80 | 11.38 | 31.89 |  |  |  |
| AV   | 12.67515G | 44.96    | 54.00    | -9.04  | 26.68  | 3    | Vertical  | 93      | 1.80   | -       | 38.80 | 11.38 | 31.90 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6345MHz\_TX




EUT\_Y\_2TX  
Setting 29  
01-I-C-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.68985G    | 57.10             | 74.00             | -16.90         | 38.81         | 3           | Horizontal | 249            | 2.52          | -       | 38.80      | 11.38      | 31.89      |  |  |  |
| AV   | 12.68106G    | 44.63             | 54.00             | -9.37          | 26.35         | 3           | Horizontal | 249            | 2.52          | -       | 38.80      | 11.38      | 31.90      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX


6345MHz\_TX

EUT\_Y\_2TX  
Setting 29  
01-I-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.03318G | 48.83    | 83.54    | -34.71 | 45.04  | 1    | Vertical  | 325     | 1.89   | -       | 37.90 | 15.25 | 49.36 |  |  |  |
| AV   | 19.03394G | 37.44    | 63.54    | -26.10 | 33.65  | 1    | Vertical  | 325     | 1.89   | -       | 37.90 | 15.25 | 49.36 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX


6345MHz\_TX

EUT\_Y\_2TX  
Setting 29  
01-I-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.0368G  | 51.34    | 83.54    | -32.20 | 47.56  | 1    | Horizontal | 275     | 1.87   | -       | 37.90 | 15.25 | 49.37 |  |  |  |
| AV   | 19.03729G | 39.50    | 63.54    | -24.04 | 35.72  | 1    | Horizontal | 275     | 1.87   | -       | 37.90 | 15.25 | 49.37 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6665MHz\_TX




EUT\_Y\_2TX  
Setting 29  
01-I-C-6

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.31812G | 56.85    | 74.00    | -17.15 | 36.96  | 3    | Vertical  | 226     | 2.54   | -       | 39.51 | 11.62 | 31.24 |  |  |  |
| AV   | 13.32985G | 44.82    | 54.00    | -9.18  | 24.83  | 3    | Vertical  | 226     | 2.54   | -       | 39.58 | 11.63 | 31.22 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6665MHz\_TX




EUT\_Y\_2TX  
Setting 29  
01-I-C-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.33021G    | 56.76             | 74.00             | -17.24         | 36.77         | 3           | Horizontal | 278            | 1.80          | -       | 39.58      | 11.63      | 31.22      |  |  |  |
| AV   | 13.32976G    | 45.85             | 54.00             | -8.15          | 25.86         | 3           | Horizontal | 278            | 1.80          | -       | 39.58      | 11.63      | 31.22      |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6665MHz\_TX




EUT\_Y\_2TX  
Setting 29  
01-I-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.99458G | 48.58    | 83.54    | -34.96 | 44.85  | 1    | Vertical  | 333     | 1.51   | -       | 37.80 | 15.20 | 49.27 |  |  |  |
| AV   | 19.99284G | 36.97    | 63.54    | -26.57 | 33.25  | 1    | Vertical  | 333     | 1.51   | -       | 37.80 | 15.20 | 49.28 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX


6665MHz\_TX

EUT\_Y\_2TX  
Setting 29  
01-I-J-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.99727G | 51.50    | 83.54    | -32.04 | 47.77  | 1    | Horizontal | 343     | 1.63   | -       | 37.80 | 15.20 | 49.27 |  |  |  |
| AV   | 19.99271G | 38.97    | 63.54    | -24.57 | 35.25  | 1    | Horizontal | 343     | 1.63   | -       | 37.80 | 15.20 | 49.28 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6265MHz\_TX




EUT\_Y\_2TX  
Setting 29  
01-I-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9194G      | 67.14             | 88.20             | -21.06         | 59.54         | 3           | Vertical  | 39             | 1.80          | -       | 32.40      | 7.64       | 32.44      |  |  |  |
| RMS  | 5.9242G      | 57.82             | 68.20             | -10.38         | 50.22         | 3           | Vertical  | 39             | 1.80          | -       | 32.40      | 7.64       | 32.44      |  |  |  |
| PK   | 6.2858G      | 113.73            | Inf               | -Inf           | 105.30        | 3           | Vertical  | 39             | 1.80          | -       | 33.00      | 7.84       | 32.41      |  |  |  |
| RMS  | 6.281G       | 103.08            | Inf               | -Inf           | 94.66         | 3           | Vertical  | 39             | 1.80          | -       | 33.00      | 7.83       | 32.41      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6265MHz\_TX




EUT\_Y\_2TX  
Setting 29  
01-I-A-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9146G      | 61.85             | 88.20             | -26.35         | 54.25         | 3           | Horizontal | 37             | 1.80          | -       | 32.40      | 7.64       | 32.44      |  |  |  |
| RMS  | 5.9242G      | 52.08             | 68.20             | -16.12         | 44.48         | 3           | Horizontal | 37             | 1.80          | -       | 32.40      | 7.64       | 32.44      |  |  |  |
| PK   | 6.209G       | 102.54            | Inf               | -Inf           | 94.38         | 3           | Horizontal | 37             | 1.80          | -       | 32.84      | 7.73       | 32.41      |  |  |  |
| RMS  | 6.2842G      | 92.63             | Inf               | -Inf           | 84.21         | 3           | Horizontal | 37             | 1.80          | -       | 33.00      | 7.83       | 32.41      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6265MHz\_TX




EUT\_Y\_2TX  
Setting 29  
01-I-C-6

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.52748G | 57.01    | 74.00    | -16.99 | 39.24  | 3    | Vertical  | 151     | 1.78   | -       | 38.50 | 11.32 | 32.05 |  |  |  |
| AV   | 12.53249G | 45.09    | 54.00    | -8.91  | 27.32  | 3    | Vertical  | 151     | 1.78   | -       | 38.50 | 11.32 | 32.05 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX


6265MHz\_TX

EUT\_Y\_2TX  
Setting 29  
01-I-C-6

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.51623G | 58.14    | 74.00    | -15.86 | 40.38  | 3    | Horizontal | 68      | 1.80   | -       | 38.50 | 11.32 | 32.06 |  |  |  |
| AV   | 12.53891G | 45.31    | 54.00    | -8.69  | 27.53  | 3    | Horizontal | 68      | 1.80   | -       | 38.50 | 11.32 | 32.04 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX


6265MHz\_TX

EUT\_Y\_2TX  
Setting 29  
01-I-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.79525G    | 50.20             | 83.54             | -33.34         | 46.62         | 1           | Vertical  | 320            | 1.35          | -       | 37.80      | 15.26      | 49.48      |  |  |  |
| AV   | 18.79294G    | 38.19             | 63.54             | -25.35         | 34.61         | 1           | Vertical  | 320            | 1.35          | -       | 37.80      | 15.26      | 49.48      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6265MHz\_TX

EUT\_Y\_2TX  
Setting 29  
01-I-J-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.79377G    | 50.54             | 83.54             | -33.00         | 46.96         | 1           | Horizontal | 320            | 1.51          | -       | 37.80      | 15.26      | 49.48      |  |  |  |
| AV   | 18.79269G    | 38.19             | 63.54             | -25.35         | 34.61         | 1           | Horizontal | 320            | 1.51          | -       | 37.80      | 15.26      | 49.48      |  |  |  |


5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6115MHz\_TX

16/08/2024

CF (Hz)  
6.115G  
Span (Hz)  
100M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.123598G | 13.47    | 6.14115G | -15.83     | -6.67      | -9.16      | 1    |
| 6.119274G | 12.25    | 6.1409G  | -13.68     | -7.88      | -5.80      | 2    |


5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6195MHz\_TX

16/08/2024

CF (Hz)  
6.195G  
Span (Hz)  
100M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.200049G | 12.30    | 6.2209G   | -16.23     | -7.71      | -8.52      | 1    |
| 6.201573G | 12.79    | 6.219275G | -14.41     | -7.26      | -7.15      | 2    |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6415MHz\_TX

16/08/2024




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6535MHz\_TX

16/08/2024



6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6695MHz\_TX

16/08/2024

CF (Hz)  
6.695G


Span (Hz)  
100M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.686227G | 13.08    | 6.6713G   | -12.65     | -6.98      | -5.67      | 1    |
| 6.702648G | 13.22    | 6.721925G | -13.95     | -6.79      | -7.16      | 2    |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6855MHz\_TX

16/08/2024

CF (Hz)  
6.855G


Span (Hz)  
100M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.862148G | 12.50    | 6.882275G | -18.37     | -7.67      | -10.70     | 1    |
| 6.853375G | 12.40    | 6.830375G | -15.17     | -7.62      | -7.55      | 2    |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6125MHz\_TX

16/08/2024

CF (Hz)  
6.125G


Span (Hz)  
200M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.128599G | 13.55    | 6.1756G  | -14.68     | -6.46      | -8.22      | 1    |
| 6.109554G | 12.60    | 6.17835G | -15.58     | -7.20      | -8.38      | 2    |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6205MHz\_TX

16/08/2024

CF (Hz)  
6.205G


Span (Hz)  
200M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.209249G | 12.40    | 6.25465G | -14.62     | -7.64      | -6.98      | 1    |
| 6.218797G | 12.88    | 6.24965G | -12.58     | -7.20      | -5.38      | 2    |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6405MHz\_TX

16/08/2024




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6565MHz\_TX

16/08/2024



6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6685MHz\_TX

16/08/2024

CF (Hz)  
6.685G


Span (Hz)  
200M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.687799G | 13.52    | 6.7367G  | -16.21     | -6.54      | -9.67      | 1    |
| 6.690449G | 12.98    | 6.7381G  | -13.87     | -7.06      | -6.81      | 2    |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6845MHz\_TX

16/08/2024

CF (Hz)  
6.845G


Span (Hz)  
200M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.849199G | 12.47    | 6.79465G | -14.66     | -7.60      | -7.06      | 1    |
| 6.835352G | 12.65    | 6.79875G | -14.05     | -7.37      | -6.68      | 2    |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6145MHz\_TX

16/08/2024

CF (Hz)  
6.145G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.1513G | 13.10    | 6.246G   | -13.03     | -6.93      | -6.10      | 1    |
| 6.1582G | 12.28    | 6.2513G  | -14.81     | -7.72      | -7.09      | 2    |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6225MHz\_TX

16/08/2024

CF (Hz)  
6.225G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.22G   | 12.30    | 6.3281G  | -16.10     | -7.73      | -8.37      | 1    |
| 6.2215G | 12.56    | 6.3216G  | -15.05     | -7.53      | -7.52      | 2    |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6385MHz\_TX

16/08/2024

CF (Hz)  
6.385G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.36251G | 8.91     | 6.4768G  | -19.89     | -11.11     | -8.78      | 1    |
| 6.40969G | 7.87     | 6.3099G  | -20.38     | -15.40     | -4.98      | 2    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6625MHz\_TX

16/08/2024

CF (Hz)  
6.625G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.6189G  | 12.63    | 6.5217G  | -14.44     | -7.41      | -7.03      | 1    |
| 6.58891G | 12.03    | 6.5155G  | -15.82     | -7.99      | -7.83      | 2    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6705MHz\_TX

16/08/2024

CF (Hz)  
6.705G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.68421G | 12.82    | 6.8102G  | -15.99     | -7.19      | -8.80      | 1    |
| 6.7183G  | 12.70    | 6.5949G  | -13.75     | -7.35      | -6.40      | 2    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6785MHz\_TX

16/08/2024

CF (Hz)  
6.785G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.76481G | 12.09    | 6.6874G  | -15.10     | -7.91      | -7.19      | 1    |
| 6.7688G  | 12.34    | 6.6869G  | -14.57     | -7.68      | -6.89      | 2    |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

MASK

6185MHz\_TX

16/08/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

MASK

6345MHz\_TX

16/08/2024




6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

MASK

6665MHz\_TX

16/08/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.58922G | 4.67     | 6.3578G  | -39.90     | -35.33     | -4.57      | 1    |
| 6.59242G | 4.65     | 6.4062G  | -37.18     | -35.35     | -1.83      | 2    |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

MASK

6265MHz\_TX

16/08/2024



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.259G  | 8.71     | 6.6546G  | -19.15     | -12.77     | -6.38      | 1    |
| 6.2786G | 8.15     | 6.6546G  | -21.69     | -14.92     | -6.77      | 2    |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

MASK

6115MHz\_TX

16/08/2024

CF (Hz)  
6.115G


Span (Hz)  
100M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.120074G | 13.39    | 6.141875G | -17.72     | -6.64      | -11.08     | 1    |
| 6.106677G | 12.49    | 6.14265G  | -16.51     | -7.60      | -8.91      | 2    |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

MASK

6195MHz\_TX

16/08/2024

CF (Hz)  
6.195G


Span (Hz)  
100M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.187577G | 12.40    | 6.220775G | -15.61     | -7.60      | -8.01      | 1    |
| 6.202773G | 12.90    | 6.2199G   | -15.83     | -7.11      | -8.72      | 2    |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

MASK

6415MHz\_TX

16/08/2024




6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

MASK

6535MHz\_TX

16/08/2024




6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

MASK

6695MHz\_TX

16/08/2024




6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

MASK

6855MHz\_TX

16/08/2024



5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

MASK

6125MHz\_TX

16/08/2024

CF (Hz)  
6.125G


Span (Hz)  
200M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.136797G | 13.57    | 6.17435G | -13.63     | -6.50      | -7.13      | 1    |
| 6.127849G | 12.45    | 6.17725G | -14.42     | -7.57      | -6.85      | 2    |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

MASK

6205MHz\_TX

16/08/2024

CF (Hz)  
6.205G


Span (Hz)  
200M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.223295G | 12.36    | 6.2556G  | -15.05     | -7.67      | -7.38      | 1    |
| 6.214998G | 13.04    | 6.25335G | -15.02     | -7.12      | -7.90      | 2    |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

MASK

6405MHz\_TX

16/08/2024

CF (Hz)  
6.405G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.401401G | 8.48     | 6.4762G  | -33.32     | -31.52     | -1.80      | 1    |
| 6.386755G | 8.19     | 6.4698G  | -34.48     | -31.81     | -2.67      | 2    |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

MASK

6565MHz\_TX

16/08/2024

CF (Hz)  
6.565G


Span (Hz)  
200M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.570799G | 13.60    | 6.61855G | -16.76     | -6.46      | -10.30     | 1    |
| 6.575047G | 13.03    | 6.51025G | -15.97     | -7.02      | -8.95      | 2    |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

MASK

6685MHz\_TX

16/08/2024




6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

MASK

6845MHz\_TX

16/08/2024




5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

MASK

6145MHz\_TX

16/08/2024




5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

MASK

6225MHz\_TX

16/08/2024



5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

MASK

6385MHz\_TX

16/08/2024

CF (Hz)  
6.385G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.395G   | 8.60     | 6.4547G  | -15.71     | -11.61     | -4.10      | 1    |
| 6.36471G | 8.02     | 6.5239G  | -33.62     | -31.55     | -2.07      | 2    |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

MASK

6625MHz\_TX

16/08/2024

CF (Hz)  
6.625G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.6313G  | 12.87    | 6.5188G  | -15.91     | -7.16      | -8.75      | 1    |
| 6.59711G | 12.06    | 6.7325G  | -14.43     | -8.06      | -6.37      | 2    |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

MASK

6705MHz\_TX

16/08/2024

CF (Hz)  
6.705G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.67431G | 12.89    | 6.6G     | -15.87     | -7.14      | -8.73      | 1    |
| 6.67421G | 12.78    | 6.5923G  | -14.72     | -7.23      | -7.49      | 2    |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

MASK

6785MHz\_TX

16/08/2024

CF (Hz)  
6.785G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.75491G | 12.23    | 6.6863G  | -15.80     | -7.80      | -8.00      | 1    |
| 6.7676G  | 12.55    | 6.6844G  | -15.73     | -7.45      | -8.28      | 2    |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

MASK

6185MHz\_TX

16/08/2024




5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

MASK

6345MHz\_TX

16/08/2024




6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

MASK

6665MHz\_TX

16/08/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.59882G | 4.90     | 6.3536G  | -39.98     | -35.10     | -4.88      | 1    |
| 6.59922G | 4.79     | 6.4058G  | -37.04     | -35.21     | -1.83      | 2    |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

MASK

6265MHz\_TX

16/08/2024



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.2562G | 8.68     | 6.6486G  | -19.10     | -12.59     | -6.51      | 1    |
| 6.2802G | 8.41     | 6.6582G  | -22.51     | -14.55     | -7.96      | 2    |