


5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 97
06-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	73.11	88.20	-15.09	63.17	3	Horizontal	280	1.80	-	34.10	7.44	31.60			
RMS	5.925G	59.30	68.20	-8.90	49.36	3	Horizontal	280	1.80	-	34.10	7.44	31.60			
PK	5.9526G	114.88	Inf	-Inf	104.93	3	Horizontal	280	1.80	-	34.10	7.45	31.60			
RMS	5.9602G	103.07	Inf	-Inf	93.13	3	Horizontal	280	1.80	-	34.10	7.45	31.61			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 97
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90316G	51.82	74.00	-22.18	35.31	3	Vertical	360	1.80	-	38.70	10.76	32.95			
AV	11.90556G	37.60	54.00	-16.40	21.08	3	Vertical	360	1.80	-	38.70	10.77	32.95			
PK	17.87452G	55.13	74.00	-18.87	32.65	3	Vertical	130	1.80	-	42.94	13.51	33.97			
AV	17.86348G	42.56	54.00	-11.44	20.20	3	Vertical	130	1.80	-	42.79	13.51	33.94			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 97
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91356G	51.11	74.00	-22.89	34.60	3	Horizontal	302	2.61	-	38.70	10.77	32.96			
AV	11.90428G	37.85	54.00	-16.15	21.34	3	Horizontal	302	2.61	-	38.70	10.76	32.95			
PK	17.85736G	55.83	74.00	-18.17	33.54	3	Horizontal	268	1.44	-	42.70	13.51	33.92			
AV	17.85508G	42.37	54.00	-11.63	20.11	3	Horizontal	268	1.44	-	42.67	13.50	33.91			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5955MHz_TX

EUT Y_4TX
Setting 97
06-C-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8193G	63.03	83.54	-20.51	53.88	1	Vertical	281	1.50	-	38.98	17.35	47.18			
AV	23.82224G	47.83	63.54	-15.71	38.69	1	Vertical	281	1.50	-	38.97	17.35	47.18			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5955MHz_TX

EUT_V_4TX
Setting 97
06-C-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82042G	59.35	83.54	-24.19	50.20	1	Horizontal	126	1.50	-	38.98	17.35	47.18			
AV	23.81818G	44.40	63.54	-19.14	35.24	1	Horizontal	126	1.50	-	38.99	17.35	47.18			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 108
06-C-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38524G	55.10	74.00	-18.90	38.00	3	Vertical	238	2.25	-	38.73	10.99	32.62			
AV	12.3994G	42.92	54.00	-11.08	25.84	3	Vertical	238	2.25	-	38.70	10.99	32.61			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38932G	55.65	74.00	-18.35	38.56	3	Horizontal	187	1.62	-	38.72	10.99	32.62			
AV	12.391G	42.66	54.00	-11.34	25.56	3	Horizontal	187	1.62	-	38.72	10.99	32.61			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX


6195MHz_TX

EUT_Y_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58178G	58.76	83.54	-24.78	55.41	1	Vertical	134	1.50	-	37.70	15.27	49.62			
AV	18.58332G	44.10	63.54	-19.44	40.75	1	Vertical	134	1.50	-	37.70	15.27	49.62			
PK	24.77972G	70.42	97.74	-27.32	60.25	1	Vertical	259	1.45	-	39.30	17.52	46.65			
AV	24.77846G	56.73	77.74	-21.01	46.56	1	Vertical	259	1.45	-	39.30	17.52	46.65			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX


6195MHz_TX

EUT_Y_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58822G	55.98	83.54	-27.56	52.63	1	Horizontal	154	1.48	-	37.70	15.27	49.62			
AV	18.58374G	42.78	63.54	-20.76	39.43	1	Horizontal	154	1.48	-	37.70	15.27	49.62			
PK	24.78182G	66.48	97.74	-31.26	56.31	1	Horizontal	140	1.52	-	39.30	17.52	46.65			
AV	24.7821G	53.25	77.74	-24.49	43.08	1	Horizontal	140	1.52	-	39.30	17.52	46.65			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT V_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83892G	61.20	88.20	-27.00	42.70	3	Vertical	6	2.94	-	39.86	11.19	32.55			
RMS	12.83552G	48.78	68.20	-19.42	30.30	3	Vertical	6	2.94	-	39.84	11.19	32.55			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT V_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82388G	61.36	88.20	-26.84	42.93	3	Horizontal	16	1.80	-	39.80	11.18	32.55			
RMS	12.83376G	48.95	68.20	-19.25	30.47	3	Horizontal	16	1.80	-	39.84	11.19	32.55			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24584G	57.67	83.54	-25.87	54.03	1	Vertical	140	1.50	-	37.91	15.24	49.51			
AV	19.24514G	43.78	63.54	-19.76	40.14	1	Vertical	140	1.50	-	37.91	15.24	49.51			
PK	25.6614G	67.44	97.74	-30.30	56.72	1	Vertical	36	1.50	-	39.25	17.65	46.18			
AV	25.66224G	52.59	77.74	-25.15	41.87	1	Vertical	36	1.50	-	39.25	17.65	46.18			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX


6415MHz_TX

EUT_Y_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24472G	54.70	83.54	-28.84	51.06	1	Horizontal	149	1.50	-	37.91	15.24	49.51			
AV	19.24668G	40.85	63.54	-22.69	37.21	1	Horizontal	149	1.50	-	37.91	15.24	49.51			
PK	25.6614G	63.29	97.74	-34.45	52.57	1	Horizontal	33	1.50	-	39.25	17.65	46.18			
AV	25.66G	49.74	77.74	-28.00	39.01	1	Horizontal	33	1.50	-	39.26	17.65	46.18			

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 108
06-C-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06076G	61.74	88.20	-26.46	43.20	3	Vertical	15	2.57	-	39.88	11.29	32.63			
RMS	13.06388G	49.63	68.20	-18.57	31.10	3	Vertical	15	2.57	-	39.87	11.29	32.63			

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT V_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07424G	61.38	88.20	-26.82	42.87	3	Horizontal	340	2.00	-	39.85	11.30	32.64			
RMS	13.06804G	49.38	68.20	-18.82	30.86	3	Horizontal	340	2.00	-	39.86	11.30	32.64			

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.6022G	51.58	83.54	-31.96	48.15	1	Vertical	180	1.65	-	37.81	15.22	49.60			
AV	19.60738G	37.69	63.54	-25.85	34.22	1	Vertical	180	1.65	-	37.84	15.22	49.59			
PK	26.13748G	69.39	97.74	-28.35	58.45	1	Vertical	49	1.50	-	39.30	17.78	46.14			
AV	26.14014G	54.70	77.74	-23.04	43.76	1	Vertical	49	1.50	-	39.30	17.78	46.14			

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX


6535MHz_TX

EUT_Y_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60346G	52.21	83.54	-31.33	48.77	1	Horizontal	197	2.72	-	37.82	15.22	49.60			
AV	19.60724G	39.15	63.54	-24.39	35.68	1	Horizontal	197	2.72	-	37.84	15.22	49.59			
PK	26.1477G	62.25	97.74	-35.49	51.30	1	Horizontal	266	1.82	-	39.30	17.79	46.14			
AV	26.1414G	48.81	77.74	-28.93	37.87	1	Horizontal	266	1.82	-	39.30	17.78	46.14			

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39588G	61.01	74.00	-12.99	42.23	3	Vertical	292	1.32	-	40.30	11.45	32.97			
AV	13.39588G	48.85	54.00	-5.15	30.07	3	Vertical	292	1.32	-	40.30	11.45	32.97			

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39072G	60.85	74.00	-13.15	42.06	3	Horizontal	77	1.47	-	40.30	11.44	32.95			
AV	13.39884G	48.97	54.00	-5.03	30.19	3	Horizontal	77	1.47	-	40.30	11.45	32.97			

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08458G	54.18	83.54	-29.36	50.32	1	Vertical	158	1.74	-	37.84	15.27	49.25			
AV	20.08794G	39.82	63.54	-23.72	35.95	1	Vertical	158	1.74	-	37.85	15.27	49.25			
PK	26.78938G	68.29	97.74	-29.45	56.25	1	Vertical	34	1.50	-	39.84	18.17	45.97			
AV	26.78042G	54.96	77.74	-22.78	42.88	1	Vertical	34	1.50	-	39.88	18.17	45.97			

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08472G	53.77	83.54	-29.77	49.91	1	Horizontal	339	1.60	-	37.84	15.27	49.25			
AV	20.08458G	39.87	63.54	-23.67	36.01	1	Horizontal	339	1.60	-	37.84	15.27	49.25			
PK	26.78126G	66.59	97.74	-31.15	54.52	1	Horizontal	266	1.46	-	39.87	18.17	45.97			
AV	26.78182G	54.16	77.74	-23.58	42.09	1	Horizontal	266	1.46	-	39.87	18.17	45.97			

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 108
06-C-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70328G	63.97	88.20	-24.23	44.37	3	Vertical	76	2.51	-	40.79	11.58	32.77			
RMS	13.70888G	51.81	68.20	-16.39	32.20	3	Vertical	76	2.51	-	40.78	11.59	32.76			

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.707G	64.05	88.20	-24.15	44.43	3	Horizontal	0	2.68	-	40.79	11.59	32.76			
RMS	13.71164G	51.79	68.20	-16.41	32.18	3	Horizontal	0	2.68	-	40.78	11.59	32.76			

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.55968G	68.72	83.54	-14.82	64.26	1	Vertical	78	1.75	-	37.92	15.65	49.11			
AV	20.56794G	55.14	63.54	-8.40	50.65	1	Vertical	78	1.75	-	37.94	15.65	49.10			
PK	27.42042G	66.77	97.74	-30.97	54.03	1	Vertical	25	1.66	-	39.86	18.55	45.67			
AV	27.41846G	54.03	77.74	-23.71	41.29	1	Vertical	25	1.66	-	39.86	18.55	45.67			

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.55702G	59.89	83.54	-23.65	55.44	1	Horizontal	34	1.50	-	37.91	15.65	49.11			
AV	20.56486G	46.62	63.54	-16.92	42.15	1	Horizontal	34	1.50	-	37.93	15.65	49.11			
PK	27.42938G	66.77	97.74	-30.97	54.03	1	Horizontal	34	1.50	-	39.84	18.56	45.66			
AV	27.41566G	54.92	77.74	-22.82	42.17	1	Horizontal	34	1.50	-	39.87	18.55	45.67			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 86
06-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9186G	84.23	88.20	-3.97	74.29	3	Vertical	248	2.15	-	34.10	7.44	31.60			
RMS	5.919G	67.37	68.20	-0.83	57.43	3	Vertical	248	2.15	-	34.10	7.44	31.60			
PK	5.9786G	120.70	Inf	-Inf	110.75	3	Vertical	248	2.15	-	34.10	7.46	31.61			
RMS	5.9778G	109.77	Inf	-Inf	99.82	3	Vertical	248	2.15	-	34.10	7.46	31.61			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 86
06-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	76.55	88.20	-11.65	66.61	3	Horizontal	276	1.80	-	34.10	7.44	31.60			
RMS	5.9246G	61.72	68.20	-6.48	51.78	3	Horizontal	276	1.80	-	34.10	7.44	31.60			
PK	5.951G	110.56	Inf	-Inf	100.61	3	Horizontal	276	1.80	-	34.10	7.45	31.60			
RMS	5.9626G	99.73	Inf	-Inf	89.78	3	Horizontal	276	1.80	-	34.10	7.46	31.61			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 86
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93764G	45.87	74.00	-28.13	29.36	3	Vertical	152	2.21	-	38.70	10.78	32.97			
AV	11.93984G	37.33	54.00	-16.67	20.82	3	Vertical	152	2.21	-	38.70	10.78	32.97			
PK	17.89896G	55.52	74.00	-18.48	32.75	3	Vertical	64	1.98	-	43.29	13.52	34.04			
AV	17.9028G	43.76	54.00	-10.24	20.95	3	Vertical	64	1.98	-	43.33	13.53	34.05			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 86
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92892G	45.22	74.00	-28.78	28.70	3	Horizontal	7	1.13	-	38.70	10.78	32.96			
AV	11.92704G	35.91	54.00	-18.09	19.39	3	Horizontal	7	1.13	-	38.70	10.78	32.96			
PK	17.89328G	55.40	74.00	-18.60	32.69	3	Horizontal	86	2.70	-	43.21	13.52	34.02			
AV	17.904G	43.49	54.00	-10.51	20.67	3	Horizontal	86	2.70	-	43.35	13.53	34.06			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 86
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.86714G	56.98	83.54	-26.56	47.98	1	Vertical	277	1.50	-	38.80	17.36	47.16			
AV	23.86518G	44.51	63.54	-19.03	35.51	1	Vertical	277	1.50	-	38.80	17.36	47.16			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 86
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.84782G	56.82	83.54	-26.72	47.83	1	Horizontal	130	1.50	-	38.81	17.35	47.17			
AV	23.8551G	44.69	63.54	-18.85	35.69	1	Horizontal	130	1.50	-	38.80	17.36	47.16			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.40924G	45.03	74.00	-28.97	27.93	3	Vertical	209	2.24	-	38.70	11.00	32.60			
AV	12.40864G	33.21	54.00	-20.79	16.11	3	Vertical	209	2.24	-	38.70	11.00	32.60			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
Setting 108
06-C-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41324G	45.05	74.00	-28.95	27.94	3	Horizontal	259	1.89	-	38.70	11.00	32.59			
AV	12.40676G	33.23	54.00	-20.77	16.13	3	Horizontal	259	1.89	-	38.70	11.00	32.60			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61094G	57.76	83.54	-25.78	54.37	1	Vertical	137	1.50	-	37.72	15.27	49.60			
AV	18.61136G	47.33	63.54	-16.21	43.94	1	Vertical	137	1.50	-	37.72	15.27	49.60			
PK	24.8434G	61.02	97.74	-36.72	50.81	1	Vertical	21	2.91	-	39.30	17.53	46.62			
AV	24.83064G	52.37	77.74	-25.37	42.17	1	Vertical	21	2.91	-	39.30	17.52	46.62			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.6045G	56.93	83.54	-26.61	53.56	1	Horizontal	152	1.48	-	37.71	15.27	49.61			
AV	18.6248G	44.49	63.54	-19.05	41.07	1	Horizontal	152	1.48	-	37.75	15.27	49.60			
PK	24.8039G	63.60	97.74	-34.14	53.42	1	Horizontal	100	1.75	-	39.30	17.52	46.64			
AV	24.81972G	52.09	77.74	-25.65	41.90	1	Horizontal	100	1.75	-	39.30	17.52	46.63			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT V_4TX
Setting 108
06-C-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80512G	61.68	88.20	-26.52	43.33	3	Vertical	105	1.17	-	39.72	11.18	32.55			
RMS	12.81564G	49.99	68.20	-18.21	31.60	3	Vertical	105	1.17	-	39.76	11.18	32.55			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 108
06-C-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81356G	61.36	88.20	-26.84	42.98	3	Horizontal	267	2.86	-	39.75	11.18	32.55			
RMS	12.80808G	49.88	68.20	-18.32	31.52	3	Horizontal	267	2.86	-	39.73	11.18	32.55			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.19708G	57.27	83.54	-26.27	53.52	1	Vertical	146	1.50	-	37.98	15.24	49.47			
AV	19.2171G	44.46	63.54	-19.08	40.74	1	Vertical	146	1.50	-	37.97	15.24	49.49			
PK	25.59242G	63.89	97.74	-33.85	52.94	1	Vertical	343	2.46	-	39.48	17.64	46.17			
AV	25.6011G	52.39	77.74	-25.35	41.42	1	Vertical	343	2.46	-	39.50	17.64	46.17			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21738G	53.95	83.54	-29.59	50.23	1	Horizontal	153	1.50	-	37.97	15.24	49.49			
AV	19.22466G	42.00	63.54	-21.54	38.30	1	Horizontal	153	1.50	-	37.95	15.24	49.49			
PK	25.59998G	62.53	97.74	-35.21	51.56	1	Horizontal	126	2.72	-	39.50	17.64	46.17			
AV	25.60684G	51.19	77.74	-26.55	40.25	1	Horizontal	126	2.72	-	39.47	17.64	46.17			

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.1302G	61.77	88.20	-26.43	43.23	3	Vertical	316	1.76	-	39.92	11.32	32.70			
RMS	13.13892G	50.78	68.20	-17.42	32.20	3	Vertical	316	1.76	-	39.96	11.33	32.71			

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13992G	62.25	88.20	-25.95	43.67	3	Horizontal	313	1.38	-	39.96	11.33	32.71			
RMS	13.12652G	50.96	68.20	-17.24	32.43	3	Horizontal	313	1.38	-	39.91	11.32	32.70			

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.70438G	57.22	83.54	-26.32	53.71	1	Vertical	123	1.50	-	37.81	15.21	49.51			
AV	19.7083G	46.86	63.54	-16.68	43.34	1	Vertical	123	1.50	-	37.82	15.21	49.51			
PK	26.2985G	63.07	97.74	-34.67	52.12	1	Vertical	166	2.85	-	39.10	17.88	46.03			
AV	26.29444G	52.87	77.74	-24.87	41.92	1	Vertical	166	2.85	-	39.10	17.88	46.03			

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.68436G	56.91	83.54	-26.63	53.33	1	Horizontal	143	1.50	-	37.89	15.22	49.53			
AV	19.68492G	43.95	63.54	-19.59	40.37	1	Horizontal	143	1.50	-	37.89	15.22	49.53			
PK	26.29952G	65.15	97.74	-32.59	54.20	1	Horizontal	177	1.92	-	39.10	17.88	46.03			
AV	26.2915G	54.68	77.74	-23.06	43.75	1	Horizontal	177	1.92	-	39.10	17.87	46.04			

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX


6685MHz_TX

EUT Y_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.37012G	52.47	74.00	-21.53	33.68	3	Vertical	332	1.32	-	40.30	11.43	32.94			
AV	13.37944G	40.99	54.00	-13.01	22.20	3	Vertical	332	1.32	-	40.30	11.44	32.95			

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36396G	53.66	74.00	-20.34	34.86	3	Horizontal	274	2.67	-	40.30	11.43	32.93			
AV	13.36356G	41.94	54.00	-12.06	23.14	3	Horizontal	274	2.67	-	40.30	11.43	32.93			

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0641G	60.77	83.54	-22.77	57.01	1	Vertical	49	1.50	-	37.76	15.25	49.25			
AV	20.06802G	48.99	63.54	-14.55	45.22	1	Vertical	49	1.50	-	37.77	15.25	49.25			
PK	26.76996G	64.99	97.74	-32.75	52.88	1	Vertical	70	1.81	-	39.92	18.16	45.97			
AV	26.75088G	54.11	77.74	-23.63	41.92	1	Vertical	70	1.81	-	40.00	18.15	45.96			

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.06438G	56.48	83.54	-27.06	52.72	1	Horizontal	210	1.50	-	37.76	15.25	49.25			
AV	20.0648G	46.90	63.54	-16.64	43.14	1	Horizontal	210	1.50	-	37.76	15.25	49.25			
PK	26.72278G	64.87	97.74	-32.87	52.58	1	Horizontal	151	2.75	-	40.11	18.13	45.95			
AV	26.70794G	54.34	77.74	-23.40	42.00	1	Horizontal	151	2.75	-	40.17	18.12	45.95			

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.68024G	49.34	88.20	-38.86	29.81	3	Vertical	329	1.86	-	40.76	11.57	32.80			
RMS	13.6932G	37.20	68.20	-31.00	17.61	3	Vertical	329	1.86	-	40.79	11.58	32.78			

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.69496G	48.70	88.20	-39.50	29.11	3	Horizontal	219	1.29	-	40.79	11.58	32.78			
RMS	13.69624G	36.69	68.20	-31.51	17.10	3	Horizontal	219	1.29	-	40.79	11.58	32.78			

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.51722G	68.96	83.54	-14.58	64.78	1	Vertical	78	1.75	-	37.70	15.61	49.13			
AV	20.52786G	56.84	63.54	-6.70	52.58	1	Vertical	78	1.75	-	37.77	15.62	49.13			
PK	27.38782G	63.57	97.74	-34.17	50.86	1	Vertical	24	1.66	-	39.88	18.53	45.70			
AV	27.38644G	54.94	77.74	-22.80	42.24	1	Vertical	24	1.66	-	39.87	18.53	45.70			

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.52828G	61.48	83.54	-22.06	57.22	1	Horizontal	335	1.50	-	37.77	15.62	49.13			
AV	20.53346G	51.11	63.54	-12.43	46.80	1	Horizontal	335	1.50	-	37.80	15.63	49.12			
PK	27.38252G	63.88	97.74	-33.86	51.18	1	Horizontal	37	1.50	-	39.87	18.53	45.70			
AV	27.3751G	54.29	77.74	-23.45	41.62	1	Horizontal	37	1.50	-	39.85	18.53	45.71			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 88
06-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	82.30	88.20	-5.90	72.36	3	Vertical	256	1.80	-	34.10	7.44	31.60			
RMS	5.9242G	68.08	68.20	-0.12	58.14	3	Vertical	256	1.80	-	34.10	7.44	31.60			
PK	5.9994G	114.97	Inf	-Inf	105.01	3	Vertical	256	1.80	-	34.10	7.47	31.61			
RMS	5.9746G	104.41	Inf	-Inf	94.46	3	Vertical	256	1.80	-	34.10	7.46	31.61			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 88
06-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	76.31	88.20	-11.89	66.37	3	Horizontal	276	1.80	-	34.10	7.44	31.60			
RMS	5.9242G	62.62	68.20	-5.58	52.68	3	Horizontal	276	1.80	-	34.10	7.44	31.60			
PK	5.9738G	107.15	Inf	-Inf	97.20	3	Horizontal	276	1.80	-	34.10	7.46	31.61			
RMS	5.9698G	97.36	Inf	-Inf	87.41	3	Horizontal	276	1.80	-	34.10	7.46	31.61			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 88
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97412G	45.93	74.00	-28.07	29.41	3	Vertical	282	1.33	-	38.70	10.80	32.98			
AV	11.9622G	32.05	54.00	-21.95	15.54	3	Vertical	282	1.33	-	38.70	10.79	32.98			
PK	17.95348G	54.93	74.00	-19.07	31.67	3	Vertical	58	2.29	-	43.91	13.55	34.20			
AV	17.95284G	42.77	54.00	-11.23	19.51	3	Vertical	58	2.29	-	43.91	13.55	34.20			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 88
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96004G	45.91	74.00	-28.09	29.39	3	Horizontal	196	2.65	-	38.70	10.79	32.97			
AV	11.97776G	33.68	54.00	-20.32	17.16	3	Horizontal	196	2.65	-	38.70	10.80	32.98			
PK	17.95864G	54.52	74.00	-19.48	31.26	3	Horizontal	351	2.63	-	43.93	13.55	34.22			
AV	17.96408G	42.58	54.00	-11.42	19.30	3	Horizontal	351	2.63	-	43.96	13.55	34.23			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5985MHz_TX

EUT_Y_4TX
Setting 88
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93874G	54.82	83.54	-28.72	45.68	1	Vertical	262	1.62	-	38.88	17.38	47.12			
AV	23.94532G	44.06	63.54	-19.48	34.91	1	Vertical	262	1.62	-	38.89	17.38	47.12			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 88
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9484G	54.21	83.54	-29.33	45.05	1	Horizontal	128	1.50	-	38.90	17.38	47.12			
AV	23.93734G	42.73	63.54	-20.81	33.60	1	Horizontal	128	1.50	-	38.87	17.38	47.12			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.44012G	45.40	74.00	-28.60	28.26	3	Vertical	122	2.50	-	38.70	11.01	32.57			
AV	12.45648G	33.60	54.00	-20.40	16.40	3	Vertical	122	2.50	-	38.73	11.02	32.55			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT V_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.4442G	45.90	74.00	-28.10	28.75	3	Horizontal	206	2.46	-	38.70	11.01	32.56			
AV	12.44996G	33.75	54.00	-20.25	16.60	3	Horizontal	206	2.46	-	38.70	11.01	32.56			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.6974G	49.81	83.54	-33.73	46.48	1	Vertical	237	1.50	-	37.61	15.27	49.55			
AV	18.65512G	39.59	63.54	-23.95	36.11	1	Vertical	237	1.50	-	37.78	15.27	49.57			
PK	24.90308G	55.75	97.74	-41.99	45.59	1	Vertical	13	2.12	-	39.20	17.54	46.58			
AV	24.87396G	45.45	77.74	-32.29	35.27	1	Vertical	13	2.12	-	39.25	17.53	46.60			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.66884G	53.67	83.54	-29.87	50.25	1	Horizontal	44	1.50	-	37.72	15.27	49.57			
AV	18.7079G	44.23	63.54	-19.31	40.88	1	Horizontal	44	1.50	-	37.63	15.26	49.54			
PK	24.8895G	55.93	97.74	-41.81	45.77	1	Horizontal	142	1.50	-	39.22	17.53	46.59			
AV	24.9G	45.47	77.74	-32.27	35.32	1	Horizontal	142	1.50	-	39.20	17.54	46.59			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 108
06-C-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76992G	60.89	88.20	-27.31	42.69	3	Vertical	95	1.20	-	39.58	11.16	32.54			
RMS	12.77788G	50.61	68.20	-17.59	32.38	3	Vertical	95	1.20	-	39.61	11.16	32.54			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.76784G	61.05	88.20	-27.15	42.86	3	Horizontal	251	1.14	-	39.57	11.16	32.54			
RMS	12.7614G	50.28	68.20	-17.92	32.11	3	Horizontal	251	1.14	-	39.55	11.16	32.54			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.12728G	56.43	83.54	-27.11	52.83	1	Vertical	140	1.50	-	37.79	15.24	49.43			
AV	19.1396G	45.54	63.54	-18.00	41.99	1	Vertical	140	1.50	-	37.74	15.24	49.43			
PK	25.5105G	59.29	97.74	-38.45	48.41	1	Vertical	324	1.46	-	39.40	17.63	46.15			
AV	25.5204G	47.73	77.74	-30.01	36.85	1	Vertical	324	1.46	-	39.40	17.63	46.15			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.12742G	53.78	83.54	-29.76	50.18	1	Horizontal	151	1.50	-	37.79	15.24	49.43			
AV	19.1375G	42.55	63.54	-20.99	38.99	1	Horizontal	151	1.50	-	37.75	15.24	49.43			
PK	25.54546G	61.03	97.74	-36.71	50.16	1	Horizontal	296	2.77	-	39.40	17.63	46.16			
AV	25.53328G	50.61	77.74	-27.13	39.74	1	Horizontal	296	2.77	-	39.40	17.63	46.16			

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 108
06-C-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2425G	60.81	88.20	-27.39	42.24	3	Vertical	159	1.89	-	40.00	11.38	32.81			
RMS	13.24047G	50.08	68.20	-18.12	31.52	3	Vertical	159	1.89	-	40.00	11.37	32.81			

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT V_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24178G	60.55	88.20	-27.65	41.98	3	Horizontal	162	1.17	-	40.00	11.38	32.81			
RMS	13.24136G	50.00	68.20	-18.20	31.44	3	Horizontal	162	1.17	-	40.00	11.37	32.81			

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.87728G	54.95	83.54	-28.59	51.35	1	Vertical	46	1.50	-	37.76	15.21	49.37			
AV	19.87108G	43.70	63.54	-19.84	40.14	1	Vertical	46	1.50	-	37.73	15.21	49.38			
PK	26.46376G	61.80	97.74	-35.94	50.04	1	Vertical	58	2.66	-	39.70	17.98	45.92			
AV	26.46864G	51.66	77.74	-26.08	39.89	1	Vertical	58	2.66	-	39.70	17.98	45.91			

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.87812G	54.19	83.54	-29.35	50.58	1	Horizontal	31	1.50	-	37.77	15.21	49.37			
AV	19.87514G	43.29	63.54	-20.25	39.70	1	Horizontal	31	1.50	-	37.75	15.21	49.37			
PK	26.47606G	62.04	97.74	-35.70	50.26	1	Horizontal	94	1.55	-	39.70	17.99	45.91			
AV	26.46584G	50.99	77.74	-26.75	39.22	1	Horizontal	94	1.55	-	39.70	17.98	45.91			

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
Setting 108
06-C-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.41005G	60.68	88.20	-27.52	41.85	3	Vertical	357	1.12	-	40.36	11.45	32.98				
RMS	13.40871G	50.73	68.20	-17.47	31.91	3	Vertical	357	1.12	-	40.35	11.45	32.98				

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40804G	62.13	88.20	-26.07	43.31	3	Horizontal	236	2.82	-	40.35	11.45	32.98			
RMS	13.41132G	50.85	68.20	-17.35	32.01	3	Horizontal	236	2.82	-	40.37	11.45	32.98			

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.12812G	59.13	83.54	-24.41	55.34	1	Vertical	46	1.50	-	37.73	15.30	49.24			
AV	20.1479G	48.83	63.54	-14.71	45.13	1	Vertical	46	1.50	-	37.61	15.32	49.23			
PK	26.84422G	59.62	97.74	-38.12	47.60	1	Vertical	38	2.35	-	39.80	18.21	45.99			
AV	26.82G	47.44	77.74	-30.30	35.43	1	Vertical	38	2.35	-	39.80	18.19	45.98			

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.14048G	57.89	83.54	-25.65	54.15	1	Horizontal	218	1.53	-	37.66	15.31	49.23			
AV	20.14776G	48.74	63.54	-14.80	45.04	1	Horizontal	218	1.53	-	37.61	15.32	49.23			
PK	26.81818G	62.04	97.74	-35.70	50.03	1	Horizontal	307	1.47	-	39.80	18.19	45.98			
AV	26.8368G	51.88	77.74	-25.86	39.86	1	Horizontal	307	1.47	-	39.80	18.20	45.98			

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT V_4TX
Setting 108
06-C-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56496G	61.83	88.20	-26.37	42.37	3	Vertical	31	1.90	-	40.91	11.52	32.97			
RMS	13.56508G	51.54	68.20	-16.66	32.08	3	Vertical	31	1.90	-	40.91	11.52	32.97			

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 108
06-C-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56576G	62.57	88.20	-25.63	43.11	3	Horizontal	292	1.35	-	40.91	11.52	32.97			
RMS	13.562G	51.94	68.20	-16.26	32.47	3	Horizontal	292	1.35	-	40.93	11.52	32.98			

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.3389G	61.72	83.54	-21.82	57.31	1	Vertical	86	1.50	-	38.12	15.47	49.18			
AV	20.33834G	50.41	63.54	-13.13	46.00	1	Vertical	86	1.50	-	38.12	15.47	49.18			
PK	27.12726G	61.82	97.74	-35.92	49.41	1	Vertical	34	1.60	-	39.95	18.38	45.92			
AV	27.14G	52.43	77.74	-25.31	40.04	1	Vertical	34	1.60	-	39.92	18.38	45.91			

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35234G	58.74	83.54	-24.80	54.34	1	Horizontal	213	1.50	-	38.10	15.48	49.18			
AV	20.33946G	48.18	63.54	-15.36	43.77	1	Horizontal	213	1.50	-	38.12	15.47	49.18			
PK	27.12642G	65.22	97.74	-32.52	52.81	1	Horizontal	33	1.50	-	39.95	18.38	45.92			
AV	27.14G	54.30	77.74	-23.44	41.91	1	Horizontal	33	1.50	-	39.92	18.38	45.91			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 86
06-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	81.63	88.20	-6.57	71.69	3	Vertical	249	2.07	-	34.10	7.44	31.60			
RMS	5.919G	67.85	68.20	-0.35	57.91	3	Vertical	249	2.07	-	34.10	7.44	31.60			
PK	6.078G	116.92	Inf	-Inf	106.69	3	Vertical	249	2.07	-	34.14	7.53	31.44			
RMS	6.101G	105.49	Inf	-Inf	95.23	3	Vertical	249	2.07	-	34.10	7.55	31.39			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 86
06-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.922G	73.98	88.20	-14.22	64.04	3	Horizontal	275	1.80	-	34.10	7.44	31.60			
RMS	5.923G	60.77	68.20	-7.43	50.83	3	Horizontal	275	1.80	-	34.10	7.44	31.60			
PK	5.962G	103.95	Inf	-Inf	94.01	3	Horizontal	275	1.80	-	34.10	7.45	31.61			
RMS	5.963G	94.29	Inf	-Inf	84.34	3	Horizontal	275	1.80	-	34.10	7.46	31.61			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT V_4TX
Setting 86
06-C-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05572G	54.54	74.00	-19.46	37.73	3	Vertical	140	1.56	-	38.91	10.84	32.94			
AV	12.05708G	42.68	54.00	-11.32	25.87	3	Vertical	140	1.56	-	38.91	10.84	32.94			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 86
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05536G	54.41	74.00	-19.59	37.60	3	Horizontal	301	2.60	-	38.91	10.84	32.94			
AV	12.044G	42.04	54.00	-11.96	25.28	3	Horizontal	301	2.60	-	38.88	10.83	32.95			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 86
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.06506G	55.18	83.54	-28.36	51.89	1	Vertical	117	1.40	-	37.46	15.30	49.47			
AV	18.06478G	44.51	63.54	-19.03	41.22	1	Vertical	117	1.40	-	37.46	15.30	49.47			
PK	24.08642G	59.94	97.74	-37.80	50.67	1	Vertical	279	1.55	-	38.90	17.41	47.04			
AV	24.13178G	46.46	77.74	-31.28	37.03	1	Vertical	279	1.55	-	39.03	17.42	47.02			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX


6025MHz_TX

EUT_Y_4TX
Setting 86
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.05134G	54.17	83.54	-29.37	50.92	1	Horizontal	38	1.68	-	37.41	15.30	49.46			
AV	18.07178G	44.49	63.54	-19.05	41.17	1	Horizontal	38	1.68	-	37.49	15.30	49.47			
PK	24.07956G	58.59	97.74	-39.15	49.33	1	Horizontal	286	1.95	-	38.90	17.41	47.05			
AV	24.13038G	47.41	77.74	-30.33	37.99	1	Horizontal	286	1.95	-	39.02	17.42	47.02			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36012G	55.46	74.00	-18.54	38.35	3	Vertical	98	1.03	-	38.78	10.97	32.64			
AV	12.37056G	42.12	54.00	-11.88	25.01	3	Vertical	98	1.03	-	38.76	10.98	32.63			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37608G	55.27	74.00	-18.73	38.17	3	Horizontal	265	2.07	-	38.75	10.98	32.63			
AV	12.376G	42.52	54.00	-11.48	25.42	3	Horizontal	265	2.07	-	38.75	10.98	32.63			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX


6185MHz_TX

EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55136G	51.77	83.54	-31.77	48.45	1	Vertical	137	1.50	-	37.70	15.27	49.65			
AV	18.5711G	42.10	63.54	-21.44	38.76	1	Vertical	137	1.50	-	37.70	15.27	49.63			
PK	24.77108G	52.73	97.74	-45.01	42.57	1	Vertical	130	2.31	-	39.30	17.52	46.66			
AV	24.76912G	42.08	77.74	-35.66	31.92	1	Vertical	130	2.31	-	39.30	17.52	46.66			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55486G	48.63	83.54	-34.91	45.30	1	Horizontal	120	1.50	-	37.70	15.27	49.64			
AV	18.58006G	37.51	63.54	-26.03	34.17	1	Horizontal	120	1.50	-	37.70	15.27	49.63			
PK	24.75302G	52.84	97.74	-44.90	42.70	1	Horizontal	79	1.06	-	39.30	17.51	46.67			
AV	24.7421G	42.33	77.74	-35.41	32.24	1	Horizontal	79	1.06	-	39.25	17.51	46.67			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68188G	55.22	74.00	-18.78	37.23	3	Vertical	45	1.56	-	39.40	11.12	32.53			
AV	12.6952G	42.12	54.00	-11.88	24.12	3	Vertical	45	1.56	-	39.40	11.13	32.53			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT V_4TX
Setting 108
06-C-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.6854G	56.43	74.00	-17.57	38.44	3	Horizontal	7	1.74	-	39.40	11.12	32.53			
AV	12.69124G	43.82	54.00	-10.18	25.83	3	Horizontal	7	1.74	-	39.40	11.12	32.53			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.01106G	53.62	83.54	-29.92	49.82	1	Vertical	143	1.50	-	37.90	15.25	49.35			
AV	19.01232G	42.49	63.54	-21.05	38.69	1	Vertical	143	1.50	-	37.90	15.25	49.35			
PK	25.4115G	59.06	97.74	-38.68	48.45	1	Vertical	55	1.19	-	39.22	17.61	46.22			
AV	25.4073G	49.51	77.74	-28.23	38.91	1	Vertical	55	1.19	-	39.21	17.61	46.22			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.0112G	52.92	83.54	-30.62	49.12	1	Horizontal	149	1.52	-	37.90	15.25	49.35			
AV	19.01218G	42.24	63.54	-21.30	38.44	1	Horizontal	149	1.52	-	37.90	15.25	49.35			
PK	25.40548G	59.90	97.74	-37.84	49.30	1	Horizontal	42	1.50	-	39.21	17.61	46.22			
AV	25.40758G	50.84	77.74	-26.90	40.23	1	Horizontal	42	1.50	-	39.22	17.61	46.22			

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 108
06-C-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.339G	57.54	74.00	-16.46	38.75	3	Vertical	117	1.80	-	40.28	11.42	32.91			
AV	13.32976G	45.39	54.00	-8.61	26.61	3	Vertical	117	1.80	-	40.26	11.42	32.90			

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33016G	56.27	74.00	-17.73	37.49	3	Horizontal	205	1.17	-	40.26	11.42	32.90			
AV	13.32836G	44.04	54.00	-9.96	25.27	3	Horizontal	205	1.17	-	40.26	11.41	32.90			

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.01124G	55.15	83.54	-28.39	51.43	1	Vertical	47	1.50	-	37.78	15.21	49.27			
AV	20.01026G	44.57	63.54	-18.97	40.85	1	Vertical	47	1.50	-	37.78	15.21	49.27			
PK	26.68926G	60.95	97.74	-36.79	48.54	1	Vertical	32	2.11	-	40.24	18.11	45.94			
AV	26.69108G	50.59	77.74	-27.15	38.18	1	Vertical	32	2.11	-	40.24	18.11	45.94			

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.02328G	52.01	83.54	-31.53	48.30	1	Horizontal	207	1.50	-	37.75	15.22	49.26			
AV	20.02118G	41.99	63.54	-21.55	38.27	1	Horizontal	207	1.50	-	37.76	15.22	49.26			
PK	26.68968G	60.53	97.74	-37.21	48.12	1	Horizontal	38	1.50	-	40.24	18.11	45.94			
AV	26.64096G	50.03	77.74	-27.71	37.57	1	Horizontal	38	1.50	-	40.31	18.08	45.93			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 91
06-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	83.77	88.20	-4.43	73.83	3	Vertical	250	1.80	-	34.10	7.44	31.60			
RMS	5.9194G	67.73	68.20	-0.47	57.79	3	Vertical	250	1.80	-	34.10	7.44	31.60			
PK	6.1994G	114.56	Inf	-Inf	103.80	3	Vertical	250	1.80	-	34.30	7.63	31.17			
RMS	6.1994G	103.09	Inf	-Inf	92.33	3	Vertical	250	1.80	-	34.30	7.63	31.17			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 91
06-C-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	73.19	88.20	-15.01	63.25	3	Horizontal	275	1.80	-	34.10	7.44	31.60			
RMS	5.9226G	59.25	68.20	-8.95	49.31	3	Horizontal	275	1.80	-	34.10	7.44	31.60			
PK	5.9626G	101.04	Inf	-Inf	91.09	3	Horizontal	275	1.80	-	34.10	7.46	31.61			
RMS	5.9626G	91.82	Inf	-Inf	81.87	3	Horizontal	275	1.80	-	34.10	7.46	31.61			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 91
06-C-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20496G	56.32	74.00	-17.68	39.21	3	Vertical	360	1.80	-	39.00	10.90	32.79			
AV	12.20568G	44.87	54.00	-9.13	27.76	3	Vertical	360	1.80	-	39.00	10.90	32.79			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT V_4TX
Setting 91
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.2026G	55.88	74.00	-18.12	38.78	3	Horizontal	190	2.10	-	39.00	10.90	32.80			
AV	12.21944G	45.14	54.00	-8.86	28.01	3	Horizontal	190	2.10	-	39.00	10.91	32.78			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 91
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.3122G	46.61	83.54	-36.93	43.42	1	Vertical	231	1.50	-	37.50	15.28	49.59			
AV	18.31164G	35.97	63.54	-27.57	32.78	1	Vertical	231	1.50	-	37.50	15.28	49.59			
PK	24.41902G	51.73	97.74	-46.01	42.22	1	Vertical	343	2.46	-	38.91	17.46	46.86			
AV	24.43456G	41.14	77.74	-36.60	31.51	1	Vertical	343	2.46	-	39.01	17.47	46.85			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 91
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.33572G	46.47	83.54	-37.07	43.29	1	Horizontal	213	1.50	-	37.50	15.28	49.60			
AV	18.28042G	36.10	63.54	-27.44	32.80	1	Horizontal	213	1.50	-	37.58	15.29	49.57			
PK	24.39214G	52.50	97.74	-45.24	43.06	1	Horizontal	195	2.00	-	38.85	17.46	46.87			
AV	24.40586G	41.46	77.74	-36.28	32.02	1	Horizontal	195	2.00	-	38.84	17.46	46.86			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX


6265MHz_TX

EUT_Y_4TX
Setting 108
06-C-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.53288G	55.14	74.00	-18.86	37.63	3	Vertical	134	1.91	-	38.97	11.05	32.51			
AV	12.52892G	43.79	54.00	-10.21	26.29	3	Vertical	134	1.91	-	38.96	11.05	32.51			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6265MHz_TX




EUT V_4TX
Setting 108
06-C-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5214G	56.98	74.00	-17.02	39.50	3	Horizontal	346	1.59	-	38.94	11.05	32.51			
AV	12.52644G	44.84	54.00	-9.16	27.35	3	Horizontal	346	1.59	-	38.95	11.05	32.51			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6265MHz_TX




EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.7698G	47.92	83.54	-35.62	44.36	1	Vertical	120	1.50	-	37.80	15.26	49.50			
AV	18.76882G	36.74	63.54	-26.80	33.18	1	Vertical	120	1.50	-	37.80	15.26	49.50			
PK	25.03032G	53.53	97.74	-44.21	43.15	1	Vertical	260	1.49	-	39.34	17.55	46.51			
AV	25.0376G	42.10	77.74	-35.64	31.72	1	Vertical	260	1.49	-	39.32	17.56	46.50			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6265MHz_TX

EUT_Y_4TX
Setting 108
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.76714G	47.18	83.54	-36.36	43.62	1	Horizontal	112	1.50	-	37.80	15.26	49.50			
AV	18.77498G	36.66	63.54	-26.88	33.09	1	Horizontal	112	1.50	-	37.80	15.26	49.49			
PK	25.03382G	52.53	97.74	-45.21	42.14	1	Horizontal	13	1.50	-	39.33	17.56	46.50			
AV	25.02808G	41.82	77.74	-35.92	31.44	1	Horizontal	13	1.50	-	39.34	17.55	46.51			


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

17/07/2024

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.952501G	2.82	5.9857G	-44.11	-35.18	-8.93	1
5.963373G	2.83	5.983375G	-40.61	-33.41	-7.20	2
5.960924G	2.75	5.98585G	-43.95	-35.95	-8.00	3
5.963248G	2.82	5.98625G	-44.62	-37.17	-7.45	4


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

17/07/2024

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1934G	2.42	6.226275G	-46.42	-36.84	-9.58	1
6.197G	2.82	6.162575G	-47.08	-37.18	-9.90	2
6.190351G	3.24	6.17595G	-30.69	-23.28	-7.41	3
6.191176G	3.04	6.176675G	-31.54	-22.74	-8.80	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

17/07/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

17/07/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

17/07/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

17/07/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

17/07/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

17/07/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

17/07/2024

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.413248G	5.06	6.46615G	-39.41	-34.94	-4.47	1
6.409999G	5.52	6.4642G	-35.46	-34.16	-1.30	2
6.413798G	5.12	6.46305G	-36.30	-34.46	-1.84	3
6.418047G	4.19	6.46475G	-39.78	-35.81	-3.97	4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

17/07/2024

CF (Hz)
6.565G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.560301G	5.95	6.62665G	-39.78	-34.01	-5.77	1
6.552703G	6.67	6.6362G	-39.27	-33.33	-5.94	2
6.560151G	6.25	6.50005G	-39.01	-33.44	-5.57	3
6.559851G	6.60	6.62665G	-37.28	-33.36	-3.92	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

17/07/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

17/07/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

17/07/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

17/07/2024



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

17/07/2024

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3953G	9.12	6.5616G	-36.19	-30.88	-5.31	1
6.398G	9.37	6.4489G	-17.68	-11.36	-6.32	2
6.4026G	9.22	6.5433G	-34.58	-30.46	-4.12	3
6.395G	8.97	6.5317G	-33.61	-31.03	-2.58	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

17/07/2024

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6118G	8.20	6.5547G	-18.12	-12.37	-5.75	1
6.6112G	8.71	6.5477G	-17.29	-11.98	-5.31	2
6.6121G	8.70	6.5548G	-15.88	-11.72	-4.16	3
6.6169G	8.57	6.5677G	-17.28	-11.61	-5.67	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

17/07/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

17/07/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

17/07/2024

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99061G	1.99	6.2682G	-45.10	-37.86	-7.24	1
5.99741G	2.74	6.2694G	-45.72	-37.26	-8.46	2
5.99781G	2.65	6.268G	-43.98	-37.27	-6.71	3
5.99861G	2.46	6.2686G	-45.45	-37.54	-7.91	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

17/07/2024

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15601G	9.67	6.3358G	-17.21	-10.60	-6.61	1
6.12202G	10.27	6.0116G	-17.21	-11.10	-6.11	2
6.16041G	9.92	6.3336G	-15.95	-10.23	-5.72	3
6.15721G	10.37	6.337G	-15.85	-9.68	-6.17	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

17/07/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

18/07/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

17/07/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

17/07/2024




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

5955MHz_TX

20/07/2024

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.958799G	4.75	5.99015G	-41.60	-35.25	-6.35	1
5.962473G	5.08	5.98675G	-37.68	-33.81	-3.87	2
5.958699G	4.60	5.9904G	-41.61	-34.83	-6.78	3
5.956225G	3.89	5.990025G	-43.34	-36.11	-7.23	4


5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6195MHz_TX

20/07/2024

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.189201G	10.52	6.171G	-21.90	-9.56	-12.34	1
6.193775G	10.61	6.1713G	-20.24	-9.48	-10.76	2
6.192451G	10.94	6.1705G	-19.90	-9.28	-10.62	3
6.188777G	10.49	6.1723G	-19.27	-9.60	-9.67	4


5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6415MHz_TX

20/07/2024

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.416225G	9.21	6.393375G	-23.47	-11.58	-11.89	1
6.417599G	9.79	6.43725G	-21.90	-11.11	-10.79	2
6.412401G	10.40	6.395825G	-18.25	-10.12	-8.13	3
6.418849G	9.18	6.3979G	-19.53	-10.95	-8.58	4


6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6535MHz_TX

20/07/2024

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.526827G	8.34	6.515575G	-22.25	-12.61	-9.64	1
6.537499G	9.76	6.51375G	-20.34	-10.42	-9.92	2
6.532476G	8.86	6.514875G	-21.08	-11.33	-9.75	3
6.532526G	8.92	6.5543G	-21.78	-11.27	-10.51	4

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6695MHz_TX

20/07/2024




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6855MHz_TX

20/07/2024




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

5965MHz_TX

20/07/2024




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6205MHz_TX

20/07/2024



5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6405MHz_TX

20/07/2024

CF (Hz)
6.405G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.412348G	8.73	6.44135G	-20.14	-11.34	-8.80	1
6.407399G	9.55	6.4434G	-17.71	-10.83	-6.88	2
6.407699G	9.64	6.4417G	-17.18	-10.40	-6.78	3
6.398902G	8.00	6.37185G	-19.98	-12.08	-7.90	4

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6565MHz_TX

20/07/2024

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.568899G	7.45	6.5299G	-22.18	-14.42	-7.76	1
6.573948G	8.66	6.5271G	-20.18	-11.50	-8.68	2
6.56335G	8.01	6.52645G	-21.50	-12.65	-8.85	3
6.572398G	7.89	6.52605G	-22.19	-12.31	-9.88	4

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6685MHz_TX

20/07/2024




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6845MHz_TX

20/07/2024




5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

5985MHz_TX

20/07/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.992G	3.83	6.1063G	-41.77	-35.93	-5.84	1
5.992G	4.55	6.1092G	-41.07	-35.45	-5.62	2
5.9972G	4.34	6.1086G	-40.66	-35.66	-5.00	3
5.9898G	3.87	6.1215G	-42.41	-36.13	-6.28	4

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6225MHz_TX

20/07/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2107G	11.40	6.1284G	-15.88	-8.68	-7.20	1
6.2115G	11.31	6.1329G	-16.23	-8.77	-7.46	2
6.2378G	11.61	6.1289G	-16.28	-8.49	-7.79	3
6.2376G	11.21	6.1287G	-16.46	-8.79	-7.67	4


5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6385MHz_TX

20/07/2024

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3998G	9.05	6.5353G	-33.28	-30.67	-2.61	1
6.3985G	9.25	6.5371G	-33.49	-30.05	-3.44	2
6.3978G	9.27	6.4662G	-20.47	-12.82	-7.65	3
6.396G	8.55	6.5614G	-38.81	-31.45	-7.36	4


6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6625MHz_TX

20/07/2024

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6129G	7.88	6.5669G	-17.94	-12.36	-5.58	1
6.6131G	8.58	6.5509G	-18.56	-13.43	-5.13	2
6.6122G	8.24	6.5963G	-17.64	-11.93	-5.71	3
6.6163G	7.70	6.5535G	-21.94	-13.44	-8.50	4

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6705MHz_TX

20/07/2024




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6785MHz_TX

20/07/2024




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6025MHz_TX

20/07/2024




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6185MHz_TX

20/07/2024



5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6345MHz_TX

20/07/2024

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40538G	8.36	6.1872G	-19.97	-15.24	-4.73	1
6.36959G	9.26	6.0368G	-32.86	-30.21	-2.65	2
6.42098G	8.80	6.182G	-18.23	-13.66	-4.57	3
6.36819G	8.50	6.0574G	-31.34	-30.83	-0.51	4

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6665MHz_TX

20/07/2024

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60561G	8.91	6.5214G	-16.06	-11.32	-4.74	1
6.68799G	9.36	6.5092G	-16.14	-11.79	-4.35	2
6.58942G	9.50	6.5174G	-13.66	-10.94	-2.72	3
6.60202G	8.49	6.5474G	-15.97	-11.75	-4.22	4

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6105MHz_TX

20/07/2024



5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6265MHz_TX

20/07/2024

