



Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.03	0.36	0.33	11.00	Complies
122	5610	-0.90	0.36	-0.54	11.00	Complies
138	5690	7.15	0.36	7.33	11.00	Complies

CH106




Date: 2.MAY.2024 16:07:53

CH122



Date: 2.MAY.2024 16:10:08


CH138



Date: 6.MAY.2024 12:14:20

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.40	0.36	-1.04	30.00	Complies


CH155



Date: 2.MAY.2024 16:13:28


Test Mode	IEEE 802.11ac (VHT80)_Ant.2
-----------	-----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.40	0.36	-0.04	11.00	Complies



Date: 3.MAY.2024 15:24:09


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.12	0.36	0.48	11.00	Complies



Date: 3.MAY.2024 15:29:53


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.86	0.36	1.22	11.00	Complies
122	5610	-0.04	0.36	0.32	11.00	Complies
138	5690	7.08	0.36	7.44	11.00	Complies

CH106




Date: 3.MAY.2024 15:35:46

CH122



Date: 3.MAY.2024 15:37:15


CH138



Date: 6.MAY.2024 14:36:34

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	0.17	0.36	0.53	30.00	Complies

CH155



Date: 3.MAY.2024 15:38:55


Test Mode	IEEE 802.11ac (VHT80)_Total
-----------	-----------------------------

Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5210	3.60	11.00	Pass
5290	2.90	11.00	Pass
5530	3.80	11.00	Pass
5610	2.92	11.00	Pass
5690	10.49	11.00	Pass

Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5775	2.82	30.00	Complies


Test Mode	IEEE 802.11ac (VHT160)_Ant.1
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-7.47	0.66	-6.81	11.00	Complies



Date: 2.MAY.2024 16:22:59


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-3.39	0.66	-2.73	11.00	Complies



Date: 2.MAY.2024 16:35:12


Test Mode	IEEE 802.11ac (VHT160)_Ant.2
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-7.19	0.66	-6.53	11.00	Complies



Date: 3.MAY.2024 15:41:03

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-2.48	0.66	-1.82	11.00	Complies



Date: 3.MAY.2024 15:43:54


Test Mode	IEEE 802.11ac (VHT160)_Total
-----------	------------------------------

Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5250	-3.66	11.00	Pass
5570	0.76	11.00	Pass

Test Mode	IEEE 802.11ax (HE20)_Ant.1
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.95	0.11	6.06	11.00	Complies
40	5200	7.62	0.11	7.73	11.00	Complies
48	5240	7.15	0.11	7.26	11.00	Complies

CH36




Date: 2.MAY.2024 17:10:10

CH40



Date: 16.MAY.2024 18:24:14


CH48



Date: 16.MAY.2024 18:24:56


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.33	0.11	6.44	11.00	Complies
60	5300	6.35	0.11	6.46	11.00	Complies
64	5320	6.47	0.11	6.58	11.00	Complies

CH52




Date: 2.MAY.2024 17:19:20

CH60



Date: 2.MAY.2024 17:21:23


CH64



Date: 2.MAY.2024 17:23:40


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.62	0.11	6.73	11.00	Complies
116	5580	7.74	0.11	7.85	11.00	Complies
140	5700	4.75	0.11	4.86	11.00	Complies
144	5720	7.61	0.11	7.72	11.00	Complies

CH100




Date: 2.MAY.2024 17:25:12

CH116




Date: 2.MAY.2024 17:27:21

CH140



Date: 2.MAY.2024 17:30:14


CH144



Date: 6.MAY.2024 10:46:07


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.01	0.11	8.12	30.00	Complies
157	5785	6.78	0.11	6.89	30.00	Complies
165	5825	8.11	0.11	8.22	30.00	Complies

CH149




Date: 2.MAY.2024 17:31:29

CH157



Date: 2.MAY.2024 17:35:47


CH165




Date: 2.MAY.2024 17:37:53

Test Mode	IEEE 802.11ax (HE20)_Ant.2
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.78	0.11	5.89	11.00	Complies
40	5200	7.34	0.11	7.45	11.00	Complies
48	5240	7.49	0.11	7.60	11.00	Complies



Date: 3.MAY.2024 15:45:12




Date: 16.MAY.2024 18:25:43




Date: 16.MAY.2024 18:26:34


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.48	0.11	6.59	11.00	Complies
60	5300	6.35	0.11	6.46	11.00	Complies
64	5320	5.65	0.11	5.76	11.00	Complies



Date: 3.MAY.2024 15:49:54




Date: 3.MAY.2024 15:50:37



Date: 3.MAY.2024 15:51:49


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.41	0.11	5.52	11.00	Complies
116	5580	7.79	0.11	7.90	11.00	Complies
140	5700	3.87	0.11	3.98	11.00	Complies
142	5720	7.02	0.11	7.13	11.00	Complies

CH100




Date: 3.MAY.2024 15:51:27

CH116




Date: 3.MAY.2024 15:54:56

CH140



Date: 3.MAY.2024 15:56:32


CH142



Date: 6.MAY.2024 14:14:45


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.40	0.11	7.51	30.00	Complies
157	5785	5.77	0.11	5.88	30.00	Complies
165	5825	7.34	0.11	7.45	30.00	Complies

CH149




Date: 3.MAY.2024 15:57:30

CH157



Date: 3.MAY.2024 15:58:32

CH165



Date: 3.MAY.2024 15:59:16

Test Mode	IEEE 802.11ax (HE20)_Total
-----------	----------------------------


Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5180	8.98	11.00	Pass
5200	10.60	11.00	Pass
5240	10.44	11.00	Pass
5260	9.52	11.00	Pass
5300	9.47	11.00	Pass
5320	9.20	11.00	Pass
5500	9.17	11.00	Pass
5580	10.88	11.00	Pass
5700	7.45	11.00	Pass
5720	10.44	11.00	Pass

Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5745	10.83	30.00	Pass
5785	9.42	30.00	Pass
5825	10.86	30.00	Pass

Test Mode	IEEE 802.11ax (HE40)_Ant.1
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.59	0.47	-0.12	11.00	Complies
46	5230	8.01	0.47	8.48	11.00	Complies

CH38



Date: 2.MAY.2024 17:54:25


CH46



Date: 3.MAY.2024 16:05:57


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.78	0.47	5.25	11.00	Complies
62	5310	-0.10	0.47	0.37	11.00	Complies

CH54



Date: 2.MAY.2024 18:03:15


CH62



Date: 2.MAY.2024 18:08:26


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.65	0.47	1.12	11.00	Complies
110	5550	5.66	0.47	6.13	11.00	Complies
134	5670	2.31	0.47	2.78	11.00	Complies
142	5710	6.71	0.47	7.18	11.00	Complies

CH102




Date: 2.MAY.2024 18:10:19

CH110




Date: 2.MAY.2024 18:12:14

CH134



Date: 2.MAY.2024 18:15:00


CH142



Date: 6.MAY.2024 11:22:29


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.37	0.47	4.84	30.00	Complies
159	5795	6.69	0.47	7.16	30.00	Complies

CH151



Date: 3.MAY.2024 16:26:17

CH159




Date: 2.MAY.2024 18:43:20

Test Mode	IEEE 802.11ax (HE40)_Ant.2
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-1.51	0.47	-1.04	11.00	Complies
46	5230	5.69	0.47	6.16	11.00	Complies

CH38



Date: 3.MAY.2024 16:01:06


CH46



Date: 3.MAY.2024 16:03:56


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.87	0.47	4.34	11.00	Complies
62	5310	-0.97	0.47	-0.50	11.00	Complies

CH54



Date: 3.MAY.2024 16:07:53


CH62



Date: 3.MAY.2024 16:11:06


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.08	0.47	0.55	11.00	Complies
110	5550	4.85	0.47	5.32	11.00	Complies
134	5670	1.50	0.47	1.97	11.00	Complies
142	5710	6.45	0.47	6.92	11.00	Complies

CH102




Date: 3.MAY.2024 16:14:07

CH110




Date: 3.MAY.2024 16:14:47

CH134



Date: 3.MAY.2024 16:15:53


CH142



Date: 6.MAY.2024 14:19:53


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.39	0.47	4.86	30.00	Complies
159	5795	4.69	0.47	5.16	30.00	Complies

CH151



Date: 3.MAY.2024 16:19:40

CH159



Date: 3.MAY.2024 16:24:10


Test Mode	IEEE 802.11ax (HE40)_Total
-----------	----------------------------

Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5190	2.45	11.00	Pass
5230	10.48	11.00	Pass
5270	7.82	11.00	Pass
5310	2.96	11.00	Pass
5510	3.85	11.00	Pass
5550	8.75	11.00	Pass
5670	5.40	11.00	Pass
5710	9.59	11.00	Pass

Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5755	7.86	30.00	Pass
5795	9.28	30.00	Pass


Test Mode	IEEE 802.11ax (HE80)_Ant.1
-----------	----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-6.19	0.61	-5.58	11.00	Complies



Date: 2.MAY.2024 19:01:11


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-5.75	0.61	-5.14	11.00	Complies



Date: 3.MAY.2024 10:25:37


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.63	0.61	-1.02	11.00	Complies
122	5610	4.25	0.61	4.86	11.00	Complies
138	5690	6.82	0.61	7.43	11.00	Complies

CH106




Date: 3.MAY.2024 10:28:02

CH122



Date: 3.MAY.2024 10:29:13


CH138



Date: 6.MAY.2024 12:21:30

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.17	0.61	2.78	30.00	Complies


CH155



Date: 3.MAY.2024 10:34:31


Test Mode	IEEE 802.11ax (HE80)_Ant.2
-----------	----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-5.71	0.61	-5.10	11.00	Complies



Date: 3.MAY.2024 16:29:19


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-6.80	0.61	-6.19	11.00	Complies



Date: 3.MAY.2024 16:30:07


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-3.40	0.61	-2.79	11.00	Complies
122	5610	2.24	0.61	2.85	11.00	Complies
138	5690	6.79	0.61	7.40	11.00	Complies

CH106




Date: 3.MAY.2024 16:31:14

CH122



Date: 3.MAY.2024 16:32:00


CH138



Date: 6.MAY.2024 14:41:48

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	0.12	0.61	0.73	30.00	Complies

CH155



Date: 3.MAY.2024 16:33:04


Test Mode	IEEE 802.11ax (HE80)_Total
-----------	----------------------------

Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5210	-2.32	11.00	Pass
5290	-2.62	11.00	Pass
5530	1.20	11.00	Pass
5610	6.98	11.00	Pass
5690	10.43	11.00	Pass

Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5775	4.89	30.00	Complies


Test Mode	IEEE 802.11ax (HE160)_Ant.1
-----------	-----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-6.74	0.47	-6.27	11.00	Complies



Date: 3.MAY.2024 10:42:21


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-4.79	0.47	-4.32	11.00	Complies




Date: 3.MAY.2024 10:49:13

Test Mode IEEE 802.11ax (HE160)_Ant.2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-8.56	0.47	-8.09	11.00	Complies



Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-6.49	0.47	-6.02	11.00	Complies




Test Mode IEEE 802.11ax (HE160)_Total


Frequency (MHz)	Measured Power Spectral Density (dBm/MHz)	Power Spectral Density Limit (dBm/MHz)	Result
5250	-4.08	11.00	Pass
5570	-2.08	11.00	Pass

Test Mode	IEEE 802.1be (EHT20)_Ant.1
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.77	0.00	7.77	11.00	Complies
40	5200	7.47	0.00	7.47	11.00	Complies
48	5240	7.45	0.00	7.45	11.00	Complies



Date: 3.MAY.2024 11:23:17




Date: 16.MAY.2024 18:30:17




Date: 16.MAY.2024 18:33:53


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.22	0.00	7.22	11.00	Complies
60	5300	7.49	0.00	7.49	11.00	Complies
64	5320	7.28	0.00	7.28	11.00	Complies



Date: 3.MAY.2024 11:30:02




Date: 3.MAY.2024 11:31:27



Date: 3.MAY.2024 11:33:32


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.42	0.00	7.42	11.00	Complies
116	5580	7.69	0.00	7.69	11.00	Complies
140	5700	4.64	0.00	4.64	11.00	Complies
144	5720	7.30	0.00	7.30	11.00	Complies

CH100




Date: 3.MAY.2024 11:37:08

CH116




Date: 3.MAY.2024 11:39:01

CH140



Date: 3.MAY.2024 11:40:41


CH144



Date: 6.MAY.2024 10:48:07


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.95	0.00	8.95	30.00	Complies
157	5785	8.65	0.00	8.65	30.00	Complies
165	5825	8.15	0.00	8.15	30.00	Complies

CH149




Date: 3.MAY.2024 11:42:04

CH157



Date: 3.MAY.2024 11:44:57

CH165




Date: 3.MAY.2024 11:46:48

Test Mode	IEEE 802.1be (EHT20)_Ant.2
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.88	0.00	5.88	11.00	Complies
40	5200	7.91	0.00	7.91	11.00	Complies
48	5240	7.41	0.00	7.41	11.00	Complies

CH36




Date: 3.MAY.2024 16:37:20

CH40



Date: 16.MAY.2024 18:31:24


CH48



Date: 16.MAY.2024 18:32:06


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.13	0.00	5.13	11.00	Complies
60	5300	5.68	0.00	5.68	11.00	Complies
64	5320	5.15	0.00	5.15	11.00	Complies

CH52




Date: 3.MAY.2024 16:42:15

CH60



Date: 3.MAY.2024 16:42:52


CH64



Date: 3.MAY.2024 16:43:59


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.62	0.00	5.62	11.00	Complies
116	5580	6.82	0.00	6.82	11.00	Complies
140	5700	4.50	0.00	4.50	11.00	Complies
144	5720	7.69	0.00	7.69	11.00	Complies

CH100




Date: 3.MAY.2024 16:48:03

CH116




Date: 3.MAY.2024 16:48:57

CH140



Date: 3.MAY.2024 16:54:56


CH144



Date: 6.MAY.2024 14:16:18


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.02	0.00	9.02	30.00	Complies
157	5785	8.60	0.00	8.60	30.00	Complies
165	5825	8.28	0.00	8.28	30.00	Complies

CH149




Date: 3.MAY.2024 16:55:54

CH157



Date: 3.MAY.2024 16:57:42

CH165



Date: 3.MAY.2024 16:58:31

Test Mode	IEEE 802.1be (EHT20)_Total
-----------	----------------------------


Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5180	9.94	11.00	Pass
5200	10.71	11.00	Pass
5240	10.44	11.00	Pass
5260	9.31	11.00	Pass
5300	9.69	11.00	Pass
5320	9.35	11.00	Pass
5500	9.62	11.00	Pass
5580	10.29	11.00	Pass
5700	7.58	11.00	Pass
5720	10.51	11.00	Pass

Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5745	12.00	30.00	Complies
5785	11.64	30.00	Complies
5825	11.23	30.00	Complies

Test Mode	IEEE 802.1be (EHT40)_Ant.1
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-1.05	0.95	-0.1	11.00	Complies
46	5230	7.96	0.95	8.91	11.00	Complies

CH38



Date: 3.MAY.2024 11:58:06


CH46



Date: 3.MAY.2024 11:59:20


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.97	0.95	7.92	11.00	Complies
62	5310	-0.20	0.95	0.75	11.00	Complies

CH54



Date: 3.MAY.2024 12:17:22


CH62



Date: 3.MAY.2024 12:12:22


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.09	0.95	2.04	11.00	Complies
110	5550	6.02	0.95	6.97	11.00	Complies
134	5670	3.13	0.95	3.30	11.00	Complies
142	5710	6.74	0.95	7.69	11.00	Complies

CH102




Date: 3.MAY.2024 12:22:15

CH110




Date: 3.MAY.2024 12:33:01

CH134



Date: 3.MAY.2024 12:29:55


CH142



Date: 6.MAY.2024 11:27:20


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.32	0.95	8.27	30.00	Complies
159	5795	6.95	0.95	7.90	30.00	Complies

CH151



Date: 3.MAY.2024 12:37:02

CH159




Date: 3.MAY.2024 12:38:35

Test Mode	IEEE 802.1be (EHT40)_Ant.2
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.33	0.95	0.62	11.00	Complies
46	5230	7.98	0.95	8.93	11.00	Complies

CH38



Date: 3.MAY.2024 17:01:08


CH46



Date: 3.MAY.2024 17:02:29


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.16	0.95	8.11	11.00	Complies
62	5310	0.42	0.95	1.37	11.00	Complies

CH54



Date: 3.MAY.2024 17:05:03


CH62



Date: 3.MAY.2024 17:12:36


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.72	0.95	2.67	11.00	Complies
110	5550	6.69	0.95	7.64	11.00	Complies
134	5670	4.13	0.95	5.08	11.00	Complies
142	5710	6.58	0.95	7.53	11.00	Complies

CH102




Date: 3.MAY.2024 17:14:44

CH110




Date: 3.MAY.2024 17:16:08

CH134



Date: 3.MAY.2024 17:19:26


CH142



Date: 6.MAY.2024 14:23:33


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.97	0.95	6.92	30.00	Complies
159	5795	5.19	0.95	6.14	30.00	Complies

CH151



Date: 3.MAY.2024 17:21:21

CH159



Date: 3.MAY.2024 17:28:13


Test Mode	IEEE 802.1be (EHT40)_Total
-----------	----------------------------

Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5190	0.62	11.00	Pass
5230	8.93	11.00	Pass
5270	8.11	11.00	Pass
5310	1.37	11.00	Pass
5510	2.67	11.00	Pass
5550	7.64	11.00	Pass
5670	5.08	11.00	Pass
5710	9.67	11.00	Pass


Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5755	6.92	30.00	Complies
5795	6.14	30.00	Complies

Test Mode	IEEE 802.1be (EHT80)_Ant.1
-----------	----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-4.24	0.30	-3.94	11.00	Complies




Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-5.43	0.30	-5.13	11.00	Complies




Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.32	0.30	-1.02	11.00	Complies
122	5610	4.68	0.30	4.98	11.00	Complies
138	5690	6.22	0.30	6.52	11.00	Complies

CH106




Date: 3.MAY.2024 12:56:00

CH122



Date: 3.MAY.2024 12:57:41


CH138



Date: 6.MAY.2024 12:34:01

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.31	0.30	1.61	30.00	Complies


CH155




Date: 3.MAY.2024 12:59:55

Test Mode	IEEE 802.1be (EHT80)_Ant.2
-----------	----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-4.57	0.30	-4.27	11.00	Complies




Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-5.46	0.30	-5.16	11.00	Complies




Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.40	0.30	-1.10	11.00	Complies
122	5610	4.45	0.30	4.75	11.00	Complies
138	5690	7.15	0.30	7.45	11.00	Complies

CH106




Date: 3.MAY.2024 17:32:58

CH122



Date: 3.MAY.2024 17:34:27


CH138



Date: 6.MAY.2024 14:50:52

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.23	0.30	1.53	30.00	Complies

CH155



Date: 3.MAY.2024 17:35:45


Test Mode	IEEE 802.1be (EHT80)_Total
-----------	----------------------------

Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5210	-1.09	11.00	Pass
5290	-2.14	11.00	Pass
5530	1.95	11.00	Pass
5610	7.88	11.00	Pass
5690	9.72	11.00	Pass


Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
5775	4.58	30.00	Complies

Test Mode	IEEE 802.1be (EHT160)_Ant.1
-----------	-----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-6.91	0.47	-6.44	11.00	Complies




Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-4.83	0.47	-4.36	11.00	Complies




Test Mode	IEEE 802.1be (EHT160)_Ant.2
-----------	-----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-7.21	0.47	-6.74	11.00	Complies



Date: 3.MAY.2024 17:38:31

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-4.76	0.47	-4.29	11.00	Complies



Date: 3.MAY.2024 17:41:13

Test Mode	IEEE 802.1be (EHT160)_Total
-----------	-----------------------------

Frequency	Measured Power Spectral Density	Power Spectral Density Limit	Result
(MHz)	(dBm/MHz)	(dBm/MHz)	
5250	-3.58	11.00	Pass
5570	-1.32	11.00	Pass

End of Test Report