











Mode	4																																																																																															
	Band Edge																																																																																															
	2400-2483.5_802.11g_CH01_2412MHz																																																																																															
ANT	CDD 1+2																																																																																															
Pol.	Vertical					Fundamental																																																																																										
Peak	 Date: 2023-11-27 <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2390.00</td><td>63.57</td><td>74.00</td><td>-10.43</td><td>60.08</td><td>32.36</td><td>4.80</td><td>33.67</td><td>303</td><td>275 Peak</td></tr></tbody></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2390.00	63.57	74.00	-10.43	60.08	32.36	4.80	33.67	303	275 Peak	 Date: 2023-11-27 <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>104.76</td><td>-----</td><td>-----</td><td>101.22</td><td>32.37</td><td>4.82</td><td>33.65</td><td>303</td><td>275 Peak</td></tr></tbody></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2412.00	104.76	-----	-----	101.22	32.37	4.82	33.65	303	275 Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2390.00	63.57	74.00	-10.43	60.08	32.36	4.80	33.67	303	275 Peak																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2412.00	104.76	-----	-----	101.22	32.37	4.82	33.65	303	275 Peak																																																																																						
Avg	 Date: 2023-11-27 <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2390.00</td><td>49.18</td><td>54.00</td><td>-4.82</td><td>45.69</td><td>32.36</td><td>4.80</td><td>33.67</td><td>303</td><td>275 Average</td></tr></tbody></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2390.00	49.18	54.00	-4.82	45.69	32.36	4.80	33.67	303	275 Average	 Date: 2023-11-27 <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>96.23</td><td>-----</td><td>-----</td><td>92.69</td><td>32.37</td><td>4.82</td><td>33.65</td><td>303</td><td>275 Average</td></tr></tbody></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2412.00	96.23	-----	-----	92.69	32.37	4.82	33.65	303	275 Average
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2390.00	49.18	54.00	-4.82	45.69	32.36	4.80	33.67	303	275 Average																																																																																						
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2412.00	96.23	-----	-----	92.69	32.37	4.82	33.65	303	275 Average																																																																																						







Mode	4																																																																																																		
	Harmonic																																																																																																		
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																		
ANT	CDD 1+2																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>44.02</td><td>74.00</td><td>-29.98</td><td>59.35</td><td>34.40</td><td>7.75</td><td>57.48</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4824.00	44.02	74.00	-29.98	59.35	34.40	7.75	57.48	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>47.59</td><td>74.00</td><td>-26.41</td><td>62.92</td><td>34.40</td><td>7.75</td><td>57.48</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4824.00	47.59	74.00	-26.41	62.92	34.40	7.75	57.48	--	--	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4824.00	44.02	74.00	-29.98	59.35	34.40	7.75	57.48	--	--	Peak																																																																																								
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4824.00	47.59	74.00	-26.41	62.92	34.40	7.75	57.48	--	--	Peak																																																																																								

Note: Only the worst case has assessed testing for up to 26GHz.



Mode	5																																																																																																																												
	Harmonic																																																																																																																												
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																												
ANT	CDD 1+2																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>48.08</td><td>74.00</td><td>-25.92</td><td>63.46</td><td>34.37</td><td>7.77</td><td>57.52</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>43.54</td><td>74.00</td><td>-30.46</td><td>57.48</td><td>36.05</td><td>8.93</td><td>58.92</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4874.00	48.08	74.00	-25.92	63.46	34.37	7.77	57.52	--	Peak	2	7311.00	43.54	74.00	-30.46	57.48	36.05	8.93	58.92	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>53.33</td><td>74.00</td><td>-20.67</td><td>68.71</td><td>34.37</td><td>7.77</td><td>57.52</td><td>161</td><td>231</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>43.58</td><td>54.00</td><td>-10.42</td><td>58.96</td><td>34.37</td><td>7.77</td><td>57.52</td><td>161</td><td>231</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>42.99</td><td>74.00</td><td>-31.01</td><td>56.93</td><td>36.05</td><td>8.93</td><td>58.92</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4874.00	53.33	74.00	-20.67	68.71	34.37	7.77	57.52	161	231	Peak	2	4874.00	43.58	54.00	-10.42	58.96	34.37	7.77	57.52	161	231	Average	3	7311.00	42.99	74.00	-31.01	56.93	36.05	8.93	58.92	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																				
1	4874.00	48.08	74.00	-25.92	63.46	34.37	7.77	57.52	--	Peak																																																																																																																			
2	7311.00	43.54	74.00	-30.46	57.48	36.05	8.93	58.92	--	Peak																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																				
1	4874.00	53.33	74.00	-20.67	68.71	34.37	7.77	57.52	161	231	Peak																																																																																																																		
2	4874.00	43.58	54.00	-10.42	58.96	34.37	7.77	57.52	161	231	Average																																																																																																																		
3	7311.00	42.99	74.00	-31.01	56.93	36.05	8.93	58.92	--	Peak																																																																																																																			





Mode	6																																																																																								
	Band Edge																																																																																								
	2400-2483.5_802.11g_CH11_2462MHz																																																																																								
ANT	CDD 1+2																																																																																								
Pol.	Horizontal						Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>67.95</td><td>74.00</td><td>-6.05</td><td>64.24</td><td>32.40</td><td>4.92</td><td>33.61</td><td>104</td><td>65</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.68	67.95	74.00	-6.05	64.24	32.40	4.92	33.61	104	65	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>110.72</td><td>-----</td><td>-----</td><td>107.06</td><td>32.39</td><td>4.89</td><td>33.62</td><td>104</td><td>65</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	110.72	-----	-----	107.06	32.39	4.89	33.62	104	65
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2483.68	67.95	74.00	-6.05	64.24	32.40	4.92	33.61	104	65	Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2462.00	110.72	-----	-----	107.06	32.39	4.89	33.62	104	65	Peak																																																																														
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>53.36</td><td>54.00</td><td>-0.64</td><td>49.66</td><td>32.39</td><td>4.92</td><td>33.61</td><td>104</td><td>65</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.52	53.36	54.00	-0.64	49.66	32.39	4.92	33.61	104	65	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>102.03</td><td>-----</td><td>-----</td><td>98.37</td><td>32.39</td><td>4.89</td><td>33.62</td><td>104</td><td>65</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	102.03	-----	-----	98.37	32.39	4.89	33.62	104	65
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2483.52	53.36	54.00	-0.64	49.66	32.39	4.92	33.61	104	65	Average																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2462.00	102.03	-----	-----	98.37	32.39	4.89	33.62	104	65	Average																																																																														



Mode	6										
	Band Edge										
	2400-2483.5_802.11g_CH11_2462MHz										
ANT	CDD 1+2										
Pol.	Vertical										
Peak											









Mode	6																																																																																																																																																																																														
	Harmonic																																																																																																																																																																																														
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																																																																																														
ANT	CDD 1+2																																																																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																																																																								
Peak Avg																																																																																																																																																																																															
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>4924.00</td><td>49.35</td><td>74.00</td><td>-24.65</td><td>64.77</td><td>34.34</td><td>7.79</td><td>57.55</td><td>142</td><td>352</td><td>Peak</td><td></td><td></td><td></td></tr><tr><td>2</td><td>4924.00</td><td>43.34</td><td>54.00</td><td>-10.66</td><td>58.76</td><td>34.34</td><td>7.79</td><td>57.55</td><td>142</td><td>352</td><td>Average</td><td></td><td></td><td></td></tr><tr><td>3</td><td>7386.00</td><td>43.71</td><td>74.00</td><td>-30.29</td><td>57.50</td><td>35.99</td><td>9.17</td><td>58.95</td><td>--</td><td>--</td><td>Peak</td><td></td><td></td><td></td></tr></table>								Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4924.00	49.35	74.00	-24.65	64.77	34.34	7.79	57.55	142	352	Peak				2	4924.00	43.34	54.00	-10.66	58.76	34.34	7.79	57.55	142	352	Average				3	7386.00	43.71	74.00	-30.29	57.50	35.99	9.17	58.95	--	--	Peak				<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>4924.00</td><td>53.21</td><td>74.00</td><td>-20.79</td><td>68.63</td><td>34.34</td><td>7.79</td><td>57.55</td><td>115</td><td>309</td><td>Peak</td><td></td><td></td><td></td></tr><tr><td>2</td><td>4924.00</td><td>45.22</td><td>54.00</td><td>-8.78</td><td>60.64</td><td>34.34</td><td>7.79</td><td>57.55</td><td>115</td><td>309</td><td>Average</td><td></td><td></td><td></td></tr><tr><td>3</td><td>7386.00</td><td>44.51</td><td>74.00</td><td>-29.49</td><td>58.30</td><td>35.99</td><td>9.17</td><td>58.95</td><td>--</td><td>--</td><td>Peak</td><td></td><td></td><td></td></tr></table>								Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4924.00	53.21	74.00	-20.79	68.63	34.34	7.79	57.55	115	309	Peak				2	4924.00	45.22	54.00	-8.78	60.64	34.34	7.79	57.55	115	309	Average				3	7386.00	44.51	74.00	-29.49	58.30	35.99	9.17	58.95	--	--	Peak			
			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																						
1	4924.00	49.35	74.00	-24.65	64.77	34.34	7.79	57.55	142	352	Peak																																																																																																																																																																																				
2	4924.00	43.34	54.00	-10.66	58.76	34.34	7.79	57.55	142	352	Average																																																																																																																																																																																				
3	7386.00	43.71	74.00	-30.29	57.50	35.99	9.17	58.95	--	--	Peak																																																																																																																																																																																				
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																						
1	4924.00	53.21	74.00	-20.79	68.63	34.34	7.79	57.55	115	309	Peak																																																																																																																																																																																				
2	4924.00	45.22	54.00	-8.78	60.64	34.34	7.79	57.55	115	309	Average																																																																																																																																																																																				
3	7386.00	44.51	74.00	-29.49	58.30	35.99	9.17	58.95	--	--	Peak																																																																																																																																																																																				





Mode	7																																																																																						
	Band Edge																																																																																						
	2400-2483.5_802.11n HT20 _CH01_2412MHz																																																																																						
ANT	CDD 1+2																																																																																						
Pol.	Horizontal					Fundamental																																																																																	
Peak	Date: 2023-11-26					Date: 2023-11-26																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2390.00</td><td>70.09</td><td>74.00</td><td>-3.91</td><td>66.60</td><td>32.36</td><td>4.80</td><td>33.67</td><td>116</td><td>54 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2390.00	70.09	74.00	-3.91	66.60	32.36	4.80	33.67	116	54 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>109.19</td><td>-----</td><td>-----</td><td>105.65</td><td>32.37</td><td>4.82</td><td>33.65</td><td>116</td><td>54 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	109.19	-----	-----	105.65	32.37	4.82	33.65	116
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2390.00	70.09	74.00	-3.91	66.60	32.36	4.80	33.67	116	54 Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2412.00	109.19	-----	-----	105.65	32.37	4.82	33.65	116	54 Peak																																																																													
Avg	Date: 2023-11-26					Date: 2023-11-26																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2390.00</td><td>52.66</td><td>54.00</td><td>-1.34</td><td>49.17</td><td>32.36</td><td>4.80</td><td>33.67</td><td>116</td><td>54 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2390.00	52.66	54.00	-1.34	49.17	32.36	4.80	33.67	116	54 Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>100.65</td><td>-----</td><td>-----</td><td>97.11</td><td>32.37</td><td>4.82</td><td>33.65</td><td>116</td><td>54 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	100.65	-----	-----	97.11	32.37	4.82	33.65	116
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2390.00	52.66	54.00	-1.34	49.17	32.36	4.80	33.67	116	54 Average																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2412.00	100.65	-----	-----	97.11	32.37	4.82	33.65	116	54 Average																																																																													






		7																																																																																
Mode		Band Edge																																																																																
		2400-2483.5_802.11n HT20 _CH01_2412MHz																																																																																
ANT		CDD 1+2																																																																																
Pol.	Vertical					Fundamental																																																																												
Peak	 Date: 2023-11-26 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.91</td><td>70.16</td><td>74.00</td><td>-3.84</td><td>66.67</td><td>32.36</td><td>4.80</td><td>33.67</td><td>352 267 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 2389.91	70.16	74.00	-3.84	66.67	32.36	4.80	33.67	352 267 Peak	 Date: 2023-11-26 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2412.00</td><td>104.34</td><td>-----</td><td>-----</td><td>100.80</td><td>32.37</td><td>4.82</td><td>33.65</td><td>352 267 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 2412.00	104.34	-----	-----	100.80	32.37	4.82	33.65	352 267 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 2389.91	70.16	74.00	-3.84	66.67	32.36	4.80	33.67	352 267 Peak																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 2412.00	104.34	-----	-----	100.80	32.37	4.82	33.65	352 267 Peak																																																																										
Avg	 Date: 2023-11-26 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2390.00</td><td>51.50</td><td>54.00</td><td>-2.50</td><td>48.01</td><td>32.36</td><td>4.80</td><td>33.67</td><td>352 267 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 2390.00	51.50	54.00	-2.50	48.01	32.36	4.80	33.67	352 267 Average	 Date: 2023-11-26 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2412.00</td><td>95.62</td><td>-----</td><td>-----</td><td>92.08</td><td>32.37</td><td>4.82</td><td>33.65</td><td>352 267 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 2412.00	95.62	-----	-----	92.08	32.37	4.82	33.65	352 267 Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 2390.00	51.50	54.00	-2.50	48.01	32.36	4.80	33.67	352 267 Average																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 2412.00	95.62	-----	-----	92.08	32.37	4.82	33.65	352 267 Average																																																																										

Mode	7																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_802.11n HT20 _CH01_2412MHz																																																																																																																													
ANT	CDD 1+2																																																																																																																													
Pol.	Horizontal							Vertical																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2023-11-27  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>4824.00</td><td>43.19</td><td>74.00</td><td>-30.81</td><td>58.52</td><td>34.40</td><td>7.75</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>57.48</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>-- Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	4824.00	43.19	74.00	-30.81	58.52	34.40	7.75								57.48								--								-- Peak	Level (dBuV/m) Date: 2023-11-27  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>4824.00</td><td>42.65</td><td>74.00</td><td>-31.35</td><td>57.98</td><td>34.40</td><td>7.75</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>57.48</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>-- Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	4824.00	42.65	74.00	-31.35	57.98	34.40	7.75								57.48								--								-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																																							
1	4824.00	43.19	74.00	-30.81	58.52	34.40	7.75																																																																																																																							
							57.48																																																																																																																							
							--																																																																																																																							
							-- Peak																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																																							
1	4824.00	42.65	74.00	-31.35	57.98	34.40	7.75																																																																																																																							
							57.48																																																																																																																							
							--																																																																																																																							
							-- Peak																																																																																																																							







Mode	8																																																																	
	Harmonic																																																																	
	2400-2483.5_802.11n HT20 _CH06_2437MHz																																																																	
ANT	CDD 1+2																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>44.26</td><td>74.00</td><td>-29.74</td><td>59.64</td><td>34.37</td><td>7.77</td><td>57.52</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>43.24</td><td>74.00</td><td>-30.76</td><td>57.18</td><td>36.05</td><td>8.93</td><td>58.92</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	44.26	74.00	-29.74	59.64	34.37	7.77	57.52	--	--	Peak	2	7311.00	43.24	74.00	-30.76	57.18	36.05	8.93	58.92	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4874.00	44.26	74.00	-29.74	59.64	34.37	7.77	57.52	--	--	Peak																																																							
2	7311.00	43.24	74.00	-30.76	57.18	36.05	8.93	58.92	--	--	Peak																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>45.79</td><td>74.00</td><td>-28.21</td><td>61.17</td><td>34.37</td><td>7.77</td><td>57.52</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>43.32</td><td>74.00</td><td>-30.68</td><td>57.26</td><td>36.05</td><td>8.93</td><td>58.92</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	45.79	74.00	-28.21	61.17	34.37	7.77	57.52	--	--	Peak	2	7311.00	43.32	74.00	-30.68	57.26	36.05	8.93	58.92	--	--	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4874.00	45.79	74.00	-28.21	61.17	34.37	7.77	57.52	--	--	Peak																																																							
2	7311.00	43.32	74.00	-30.68	57.26	36.05	8.93	58.92	--	--	Peak																																																							



		9																																																
Mode	Band Edge																																																	
	2400-2483.5_802.11n HT20 _CH11_2462MHz																																																	
ANT	CDD 1+2																																																	
Pol.	Horizontal																																																	
Peak	Fundamental																																																	
	Date: 2023-11-26																																																	
Peak																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.88</td><td>71.66</td><td>74.00</td><td>-2.34</td><td>67.95</td><td>32.40</td><td>4.92</td><td>33.61</td><td>114</td><td>50 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.88	71.66	74.00	-2.34	67.95	32.40	4.92	33.61	114	50 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	2483.88	71.66	74.00	-2.34	67.95	32.40	4.92	33.61	114	50 Peak																																								
Avg	Date: 2023-11-26																																																	
																																																		
Avg	Date: 2023-11-26																																																	
																																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>53.33</td><td>54.00</td><td>-0.67</td><td>49.63</td><td>32.39</td><td>4.92</td><td>33.61</td><td>114</td><td>50 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.52	53.33	54.00	-0.67	49.63	32.39	4.92	33.61	114	50 Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	2483.52	53.33	54.00	-0.67	49.63	32.39	4.92	33.61	114	50 Average																																								
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>100.15</td><td>-----</td><td>-----</td><td>96.49</td><td>32.39</td><td>4.89</td><td>33.62</td><td>114</td><td>50 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	100.15	-----	-----	96.49	32.39	4.89	33.62	114	50 Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	2462.00	100.15	-----	-----	96.49	32.39	4.89	33.62	114	50 Average																																								







		9																																																																														
Mode		Band Edge																																																																														
		2400-2483.5_802.11n HT20_CH11_2462MHz																																																																														
ANT		CDD 1+2																																																																														
Pol.		Vertical					Fundamental																																																																									
Peak																																																																																
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.80	69.20	74.00	-4.80	65.49	32.40	4.92	33.61	310	270 Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>106.50</td><td>-----</td><td>-----</td><td>102.84</td><td>32.39</td><td>4.89</td><td>33.62</td><td>310</td><td>270 Peak</td></tr></table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	106.50	-----	-----	102.84	32.39	4.89	33.62	310
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2483.80	69.20	74.00	-4.80	65.49	32.40	4.92	33.61	310	270 Peak																																																																						
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2462.00	106.50	-----	-----	102.84	32.39	4.89	33.62	310	270 Peak																																																																						
Avg																																																																																
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	51.27	54.00	-2.73	47.57	32.39	4.92	33.61	310	270 Average	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>97.93</td><td>-----</td><td>-----</td><td>94.27</td><td>32.39</td><td>4.89</td><td>33.62</td><td>310</td><td>270 Average</td></tr></table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	97.93	-----	-----	94.27	32.39	4.89	33.62	310
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2483.52	51.27	54.00	-2.73	47.57	32.39	4.92	33.61	310	270 Average																																																																						
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2462.00	97.93	-----	-----	94.27	32.39	4.89	33.62	310	270 Average																																																																						



Mode	9																																																																																																																																																																																															
	Harmonic																																																																																																																																																																																															
	2400-2483.5_802.11n HT20 _CH11_2462MHz																																																																																																																																																																																															
ANT	CDD 1+2																																																																																																																																																																																															
Pol.	Horizontal										Vertical																																																																																																																																																																																					
Peak Avg	Level (dBuV/m) Date: 2023-11-26 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>4924.00</td><td>54.41</td><td>74.00</td><td>-19.59</td><td>69.83</td><td>34.34</td><td>7.79</td><td>57.55</td><td>163</td><td>299</td><td>Peak</td><td></td><td></td><td></td></tr><tr><td>2</td><td>4924.00</td><td>45.85</td><td>54.00</td><td>-8.15</td><td>61.27</td><td>34.34</td><td>7.79</td><td>57.55</td><td>163</td><td>299</td><td>Average</td><td></td><td></td><td></td></tr><tr><td>3</td><td>7386.00</td><td>44.36</td><td>74.00</td><td>-29.64</td><td>58.15</td><td>35.99</td><td>9.17</td><td>58.95</td><td>--</td><td>--</td><td>Peak</td><td></td><td></td><td></td></tr></table>												Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4924.00	54.41	74.00	-19.59	69.83	34.34	7.79	57.55	163	299	Peak				2	4924.00	45.85	54.00	-8.15	61.27	34.34	7.79	57.55	163	299	Average				3	7386.00	44.36	74.00	-29.64	58.15	35.99	9.17	58.95	--	--	Peak				Level (dBuV/m) Date: 2023-11-26 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>4924.00</td><td>55.85</td><td>74.00</td><td>-18.15</td><td>71.27</td><td>34.34</td><td>7.79</td><td>57.55</td><td>302</td><td>144</td><td>Peak</td><td></td><td></td><td></td></tr><tr><td>2</td><td>4924.00</td><td>47.18</td><td>54.00</td><td>-6.82</td><td>62.60</td><td>34.34</td><td>7.79</td><td>57.55</td><td>302</td><td>144</td><td>Average</td><td></td><td></td><td></td></tr><tr><td>3</td><td>7386.00</td><td>44.15</td><td>74.00</td><td>-29.85</td><td>57.94</td><td>35.99</td><td>9.17</td><td>58.95</td><td>--</td><td>--</td><td>Peak</td><td></td><td></td><td></td></tr></table>						Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4924.00	55.85	74.00	-18.15	71.27	34.34	7.79	57.55	302	144	Peak				2	4924.00	47.18	54.00	-6.82	62.60	34.34	7.79	57.55	302	144	Average				3	7386.00	44.15	74.00	-29.85	57.94	35.99	9.17	58.95	--	--	Peak			
			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																						
1	4924.00	54.41	74.00	-19.59	69.83	34.34	7.79	57.55	163	299	Peak																																																																																																																																																																																					
2	4924.00	45.85	54.00	-8.15	61.27	34.34	7.79	57.55	163	299	Average																																																																																																																																																																																					
3	7386.00	44.36	74.00	-29.64	58.15	35.99	9.17	58.95	--	--	Peak																																																																																																																																																																																					
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																							
1	4924.00	55.85	74.00	-18.15	71.27	34.34	7.79	57.55	302	144	Peak																																																																																																																																																																																					
2	4924.00	47.18	54.00	-6.82	62.60	34.34	7.79	57.55	302	144	Average																																																																																																																																																																																					
3	7386.00	44.15	74.00	-29.85	57.94	35.99	9.17	58.95	--	--	Peak																																																																																																																																																																																					







Mode	10																																																																																	
	Band Edge - L																																																																																	
	2400-2483.5_802.11n HT40 _CH03_2422MHz																																																																																	
ANT	CDD 1+2																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	 Level (dBuV/m) Date: 2023-11-26 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.52</td><td>56.41</td><td>74.00</td><td>-17.59</td><td>52.92</td><td>32.36</td><td>4.80</td><td>33.67</td><td>117 72 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 2389.52	56.41	74.00	-17.59	52.92	32.36	4.80	33.67	117 72 Peak	 Level (dBuV/m) Date: 2023-11-26 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2422.00</td><td>103.27</td><td>-----</td><td>-----</td><td>99.72</td><td>32.37</td><td>4.83</td><td>33.65</td><td>117 72 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 2422.00	103.27	-----	-----	99.72	32.37	4.83	33.65	117 72 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 2389.52	56.41	74.00	-17.59	52.92	32.36	4.80	33.67	117 72 Peak																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 2422.00	103.27	-----	-----	99.72	32.37	4.83	33.65	117 72 Peak																																																																										
Avg	 Level (dBuV/m) Date: 2023-11-26 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.94</td><td>43.17</td><td>54.00</td><td>-10.83</td><td>39.68</td><td>32.36</td><td>4.80</td><td>33.67</td><td>117 72 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 2389.94	43.17	54.00	-10.83	39.68	32.36	4.80	33.67	117 72 Average	 Level (dBuV/m) Date: 2023-11-26 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2422.00</td><td>94.66</td><td>-----</td><td>-----</td><td>91.11</td><td>32.37</td><td>4.83</td><td>33.65</td><td>117 72 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 2422.00	94.66	-----	-----	91.11	32.37	4.83	33.65	117 72 Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 2389.94	43.17	54.00	-10.83	39.68	32.36	4.80	33.67	117 72 Average																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 2422.00	94.66	-----	-----	91.11	32.37	4.83	33.65	117 72 Average																																																																										





Mode	10																																															
	Band Edge - R																																															
	2400-2483.5_802.11n HT40 _CH03_2422MHz																																															
ANT	CDD 1+2																																															
Pol.	Horizontal					Fundamental																																										
Peak	Date: 2023-11-26 <table><tr><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.60</td><td>52.19</td><td>74.00</td><td>-21.81</td><td>48.48</td><td>32.40</td><td>4.92</td><td>33.61</td><td>117</td><td>72 Peak</td></tr></table>					Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.60	52.19	74.00	-21.81	48.48	32.40	4.92	33.61	117	72 Peak	Blank				
	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	2484.60	52.19	74.00	-21.81	48.48	32.40	4.92	33.61	117	72 Peak																																						
Avg	Date: 2023-11-26 <table><tr><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.97</td><td>40.13</td><td>54.00</td><td>-13.87</td><td>36.42</td><td>32.40</td><td>4.92</td><td>33.61</td><td>117</td><td>72 Average</td></tr></table>					Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.97	40.13	54.00	-13.87	36.42	32.40	4.92	33.61	117	72 Average	Blank				
	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	2483.97	40.13	54.00	-13.87	36.42	32.40	4.92	33.61	117	72 Average																																						





Mode	10																																																																																
	Band Edge - L																																																																																
	2400-2483.5_802.11n HT40 _CH03_2422MHz																																																																																
ANT	CDD 1+2																																																																																
Pol.	Vertical					Fundamental																																																																											
Peak	 Level (dBuV/m) vs Frequency (MHz). Date: 2023-11-26. The plot shows a signal rising from 46.9 dBuV/m at 2310 MHz to a peak of 94 dB at 2422 MHz. A red line indicates the limit at 78.1 dBuV/m.					 Level (dBuV/m) vs Frequency (MHz). Date: 2023-11-26. The plot shows a signal rising from 46.9 dBuV/m at 1000 MHz to a peak of 94 dB at 2422 MHz. A red line indicates the limit at 78.1 dBuV/m.																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2388.68</td><td>52.41</td><td>74.00</td><td>-21.59</td><td>48.93</td><td>32.36</td><td>4.79</td><td>33.67</td><td>268 94 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 2388.68	52.41	74.00	-21.59	48.93	32.36	4.79	33.67	268 94 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2422.00</td><td>101.04</td><td>-----</td><td>-----</td><td>97.49</td><td>32.37</td><td>4.83</td><td>33.65</td><td>268 94 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 2422.00	101.04	-----	-----	97.49	32.37	4.83	33.65
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1 2388.68	52.41	74.00	-21.59	48.93	32.36	4.79	33.67	268 94 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1 2422.00	101.04	-----	-----	97.49	32.37	4.83	33.65	268 94 Peak																																																																									
Avg	 Level (dBuV/m) vs Frequency (MHz). Date: 2023-11-26. The plot shows a signal rising from 46.9 dBuV/m at 2310 MHz to an average of 94 dB at 2422 MHz. A red line indicates the limit at 78.1 dBuV/m.					 Level (dBuV/m) vs Frequency (MHz). Date: 2023-11-26. The plot shows a signal rising from 46.9 dBuV/m at 1000 MHz to an average of 94 dB at 2422 MHz. A red line indicates the limit at 78.1 dBuV/m.																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.94</td><td>40.54</td><td>54.00</td><td>-13.46</td><td>37.05</td><td>32.36</td><td>4.80</td><td>33.67</td><td>268 94 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 2389.94	40.54	54.00	-13.46	37.05	32.36	4.80	33.67	268 94 Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2422.00</td><td>92.39</td><td>-----</td><td>-----</td><td>88.84</td><td>32.37</td><td>4.83</td><td>33.65</td><td>268 94 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 2422.00	92.39	-----	-----	88.84	32.37	4.83	33.65
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1 2389.94	40.54	54.00	-13.46	37.05	32.36	4.80	33.67	268 94 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1 2422.00	92.39	-----	-----	88.84	32.37	4.83	33.65	268 94 Average																																																																									



Mode	10																																									
	Band Edge - R																																									
	2400-2483.5_802.11n HT40 _CH03_2422MHz																																									
ANT	CDD 1+2																																									
Pol.	Vertical	Fundamental																																								
Peak	Date: 2023-11-26 <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.63</td><td>49.42</td><td>74.00</td><td>-24.58</td><td>45.70</td><td>32.40</td><td>4.93</td><td>33.61</td><td>268</td><td>94 Peak</td></tr></table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.63	49.42	74.00	-24.58	45.70	32.40	4.93	33.61	268	94 Peak	Blank
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2493.63	49.42	74.00	-24.58	45.70	32.40	4.93	33.61	268	94 Peak																																
Avg	Date: 2023-11-26 <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.88</td><td>37.40</td><td>54.00</td><td>-16.60</td><td>33.68</td><td>32.40</td><td>4.93</td><td>33.61</td><td>268</td><td>94 Average</td></tr></table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.88	37.40	54.00	-16.60	33.68	32.40	4.93	33.61	268	94 Average	Blank
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2491.88	37.40	54.00	-16.60	33.68	32.40	4.93	33.61	268	94 Average																																



Mode	10																																																																																																																			
	Harmonic																																																																																																																			
	2400-2483.5_802.11n HT40 _CH03_2422MHz																																																																																																																			
ANT	CDD 1+2																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4844.00</td><td>42.65</td><td>74.00</td><td>-31.35</td><td>57.99</td><td>34.39</td><td>7.76</td><td>57.49</td><td>189</td><td>176</td><td>Peak</td></tr><tr><td>2</td><td>7266.00</td><td>42.83</td><td>74.00</td><td>-31.17</td><td>56.87</td><td>36.08</td><td>8.79</td><td>58.91</td><td>215</td><td>312</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4844.00	42.65	74.00	-31.35	57.99	34.39	7.76	57.49	189	176	Peak	2	7266.00	42.83	74.00	-31.17	56.87	36.08	8.79	58.91	215	312	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4844.00</td><td>43.22</td><td>74.00</td><td>-30.78</td><td>58.56</td><td>34.39</td><td>7.76</td><td>57.49</td><td>196</td><td>266</td><td>Peak</td></tr><tr><td>2</td><td>7266.00</td><td>43.76</td><td>74.00</td><td>-30.24</td><td>57.80</td><td>36.08</td><td>8.79</td><td>58.91</td><td>275</td><td>312</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4844.00	43.22	74.00	-30.78	58.56	34.39	7.76	57.49	196	266	Peak	2	7266.00	43.76	74.00	-30.24	57.80	36.08	8.79	58.91	275	312	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	4844.00	42.65	74.00	-31.35	57.99	34.39	7.76	57.49	189	176	Peak																																																																																																									
2	7266.00	42.83	74.00	-31.17	56.87	36.08	8.79	58.91	215	312	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	4844.00	43.22	74.00	-30.78	58.56	34.39	7.76	57.49	196	266	Peak																																																																																																									
2	7266.00	43.76	74.00	-30.24	57.80	36.08	8.79	58.91	275	312	Peak																																																																																																									



Mode	11																																																																																																								
	Harmonic																																																																																																								
	2400-2483.5_802.11n HT40 _CH06_2437MHz																																																																																																								
ANT	CDD 1+2																																																																																																								
Pol.	Horizontal										Vertical																																																																																														
Peak Avg	Level (dBuV/m) Date: 2023-11-27 Frequency (MHz)										Level (dBuV/m) Date: 2023-11-27 Frequency (MHz)																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>42.10</td><td>74.00</td><td>-31.90</td><td>57.48</td><td>34.37</td><td>7.77</td><td>57.52</td><td>-- -- Peak</td></tr><tr><td>2</td><td>7311.00</td><td>44.31</td><td>74.00</td><td>-29.69</td><td>58.25</td><td>36.05</td><td>8.93</td><td>58.92</td><td>-- -- Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	4874.00	42.10	74.00	-31.90	57.48	34.37	7.77	57.52	-- -- Peak	2	7311.00	44.31	74.00	-29.69	58.25	36.05	8.93	58.92	-- -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>41.77</td><td>74.00</td><td>-32.23</td><td>57.15</td><td>34.37</td><td>7.77</td><td>57.52</td><td>-- -- Peak</td></tr><tr><td>2</td><td>7311.00</td><td>43.54</td><td>74.00</td><td>-30.46</td><td>57.48</td><td>36.05</td><td>8.93</td><td>58.92</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	4874.00	41.77	74.00	-32.23	57.15	34.37	7.77	57.52	-- -- Peak	2	7311.00	43.54	74.00	-30.46	57.48	36.05	8.93	58.92	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	4874.00	42.10	74.00	-31.90	57.48	34.37	7.77	57.52	-- -- Peak																																																																																																
2	7311.00	44.31	74.00	-29.69	58.25	36.05	8.93	58.92	-- -- Peak																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	4874.00	41.77	74.00	-32.23	57.15	34.37	7.77	57.52	-- -- Peak																																																																																																
2	7311.00	43.54	74.00	-30.46	57.48	36.05	8.93	58.92	-- -- Peak																																																																																																







Mode	12	
	Band Edge - L	
	2400-2483.5_802.11n HT40 _CH09_2452MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak		



Mode	12									
	Band Edge - R									
	2400-2483.5_802.11n HT40 _CH09_2452MHz									
ANT	CDD 1+2									
Pol.	Horizontal					Fundamental				
Peak										





		12																																																																																												
Mode	Band Edge - L																																																																																													
	2400-2483.5_802.11n HT40 _CH09_2452MHz																																																																																													
ANT	CDD 1+2																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	Level (dBuV/m) Date: 2023-11-26 						Level (dBuV/m) Date: 2023-11-26 																																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.86</td><td>48.20</td><td>74.00</td><td>-25.80</td><td>44.72</td><td>32.36</td><td>4.79</td><td>33.67</td><td>252</td><td>92 Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.86	48.20	74.00	-25.80	44.72	32.36	4.79	33.67	252	92 Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>100.79</td><td>-----</td><td>-----</td><td>97.16</td><td>32.38</td><td>4.88</td><td>33.63</td><td>252</td><td>92 Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	100.79	-----	-----	97.16	32.38	4.88	33.63	252
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2386.86	48.20	74.00	-25.80	44.72	32.36	4.79	33.67	252	92 Peak																																																																																				
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2452.00	100.79	-----	-----	97.16	32.38	4.88	33.63	252	92 Peak																																																																																				
Avg	Level (dBuV/m) Date: 2023-11-26 						Level (dBuV/m) Date: 2023-11-26 																																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.94</td><td>36.62</td><td>54.00</td><td>-17.38</td><td>33.13</td><td>32.36</td><td>4.80</td><td>33.67</td><td>252</td><td>92 Average</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.94	36.62	54.00	-17.38	33.13	32.36	4.80	33.67	252	92 Average	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>92.30</td><td>-----</td><td>-----</td><td>88.67</td><td>32.38</td><td>4.88</td><td>33.63</td><td>252</td><td>92 Average</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	92.30	-----	-----	88.67	32.38	4.88	33.63	252
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2389.94	36.62	54.00	-17.38	33.13	32.36	4.80	33.67	252	92 Average																																																																																				
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2452.00	92.30	-----	-----	88.67	32.38	4.88	33.63	252	92 Average																																																																																				



Mode	12																																		
	Band Edge - R																																		
	2400-2483.5_802.11n HT40 _CH09_2452MHz																																		
ANT	CDD 1+2																																		
Pol.	Vertical	Fundamental																																	
Peak	Date: 2023-11-26 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.65</td><td>58.99</td><td>74.00</td><td>-15.01</td><td>55.28</td><td>32.40</td><td>4.92</td><td>33.61</td><td>252</td><td>92 Peak</td></tr></tbody></table>		Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.65	58.99	74.00	-15.01	55.28	32.40	4.92	33.61	252	92 Peak	Blank
	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																									
1	2485.65	58.99	74.00	-15.01	55.28	32.40	4.92	33.61	252	92 Peak																									
Avg	Date: 2023-11-26 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>42.24</td><td>54.00</td><td>-11.76</td><td>38.54</td><td>32.39</td><td>4.92</td><td>33.61</td><td>252</td><td>92 Average</td></tr></tbody></table>		Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	42.24	54.00	-11.76	38.54	32.39	4.92	33.61	252	92 Average	Blank
	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																									
1	2483.50	42.24	54.00	-11.76	38.54	32.39	4.92	33.61	252	92 Average																									







Mode	12																																																																																																																			
	Harmonic																																																																																																																			
	2400-2483.5_802.11n HT40 _CH09_2452MHz																																																																																																																			
ANT	CDD 1+2																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>41.66</td><td>74.00</td><td>-32.34</td><td>57.06</td><td>34.36</td><td>7.78</td><td>57.54</td><td>114</td><td>299</td><td>Peak</td></tr><tr><td>2</td><td>7356.00</td><td>43.38</td><td>74.00</td><td>-30.62</td><td>57.24</td><td>36.01</td><td>9.07</td><td>58.94</td><td>196</td><td>153</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	41.66	74.00	-32.34	57.06	34.36	7.78	57.54	114	299	Peak	2	7356.00	43.38	74.00	-30.62	57.24	36.01	9.07	58.94	196	153	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>42.20</td><td>74.00</td><td>-31.80</td><td>57.60</td><td>34.36</td><td>7.78</td><td>57.54</td><td>182</td><td>269</td><td>Peak</td></tr><tr><td>2</td><td>7356.00</td><td>44.00</td><td>74.00</td><td>-30.00</td><td>57.86</td><td>36.01</td><td>9.07</td><td>58.94</td><td>385</td><td>269</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	42.20	74.00	-31.80	57.60	34.36	7.78	57.54	182	269	Peak	2	7356.00	44.00	74.00	-30.00	57.86	36.01	9.07	58.94	385	269	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	4904.00	41.66	74.00	-32.34	57.06	34.36	7.78	57.54	114	299	Peak																																																																																																									
2	7356.00	43.38	74.00	-30.62	57.24	36.01	9.07	58.94	196	153	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	4904.00	42.20	74.00	-31.80	57.60	34.36	7.78	57.54	182	269	Peak																																																																																																									
2	7356.00	44.00	74.00	-30.00	57.86	36.01	9.07	58.94	385	269	Peak																																																																																																									







Mode																																																																																																																																																																																										
	LF																																																																																																																																																																																									
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																																																																																																									
ANT	CDD 1+2																																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																																								
Peak	Data: 1 Date: 2023-11-28 Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a blue signal line with peaks labeled 1 through 6. A red line indicates the FCC CLASS-B limit at 40 dB. The x-axis ranges from 30 to 1000 MHz, and the y-axis ranges from 0 to 80 dBuV/m. <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>98.87</td><td>28.22</td><td>-15.28</td><td>43.50</td><td>47.20</td><td>14.78</td><td>1.04</td><td>34.80</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>163.86</td><td>30.79</td><td>-12.71</td><td>43.50</td><td>45.99</td><td>18.16</td><td>1.34</td><td>34.70</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>265.71</td><td>30.97</td><td>-15.03</td><td>46.00</td><td>45.89</td><td>18.06</td><td>1.69</td><td>34.67</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>334.58</td><td>27.78</td><td>-18.22</td><td>46.00</td><td>40.60</td><td>19.88</td><td>1.90</td><td>34.60</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>700.27</td><td>28.13</td><td>-17.87</td><td>46.00</td><td>32.62</td><td>27.10</td><td>2.81</td><td>34.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>800.18</td><td>29.85</td><td>-16.15</td><td>46.00</td><td>33.28</td><td>27.84</td><td>3.03</td><td>34.30</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	98.87	28.22	-15.28	43.50	47.20	14.78	1.04	34.80	---	---	Peak	2	163.86	30.79	-12.71	43.50	45.99	18.16	1.34	34.70	---	---	Peak	3	265.71	30.97	-15.03	46.00	45.89	18.06	1.69	34.67	---	---	Peak	4	334.58	27.78	-18.22	46.00	40.60	19.88	1.90	34.60	---	---	Peak	5	700.27	28.13	-17.87	46.00	32.62	27.10	2.81	34.40	---	---	Peak	6	800.18	29.85	-16.15	46.00	33.28	27.84	3.03	34.30	---	---	Peak	Data: 2 Date: 2023-11-28 Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a blue signal line with peaks labeled 1 through 6. A red line indicates the FCC CLASS-B limit at 40 dB. The x-axis ranges from 30 to 1000 MHz, and the y-axis ranges from 0 to 80 dBuV/m. <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>39.70</td><td>29.91</td><td>-10.09</td><td>40.00</td><td>44.90</td><td>19.28</td><td>0.63</td><td>34.90</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>70.74</td><td>30.99</td><td>-9.01</td><td>40.00</td><td>48.04</td><td>16.89</td><td>0.86</td><td>34.80</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>99.84</td><td>30.78</td><td>-12.72</td><td>43.50</td><td>49.62</td><td>14.90</td><td>1.06</td><td>34.80</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>165.80</td><td>31.70</td><td>-11.80</td><td>43.50</td><td>47.01</td><td>18.04</td><td>1.35</td><td>34.70</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>298.69</td><td>26.07</td><td>-19.93</td><td>46.00</td><td>39.78</td><td>19.09</td><td>1.80</td><td>34.60</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>453.89</td><td>24.10</td><td>-21.90</td><td>46.00</td><td>33.55</td><td>22.80</td><td>2.25</td><td>34.50</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	39.70	29.91	-10.09	40.00	44.90	19.28	0.63	34.90	---	---	Peak	2	70.74	30.99	-9.01	40.00	48.04	16.89	0.86	34.80	---	---	Peak	3	99.84	30.78	-12.72	43.50	49.62	14.90	1.06	34.80	---	---	Peak	4	165.80	31.70	-11.80	43.50	47.01	18.04	1.35	34.70	---	---	Peak	5	298.69	26.07	-19.93	46.00	39.78	19.09	1.80	34.60	---	---	Peak	6	453.89	24.10	-21.90	46.00	33.55	22.80	2.25	34.50	---	---	Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																	
1	98.87	28.22	-15.28	43.50	47.20	14.78	1.04	34.80	---	---	Peak																																																																																																																																																																															
2	163.86	30.79	-12.71	43.50	45.99	18.16	1.34	34.70	---	---	Peak																																																																																																																																																																															
3	265.71	30.97	-15.03	46.00	45.89	18.06	1.69	34.67	---	---	Peak																																																																																																																																																																															
4	334.58	27.78	-18.22	46.00	40.60	19.88	1.90	34.60	---	---	Peak																																																																																																																																																																															
5	700.27	28.13	-17.87	46.00	32.62	27.10	2.81	34.40	---	---	Peak																																																																																																																																																																															
6	800.18	29.85	-16.15	46.00	33.28	27.84	3.03	34.30	---	---	Peak																																																																																																																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																	
1	39.70	29.91	-10.09	40.00	44.90	19.28	0.63	34.90	---	---	Peak																																																																																																																																																																															
2	70.74	30.99	-9.01	40.00	48.04	16.89	0.86	34.80	---	---	Peak																																																																																																																																																																															
3	99.84	30.78	-12.72	43.50	49.62	14.90	1.06	34.80	---	---	Peak																																																																																																																																																																															
4	165.80	31.70	-11.80	43.50	47.01	18.04	1.35	34.70	---	---	Peak																																																																																																																																																																															
5	298.69	26.07	-19.93	46.00	39.78	19.09	1.80	34.60	---	---	Peak																																																																																																																																																																															
6	453.89	24.10	-21.90	46.00	33.55	22.80	2.25	34.50	---	---	Peak																																																																																																																																																																															







		13																																																																																											
Mode		Band Edge																																																																																											
		2400-2483.5_802.11g_CH02_2417MHz																																																																																											
ANT		CDD 1+2																																																																																											
Pol.		Horizontal					Fundamental																																																																																						
Peak																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2390.00</td><td>67.00</td><td>74.00</td><td>-7.00</td><td>63.51</td><td>32.36</td><td>4.80</td><td>33.67</td><td>256</td><td>72 Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2390.00	67.00	74.00	-7.00	63.51	32.36	4.80	33.67	256	72 Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>111.26</td><td>-----</td><td>-----</td><td>107.71</td><td>32.37</td><td>4.83</td><td>33.65</td><td>256</td><td>72 Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	111.26	-----	-----	107.71	32.37	4.83	33.65	256
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2390.00	67.00	74.00	-7.00	63.51	32.36	4.80	33.67	256	72 Peak																																																																																			
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2417.00	111.26	-----	-----	107.71	32.37	4.83	33.65	256	72 Peak																																																																																			
Avg																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.80</td><td>51.87</td><td>54.00</td><td>-2.13</td><td>48.38</td><td>32.36</td><td>4.80</td><td>33.67</td><td>256</td><td>72 Average</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.80	51.87	54.00	-2.13	48.38	32.36	4.80	33.67	256	72 Average	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>102.73</td><td>-----</td><td>-----</td><td>99.18</td><td>32.37</td><td>4.83</td><td>33.65</td><td>256</td><td>72 Average</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	102.73	-----	-----	99.18	32.37	4.83	33.65	256
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2389.80	51.87	54.00	-2.13	48.38	32.36	4.80	33.67	256	72 Average																																																																																			
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2417.00	102.73	-----	-----	99.18	32.37	4.83	33.65	256	72 Average																																																																																			



		13																																																																																							
Mode		Band Edge																																																																																							
		2400-2483.5_802.11g_CH02_2417MHz																																																																																							
ANT		CDD 1+2																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2390.00</td><td>60.73</td><td>74.00</td><td>-13.27</td><td>57.24</td><td>32.36</td><td>4.80</td><td>33.67</td><td>295</td><td>225 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2390.00	60.73	74.00	-13.27	57.24	32.36	4.80	33.67	295	225 Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>106.04</td><td>-----</td><td>-----</td><td>102.49</td><td>32.37</td><td>4.83</td><td>33.65</td><td>295</td><td>225 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	106.04	-----	-----	102.49	32.37	4.83	33.65	295
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2390.00	60.73	74.00	-13.27	57.24	32.36	4.80	33.67	295	225 Peak																																																																															
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2417.00	106.04	-----	-----	102.49	32.37	4.83	33.65	295	225 Peak																																																																															
Avg																																																																																									
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2390.00</td><td>45.54</td><td>54.00</td><td>-8.46</td><td>42.05</td><td>32.36</td><td>4.80</td><td>33.67</td><td>295</td><td>225 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2390.00	45.54	54.00	-8.46	42.05	32.36	4.80	33.67	295	225 Average	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>97.76</td><td>-----</td><td>-----</td><td>94.21</td><td>32.37</td><td>4.83</td><td>33.65</td><td>295</td><td>225 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	97.76	-----	-----	94.21	32.37	4.83	33.65	295
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2390.00	45.54	54.00	-8.46	42.05	32.36	4.80	33.67	295	225 Average																																																																															
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2417.00	97.76	-----	-----	94.21	32.37	4.83	33.65	295	225 Average																																																																															







		14																																																																																				
Mode		Band Edge																																																																																				
		2400-2483.5_802.11g_CH10_2457MHz																																																																																				
ANT		CDD 1+2																																																																																				
Pol.		Horizontal										Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2023-12-01  PEAK_BE_74 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 2486.88</td><td>64.91</td><td>74.00</td><td>-9.09</td><td>61.20</td><td>32.40</td><td>4.92</td><td>33.61</td><td>241 50 Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 2486.88	64.91	74.00	-9.09	61.20	32.40	4.92	33.61	241 50 Peak	Level (dBuV/m) Date: 2023-12-01  PEAK_74 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 2457.00</td><td>109.94</td><td>-----</td><td>-----</td><td>106.31</td><td>32.38</td><td>4.88</td><td>33.63</td><td>241 50 Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 2457.00	109.94	-----	-----	106.31	32.38	4.88	33.63	241 50 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1 2486.88	64.91	74.00	-9.09	61.20	32.40	4.92	33.61	241 50 Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1 2457.00	109.94	-----	-----	106.31	32.38	4.88	33.63	241 50 Peak																																																																														
Avg	Level (dBuV/m) Date: 2023-12-01  AVG_BE_54 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 2486.04</td><td>51.46</td><td>54.00</td><td>-2.54</td><td>47.75</td><td>32.40</td><td>4.92</td><td>33.61</td><td>241 50 Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 2486.04	51.46	54.00	-2.54	47.75	32.40	4.92	33.61	241 50 Average	Level (dBuV/m) Date: 2023-12-01  AVG_54 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 2457.00</td><td>101.49</td><td>-----</td><td>-----</td><td>97.86</td><td>32.38</td><td>4.88</td><td>33.63</td><td>241 50 Average</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 2457.00	101.49	-----	-----	97.86	32.38	4.88	33.63	241 50 Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1 2486.04	51.46	54.00	-2.54	47.75	32.40	4.92	33.61	241 50 Average																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1 2457.00	101.49	-----	-----	97.86	32.38	4.88	33.63	241 50 Average																																																																														







Mode	14	
	Band Edge	
	2400-2483.5_802.11g_CH10_2457MHz	
ANT	CDD 1+2	
Pol.	Vertical	Fundamental
Peak	</	



Mode	15																																																																																							
	Band Edge																																																																																							
	2400-2483.5_802.11n HT20 _CH02_2417MHz																																																																																							
ANT	CDD 1+2																																																																																							
Pol.	Horizontal					Fundamental																																																																																		
Peak	 Date: 2023-12-01 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.54</td><td>66.39</td><td>74.00</td><td>-7.61</td><td>62.91</td><td>32.36</td><td>4.79</td><td>33.67</td><td>112</td><td>55 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2388.54	66.39	74.00	-7.61	62.91	32.36	4.79	33.67	112	55 Peak	 Date: 2023-12-01 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>111.94</td><td>-----</td><td>-----</td><td>108.39</td><td>32.37</td><td>4.83</td><td>33.65</td><td>112</td><td>55 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2417.00	111.94	-----	-----	108.39	32.37	4.83	33.65	112	55 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	2388.54	66.39	74.00	-7.61	62.91	32.36	4.79	33.67	112	55 Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	2417.00	111.94	-----	-----	108.39	32.37	4.83	33.65	112	55 Peak																																																																														
Avg	 Date: 2023-12-01 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2390.00</td><td>52.45</td><td>54.00</td><td>-1.55</td><td>48.96</td><td>32.36</td><td>4.80</td><td>33.67</td><td>112</td><td>55 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2390.00	52.45	54.00	-1.55	48.96	32.36	4.80	33.67	112	55 Average	 Date: 2023-12-01 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>103.62</td><td>-----</td><td>-----</td><td>100.07</td><td>32.37</td><td>4.83</td><td>33.65</td><td>112</td><td>55 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2417.00	103.62	-----	-----	100.07	32.37	4.83	33.65	112	55 Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	2390.00	52.45	54.00	-1.55	48.96	32.36	4.80	33.67	112	55 Average																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	2417.00	103.62	-----	-----	100.07	32.37	4.83	33.65	112	55 Average																																																																														







Mode	15																																																																																																							
	Band Edge																																																																																																							
	2400-2483.5_802.11n HT20 _CH02_2417MHz																																																																																																							
ANT	CDD 1+2																																																																																																							
Pol.	Vertical						Fundamental																																																																																																	
Peak	 Date: 2023-12-01 <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2388.54</td><td>64.84</td><td>74.00</td><td>-9.16</td><td>61.36</td><td>32.36</td><td>4.79</td><td>33.67</td><td>330</td><td>103</td><td>Peak</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	2388.54	64.84	74.00	-9.16	61.36	32.36	4.79	33.67	330	103	Peak	 Date: 2023-12-01 <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>109.02</td><td>-----</td><td>-----</td><td>105.47</td><td>32.37</td><td>4.83</td><td>33.65</td><td>330</td><td>103</td><td>Peak</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	2417.00	109.02	-----	-----	105.47	32.37	4.83	33.65	330	103	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	2388.54	64.84	74.00	-9.16	61.36	32.36	4.79	33.67	330	103	Peak																																																																																													
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	2417.00	109.02	-----	-----	105.47	32.37	4.83	33.65	330	103	Peak																																																																																													
Avg	 Date: 2023-12-01 <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2390.00</td><td>50.43</td><td>54.00</td><td>-3.57</td><td>46.94</td><td>32.36</td><td>4.80</td><td>33.67</td><td>330</td><td>103</td><td>Average</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	2390.00	50.43	54.00	-3.57	46.94	32.36	4.80	33.67	330	103	Average	 Date: 2023-12-01 <table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>100.43</td><td>-----</td><td>-----</td><td>96.88</td><td>32.37</td><td>4.83</td><td>33.65</td><td>330</td><td>103</td><td>Average</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	2417.00	100.43	-----	-----	96.88	32.37	4.83	33.65	330	103	Average
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	2390.00	50.43	54.00	-3.57	46.94	32.36	4.80	33.67	330	103	Average																																																																																													
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	2417.00	100.43	-----	-----	96.88	32.37	4.83	33.65	330	103	Average																																																																																													



Mode	16	
	Band Edge	
	2400-2483.5_802.11n HT20 _CH10_2457MHz	
ANT	CDD 1+2	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m) Date: 2023-12-01 1 2484.04 67.19 74.00 -6.81 63.48 32.40 4.92 33.61 278 64 Peak	Level (dBuV/m) Date: 2023-12-01 1 2457.00 108.71 ----- 105.08 32.38 4.88 33.63 278 64 Peak
	Level (dBuV/m) Date: 2023-12-01 1 2483.52 53.06 54.00 -0.94 49.36 32.39 4.92 33.61 278 64 Average	Level (dBuV/m) Date: 2023-12-01 1 2457.00 99.48 ----- 95.85 32.38 4.88 33.63 278 64 Average




Mode	16																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11n HT20 _CH10_2457MHz																																																																																										
ANT	CDD 1+2																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.00</td><td>63.38</td><td>74.00</td><td>-10.62</td><td>59.67</td><td>32.40</td><td>4.92</td><td>33.61</td><td>357</td><td>101</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.00	63.38	74.00	-10.62	59.67	32.40	4.92	33.61	357	101	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>106.88</td><td>-----</td><td>-----</td><td>103.25</td><td>32.38</td><td>4.88</td><td>33.63</td><td>357</td><td>101</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2457.00	106.88	-----	-----	103.25	32.38	4.88	33.63	357	101
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2484.00	63.38	74.00	-10.62	59.67	32.40	4.92	33.61	357	101	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2457.00	106.88	-----	-----	103.25	32.38	4.88	33.63	357	101	Peak																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>48.74</td><td>54.00</td><td>-5.26</td><td>45.04</td><td>32.39</td><td>4.92</td><td>33.61</td><td>357</td><td>101</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.52	48.74	54.00	-5.26	45.04	32.39	4.92	33.61	357	101	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>98.38</td><td>-----</td><td>-----</td><td>94.75</td><td>32.38</td><td>4.88</td><td>33.63</td><td>357</td><td>101</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2457.00	98.38	-----	-----	94.75	32.38	4.88	33.63	357	101
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.52	48.74	54.00	-5.26	45.04	32.39	4.92	33.61	357	101	Average																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2457.00	98.38	-----	-----	94.75	32.38	4.88	33.63	357	101	Average																																																																																

Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
1+2	802.11b	100	-	-	10Hz
1+2	802.11g	100	-	-	10Hz
1+2	802.11n HT20	100	-	-	10Hz
1+2	802.11n HT40	100	-	-	10Hz

802.11b






802.11g



802.11n HT20





802.11n HT40

