







11N20SISO\_Ant1\_5700




11N20SISO\_Ant1\_5720\_UNII-2C




11N20SISO\_Ant1\_5720\_UNII-3






11N20SISO\_Ant1\_5745




11N20SISO\_Ant1\_5785




11N20SISO\_Ant1\_5825









11N40SISO\_Ant1\_5310




11N40SISO\_Ant1\_5510




11N40SISO\_Ant1\_5550







11N40SISO\_Ant1\_5755




11N40SISO\_Ant1\_5795




11AC20SISO\_Ant1\_5180




11AC20SISO\_Ant1\_5200




11AC20SISO\_Ant1\_5240




11AC20SISO\_Ant1\_5260




11AC20SISO\_Ant1\_5280




11AC20SISO\_Ant1\_5320




11AC20SISO\_Ant1\_5500




11AC20SISO\_Ant1\_5580




11AC20SISO\_Ant1\_5700




11AC20SISO\_Ant1\_5720\_UNII-2C




11AC20SISO\_Ant1\_5720\_UNII-3




11AC20SISO\_Ant1\_5745




11AC20SISO\_Ant1\_5785




11AC20SISO\_Ant1\_5825




11AC40SISO\_Ant1\_5190




11AC40SISO\_Ant1\_5230




11AC40SISO\_Ant1\_5270




11AC40SISO\_Ant1\_5310




11AC40SISO\_Ant1\_5510




11AC40SISO\_Ant1\_5550




11AC40SISO\_Ant1\_5670




11AC40SISO\_Ant1\_5710\_UNII-2C




11AC40SISO\_Ant1\_5710\_UNII-3




11AC40SISO\_Ant1\_5755




11AC40SISO\_Ant1\_5795




11AC80SISO\_Ant1\_5210




11AC80SISO\_Ant1\_5290




11AC80SISO\_Ant1\_5530




11AC80SISO\_Ant1\_5610




11AC80SISO\_Ant1\_5690\_UNII-2C



11AC80SISO\_Ant1\_5690\_UNII-3



11AC80SISO\_Ant1\_5775



10. Frequency Stability Measurement

10.1. Limit of Frequency Stability

Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user’s manual.


10.2. Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

10.3. Test procedures

- (1) To ensure emission at the band edge is maintained within the authorized band, those values shall be measured by radiation emissions at upper and lower frequency points, and finally compensated by frequency deviation as procedures below.
- (2) The EUT was operated at the maximum output power, and connected to the spectrum analyzer, which is set to maximum hold function and peak detector. The peak value of the power envelope was measured and noted. The upper and lower frequency points were respectively measured relatively 10 dB lower than the measured peak value.
- (3) The frequency deviation was calculated by adding the upper frequency point and the lower frequency point divided by two. Those detailed values of frequency deviation are provided in table below.

10.4. Test setup



10.5. Test result

|                    |                |                |                          |
|--------------------|----------------|----------------|--------------------------|
| Test Engineer:     | Tyang          | Test Site:     | RF Measurement System 4# |
| Ambient Condition: | 25.6°C,49.8%RH | Test Date:     | 2025.12.6-2025.12.31     |
| Test Power Supply: | AC 120V/60Hz   | Sample Number: | S25081404-004            |

| Voltage   |         |                |               |                  |                |                 |             |         |
|-----------|---------|----------------|---------------|------------------|----------------|-----------------|-------------|---------|
| Test Mode | Antenna | Frequency[MHz] | Voltage [Vdc] | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| 11A       | Ant1    | 5180           | NV            | NT               | 0.00           | 0.000000        | 20          | PASS    |
|           |         |                | LV            | NT               | -20000.00      | -3.861004       | 20          | PASS    |
|           |         |                | HV            | NT               | -20000.00      | -3.861004       | 20          | PASS    |
|           |         | 5200           | NV            | NT               | -20000.00      | -3.846154       | 20          | PASS    |
|           |         |                | LV            | NT               | -20000.00      | -3.846154       | 20          | PASS    |
|           |         |                | HV            | NT               | -40000.00      | -7.692308       | 20          | PASS    |
|           |         | 5240           | NV            | NT               | 0.00           | 0.000000        | 20          | PASS    |
|           |         |                | LV            | NT               | 0.00           | 0.000000        | 20          | PASS    |
|           |         |                | HV            | NT               | -20000.00      | -3.816794       | 20          | PASS    |
|           |         | 5260           | NV            | NT               | -60000.00      | 11.406844       | 20          | PASS    |
|           |         |                | LV            | NT               | -60000.00      | 11.406844       | 20          | PASS    |
|           |         |                | HV            | NT               | -40000.00      | -7.604563       | 20          | PASS    |
|           |         | 5280           | NV            | NT               | -60000.00      | 11.363636       | 20          | PASS    |
|           |         |                | LV            | NT               | -80000.00      | 15.151515       | 20          | PASS    |
|           |         |                | HV            | NT               | -40000.00      | -7.575758       | 20          | PASS    |
|           |         | 5320           | NV            | NT               | -40000.00      | -7.518797       | 20          | PASS    |
|           |         |                | LV            | NT               | -40000.00      | -7.518797       | 20          | PASS    |
|           |         |                | HV            | NT               | -60000.00      | 11.278195       | 20          | PASS    |
|           |         | 5500           | NV            | NT               | -60000.00      | 10.909091       | 20          | PASS    |
|           |         |                | LV            | NT               | -40000.00      | -7.272727       | 20          | PASS    |
|           |         |                | HV            | NT               | -40000.00      | -7.272727       | 20          | PASS    |
|           |         | 5580           | NV            | NT               | -80000.00      | 14.336918       | 20          | PASS    |
|           |         |                | LV            | NT               | -60000.00      | 10.752688       | 20          | PASS    |
|           |         |                | HV            | NT               | -40000.00      | -7.168459       | 20          | PASS    |
|           |         | 5700           | NV            | NT               | -40000.00      | -7.017544       | 20          | PASS    |
|           |         |                | LV            | NT               | -40000.00      | -7.017544       | 20          | PASS    |
|           |         |                | HV            | NT               | -40000.00      | -7.017544       | 20          | PASS    |
|           |         | 5720           | NV            | NT               | -20000.00      | -3.496503       | 20          | PASS    |
|           |         |                | LV            | NT               | -              | -6.993007       | 20          | PASS    |

|           |      |      |    |    |          |           |    |      |
|-----------|------|------|----|----|----------|-----------|----|------|
|           |      | 5745 |    |    | 40000.00 |           |    |      |
|           |      |      | HV | NT | -        | -6.993007 | 20 | PASS |
|           |      |      |    |    | 40000.00 |           |    |      |
|           |      | 5785 | NV | NT | -        | -6.962576 | 20 | PASS |
|           |      |      | LV | NT | 20000.00 | -3.481288 | 20 | PASS |
|           |      |      |    |    | -        |           |    |      |
|           |      | 5785 | HV | NT | 40000.00 | -6.962576 | 20 | PASS |
|           |      |      |    |    | -        |           |    |      |
|           |      |      | NV | NT | 40000.00 | -6.914434 | 20 | PASS |
|           |      | 5825 | LV | NT | -        | -6.914434 | 20 | PASS |
|           |      |      |    |    | 40000.00 |           |    |      |
|           |      |      | HV | NT | -        | -6.914434 | 20 | PASS |
| 11N20SISO | Ant1 | 5720 | NV | NT | -        | -         | 20 | PASS |
|           |      |      | LV | NT | 60000.00 | 10.489510 | 20 | PASS |
|           |      |      |    |    | -        |           |    |      |
| 11N40SISO | Ant1 | 5190 | HV | NT | 80000.00 | 13.986014 | 20 | PASS |
|           |      |      |    |    | -        | -6.993007 | 20 | PASS |
|           |      |      |    |    | 40000.00 |           |    |      |
|           |      | 5190 | NV | NT | -        | -7.707129 | 20 | PASS |
|           |      |      | LV | NT | 40000.00 | 0.000000  | 20 | PASS |
|           |      |      |    |    | 0.00     | 0.000000  | 20 | PASS |
|           |      | 5230 | HV | NT | -        | -7.707129 | 20 | PASS |
|           |      |      |    |    | 40000.00 |           |    |      |
|           |      |      | NV | NT | -        | -7.648184 | 20 | PASS |
|           |      | 5230 | LV | NT | 40000.00 | -7.648184 | 20 | PASS |
|           |      |      |    |    | -        |           |    |      |
|           |      |      | HV | NT | 40000.00 | -7.648184 | 20 | PASS |
|           |      | 5270 |    |    | 80000.00 | 15.296367 | 20 | PASS |
|           |      |      | NV | NT | -        | -7.590133 | 20 | PASS |
|           |      |      | LV | NT | 40000.00 | -7.590133 | 20 | PASS |
|           |      | 5270 |    |    | 80000.00 | 15.180266 | 20 | PASS |
|           |      |      | HV | NT | -        | -7.590133 | 20 | PASS |
|           |      |      |    |    | 40000.00 |           |    |      |
|           |      | 5310 | NV | NT | -        | -7.532957 | 20 | PASS |
|           |      |      | LV | NT | 40000.00 | 0.000000  | 20 | PASS |
|           |      |      |    |    | 0.00     | 0.000000  | 20 | PASS |
|           |      | 5510 | HV | NT | -        | -7.532957 | 20 | PASS |
|           |      |      |    |    | 40000.00 |           |    |      |
|           |      |      | NV | NT | -        | -         | 20 | PASS |
|           |      | 5510 | LV | NT | 80000.00 | 14.519056 | 20 | PASS |
|           |      |      |    |    | -        |           |    |      |
|           |      |      | HV | NT | 80000.00 | 14.519056 | 20 | PASS |
|           |      | 5550 |    |    | 80000.00 | 14.414414 | 20 | PASS |
|           |      |      | NV | NT | -        | -         | 20 | PASS |
|           |      |      | LV | NT | 80000.00 | 14.414414 | 20 | PASS |
|           |      | 5670 |    |    | -        |           |    |      |
|           |      |      | HV | NT | 80000.00 | 14.414414 | 20 | PASS |
|           |      |      |    |    | -        |           |    |      |
|           |      | 5670 | NV | NT | 40000.00 | -7.054674 | 20 | PASS |
|           |      |      | LV | NT | -        | -7.054674 | 20 | PASS |
|           |      |      |    |    | 40000.00 |           |    |      |
|           |      | 5670 | HV | NT | -        | -7.054674 | 20 | PASS |
|           |      |      |    |    | -        |           |    |      |
|           |      |      |    |    | -        |           |    |      |

|                |      |      |          |           |          |           |    |      |
|----------------|------|------|----------|-----------|----------|-----------|----|------|
|                |      | 5710 | NV       | NT        | 40000.00 | -         |    |      |
|                |      |      |          |           | -        | -         |    |      |
|                |      |      | 80000.00 | 14.010508 | 20       | PASS      |    |      |
|                |      | 5710 | LV       | NT        | -        | -         |    |      |
|                |      |      | 40000.00 | -7.005254 | 20       | PASS      |    |      |
|                |      |      | HV       | NT        | -        | -         |    |      |
|                |      |      | 80000.00 | 14.010508 | 20       | PASS      |    |      |
|                |      | 5755 | NV       | NT        | 0.00     | 0.000000  | 20 | PASS |
|                |      |      | LV       | NT        | -        | -         |    |      |
|                |      |      | 40000.00 | -6.950478 | 20       | PASS      |    |      |
|                |      | 5795 | HV       | NT        | -        | -         |    |      |
|                |      |      | 40000.00 | -6.950478 | 20       | PASS      |    |      |
|                |      |      | NV       | NT        | -        | -         |    |      |
| 11AC20SIS<br>O | Ant1 | 5720 | NT       |           | 40000.00 | -6.902502 | 20 | PASS |
|                |      |      | LV       | NT        | -        | -         |    |      |
|                |      |      | 40000.00 | -6.902502 | 20       | PASS      |    |      |
|                |      | 5785 | HV       | NT        | -        | -         |    |      |
|                |      |      | 80000.00 | 13.805004 | 20       | PASS      |    |      |
|                |      |      | NV       | NT        | -        | -         |    |      |
| 11AC40SIS<br>O | Ant1 | 5720 | NT       |           | 60000.00 | 10.489510 | 20 | PASS |
|                |      |      | LV       | NT        | -        | -         |    |      |
|                |      |      | 40000.00 | -6.993007 | 20       | PASS      |    |      |
|                |      | 5785 | HV       | NT        | -        | -         |    |      |
|                |      |      | 60000.00 | 10.489510 | 20       | PASS      |    |      |
|                |      |      | NV       | NT        | -        | -         |    |      |
| 11AC80SIS<br>O | Ant1 | 5710 | NT       |           | 40000.00 | -7.005254 | 20 | PASS |
|                |      |      | LV       | NT        | -        | -         |    |      |
|                |      |      | 80000.00 | 14.010508 | 20       | PASS      |    |      |
|                |      | 5210 | HV       | NT        | -        | -         |    |      |
|                |      |      | 80000.00 | 14.010508 | 20       | PASS      |    |      |
|                |      |      | NV       | NT        | -        | -         |    |      |
|                |      | 5290 | NT       |           | 80000.00 | 15.355086 | 20 | PASS |
|                |      |      | LV       | NT        | -        | -         |    |      |
|                |      |      | 80000.00 | 15.355086 | 20       | PASS      |    |      |
|                |      | 5530 | HV       | NT        | 0.00     | 0.000000  | 20 | PASS |
|                |      |      | NV       | NT        | -        | -         |    |      |
|                |      |      | 80000.00 | 15.122873 | 20       | PASS      |    |      |
|                |      | 5610 | LV       | NT        | -        | -         |    |      |
|                |      |      | 80000.00 | 15.122873 | 20       | PASS      |    |      |
|                |      |      | HV       | NT        | -        | -         |    |      |
|                |      | 5690 | 80000.00 | 15.122873 | 20       | PASS      |    |      |
|                |      |      | NV       | NT        | -        | -         |    |      |
|                |      |      | 80000.00 | 14.466546 | 20       | PASS      |    |      |
|                |      | 5610 | LV       | NT        | -        | -         |    |      |
|                |      |      | 80000.00 | 14.466546 | 20       | PASS      |    |      |
|                |      |      | HV       | NT        | -        | -         |    |      |
|                |      | 5690 | 80000.00 | 14.466546 | 20       | PASS      |    |      |
|                |      |      | NV       | NT        | -        | -         |    |      |
|                |      |      | 80000.00 | 14.260250 | 20       | PASS      |    |      |
|                |      | 5610 | LV       | NT        | -        | -         |    |      |
|                |      |      | 80000.00 | 14.260250 | 20       | PASS      |    |      |
|                |      |      | HV       | NT        | -        | -         |    |      |
|                |      | 5690 | 80000.00 | 14.260250 | 20       | PASS      |    |      |
|                |      |      | NV       | NT        | -        | -         |    |      |
|                |      |      | 80000.00 | 14.059754 | 20       | PASS      |    |      |
|                |      | 5690 | LV       | NT        | -        | -         |    |      |
|                |      |      | 80000.00 | 14.059754 | 20       | PASS      |    |      |
|                |      |      | HV       | NT        | -        | -         |    |      |
|                |      |      | 80000.00 | 14.059754 | 20       | PASS      |    |      |

|      |    |    |   |   |          |           |    |      |
|------|----|----|---|---|----------|-----------|----|------|
| 5775 | NV | NT | - | - | 80000.00 | 13.852814 | 20 | PASS |
|      | LV | NT | - | - | 80000.00 | 13.852814 | 20 | PASS |
|      | HV | NT | - | - | 80000.00 | 13.852814 | 20 | PASS |

| Temperature |         |                |               |                  |                |                 |             |         |
|-------------|---------|----------------|---------------|------------------|----------------|-----------------|-------------|---------|
| Test Mode   | Antenna | Frequency[MHz] | Voltage [Vdc] | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| 11A         | Ant1    | 5180           | NV            | -30              | -20000.00      | -3.861004       | 20          | PASS    |
|             |         |                | NV            | -20              | -20000.00      | -3.861004       | 20          | PASS    |
|             |         |                | NV            | -10              | -20000.00      | -3.861004       | 20          | PASS    |
|             |         |                | NV            | 0                | 0.00           | 0.000000        | 20          | PASS    |
|             |         |                | NV            | 10               | -40000.00      | -7.722008       | 20          | PASS    |
|             |         |                | NV            | 20               | -20000.00      | -3.861004       | 20          | PASS    |
|             |         |                | NV            | 30               | 0.00           | 0.000000        | 20          | PASS    |
|             |         |                | NV            | 40               | 0.00           | 0.000000        | 20          | PASS    |
|             |         |                | NV            | 50               | -40000.00      | -7.722008       | 20          | PASS    |
|             |         | 5200           | NV            | -30              | -20000.00      | -3.846154       | 20          | PASS    |
|             |         |                | NV            | -20              | 0.00           | 0.000000        | 20          | PASS    |
|             |         |                | NV            | -10              | -20000.00      | -3.846154       | 20          | PASS    |
|             |         |                | NV            | 0                | -20000.00      | -3.846154       | 20          | PASS    |
|             |         |                | NV            | 10               | -20000.00      | -3.846154       | 20          | PASS    |
|             |         |                | NV            | 20               | -20000.00      | -3.846154       | 20          | PASS    |
|             |         |                | NV            | 30               | 0.00           | 0.000000        | 20          | PASS    |
|             |         |                | NV            | 40               | -20000.00      | -3.846154       | 20          | PASS    |
|             |         |                | NV            | 50               | -20000.00      | -3.846154       | 20          | PASS    |
|             |         | 5240           | NV            | -30              | -20000.00      | -3.816794       | 20          | PASS    |
|             |         |                | NV            | -20              | -20000.00      | -3.816794       | 20          | PASS    |
|             |         |                | NV            | -10              | -20000.00      | -3.816794       | 20          | PASS    |
|             |         |                | NV            | 0                | -20000.00      | -3.816794       | 20          | PASS    |
|             |         |                | NV            | 10               | -40000.00      | -7.633588       | 20          | PASS    |
|             |         |                | NV            | 20               | -20000.00      | -3.816794       | 20          | PASS    |
|             |         |                | NV            | 30               | -20000.00      | -3.816794       | 20          | PASS    |
|             |         |                | NV            | 40               | -20000.00      | -3.816794       | 20          | PASS    |
|             |         |                | NV            | 50               | 0.00           | 0.000000        | 20          | PASS    |
|             |         | 5260           | NV            | -30              | -40000.00      | -7.604563       | 20          | PASS    |
|             |         |                | NV            | -20              | -80000.00      | 15.209125       | 20          | PASS    |
|             |         |                | NV            | -10              | -40000.00      | -7.604563       | 20          | PASS    |
|             |         |                | NV            | 0                | -40000.00      | -7.604563       | 20          | PASS    |
|             |         |                | NV            | 10               | -60000.00      | 11.406844       | 20          | PASS    |
|             |         |                | NV            | 20               | -40000.00      | -7.604563       | 20          | PASS    |
|             |         |                | NV            | 30               | -60000.00      | 11.406844       | 20          | PASS    |
|             |         |                | NV            | 40               | -40000.00      | -7.604563       | 20          | PASS    |
|             |         |                | NV            | 50               | -60000.00      | 11.406844       | 20          | PASS    |
|             |         | 5280           | NV            | -30              | -60000.00      | 11.363636       | 20          | PASS    |
|             |         |                | NV            | -20              | -40000.00      | -7.575758       | 20          | PASS    |
|             |         |                | NV            | -10              | -60000.00      | 11.363636       | 20          | PASS    |
|             |         |                | NV            | 0                | -40000.00      | -7.575758       | 20          | PASS    |
|             |         |                | NV            | 10               | -60000.00      | 11.363636       | 20          | PASS    |
|             |         |                | NV            | 20               | -60000.00      | 11.363636       | 20          | PASS    |
|             |         |                | NV            | 30               | -60000.00      | 11.363636       | 20          | PASS    |
|             |         |                | NV            | 40               | -60000.00      | 11.363636       | 20          | PASS    |
|             |         |                | NV            | 40               | -60000.00      | 11.363636       | 20          | PASS    |

|  |  |      |    |     |           |           |           |    |      |
|--|--|------|----|-----|-----------|-----------|-----------|----|------|
|  |  | 5320 | NV | 50  | -60000.00 | -         | 11.363636 | 20 | PASS |
|  |  |      | NV | -30 | -60000.00 | -         | 11.278195 | 20 | PASS |
|  |  |      | NV | -20 | -40000.00 | -7.518797 | -7.518797 | 20 | PASS |
|  |  |      | NV | -10 | -40000.00 | -7.518797 | -7.518797 | 20 | PASS |
|  |  |      | NV | 0   | -60000.00 | -         | 11.278195 | 20 | PASS |
|  |  |      | NV | 10  | -40000.00 | -7.518797 | -7.518797 | 20 | PASS |
|  |  |      | NV | 20  | -40000.00 | -7.518797 | -7.518797 | 20 | PASS |
|  |  |      | NV | 30  | -60000.00 | -         | 11.278195 | 20 | PASS |
|  |  |      | NV | 40  | -40000.00 | -7.518797 | -7.518797 | 20 | PASS |
|  |  |      | NV | 50  | -60000.00 | -         | 11.278195 | 20 | PASS |
|  |  | 5500 | NV | -30 | -60000.00 | -         | 10.909091 | 20 | PASS |
|  |  |      | NV | -20 | -40000.00 | -7.272727 | -7.272727 | 20 | PASS |
|  |  |      | NV | -10 | -40000.00 | -7.272727 | -7.272727 | 20 | PASS |
|  |  |      | NV | 0   | -60000.00 | -         | 10.909091 | 20 | PASS |
|  |  |      | NV | 10  | -60000.00 | -         | 10.909091 | 20 | PASS |
|  |  |      | NV | 20  | -40000.00 | -7.272727 | -7.272727 | 20 | PASS |
|  |  |      | NV | 30  | -40000.00 | -7.272727 | -7.272727 | 20 | PASS |
|  |  |      | NV | 40  | -40000.00 | -7.272727 | -7.272727 | 20 | PASS |
|  |  | 5580 | NV | -30 | -40000.00 | -7.168459 | -7.168459 | 20 | PASS |
|  |  |      | NV | -20 | -40000.00 | -7.168459 | -7.168459 | 20 | PASS |
|  |  |      | NV | -10 | -40000.00 | -7.168459 | -7.168459 | 20 | PASS |
|  |  |      | NV | 0   | -60000.00 | -         | 10.752688 | 20 | PASS |
|  |  |      | NV | 10  | -40000.00 | -7.168459 | -7.168459 | 20 | PASS |
|  |  |      | NV | 20  | -40000.00 | -7.168459 | -7.168459 | 20 | PASS |
|  |  |      | NV | 30  | -40000.00 | -7.168459 | -7.168459 | 20 | PASS |
|  |  |      | NV | 40  | -40000.00 | -7.168459 | -7.168459 | 20 | PASS |
|  |  | 5700 | NV | -30 | -40000.00 | -7.017544 | -7.017544 | 20 | PASS |
|  |  |      | NV | -20 | -40000.00 | -7.017544 | -7.017544 | 20 | PASS |
|  |  |      | NV | -10 | -40000.00 | -7.017544 | -7.017544 | 20 | PASS |
|  |  |      | NV | 0   | -40000.00 | -7.017544 | -7.017544 | 20 | PASS |
|  |  |      | NV | 10  | -40000.00 | -7.017544 | -7.017544 | 20 | PASS |
|  |  |      | NV | 20  | -40000.00 | -7.017544 | -7.017544 | 20 | PASS |
|  |  |      | NV | 30  | -40000.00 | -7.017544 | -7.017544 | 20 | PASS |
|  |  |      | NV | 40  | -40000.00 | -7.017544 | -7.017544 | 20 | PASS |
|  |  | 5720 | NV | -30 | -20000.00 | -3.496503 | -3.496503 | 20 | PASS |
|  |  |      | NV | -20 | -60000.00 | -         | 10.489510 | 20 | PASS |
|  |  |      | NV | -10 | -20000.00 | -3.496503 | -3.496503 | 20 | PASS |
|  |  |      | NV | 0   | -40000.00 | -6.993007 | -6.993007 | 20 | PASS |
|  |  |      | NV | 10  | -40000.00 | -6.993007 | -6.993007 | 20 | PASS |
|  |  |      | NV | 20  | -40000.00 | -6.993007 | -6.993007 | 20 | PASS |
|  |  |      | NV | 30  | -40000.00 | -6.993007 | -6.993007 | 20 | PASS |
|  |  |      | NV | 40  | -40000.00 | -6.993007 | -6.993007 | 20 | PASS |
|  |  | 5745 | NV | -30 | -40000.00 | -6.962576 | -6.962576 | 20 | PASS |
|  |  |      | NV | -20 | -40000.00 | -6.962576 | -6.962576 | 20 | PASS |
|  |  |      | NV | -10 | -40000.00 | -6.962576 | -6.962576 | 20 | PASS |
|  |  |      | NV | 0   | -40000.00 | -6.962576 | -6.962576 | 20 | PASS |
|  |  |      | NV | 10  | -40000.00 | -6.962576 | -6.962576 | 20 | PASS |
|  |  |      | NV | 20  | -40000.00 | -6.962576 | -6.962576 | 20 | PASS |
|  |  | 5745 | NV | 30  | -40000.00 | -6.962576 | -6.962576 | 20 | PASS |
|  |  |      | NV | 30  | -40000.00 | -6.962576 | -6.962576 | 20 | PASS |

|           |      |      |    |     |           |           |    |      |
|-----------|------|------|----|-----|-----------|-----------|----|------|
|           |      |      | NV | 40  | -40000.00 | -6.962576 | 20 | PASS |
|           |      |      | NV | 50  | -40000.00 | -6.962576 | 20 | PASS |
|           |      | 5785 | NV | -30 | -40000.00 | -6.914434 | 20 | PASS |
|           |      |      | NV | -20 | -40000.00 | -6.914434 | 20 | PASS |
|           |      |      | NV | -10 | -40000.00 | -6.914434 | 20 | PASS |
|           |      |      | NV | 0   | -20000.00 | -3.457217 | 20 | PASS |
|           |      |      | NV | 10  | -20000.00 | -3.457217 | 20 | PASS |
|           |      |      | NV | 20  | -40000.00 | -6.914434 | 20 | PASS |
|           |      |      | NV | 30  | -40000.00 | -6.914434 | 20 | PASS |
|           |      |      | NV | 40  | -40000.00 | -6.914434 | 20 | PASS |
|           |      |      | NV | 50  | -40000.00 | -6.914434 | 20 | PASS |
|           |      | 5825 | NV | -30 | -20000.00 | -3.433476 | 20 | PASS |
|           |      |      | NV | -20 | -40000.00 | -6.866953 | 20 | PASS |
|           |      |      | NV | -10 | -40000.00 | -6.866953 | 20 | PASS |
|           |      |      | NV | 0   | -20000.00 | -3.433476 | 20 | PASS |
|           |      |      | NV | 10  | -40000.00 | -6.866953 | 20 | PASS |
|           |      |      | NV | 20  | -40000.00 | -6.866953 | 20 | PASS |
|           |      |      | NV | 30  | -20000.00 | -3.433476 | 20 | PASS |
|           |      |      | NV | 40  | -40000.00 | -6.866953 | 20 | PASS |
|           |      |      | NV | 50  | -20000.00 | -3.433476 | 20 | PASS |
| 11N20SISO | Ant1 | 5720 | NV | -30 | -60000.00 | -         | 20 | PASS |
|           |      |      | NV | -20 | -60000.00 | 10.489510 | 20 | PASS |
|           |      |      | NV | -10 | -60000.00 | -         | 20 | PASS |
|           |      |      | NV | 0   | -60000.00 | 10.489510 | 20 | PASS |
|           |      |      | NV | 10  | -60000.00 | -         | 20 | PASS |
|           |      |      | NV | 20  | -60000.00 | 10.489510 | 20 | PASS |
|           |      |      | NV | 30  | -20000.00 | -3.496503 | 20 | PASS |
|           |      |      | NV | 40  | -60000.00 | -         | 20 | PASS |
|           |      |      | NV | 50  | -80000.00 | 13.986014 | 20 | PASS |
| 11N40SISO | Ant1 | 5190 | NV | -30 | -40000.00 | -7.707129 | 20 | PASS |
|           |      |      | NV | -20 | -80000.00 | -         | 20 | PASS |
|           |      |      | NV | -10 | 0.00      | 0.000000  | 20 | PASS |
|           |      |      | NV | 0   | 0.00      | 0.000000  | 20 | PASS |
|           |      |      | NV | 10  | -40000.00 | -7.707129 | 20 | PASS |
|           |      |      | NV | 20  | -40000.00 | -7.707129 | 20 | PASS |
|           |      |      | NV | 30  | 0.00      | 0.000000  | 20 | PASS |
|           |      |      | NV | 40  | -40000.00 | -7.707129 | 20 | PASS |
|           |      |      | NV | 50  | -40000.00 | -7.707129 | 20 | PASS |
|           |      | 5230 | NV | -30 | -40000.00 | -7.648184 | 20 | PASS |
|           |      |      | NV | -20 | -40000.00 | -7.648184 | 20 | PASS |
|           |      |      | NV | -10 | -40000.00 | -7.648184 | 20 | PASS |
|           |      |      | NV | 0   | -40000.00 | -7.648184 | 20 | PASS |
|           |      |      | NV | 10  | -40000.00 | -7.648184 | 20 | PASS |
|           |      |      | NV | 20  | -40000.00 | -7.648184 | 20 | PASS |
|           |      |      | NV | 30  | -80000.00 | 15.296367 | 20 | PASS |
|           |      |      | NV | 40  | -40000.00 | -7.648184 | 20 | PASS |
|           |      |      | NV | 50  | 0.00      | 0.000000  | 20 | PASS |
|           |      | 5270 | NV | -30 | -40000.00 | -7.590133 | 20 | PASS |
|           |      |      | NV | -20 | -40000.00 | -7.590133 | 20 | PASS |
|           |      |      | NV | -10 | -80000.00 | -         | 20 | PASS |
|           |      |      | NV | 0   | -40000.00 | -7.590133 | 20 | PASS |
|           |      |      | NV | 10  | -40000.00 | -7.590133 | 20 | PASS |
|           |      |      | NV | 20  | -40000.00 | -7.590133 | 20 | PASS |
|           |      |      | NV | 20  | -40000.00 | -7.590133 | 20 | PASS |

|  |  |      |    |     |           |           |    |      |
|--|--|------|----|-----|-----------|-----------|----|------|
|  |  |      | NV | 30  | 0.00      | 0.000000  | 20 | PASS |
|  |  |      | NV | 40  | -40000.00 | -7.590133 | 20 | PASS |
|  |  |      | NV | 50  | -80000.00 | -         | 20 | PASS |
|  |  | 5310 |    |     |           | 15.180266 |    |      |
|  |  |      | NV | -30 | -40000.00 | -7.532957 | 20 | PASS |
|  |  |      | NV | -20 | -40000.00 | -7.532957 | 20 | PASS |
|  |  |      | NV | -10 | 0.00      | 0.000000  | 20 | PASS |
|  |  |      | NV | 0   | -40000.00 | -7.532957 | 20 | PASS |
|  |  |      | NV | 10  | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 15.065913 |    |      |
|  |  |      | NV | 20  | -40000.00 | -7.532957 | 20 | PASS |
|  |  |      | NV | 30  | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 15.065913 |    |      |
|  |  |      | NV | 40  | 0.00      | 0.000000  | 20 | PASS |
|  |  |      | NV | 50  | -40000.00 | -7.532957 | 20 | PASS |
|  |  | 5510 | NV | -30 | -40000.00 | -7.259528 | 20 | PASS |
|  |  |      | NV | -20 | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.519056 |    |      |
|  |  |      | NV | -10 | -40000.00 | -7.259528 | 20 | PASS |
|  |  |      | NV | 0   | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.519056 |    |      |
|  |  |      | NV | 10  | -40000.00 | -7.259528 | 20 | PASS |
|  |  |      | NV | 20  | -40000.00 | -7.259528 | 20 | PASS |
|  |  |      | NV | 30  | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.519056 |    |      |
|  |  |      | NV | 40  | -40000.00 | -7.259528 | 20 | PASS |
|  |  |      | NV | 50  | -40000.00 | -7.259528 | 20 | PASS |
|  |  | 5550 | NV | -30 | -40000.00 | -7.207207 | 20 | PASS |
|  |  |      | NV | -20 | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.414414 |    |      |
|  |  |      | NV | -10 | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.414414 |    |      |
|  |  |      | NV | 0   | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.414414 |    |      |
|  |  |      | NV | 10  | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.414414 |    |      |
|  |  |      | NV | 20  | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.414414 |    |      |
|  |  |      | NV | 30  | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.414414 |    |      |
|  |  | 5670 | NV | -30 | -40000.00 | -7.054674 | 20 | PASS |
|  |  |      | NV | -20 | 0.00      | 0.000000  | 20 | PASS |
|  |  |      | NV | -10 | -40000.00 | -7.054674 | 20 | PASS |
|  |  |      | NV | 0   | -40000.00 | -7.054674 | 20 | PASS |
|  |  |      | NV | 10  | -40000.00 | -7.054674 | 20 | PASS |
|  |  |      | NV | 20  | -40000.00 | -7.054674 | 20 | PASS |
|  |  |      | NV | 30  | -40000.00 | -7.054674 | 20 | PASS |
|  |  |      | NV | 40  | -40000.00 | -7.054674 | 20 | PASS |
|  |  |      | NV | 50  | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.109347 |    |      |
|  |  | 5710 | NV | -30 | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.010508 |    |      |
|  |  |      | NV | -20 | -40000.00 | -7.005254 | 20 | PASS |
|  |  |      | NV | -10 | -40000.00 | -7.005254 | 20 | PASS |
|  |  |      | NV | 0   | -40000.00 | -7.005254 | 20 | PASS |
|  |  |      | NV | 10  | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.010508 |    |      |
|  |  |      | NV | 20  | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.010508 |    |      |
|  |  |      | NV | 30  | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.010508 |    |      |

|                |      |      |    |     |           |           |           |    |      |
|----------------|------|------|----|-----|-----------|-----------|-----------|----|------|
|                |      | 5755 | NV | 40  | -80000.00 | -         | 14.010508 | 20 | PASS |
|                |      |      | NV | 50  | -80000.00 | -         | 14.010508 | 20 | PASS |
|                |      |      | NV | -30 | -40000.00 | -6.950478 | -         | 20 | PASS |
|                |      |      | NV | -20 | -40000.00 | -6.950478 | -         | 20 | PASS |
|                |      |      | NV | -10 | 0.00      | 0.000000  | -         | 20 | PASS |
|                |      |      | NV | 0   | -40000.00 | -6.950478 | -         | 20 | PASS |
|                |      |      | NV | 10  | 0.00      | 0.000000  | -         | 20 | PASS |
|                |      |      | NV | 20  | -40000.00 | -6.950478 | -         | 20 | PASS |
|                |      |      | NV | 30  | -40000.00 | -6.950478 | -         | 20 | PASS |
|                |      |      | NV | 40  | -80000.00 | -         | 13.900956 | 20 | PASS |
|                |      |      | NV | 50  | -40000.00 | -6.950478 | -         | 20 | PASS |
|                |      | 5795 | NV | -30 | -80000.00 | -         | 13.805004 | 20 | PASS |
|                |      |      | NV | -20 | -40000.00 | -6.902502 | -         | 20 | PASS |
|                |      |      | NV | -10 | -80000.00 | -         | 13.805004 | 20 | PASS |
|                |      |      | NV | 0   | -80000.00 | -         | 13.805004 | 20 | PASS |
|                |      |      | NV | 10  | -40000.00 | -6.902502 | -         | 20 | PASS |
|                |      |      | NV | 20  | 0.00      | 0.000000  | -         | 20 | PASS |
|                |      |      | NV | 30  | -40000.00 | -6.902502 | -         | 20 | PASS |
|                |      |      | NV | 40  | -80000.00 | -         | 13.805004 | 20 | PASS |
|                |      |      | NV | 50  | -40000.00 | -6.902502 | -         | 20 | PASS |
|                |      |      | NV | -30 | -20000.00 | -3.496503 | -         | 20 | PASS |
| 11AC20SIS<br>O | Ant1 | 5720 | NV | -20 | -60000.00 | -         | 10.489510 | 20 | PASS |
|                |      |      | NV | -10 | -80000.00 | -         | 13.986014 | 20 | PASS |
|                |      |      | NV | 0   | -60000.00 | -         | 10.489510 | 20 | PASS |
|                |      |      | NV | 10  | -         | 100000.00 | 17.482517 | 20 | PASS |
|                |      |      | NV | 20  | -60000.00 | -         | 10.489510 | 20 | PASS |
|                |      |      | NV | 30  | -60000.00 | -         | 10.489510 | 20 | PASS |
|                |      |      | NV | 40  | -60000.00 | -         | 10.489510 | 20 | PASS |
|                |      |      | NV | 50  | -60000.00 | -         | 10.489510 | 20 | PASS |
|                |      | 5785 | NV | -30 | -20000.00 | -3.457217 | -         | 20 | PASS |
|                |      |      | NV | -20 | -20000.00 | -3.457217 | -         | 20 | PASS |
|                |      |      | NV | -10 | -20000.00 | -3.457217 | -         | 20 | PASS |
|                |      |      | NV | 0   | -40000.00 | -6.914434 | -         | 20 | PASS |
|                |      |      | NV | 10  | -40000.00 | -6.914434 | -         | 20 | PASS |
|                |      |      | NV | 20  | -20000.00 | -3.457217 | -         | 20 | PASS |
|                |      |      | NV | 30  | -40000.00 | -6.914434 | -         | 20 | PASS |
|                |      |      | NV | 40  | -20000.00 | -3.457217 | -         | 20 | PASS |
|                |      |      | NV | 50  | -20000.00 | -3.457217 | -         | 20 | PASS |
| 11AC40SIS<br>O | Ant1 | 5710 | NV | -30 | -80000.00 | -         | 14.010508 | 20 | PASS |
|                |      |      | NV | -20 | -80000.00 | -         | 14.010508 | 20 | PASS |
|                |      |      | NV | -10 | -80000.00 | -         | 14.010508 | 20 | PASS |
|                |      |      | NV | 0   | -80000.00 | -         | 14.010508 | 20 | PASS |
|                |      |      | NV | 10  | -80000.00 | -         | 14.010508 | 20 | PASS |
|                |      |      | NV | 20  | -40000.00 | -7.005254 | -         | 20 | PASS |
|                |      |      | NV | 30  | -80000.00 | -         | -         | 20 | PASS |

|                |      |      |    |     |           |           |    |      |
|----------------|------|------|----|-----|-----------|-----------|----|------|
| 11AC80SIS<br>O | Ant1 |      |    |     |           | 14.010508 |    |      |
|                |      |      | NV | 40  | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 14.010508 |    |      |
|                |      | 5210 | NV | 50  | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 14.010508 |    |      |
|                |      |      | NV | -30 | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 15.355086 |    |      |
|                |      |      | NV | -20 | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 15.355086 |    |      |
|                |      |      | NV | -10 | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 15.355086 |    |      |
|                |      |      | NV | 0   | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 15.355086 |    |      |
|                |      | 5290 | NV | 10  | 0.00      | 0.000000  | 20 | PASS |
|                |      |      | NV | 20  | 0.00      | 0.000000  | 20 | PASS |
|                |      |      | NV | 30  | 0.00      | 0.000000  | 20 | PASS |
|                |      |      |    |     |           | -         |    |      |
|                |      |      | NV | 40  | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 15.355086 |    |      |
|                |      |      | NV | 50  | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 15.355086 |    |      |
|                |      | 5530 | NV | -30 | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 15.122873 |    |      |
|                |      |      | NV | -20 | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 15.122873 |    |      |
|                |      |      | NV | -10 | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 15.122873 |    |      |
|                |      |      | NV | 0   | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 15.122873 |    |      |
|                |      |      | NV | 10  | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 15.122873 |    |      |
|                |      | 5610 | NV | 20  | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 15.122873 |    |      |
|                |      |      | NV | 30  | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 15.122873 |    |      |
|                |      |      | NV | 40  | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 15.122873 |    |      |
|                |      |      | NV | 50  | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 15.122873 |    |      |
|                |      |      | NV | -30 | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 14.466546 |    |      |
|                |      | 5610 | NV | -20 | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 14.466546 |    |      |
|                |      |      | NV | -10 | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 14.466546 |    |      |
|                |      |      | NV | 0   | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 14.466546 |    |      |
|                |      |      | NV | 10  | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 14.466546 |    |      |
|                |      |      | NV | 20  | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 14.466546 |    |      |
|                |      | 5610 | NV | 30  | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 14.466546 |    |      |
|                |      |      | NV | 40  | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 14.466546 |    |      |
|                |      |      | NV | 50  | -80000.00 | -         | 20 | PASS |
|                |      | 5610 |    |     |           | 14.466546 |    |      |
|                |      |      | NV | -30 | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 14.260250 |    |      |
|                |      |      | NV | -20 | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 14.260250 |    |      |
|                |      | 5610 | NV | -10 | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 14.260250 |    |      |
|                |      |      | NV | 0   | -80000.00 | -         | 20 | PASS |
|                |      |      |    |     |           | 14.260250 |    |      |
|                |      |      | NV | 10  | -80000.00 | -         | 20 | PASS |

|  |  |      |    |     |           |           |    |      |
|--|--|------|----|-----|-----------|-----------|----|------|
|  |  |      |    |     |           | 14.260250 |    |      |
|  |  |      | NV | 20  | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.260250 |    |      |
|  |  |      | NV | 30  | -80000.00 | -         | 20 | PASS |
|  |  | 5690 |    |     |           | 14.260250 |    |      |
|  |  |      | NV | 40  | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.260250 |    |      |
|  |  |      | NV | 50  | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.260250 |    |      |
|  |  |      | NV | -30 | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.059754 |    |      |
|  |  |      | NV | -20 | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.059754 |    |      |
|  |  |      | NV | -10 | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.059754 |    |      |
|  |  |      | NV | 0   | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.059754 |    |      |
|  |  |      | NV | 10  | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.059754 |    |      |
|  |  |      | NV | 20  | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.059754 |    |      |
|  |  |      | NV | 30  | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.059754 |    |      |
|  |  |      | NV | 40  | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.059754 |    |      |
|  |  |      | NV | 50  | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 14.059754 |    |      |
|  |  | 5775 |    |     |           | -         |    |      |
|  |  |      | NV | -30 | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 13.852814 |    |      |
|  |  |      | NV | -20 | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 13.852814 |    |      |
|  |  |      | NV | -10 | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 13.852814 |    |      |
|  |  |      | NV | 0   | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 13.852814 |    |      |
|  |  |      | NV | 10  | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 13.852814 |    |      |
|  |  |      | NV | 20  | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 13.852814 |    |      |
|  |  |      | NV | 30  | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 13.852814 |    |      |
|  |  |      | NV | 40  | -80000.00 | -         | 20 | PASS |
|  |  |      |    |     |           | 13.852814 |    |      |
|  |  |      | NV | 50  | 0.00      | 0.000000  | 20 | PASS |

## 11. Dynamic Frequency Selection

### 11.1. Applicability of DFS requirements

Table 1: Applicability of DFS Requirements Prior to Use of a Channel

| Requirement                     | Operational Mode                |                                                                    |                                                      |
|---------------------------------|---------------------------------|--------------------------------------------------------------------|------------------------------------------------------|
|                                 | <input type="checkbox"/> Master | <input checked="" type="checkbox"/> Client Without Radar Detection | <input type="checkbox"/> Client with Radar Detection |
| Non-Occupancy Period            | Yes                             | Not required                                                       | Yes                                                  |
| DFS Detection Threshold         | Yes                             | Not required                                                       | Yes                                                  |
| Channel Availability Check Time | Yes                             | Not required                                                       | Not required                                         |
| U-NII Detection Bandwidth       | Yes                             | Not required                                                       | Yes                                                  |

Table 2: Applicability of DFS requirements during normal operation

| Requirement                       | Operational Mode                                                      |                                                                    |
|-----------------------------------|-----------------------------------------------------------------------|--------------------------------------------------------------------|
|                                   | <input type="checkbox"/> Master Device or Client with Radar Detection | <input checked="" type="checkbox"/> Client Without Radar Detection |
| DFS Detection Threshold           | Yes                                                                   | Not required                                                       |
| Channel Closing Transmission Time | Yes                                                                   | Yes                                                                |
| Channel Move Time                 | Yes                                                                   | Yes                                                                |
| U-NII Detection Bandwidth         | Yes                                                                   | Not required                                                       |

|                                                                   |                                                                       |                                                                    |
|-------------------------------------------------------------------|-----------------------------------------------------------------------|--------------------------------------------------------------------|
| Additional requirements for devices with multiple bandwidth modes | <input type="checkbox"/> Master Device or Client with Radar Detection | <input checked="" type="checkbox"/> Client Without Radar Detection |
| U-NII Detection Bandwidth and Statistical Performance Check       | All BW modes must be tested                                           | Not required                                                       |
| Channel Move Time and Channel Closing Transmission Time           | Test using widest BW mode available                                   | Test using the widest BW mode available for the link               |
| All other tests                                                   | Any single BW mode                                                    | Not required                                                       |

Note: Frequencies selected for statistical performance check should include several frequencies within the radar detection bandwidth and frequencies near the edge of the radar detection bandwidth. For 802.11 devices it is suggested to select frequencies in each of the bonded 20 MHz channels and the channel center frequency.

### 11.2. Assistant equipment used for test

| Assistant equipment | Manufacturer  | Model number | Serial No.  | Other                |
|---------------------|---------------|--------------|-------------|----------------------|
| Router              | ASUS          | GT-AX11000   | DDT-ZC01003 | FCC ID: MSQ-RTAXJF00 |
| Laptop              | Lenovo        | i7-3520M     | DDT-ZC02725 | /                    |
| Attenuator          | Agilent       | 8496B        | DDT-ZC01301 | /                    |
| Attenuator          | Agilent       | 8494B        | DDT-ZC01301 | /                    |
| MINI-Circuits       | Power Divider | SHWPD4-0880S | DDT-ZC01305 | /                    |

### 11.3. Limit

#### (1) DFS Detection Thresholds

Table 3: DFS Detection Thresholds for Master Devices and Client Devices with Radar Detection

| Maximum Transmit Power                                                         | Value (See Notes 1, 2, and 3) |
|--------------------------------------------------------------------------------|-------------------------------|
| EIRP $\geq$ 200 milliwatt                                                      | -64 dBm                       |
| EIRP $<$ 200 milliwatt and power spectral density $<$ 10 dBm/MHz               | -62 dBm                       |
| EIRP $<$ 200 milliwatt that do not meet the power spectral density requirement | -64 dBm                       |

Note 1: This is the level at the input of the receiver assuming a 0 dBi receive antenna.

Note 2: Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.

Note3: EIRP is based on the highest antenna gain. For MIMO devices refer to KDB Publication 662911 D01.

#### (2) DFS Response Requirements

Table 4: DFS Response Requirement Values

| Parameter                         | Value                                                                                                     |
|-----------------------------------|-----------------------------------------------------------------------------------------------------------|
| Non-occupancy period              | Minimum 30 minutes                                                                                        |
| Channel Availability Check Time   | 60 seconds                                                                                                |
| Channel Move Time                 | 10 seconds<br>See Note 1.                                                                                 |
| Channel Closing Transmission Time | 200 milliseconds + an aggregate of 60 milliseconds over remaining 10 second period.<br>See Notes 1 and 2. |
| U-NII Detection Bandwidth         | Minimum 100% of the U-NII 99% transmission power bandwidth. See Note 3.                                   |

Note 1: Channel Move Time and the Channel Closing Transmission Time should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.

Note 2: The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required facilitating a Channel move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.

Note 3: During the U-NII Detection Bandwidth detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.

#### 11.4. Parameters of radar test waveforms

This section provides the parameters for required test waveforms, minimum percentage of successful detections, and the minimum number of trials that must be used for determining DFS conformance. Step intervals of 0.1 microsecond for Pulse Width, 1 microsecond for PRI, 1 MHz for chirp width and 1 for the number of pulses will be utilized for the random determination of specific test waveforms.

Table 5 Short Pulse Radar Test Waveforms

| Radar Type                                                                                                                                                    | Pulse Width (μsec) | PRI (μsec) | Number of Pulses                                                  | Minimum Percentage of Successful Detection | Minimum Number of Trials |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|------------|-------------------------------------------------------------------|--------------------------------------------|--------------------------|
| 0                                                                                                                                                             | 1                  | 1428       | 18                                                                | See Note 1                                 | See Note 1               |
| 1                                                                                                                                                             | 1                  | Test A     | Roundup $\left\{ \frac{1}{\left( \frac{1}{360} \right)} \right\}$ | 60%                                        | 30                       |
|                                                                                                                                                               |                    | Test B     |                                                                   |                                            |                          |
| 2                                                                                                                                                             | 1-5                | 150-230    | 23-29                                                             | 60%                                        | 30                       |
| 3                                                                                                                                                             | 6-10               | 200-500    | 16-18                                                             | 60%                                        | 30                       |
| 4                                                                                                                                                             | 11-20              | 200-500    | 12-16                                                             | 60%                                        | 30                       |
| Aggregate (Radar Types 1-4)                                                                                                                                   |                    |            |                                                                   | 80%                                        | 120                      |
| Note 1: Short Pulse Radar Type 0 should be used for the detection bandwidth test, channel move time, and channel closing time tests.                          |                    |            |                                                                   |                                            |                          |
| Test A: 15 unique PRI values randomly selected from the list of 23 PRI values in Table 5a                                                                     |                    |            |                                                                   |                                            |                          |
| Test B: 15 unique PRI values randomly selected within the range of 518-3066 μsec, with a minimum increment of 1 μsec, excluding PRI values selected in Test A |                    |            |                                                                   |                                            |                          |

A minimum of 30 unique waveforms are required for each of the Short Pulse Radar Types 2 through 4. If more than 30 waveforms are used for Short Pulse Radar Types 2 through 4, then each additional waveform must also be unique and not repeated from the previous waveforms. If more than 30 waveforms are used for Short Pulse Radar Type 1, then each additional waveform is generated with Test B and must also be unique and not repeated from the previous waveforms in Tests A or B. Test aggregate is average of the percentage of successful detections of short pulse radar types 1-4


#### 11.5. Calibration of radar waveform

Radar Waveform Calibration Procedure:

- (1) A 50 ohm load is connected in place of the spectrum analyzer, and the spectrum analyzer is connected to place of the master
- (2) The interference Radar Detection Threshold Level is  $-62\text{dBm} + 0\text{dBi} + 1\text{dB} = -61\text{dBm}$  that had been taken into account the output power range and antenna gain.
- (3) The following equipment setup was used to calibrate the conducted radar waveform. A vector signal generator was utilized to establish the test signal level for radar type 0. During this process there were no transmissions by either the master or client device. The spectrum analyzer was switched to the zero spans (time domain) at the frequency of the radar waveform generator. Peak detection was used. The spectrum analyzer resolution bandwidth (RBW) and video bandwidth (VBW) were set to 3 MHz. The spectrum analyzer had offset -1.0dB to compensate RF cable loss 1.0dB.

(4) The vector signal generator amplitude was set so that the power level measured at the spectrum analyzer was - 62dBm + 0dBi +1dB = -61dBm. Capture the spectrum analyzer plots on short pulse radar waveform.

Conducted Calibration Setup:




Note: 1. Use the software "Web" to set the frequency channel.  
2. EUT is not support TPC and not with Radar detection.

11.6. Radar Waveform Calibration Result

| TestMode       | Frequency[MHz] | Radar Type | Result | Limit[dbm] | Verdict |
|----------------|----------------|------------|--------|------------|---------|
| 11A            | 5260           | Type0      | -59.16 | -59.14     | PASS    |
| 11AC80SIS<br>O | 5530           | Type0      | -59.30 | -59.14     | PASS    |

11.7. Test Graphs



### 11.8. Channel closing transmission time, channel move time


Block diagram of test setup Test Procedure:

- (1) The radar pulse generator is setup to provide a pulse at frequency that the master and client are operating. A type 0 radar pulse with a 1us pulse width and a 1428us PRI is used for the testing.
- (2) The vector signal generator is adjusted to provide the radar burst (18 pulses) at the level of approximately -61dBm at the antenna port of the master device.
- (3) A trigger is provided from the pulse generator to the DFS monitoring system in order to capture the traffic and the occurrence of the radar pulse.
- (4) EUT will associate with the master at channel. The file "iperf.exe" specified by the FCC is streamed from the PC 2 through the master and the client device to the PC 1 and played in full motion video using Test Software in order to properly load the network for the entire period of the test.
- (5) When radar burst with a level equal to the DFS Detection Threshold +1dB is generated on the operating channel of the U-NII device. At time T0 the radar waveform generator sends a burst of pulse of the radar waveform at Detection Threshold +1dB.
- (6) Observe the transmissions of the EUT at the end of the radar Burst on the Operating Channel. Measure and record the transmissions from the UUT during the observation time (Channel Move Time). One 15 seconds plot is reported for the Short Pulse Radar Type 0. The plot for the Short Pulse Radar Types start at the end of the radar burst. The Channel Move Time will be calculated based on the zoom in 600ms plot of the Short Pulse Radar Type.
- (7) Measurement of the aggregate duration of the Channel Closed Transmission Time method. With the
- (8) spectrum analyzer set to zero span tuned to the center frequency of the EUT operating channel at the radar simulated frequency, peak detection, and max hold, the dwell time per bin is given by:  $Dwell (0.3ms) = S (12000ms) / B (4000)$ ; where Dwell is the dwell time per spectrum analyzer sampling bin, S is sweep time and B is the number of spectrum analyzer sampling bins. An upper bound of the aggregate duration of the intermittent control signals of Channel Closing Transmission Time is calculated by:  $C (ms) = N \times Dwell (0.3ms)$ ; where C is the Closing Time, N is the number of spectrum analyzer sampling bins (intermittent control signals) showing a U-NII transmission and Dwell is the dwell time per bin.

Measurement the EUT for more than 30 minutes following the channel move time to verify that no transmission or beacons occur on this channel.

### 11.9. Test setup

Setup for Client with injection at the Master



11.10.


Test result

|                    |                |                |                          |
|--------------------|----------------|----------------|--------------------------|
| Test Engineer:     | Tyang          | Test Site:     | RF Measurement System 4# |
| Ambient Condition: | 25.6°C,49.8%RH | Test Date:     | 2025.12.6-2025.12.31     |
| Test Power Supply: | AC 120V/60Hz   | Sample Number: | S25081404-004            |

| TestMode   | Frequency[MHz] | CCTT[ms] | Limit[ms] | CMT[ms] | Limit[ms] | Verdict |
|------------|----------------|----------|-----------|---------|-----------|---------|
| 11A        | 5260           | 200+14.3 | 200+60    | 843.7   | 10000     | PASS    |
| 11AC80SISO | 5530           | 200+13   | 200+60    | 913.9   | 10000     | PASS    |

11.11.

Test Graphs



## 12. Antenna Requirements

### 12.1. Limit

For intentional device, according to FCC 47 CFR Section 15.203, an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. And according to FCC 47 CFR Section 15.247 (b), if transmitting antennas of directional gain greater than 6 dBi are used, the power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

For intentional device, according to RSS-Gen issue 5 section 6.8.

The applicant for equipment certification shall provide a list of all antenna types that may be used with the transmitter, where applicable (i.e. for transmitters with detachable antenna), indicating the maximum permissible antenna gain (in dBi) and the required impedance for each antenna. The test report shall demonstrate the compliance of the transmitter with the limit for maximum equivalent isotropically radiated power (e.i.r.p.) specified in the applicable RSS, when the transmitter is equipped with any antenna type, selected from this list.

### 12.2. Result

The antenna used for this product as Antenna information described in section 2.1 of the report, and there is no other antenna than that furnished by the responsible party shall be used with the device.

### 13. Radiated Emission

#### 13.1. Test equipment

| Equipment                                           | Manufacturer      | Model No.          | Serial No.  | Cal Due To |
|-----------------------------------------------------|-------------------|--------------------|-------------|------------|
| High pass filter                                    | Micro-Tronics     | HPM50102           | DDT-ZC00561 | 2026/03/28 |
| Radiation disturbance fully automated test software | Tonscend          | JS32-RE            | DDT-ZC02739 | /          |
| Pre-amplifier                                       | SONOMA            | 310N               | DDT-ZC01969 | 2026/07/06 |
| RF Cable                                            | N/A               | W24.02 HL-562      | DDT-ZC04022 | 2026/03/28 |
| RF cable                                            | Yuhu Technology   | JCTB810-NJ-NJ-9M   | DDT-ZC02538 | 2026/03/28 |
| RF cable                                            | Zhongke Junchuang | JCT26S-NJ-NJ-1.5M  | DDT-ZC02762 | /          |
| RF cable                                            | Yuhu Technology   | ZT26S-SMAJ-SMAJ-1M | DDT-ZC02037 | 2026/10/10 |
| RF Cable                                            | N/A               | W13.02 AP1-X2      | DDT-ZC04023 | 2026/03/28 |
| Pre-amplifier                                       | COM-POWER         | PAM-840A           | DDT-ZC01693 | 2026/03/28 |
| Pre-amplifier                                       | COM-POWER         | PAM-118A           | DDT-ZC01293 | 2026/08/10 |
| EMI TEST RECEIVER                                   | R&S               | ESU26              | DDT-ZC01909 | 2026/03/28 |
| Micro-Tronics filters                               | REBES             | BRM50702           | DDT-ZC03242 | /          |
| High pass filter                                    | Micro-Tronics     | HPM50108           | DDT-ZC00560 | 2026/03/28 |
| High Pass filter                                    | Xi'an Xingbo      | XBLBQ-GTA67        | DDT-ZC02179 | 2026/03/28 |
| Micro-Tronics filters                               | REBES             | BRM50716           | DDT-ZC03240 | /          |
| Broad-Band Horn Antenna                             | Schwarzbeck       | BBHA 9170          | DDT-ZC00506 | 2026/04/01 |
| Trilog Broadband Antenna                            | Schwarzbeck       | VULB 9163          | DDT-ZC02050 | 2026/07/25 |
| Hochgewinn-Hornantenne                              | SCHWARZBEC K      | BBHA 9120 D        | DDT-ZC02129 | 2026/08/11 |
| Active Loop Antenna                                 | Schwarzbeck       | FMZB1519           | DDT-ZC00524 | 2026/08/18 |
| PSA Series Spectrum Analyzer                        | Agilent           | E4447A             | DDT-ZC00517 | 2026/03/28 |

13.2. Block diagram of test setup

