



7-18GHz_Horizontal_Average_5GWiFi_B1_AX20_5200MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5200

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	13.24	33.70	46.94	54.00	-7.06	Average


7-18GHz_Vertical_Peak_5GWiFi_B1_AX20_5200MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5200

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10400.000	2.47	51.18	53.65	68.20	-14.55	Peak
2	17932.630	12.92	48.24	61.16	74.00	-12.84	Peak


7-18GHz_Vertical_Average_5GWiFi_B1_AX20_5200MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5200

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17956.000	13.04	33.91	46.95	54.00	-7.05	Average


1-7GHz_Horizontal_5GWiFi_B1_AX40_5230MHz



Condition : Horizontal
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band1-AX40-5230

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6864.250	-1.34	48.94	47.60	68.20	-20.60	Peak


1-7GHz_Vertical_5GWiFi_B1_AX40_5230MHz



Condition : Vertical
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band1-AX40-5230

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6539.500	-1.24	48.81	47.57	68.20	-20.63	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B1_AX40_5230MHz



Condition : Horizontal
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band1-AX40-5230

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10460.000	2.26	50.43	52.69	68.20	-15.51	Peak
2	17892.750	12.61	48.78	61.39	74.00	-12.61	Peak


7-18GHz_Horizontal_Average_5GWiFi_B1_AX40_5230MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5230

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17971.130	13.12	33.90	47.02	54.00	-6.98	Average


7-18GHz_Vertical_Peak_5GWiFi_B1_AX40_5230MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5230

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10460.000	2.26	50.30	52.56	68.20	-15.64	Peak
2	17902.380	12.77	49.64	62.41	74.00	-11.59	Peak


7-18GHz_Vertical_Average_5GWiFi_B1_AX40_5230MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5230

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 18000.000	13.26	34.12	47.38	54.00	-6.62	Average


1-7GHz_Horizontal_5GWiFi_B1_AX80_5210MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6871.000	-1.33	48.18	46.85	68.20	-21.35	Peak


1-7GHz_Vertical_5GWiFi_B1_AX80_5210MHz



Condition : Vertical
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read	Limit	Over	Remark
Level	Level	Line	Limit	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6969.250	-1.03	48.51	47.48	68.20	-20.72 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B1_AX80_5210MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10420.000	2.40	50.29	52.69	68.20	-15.51	Peak
2	17983.500	13.17	49.24	62.41	74.00	-11.59	Peak


7-18GHz_Horizontal_Average_5GWiFi_B1_AX80_5210MHz



Condition : Horizontal
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
 Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17954.630	13.03	33.92	46.95	54.00	-7.05	Average


7-18GHz_Vertical_Peak_5GWiFi_B1_AX80_5210MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10420.000	2.40	50.16	52.56	68.20	-15.64	Peak
2	17932.630	12.92	48.84	61.76	74.00	-12.24	Peak


7-18GHz_Vertical_Average_5GWiFi_B1_AX80_5210MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17994.500	13.23	33.90	47.13	54.00	-6.87	Average


1-7GHz_Horizontal_5GWiFi-Band2_A_ANT0_5260MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5260

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6430.750	-1.19	49.81	48.62	68.20	-19.58	Peak


1-7GHz_Vertical_5GWiFi-Band2_A_ANT0_5260MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5260

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6472.750	-1.18	49.43	48.25	68.20	-19.95 Peak


7-18GHz_Horizontal_Peak_5GWiFi-Band2_A_ANT0_5260MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5260

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10520.000	2.13	50.15	52.28	68.20	-15.92 Peak
2 17976.630	13.15	48.77	61.92	74.00	-12.08 Peak


7-18GHz_Horizontal_Average_5GWiFi-Band2_A_ANT0_5260MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5260

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17997.250	13.25	34.00	47.25	54.00	-6.75	Average


7-18GHz_Vertical_Peak_5GWiFi-Band2_A_ANT0_5260MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5260

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10520.000	2.13	49.61	51.74	68.20	-16.46 Peak
2 17927.130	12.89	49.27	62.16	74.00	-11.84 Peak


7-18GHz_Vertical_Average_5GWiFi-Band2_A_ANT0_5260MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5260

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17979.380	13.16	33.92	47.08	54.00	-6.92	Average


1-7GHz_Horizonta_5GWiFi_Band2_A_ANT1_5260MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5260

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6443.500	-1.18	49.36	48.18	68.20	-20.02 Peak


1-7GHz_Vertical_5GWiFi_Band2_A_ANT1_5260MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5260

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6483.250	-1.18	49.05	47.87	68.20	-20.33	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_A_ANT1_5260MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5260

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10520.000	2.13	49.72	51.85	68.20	-16.35	Peak
2	17929.880	12.91	48.79	61.70	74.00	-12.30	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_A_ANT1_5260MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5260

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 17978.000	13.15	33.95	47.10	54.00	-6.90 Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_A_ANT1_5260MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5260

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10520.000	2.13	50.20	52.33	68.20	-15.87 Peak
2 17939.500	12.96	48.41	61.37	74.00	-12.63 Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_A_ANT1_5260MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5260

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17997.250	13.25	33.96	47.21	54.00	-6.79	Average


1-7GHz_Horizontal_5GWiFi_Band2_AC20_5260MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5260

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6364.000	-1.54	49.36	47.82	68.20	-20.38	Peak


1-7GHz_Vertical_5GWiFi_Band2_AC20_5260MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5260

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6929.500	-1.08	49.12	48.04	68.20	-20.16 Peak


7-18GHz_Horizontal_Pea_5GWiFi_Band2_AC20_5260MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5260

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10520.000	2.13	49.65	51.78	68.20	-16.42 Peak
2 17935.380	12.94	48.21	61.15	74.00	-12.85 Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_AC20_5260MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5260

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17982.130	13.16	33.93	47.09	54.00	-6.91	Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_AC20_5260MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5260

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10520.000	2.13	50.01	52.14	68.20	-16.06 Peak
2 17993.130	13.23	48.12	61.35	74.00	-12.65 Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_AC20_5260MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5260

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17987.630	13.19	34.04	47.23	54.00	-6.77	Average


1-7GHz_Horizontal_5GWiFi_Band2_AC40_5270MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6636.250	-1.23	49.36	48.13	68.20	-20.07 Peak


1-7GHz_Vertical_5GWiFi_Band2_AC40_5270MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6994.000	-1.18	48.96	47.78	68.20	-20.42	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_AC40_5270MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10540.000	2.15	50.98	53.13	68.20	-15.07 Peak
2 17965.630	13.08	47.87	60.95	74.00	-13.05 Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_AC40_5270MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 17993.130	13.23	33.91	47.14	54.00	-6.86 Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_AC40_5270MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 10540.000	2.15	50.10	52.25	68.20	-15.95	Peak
2 17990.380	13.21	48.48	61.69	74.00	-12.31	Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_AC40_5270MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17929.880	12.91	34.18	47.09	54.00	-6.91	Average


1-7GHz_Horizontal_5GWiFi_Band2_AC80_5290MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6652.000	-1.18	48.74	47.56	68.20	-20.64	Peak


1-7GHz_Vertical_5GWiFi_Band2_AC80_5290MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6372.250	-1.46	49.47	48.01	68.20	-20.19 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_AC80_5290MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	50.02	52.20	68.20	-16.00 Peak
2 17953.250	13.02	48.41	61.43	74.00	-12.57 Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_AC80_5290MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17990.380	13.21	33.79	47.00	54.00	-7.00	Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_AC80_5290MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	49.14	51.32	68.20	-16.88 Peak
2 17993.130	13.23	47.86	61.09	74.00	-12.91 Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_AC80_5290MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17990.380	13.21	33.81	47.02	54.00	-6.98	Average


1-7GHz_Horizontal_5GWiFi_Band2_AC160_5250MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC160-5250

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6414.250	-1.20	48.60	47.40	68.20	-20.80	Peak


1-7GHz_Vertical_5GWiFi_Band2_AC160_5250MHz



Condition : Vertical
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band2-AC160-5250

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6487.750	-1.20	48.78	47.58	68.20	-20.62	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_AC160_5250MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC160-5250

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10500.000	2.12	49.23	51.35	68.20	-16.85 Peak
2 17976.630	13.15	48.51	61.66	74.00	-12.34 Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_AC160_5250MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC160-5250

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.26	33.88	47.14	54.00	-6.86	Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_AC160_5250MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC160-5250

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10500.000	2.12	49.38	51.50	68.20	-16.70 Peak
2 17998.630	13.26	48.29	61.55	74.00	-12.45 Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_AC160_5250MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC160-5250

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17971.130	13.12	33.83	46.95	54.00	-7.05	Average


1-7GHz_Horizontal_5GWiFi_Band2_AX20_5260MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5260

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6483.250	-1.18	48.86	47.68	68.20	-20.52 Peak


1-7GHz_Vertical_5GWiFi_Band2_AX20_5260MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5260

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6999.250	-1.21	48.84	47.63	68.20	-20.57	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_AX20_5260MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5260

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 10520.000	2.13	49.42	51.55	68.20	-16.65	Peak
2 17927.130	12.89	48.77	61.66	74.00	-12.34	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_AX20_5260MHz



Condition : Horizontal
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
 Note : 5GWiFi-Band2-AX20-5260

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.25	33.88	47.13	54.00	-6.87	Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_AX20_5260MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5260

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10520.000	2.13	49.75	51.88	68.20	-16.32 Peak
2 17979.380	13.16	47.85	61.01	74.00	-12.99 Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_AX20_5260MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5260

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 17994.500	13.23	33.67	46.90	54.00	-7.10 Average


1-7GHz_Horizontal_5GWiFi_Band2_AX40_5270MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5270

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6529.000	-1.22	48.81	47.59	68.20	-20.61 Peak


1-7GHz_Vertical_5GWiFi_Band2_AX40_5270MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5270

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6534.250	-1.23	49.00	47.77	68.20	-20.43 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_AX40_5270MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5270

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10540.000	2.15	50.13	52.28	68.20	-15.92 Peak
2 17998.630	13.25	48.34	61.59	74.00	-12.41 Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_AX40_5270MHz



Condition : Horizontal
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
 Note : 5GWiFi-Band2-AX40-5270

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 17983.500	13.17	34.07	47.24	54.00	-6.76 Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_AX40_5270MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5270

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10540.000	2.15	50.46	52.61	68.20	-15.59 Peak
2 17994.500	13.23	48.45	61.68	74.00	-12.32 Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_AX40_5270MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5270

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	13.24	33.94	47.18	54.00	-6.82	Average


1-7GHz_Horizontal_5GWiFi_Band2_AX80_5290MHz



Condition : Horizontal
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6483.250	-1.18	48.99	47.81	68.20	-20.39	Peak


1-7GHz_Vertical_5GWiFi_Band2_AX80_5290MHz



Condition : Vertical
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6463.000	-1.18	48.90	47.72	68.20	-20.48	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_AX80_5290MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	49.17	51.35	68.20	-16.85 Peak
2 17887.250	12.52	49.23	61.75	74.00	-12.25 Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_AX80_5290MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 17998.630	13.26	33.75	47.01	54.00	-6.99 Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_AX80_5290MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	49.50	51.68	68.20	-16.52 Peak
2 17972.500	13.13	48.97	62.10	74.00	-11.90 Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_AX80_5290MHz



Condition : Vertical
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
 Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17983.500	13.17	33.91	47.08	54.00	-6.92	Average


1-7GHz_Horizontal_5GWiFi_Band2_AX160_5250MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX160-5250

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6449.500	-1.17	49.38	48.21	68.20	-19.99 Peak


1-7GHz_Vertical_5GWiFi_Band2_AX160_5250MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX160-5250

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6475.750	-1.18	48.98	47.80	68.20	-20.40 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_AX160_5250MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10500.000	2.12	50.11	52.23	68.20	-15.97	Peak
2	17914.750	12.82	49.43	62.25	74.00	-11.75	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_AX160_5250MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX160-5250

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17986.250	13.18	33.76	46.94	54.00	-7.06	Average


7-18GHz_Vetical_Peak_5GWiFi_Band2_AX160_5250MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX160-5250

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10500.000	2.12	49.98	52.10	68.20	-16.10 Peak
2 17935.380	12.94	49.25	62.19	74.00	-11.81 Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_AX160_5250MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX160-5250

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17972.500	13.13	33.98	47.11	54.00	-6.89	Average


1-7GHz_Horizontal_5GWiFi_Band3_A_ANT0_5700MHz



Condition : Horizontal
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-A_ANT0-5700

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6441.250	-1.18	49.55	48.37	68.20	-19.83	Peak


1-7GHz_Vertical_5GWiFi_Band3_A_ANT0_5700MHz



Condition : Vertical
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-A_ANT0-5700

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6478.000	-1.18	49.39	48.21	68.20	-19.99	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_A_ANT0_5700MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 11400.000	3.31	50.44	53.75	74.00	-20.25 Peak
2 17879.000	12.35	49.49	61.84	74.00	-12.16 Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_A_ANT0_5700MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17991.750	13.22	34.00	47.22	54.00	-6.78	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_A_ANT0_5700MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11400.000	3.31	50.53	53.84	74.00	-20.16 Peak
2 17876.250	12.31	48.39	60.70	74.00	-13.30 Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_A_ANT0_5700MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17998.630	13.25	33.84	47.09	54.00	-6.91	Average


1-7GHz_Horizontal_5GWiFi_Band3_A_ANT1_5700MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5700

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6442.750	-1.18	49.08	47.90	68.20	-20.30 Peak


1-7GHz_Vertical_5GWiFi_Band3_A_ANT1_5700MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5700

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6463.750	-1.17	48.76	47.59	68.20	-20.61 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_A_ANT1_5700MHz



Site : chamber B
Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5700

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11400.000	3.31	50.57	53.88	74.00	-20.12	Peak
2	17997.250	13.19	48.50	61.69	74.00	-12.31	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_A_ANT1_5700MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5700

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17990.380	13.21	33.82	47.03	54.00	-6.97	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_A_ANT1_5700MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5700

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11400.000	3.31	50.41	53.72	74.00	-20.28 Peak
2 17990.380	13.21	47.89	61.10	74.00	-12.90 Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_A_ANT1_5700MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5700

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 18000.000	13.26	33.94	47.20	54.00	-6.80	Average


1-7GHz_Horizontal_5GWiFi_Band3_AC20_5700MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6316.000	-1.68	49.74	48.06	68.20	-20.14 Peak


1-7GHz_Vertical_5GWiFi_Band3_AC20_5700MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6609.250	-1.33	49.32	47.99	68.20	-20.21	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_AC20_5700MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11400.000	3.31	50.33	53.64	74.00	-20.36	Peak
2	17982.130	13.16	48.07	61.23	74.00	-12.77	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_AC20_5700MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 17998.630	13.25	33.79	47.04	54.00	-6.96 Peak


7-18GHz_Vertical_Peak_5GWiFi_Band3_AC20_5700MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11400.000	3.31	50.24	53.55	74.00	-20.45	Peak
2	17918.880	12.84	48.56	61.40	74.00	-12.60	Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_AC20_5700MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17987.630	13.19	33.91	47.10	54.00	-6.90	Average


1-7GHz_Horizontal_5GWiFi_Band3_AC40_5710MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5710

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6448.000	-1.17	48.80	47.63	68.20	-20.57	Peak


1-7GHz_Vertical_5GWiFi_Band3_AC40_5710MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5710

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6456.250	-1.17	48.97	47.80	68.20	-20.40 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_AC40_5710MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5710

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11420.000	3.39	49.73	53.12	74.00	-20.88 Peak
2 17931.250	12.92	48.48	61.40	74.00	-12.60 Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_AC40_5710MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5710

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17983.500	13.17	33.79	46.96	54.00	-7.04	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_AC40_5710MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5710

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11420.000	3.39	49.93	53.32	74.00	-20.68	Peak
2 17888.630	12.54	49.39	61.93	74.00	-12.07	Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_AC40_5710MHz



Condition : Vertical
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
 Note : 5GWiFi-Band3-AC40-5710

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	13.24	34.05	47.29	54.00	-6.71	Average


1-7GHz_Horizontal_5GWiFi_Band3_AC80_5610MHz



Condition : Horizontal
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-AC80-5610

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6461.500	-1.18	48.92	47.74	68.20	-20.46 Peak


1-7GHz_Vertical_5GWiFi_Band3_AC80_5610MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5610

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6454.750	-1.17	49.21	48.04	68.20	-20.16	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_AC80_5610MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5610

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11220.000	3.60	50.18	53.78	74.00	-20.22	Peak
2	17978.000	13.10	48.65	61.75	74.00	-12.25	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_AC80_5610MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5610

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17971.130	13.12	34.21	47.33	54.00	-6.67	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_AC80_5610MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5610

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11220.000	3.60	49.44	53.04	74.00	-20.96 Peak
2 17978.000	13.15	47.66	60.81	74.00	-13.19 Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_AC80_5610MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5610

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.26	33.82	47.08	54.00	-6.92	Average


1-7GHz_Horizontal_5GWiFi_Band3_AC160_5570MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	
1	6457.750	-1.18	48.70	47.52	68.20 -20.68 Peak


1-7GHz_Vertical_5GWiFi_Band3_AC160_5570MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6442.000	-1.17	49.12	47.95	68.20	-20.25	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_AC160_5570MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11140.000	3.45	49.36	52.81	74.00	-21.19 Peak
2 17840.500	11.64	49.45	61.09	74.00	-12.91 Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_AC160_5570MHz



Condition : Horizontal
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
 Note : 5GWiFi-Band3-AC160-5570

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.25	33.67	46.92	54.00	-7.08	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_AC160_5570MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11140.000	3.45	49.95	53.40	74.00	-20.60	Peak
2 17892.750	12.61	50.20	62.81	74.00	-11.19	Peak


1 7-18GHz_Vertical_Average_5GWiFi_Band3_AC160_5570MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 17998.250	13.26	34.03	47.29	54.00	-6.71 Average


1-7GHz_Horizontal_5GWiFi_Band3_AX20_5700MHz



Condition : Horizontal
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-AX20-5700

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6979.750	-1.10	49.25	48.15	68.20	-20.05	Peak


1-7GHz_Vertical_5GWiFi_Band3_AX20_5700MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5700

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6525.250	-1.22	49.27	48.05	68.20	-20.15	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_AX20_5700MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5700

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11400.000	3.31	50.39	53.70	74.00	-20.30 Peak
2 17990.380	13.21	48.27	61.48	74.00	-12.52 Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_AX20_5700MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5700

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17990.380	13.21	34.03	47.24	54.00	-6.76	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_AX20_5700MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5700

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11400.000	3.31	49.97	53.28	74.00	-20.72 Peak
2 17976.630	13.15	48.25	61.40	74.00	-12.60 Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_AX20_5700MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5700

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17994.500	13.23	34.14	47.37	54.00	-6.63	Average


1-7GHz_Horizontal_5GWiFi_Band3_AX40_5710MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5710

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6451.750	-1.18	49.22	48.04	68.20	-20.16	Peak


1-7GHz_Vertical_5GWiFi_Band3_AX40_5710MHz



Condition : Vertical
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-AX40-5710

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6700.000	-1.52	49.99	48.47	68.20	-19.73	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_AX40_5710MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5710

Freq Factor		Read Level	Limit Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11420.000	3.39	49.94	53.33	74.00	-20.67	Peak
2 17964.250	13.08	48.41	61.49	74.00	-12.51	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_AX40_5710MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5710

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 17980.750	13.17	33.81	46.98	54.00	-7.02 Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_AX40_5710MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5710

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11420.000	3.39	50.03	53.42	74.00	-20.58	Peak
2	17976.630	13.15	48.77	61.92	74.00	-12.08	Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_AX40_5710MHz



Condition : Vertical
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
 Note : 5GWiFi-Band3-AX40-5710

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.25	33.91	47.16	54.00	-6.84	Average


1-7GHz_Horizontal_5GWiFi_Band3_AX80_5690MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5690

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6482.500	-1.18	48.80	47.62	68.20	-20.58 Peak


1-7GHz_Vertical_5GWiFi_Band3_AX80_5690MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5690

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6484.750	-1.20	48.54	47.34	68.20	-20.86 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_AX80_5690MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5690

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11380.000	3.36	50.22	53.58	74.00	-20.42	Peak
2	17953.250	13.02	47.93	60.95	74.00	-13.05	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_AX80_5690MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5690

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17994.500	13.23	33.74	46.97	54.00	-7.03 Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_AX80_5690MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5690

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11380.000	3.36	50.09	53.45	74.00	-20.55 Peak
2 17973.880	13.13	48.13	61.26	74.00	-12.74 Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_AX80_5690MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5690

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17997.250	13.25	34.09	47.34	54.00	-6.66 Average


1-7GHz_Horizontal_5GWiFi_Band3_AX160_5570MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX160-5570

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6507.250	-1.21	49.40	48.19	68.20	-20.01 Peak


1-7GHz_Vertical_5GWiFi_Band3_AX160_5570MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX160-5570

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6487.000	-1.20	48.82	47.62	68.20	-20.58 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_AX160_5570MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX160-5570

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11140.000	3.45	49.41	52.86	74.00	-21.14	Peak
2 17914.750	12.82	48.31	61.13	74.00	-12.87	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_AX160_5570MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX160-5570

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.26	33.89	47.15	54.00	-6.85	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_AX160_5570MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX160-5570

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11140.000	3.45	48.99	52.44	74.00	-21.56	Peak
2 17995.880	13.24	48.33	61.57	74.00	-12.43	Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_AX160_5570MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX160-5570

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 17990.380	13.21	33.98	47.19	54.00	-6.81 Average


1-7GHz_Horizontal_5GWiFi_B4_A_ANT0_5825MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6884.500	-1.32	49.17	47.85	68.20	-20.35	Peak


1-7GHz_Vertical_5GWiFi_B4_A_ANT0_5825MHz



Condition : Vertical
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band4-A_ANT0-5825

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6480.250	-1.19	49.01	47.82	68.20	-20.38	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_A_ANT0_5825MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	50.42	53.88	74.00	-20.12	Peak
2	17925.750	12.89	49.22	62.11	74.00	-11.89	Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_A_ANT0_5825MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17991.750	13.22	33.76	46.98	54.00	-7.02	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_A_ANT0_5825MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	50.31	53.77	74.00	-20.23	Peak
2	17913.380	12.82	48.73	61.55	74.00	-12.45	Peak


7-18GHz_Vertical_Average_5GWiFi_B4_A_ANT0_5825MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

Freq		Factor	Read	Limit	Over	Remark
			Level	Level	Line	
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB
1 17983.500		13.17	34.08	47.25	54.00	-6.75 Average


1-7GHz_Horizontal_5GWiFi_B4_A_ANT1_5825MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6358.000	-1.59	49.06	47.47	68.20	-20.73	Peak


1-7GHz_Vertical_5GWiFi_B4_A_ANT1_5825MHz



Condition : Vertical
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band4-A_ANT1-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6451.000	-1.17	49.45	48.28	68.20	-19.92	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_A_ANT1_5825MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	49.69	53.15	74.00	-20.85	Peak
2	17962.880	13.07	47.86	60.93	74.00	-13.07	Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_A_ANT1_5825MHz



Condition : Horizontal
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Average reading: RBW:1MHz VBW:3kHz Detector:Peak
 Note : 5GWiFi-Band4-A_ANT1-5825

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17989.000	13.20	33.76	46.96	54.00	-7.04	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_A_ANT1_5825MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	50.25	53.71	74.00	-20.29	Peak
2	17971.130	13.12	48.93	62.05	74.00	-11.95	Peak


7-18GHz_Vertical_Average_5GWiFi_B4_A_ANT1_5825MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 18000.000	13.26	33.91	47.17	54.00	-6.83	Average


1-7GHz_Horizontal_5GWiFi_B4_AC20_5825MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6456.250	-1.17	48.64	47.47	68.20	-20.73	Peak


1-7GHz_Vertical_5GWiFi_B4_AC20_5825MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6471.250	-1.19	49.40	48.21	68.20	-19.99	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_AC20_5825MHz



Condition : Horizontal
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band4-AC20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	49.86	53.32	74.00	-20.68	Peak
2	17993.130	13.23	47.80	61.03	74.00	-12.97	Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_AC20_5825MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17991.750	13.22	33.72	46.94	54.00	-7.06	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_AC20_5825MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	49.94	53.40	74.00	-20.60	Peak
2	17898.250	12.72	48.83	61.55	74.00	-12.45	Peak


7-18GHz_Vertical_Average_5GWiFi_B4_AC20_5825MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	13.24	34.14	47.38	54.00	-6.62	Average


1-7GHz_Horizontal_5GWiFi_B4_AC40_5795MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

Freq		Factor	Read	Limit	Over	Remark
			Level	Level	Line	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6459.250	-1.18	49.08	47.90	68.20	-20.30 Peak


1-7GHz_Vertical_5GWiFi_B4_AC40_5795MHz



Condition : Vertical
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band4-AC40-5795

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	
1	6538.750	-1.24	48.96	47.72	68.20 -20.48 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_AC40_5795MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11590.000	3.24	49.40	52.64	74.00	-21.36	Peak
2	17976.630	9.46	48.97	58.43	74.00	-15.57	Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_AC40_5795MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17995.880	13.24	34.03	47.27	54.00	-6.73	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_AC40_5795MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11590.000	3.24	49.48	52.72	74.00	-21.28	Peak
2	17885.880	8.83	49.52	58.35	74.00	-15.65	Peak


7-18GHz_Vertical_Average_5GWiFi_B4_AC40_5795MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

Freq		Factor	Read	Limit	Over	Remark
			Level	Level	Line	
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB
1 18000.000		13.26	34.26	47.52	54.00	-6.48 Average


1-7GHz_Horizontal_5GWiFi_B4_AC80_5775MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq		Factor	Read	Limit	Over	Remark
			Level	Level	Line	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6439.750	-1.18	49.85	48.67	68.20	-19.53 Peak


1-7GHz_Vertical_5GWiFi_B4_AC80_5775MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6559.750	-1.27	49.17	47.90	68.20	-20.30	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_AC80_5775MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read Level	Level	Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11550.000	3.44	48.19	51.63	74.00	-22.37 Peak
2	17990.380	13.21	49.79	63.00	74.00	-11.00 Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_AC80_5775MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq		Factor	Read	Limit	Over	Remark
			Level	Level	Line	
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB
1 17975.250		13.14	33.89	47.03	54.00	-6.97 Average


7-18GHz_Vertical_Peak_5GWiFi_B4_AC80_5775MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.44	48.27	51.71	74.00	-22.29	Peak
2 17903.750	12.78	48.93	61.71	74.00	-12.29	Peak


7-18GHz_Vertical_Average_5GWiFi_B4_AC80_5775MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	13.24	37.04	50.28	54.00	-3.72	Average


1-7GHz_Horizontal_5GWiFi_B4_AX20_5825MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

	Freq	Factor	Read	Limit	Over	Remark
			Level	Level	Line	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6471.250	-1.19	48.56	47.37	68.20	-20.83 Peak


1-7GHz_Vertical_5GWiFi_B4_AX20_5825MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6409.000	-1.20	49.74	48.54	68.20	-19.66	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_AX20_5825MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	49.94	53.40	74.00	-20.60	Peak
2	17954.630	13.03	47.96	60.99	74.00	-13.01	Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_AX20_5825MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.25	34.09	47.34	54.00	-6.66	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_AX20_5825MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	49.77	53.23	74.00	-20.77	Peak
2	17907.880	12.80	48.00	60.80	74.00	-13.20	Peak


7-18GHz_Vertical_Average_5GWiFi_B4_AX20_5825MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17987.630	13.19	33.89	47.08	54.00	-6.92	Average


1-7GHz_Horizontal_5GWiFi_B4_AX40_5795MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6419.500	-1.20	49.20	48.00	68.20	-20.20	Peak


1-7GHz_Vertical_5GWiFi_B4_AX40_5795MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq		Factor	Read	Limit	Over	Remark
			Level	Level	Line	
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6736.750	-1.44	48.48	47.04	68.20	-21.16 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_AX40_5795MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11590.000	3.24	49.48	52.72	74.00	-21.28	Peak
2	17921.630	12.86	49.29	62.15	74.00	-11.85	Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_AX40_5795MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630		13.25	33.99	47.24	54.00	-6.76	Average


7-18GHz_Vertical_Peak_5GWiFi_B4_AX40_5795MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11590.000	3.24	49.31	52.55	74.00	-21.45	Peak
2	18000.000	13.26	47.64	60.90	74.00	-13.10	Peak


7-18GHz_Vertical_Average_5GWiFi_B4_AX40_5795MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17978.000	13.15	34.01	47.16	54.00	-6.84	Average


1-7GHz_Horizontal_5GWiFi_B4_AX80_5775MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6973.000	-1.05	48.69	47.64	68.20	-20.56	Peak


1 1-7GHz_Vertical_5GWiFi_B4_AX80_5775MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq		Factor	Read	Limit	Over	Remark
			Level	Level	Line	
			dBuV	dBuV/m	dBuV/m	
		dB/m				
1	6439.750	-1.18	49.09	47.91	68.20	-20.29 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B4_AX80_5775MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.44	48.27	51.71	74.00	-22.29 Peak
2 17979.380	13.16	48.25	61.41	74.00	-12.59 Peak


7-18GHz_Horizontal_Average_5GWiFi_B4_AX80_5775MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:3kHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq		Factor	Read	Limit	Over	Remark
			Level	Level	Line	
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB
1 17960.130		13.06	33.84	46.90	54.00	-7.10 Average


7-18GHz_Vertical_Peak_5GWiFi_B4_AX80_5775MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11550.000	3.44	48.10	51.54	74.00	-22.46	Peak
2	17905.130	12.79	48.90	61.69	74.00	-12.31	Peak

7-18GHz_Vertical_Average_5GWiFi_B4_AX80_5775MHz




Condition : Vertical
 Project No. : 2501X77241E-RF
 Tester : Wing K Ji
 Spectrum setting: Average reading: RBW:1MHz VBW:3kHz Detector:Peak
 Note : 5GWiFi-Band4-AX80-5775

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17995.880	13.24	34.09	47.33	54.00	-6.67	Average

18-40GHz (Listed with the worst case test plot)


18-40GHz_Vertical_5GWiFi_B1_AX20_5200MHz



Condition : Horizontal
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5200

Freq Factor		Read Level	Level	Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 38801.000	23.93	36.43	60.36	83.50	-23.14	Peak

18-40GHz_Horizontal_5GWiFi_B1_AX20_5200MHz



Condition : Vertical
Project No. : 2501X77241E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5200

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 39331.750	23.89	36.88	60.77	83.50	-22.73	Peak

Emission Bandwidth**Test Information:**

Sample No.:	39RQ-1	Test Date:	2025/10/10~2025/11/14
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.6-25.9	Relative Humidity: (%)	45-53	ATM Pressure: (kPa)	101.1-101.3
-----------------------------	-----------	----------------------------------	-------	-------------------------------	-------------

Test Data:**26dB Emission Bandwidth
5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5180	19.670
		5200	19.820
		5240	20.341
	Chain 1	5180	20.140
		5200	19.720
		5240	19.820
802.11ac20	Chain 0	5180	21.207
		5200	21.311
		5240	21.571
	Chain 1	5180	21.364
		5200	21.569
		5240	21.245
802.11ac40	Chain 0	5190	40.741
		5230	40.440
	Chain 1	5190	40.240
		5230	40.240
802.11ac80	Chain 0	5210	83.283
	Chain 1	5210	82.883
802.11ax20_RU_FULL	Chain 0	5180	21.672
		5200	21.293
		5240	21.880
	Chain 1	5180	21.654
		5200	21.614
		5240	21.563
802.11ax40_RU_FULL	Chain 0	5190	40.941
		5230	41.341
	Chain 1	5190	40.641
		5230	40.741
802.11ax80_RU_FULL	Chain 0	5210	82.683
	Chain 1	5210	82.683

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5260	19.620
		5280	19.770
		5320	20.241
	Chain 1	5260	19.670
		5280	19.970
		5320	19.920
802.11ac20	Chain 0	5260	21.257
		5280	21.095
		5320	21.156
	Chain 1	5260	21.415
		5280	21.622
		5320	21.356
802.11ac40	Chain 0	5270	40.641
		5310	40.440
	Chain 1	5270	40.240
		5310	40.240
802.11ac80	Chain 0	5290	82.683
	Chain 1	5290	82.082
802.11ac160_RU_FULL	Chain 0	5250	167.367
	Chain 1	5250	166.166
802.11ax20_RU_FULL	Chain 0	5260	21.512
		5280	21.928
		5320	21.496
	Chain 1	5260	21.404
		5280	21.510
		5320	21.485
802.11ax40_RU_FULL	Chain 0	5270	41.141
		5310	40.741
	Chain 1	5270	40.841
		5310	40.841
802.11ax80_RU_FULL	Chain 0	5290	82.483
	Chain 1	5290	82.483
802.11ax160_RU_FULL	Chain 0	5250	166.967
	Chain 1	5250	167.768

5470-5725MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5500	20.090
		5580	19.820
		5700	19.920
		5720	19.937
	Chain 1	5500	20.443
		5580	19.890
		5700	19.670
		5720	21.207
802.11ac20	Chain 0	5500	21.780
		5580	21.364
		5700	21.207
		5720	21.155
	Chain 1	5500	21.000
		5580	21.936
		5700	21.467
		5720	21.209
802.11ac40	Chain 0	5510	40.440
		5550	40.440
		5670	40.841
		5710	40.541
	Chain 1	5510	40.040
		5550	40.841
		5670	40.340
		5710	40.240
802.11ac80	Chain 0	5530	82.883
		5610	82.683
		5690	82.483
	Chain 1	5530	81.882
		5610	81.882
		5690	82.883
802.11ac160_RU_FULL	Chain 0	5570	166.567
	Chain 1	5570	166.967


Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11ax20_RU_FULL	Chain 0	5500	21.343
		5580	21.455
		5700	21.245
		5720	21.346
	Chain 1	5500	21.660
		5580	21.621
		5700	21.607
		5720	21.500
802.11ax40_RU_FULL	Chain 0	5510	40.941
		5550	40.941
		5670	40.941
		5710	40.741
	Chain 1	5510	41.241
		5550	41.542
		5670	41.041
		5710	40.641
802.11ax80_RU_FULL	Chain 0	5530	82.483
		5610	82.883
		5690	82.683
	Chain 1	5530	82.683
		5610	83.083
		5690	83.083
802.11ax160_RU_FULL	Chain 0	5570	166.166
	Chain 1	5570	166.967

6dB Emission Bandwidth
5725-5850MHz


Mode	Antenna	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11a	Chain 0	5745	16.416	0.5	Pass
		5785	16.366	0.5	Pass
		5825	16.366	0.5	Pass
	Chain 1	5745	16.416	0.5	Pass
		5785	16.366	0.5	Pass
		5825	16.366	0.5	Pass
802.11ac20	Chain 0	5745	16.917	0.5	Pass
		5785	17.618	0.5	Pass
		5825	17.367	0.5	Pass
	Chain 1	5745	17.017	0.5	Pass
		5785	17.618	0.5	Pass
		5825	17.618	0.5	Pass
802.11ac40	Chain 0	5755	36.036	0.5	Pass
		5795	35.736	0.5	Pass
	Chain 1	5755	36.436	0.5	Pass
		5795	35.636	0.5	Pass
802.11ac80	Chain 0	5775	75.676	0.5	Pass
	Chain 1	5775	75.476	0.5	Pass
802.11ax20_RU_FULL	Chain 0	5745	18.669	0.5	Pass
		5785	18.819	0.5	Pass
		5825	18.869	0.5	Pass
	Chain 1	5745	18.519	0.5	Pass
		5785	17.568	0.5	Pass
		5825	18.519	0.5	Pass
802.11ax40_RU_FULL	Chain 0	5755	37.838	0.5	Pass
		5795	37.938	0.5	Pass
	Chain 1	5755	37.538	0.5	Pass
		5795	37.538	0.5	Pass
802.11ax80_RU_FULL	Chain 0	5775	77.277	0.5	Pass
	Chain 1	5775	74.475	0.5	Pass

5150-5250MHz


802.11a_5180MHz_Chain 0




802.11a_5200MHz_Chain 0




802.11a_5240MHz_Chain 0




802.11a_5180MHz_Chain 1




802.11a_5200MHz_Chain 1



802.11a_5240MHz_Chain 1




802.11ac20_5180MHz_Chain 0




ProjectNo.:2501X77241E-RF Tester:Kungfumaater Liang
Date: 10.OCT.2025 03:18:19

802.11ac20_5200MHz_Chain 0




ProjectNo.:2501X77241E-RF Tester:Kungfumaater Liang
Date: 10.OCT.2025 03:22:20

802.11ac20_5240MHz_Chain 0




ProjectNo.:2501X77241E-RF Tester:Kungfumaater Liang
Date: 10.OCT.2025 03:29:37

802.11ac20_5180MHz_Chain 1




ProjectNo.:2501X77241E-RF Tester:Kungfumaater Liang
Date: 10.OCT.2025 22:05:58

802.11ac20_5200MHz_Chain 1




ProjectNo.:2501X77241E-RF Tester:Kungfumaater Liang
Date: 10.OCT.2025 22:10:51

802.11ac20_5240MHz_Chain 1




ProjectNo.:2501X77241E-RF Tester:Kungfumaater Liang
Date: 10.OCT.2025 22:20:39

802.11ac40_5190MHz_Chain 0




ProjectNo.:2501X77241E-RF Tester:Kungfumaister Liang
Date: 21.OCT.2025 22:39:19

802.11ac40_5230MHz_Chain 0




ProjectNo.:2501X77241E-RF Tester:Kungfumaister Liang
Date: 21.OCT.2025 22:40:52

802.11ac40_5190MHz_Chain 1




ProjectNo.:2501X77241E-RF Tester:Kungfumaister Liang
Date: 21.OCT.2025 23:56:59

802.11ac40_5230MHz_Chain 1




ProjectNo.:2501X77241E-RF Tester:Kungfumaister Liang
Date: 21.OCT.2025 23:57:33

802.11ac80_5210MHz_Chain 0




ProjectNo.:2501X77241E-RF Tester:Kungfumaister Liang
Date: 21.OCT.2025 22:51:41

802.11ac80_5210MHz_Chain 1




ProjectNo.:2501X77241E-RF Tester:Kungfumaister Liang
Date: 22.OCT.2025 00:04:37

802.11ax20_5180MHz_RU_FULL_Chain 0




ProjectNo.:2501X77241E-RF Tester:Kungfumaister Liang
Date: 10.OCT.2025 03:49:48

802.11ax20_5200MHz_RU_FULL_Chain 0




ProjectNo.:2501X77241E-RF Tester:Kungfumaister Liang
Date: 10.OCT.2025 03:53:55

802.11ax20_5240MHz_RU_FULL_Chain 0




ProjectNo.:2501X77241E-RF Tester:Kungfumaister Liang
Date: 10.OCT.2025 03:57:52

802.11ax20_5180MHz_RU_FULL_Chain 1




ProjectNo.:2501X77241E-RF Tester:Kungfumaister Liang
Date: 10.OCT.2025 22:37:21

802.11ax20_5200MHz_RU_FULL_Chain 1




ProjectNo.:2501X77241E-RF Tester:Kungfumaister Liang
Date: 10.OCT.2025 22:41:40

802.11ax20_5240MHz_RU_FULL_Chain 1




ProjectNo.:2501X77241E-RF Tester:Kungfumaister Liang
Date: 10.OCT.2025 22:45:41

802.11ax40_5190MHz_RU_FULL_Chain 0




ProjectNo.:2501X77241E-RF Tester:Kungfumaater Liang
Date: 21.OCT.2025 22:08:26

802.11ax40_5230MHz_RU_FULL_Chain 0




ProjectNo.:2501X77241E-RF Tester:Kungfumaater Liang
Date: 21.OCT.2025 22:10:05

802.11ax40_5190MHz_RU_FULL_Chain 1




ProjectNo.:2501X77241E-RF Tester:Kungfumaater Liang
Date: 21.OCT.2025 23:28:29

802.11ax40_5230MHz_RU_FULL_Chain 1




ProjectNo.:2501X77241E-RF Tester:Kungfumaater Liang
Date: 21.OCT.2025 23:29:23

802.11ax80_5210MHz_RU_FULL_Chain 0



ProjectNo.:2501X77241E-RF Tester:Kungfumaater Liang
Date: 21.OCT.2025 22:26:58


802.11ax80_5210MHz_RU_FULL_Chain 1



ProjectNo.:2501X77241E-RF Tester:Kungfumaater Liang
Date: 21.OCT.2025 23:47:00


5250-5350MHz

802.11a_5260MHz_Chain 0




ProjectNo.:2501X77241E-RF Tester:Kungfumaster Liang
Date: 10.OCT.2025 23:05:02

802.11a_5280MHz_Chain 0




ProjectNo.:2501X77241E-RF Tester:Kungfumaster Liang
Date: 10.OCT.2025 23:13:14

802.11a_5320MHz_Chain 0




ProjectNo.:2501X77241E-RF Tester:Kungfumaster Liang
Date: 10.OCT.2025 23:16:45

802.11a_5260MHz_Chain 1




ProjectNo.:2501X77241E-RF Tester:Kungfumaster Liang
Date: 10.OCT.2025 23:53:35

802.11a_5280MHz_Chain 1




ProjectNo.:2501X77241E-RF Tester:Kungfumaster Liang
Date: 10.OCT.2025 23:55:58

802.11a_5320MHz_Chain 1




ProjectNo.:2501X77241E-RF Tester:Kungfumaster Liang
Date: 10.OCT.2025 23:58:10

802.11ac20_5260MHz_Chain 0




ProjectNo.:2501X77241E-RF Tester:Kungfumaater Liang
Date: 10.OCT.2025 23:19:14

802.11ac20_5280MHz_Chain 0




ProjectNo.:2501X77241E-RF Tester:Kungfumaater Liang
Date: 10.OCT.2025 23:21:25

802.11ac20_5320MHz_Chain 0




ProjectNo.:2501X77241E-RF Tester:Kungfumaater Liang
Date: 10.OCT.2025 23:24:21

802.11ac20_5260MHz_Chain 1




ProjectNo.:2501X77241E-RF Tester:Kungfumaater Liang
Date: 11.OCT.2025 00:03:48

802.11ac20_5280MHz_Chain 1



ProjectNo.:2501X77241E-RF Tester:Kungfumaater Liang
Date: 11.OCT.2025 00:06:10

802.11ac20_5320MHz_Chain 1



ProjectNo.:2501X77241E-RF Tester:Kungfumaater Liang
Date: 11.OCT.2025 00:08:41