



天线规格

Antenna Specification


Electrical Properties	
Frequency	57.0-62.0GHz
Impedance	50 Ohm Nomial
VSWR	2.0
Gain	10dBi
Radiation	sector beam
Polarization	Linear
Physical Properties	
Connector	None
Cable Type	None
Cable Length	None
Cable Color	None
Operating Temp.	-40℃ ~ +85℃
Storage Temp/Humidity	25±5℃/<70%




方位面方向图(TX0)Freq:57.0GHz




方位面方向图(TX0)Freq:58.0GHz




方位面方向图(TX0)Freq:59.0GHz




方位面方向图(TX0)Freq:60.0GHz




方位面方向图(TX0)Freq:61.0GHz




方位面方向图(TX0)Freq:62.0GHz




方位面方向图(TX1)Freq:57.0GHz




方位面方向图(TX1)Freq:58.0GHz




方位面方向图(TX1)Freq:59.0GHz




方位面方向图(TX1)Freq:60.0GHz




方位面方向图(TX1)Freq:61.0GHz




方位面方向图(TX1)Freq:62.0GHz




俯仰面方向图(TX0)Freq:57.0GHz




俯仰面方向图(TX0)Freq:58.0GHz




俯仰面方向图(TX0)Freq:59.0GHz




俯仰面方向图(TX0) Freq:60.0GHz




俯仰面方向图(TX0) Freq:61.0GHz




俯仰面方向图(TX0) Freq:62.0GHz




俯仰面方向图(TX1)Freq:57.0GHz




俯仰面方向图(TX1)Freq:58.0GHz




俯仰面方向图(TX1)Freq:59.0GHz



俯仰面方向图(TX1)Freq:60.0GHz



俯仰面方向图(TX1)Freq:61.0GHz



俯仰面方向图(TX1)Freq:62.0GHz

Passive Test For Antenna	
Freq (GHz)	Gain (dBi)
57.0	9.1
58.0	9.3
59.0	9.5
60.0	10.0
61.0	9.5
62.0	9.1

天线尺寸(单位 um)：

