



















ANT1-5.8G






ANT4






ANT5



ANT6



ANT6



1 2 3 4 5 6

环保要求: ☒ROSH ☐REACH 无

A

B

C

D

技术要求

- 1: "※" 重要尺寸标注
- 2: 天线电压驻波比对照测试图形;
- 3: 天线焊接部位牢固, 线缆尺寸准确;
- 4: 丝印字体清晰不易脱落;
- 5: 背面为背胶面; 离心纸面切一刀为撕手位
- 6: 产品必须符合欧盟RoHS要求。
- 7: 切料口不可有漏铜现象。


深圳市和鸣微科技有限公司

未注公差标准				机种	X2330-WBT1030	品名	ANT1	日期	2023. 10. 26
0-10	±0.05	○	0.02	料号	X2330-WBT1030-ANT1			MD	
10-18	±0.06	◎	0.03	材料	特殊工艺			RF	
18-30	±0.08	⊥	0.02	共 1 页 第 1 页			审核		
30-40	±0.09	∠	0.04						
40-	±0.10	Angle	±0.5°	第一视角	单位 mm			比例	Fit 版本 V00


记号	更改日期	更改人	更改内容	备注
1	2	3	4	5

6


2D Dimensions ANT4



2D Dimensions ANT5



2D Dimensions ANT6





深圳市和鸣微科技有限公司

Shenzhen HamyWe Technology Co., Ltd.

Add: 1st Floor, Building B, Jinghang Industrial Park, Liuxian 2nd Road,
71 District, Baoan, Shenzhen