




Break X2


lkarao®

QUICK START GUIDE


WHAT'S IN THE BOX




CARRYING STRAP



Break X2




TWO WIRELESS MICS





TYPE-C


BUTTON



INTERFACES



HOMEPAGE



LIGHTING EFFECT



Charging Indicator:

LOW BATTERY
*SLOW FLASHING

CHARGING
*BREATHING


FULLY CHARGED
*OFF

Playback Mode Indicator:

BLUETOOTH MODE
*ON

AUX MODE
*ON

LOCALPLAY MODE
*ON



Bass Boost Indicator:


ON

OFF

Bluetooth Indicator:

PAIRING
*FAST FLASHING

CONNECTED
*LIGHT ON





Microphone Indicator:

CHARGING
*LIGHT ON

FULLY CHARGED
*LIGHT OFF


BLUETOOTH AUDIO




- 1 Press the **Bluetooth** button on the screen or press the playback mode button to switch into Bluetooth mode.

Bluetooth indicator light flashes fast.


- 2 Open the Bluetooth settings on your device and pair with 'IKARAO X2-XXXX'




- 3 Press the Bluetooth button to disconnect




LOCAL AUDIO




1 Insert a USB with audio/video files




2 Click **Yes** on the screen prompt to enter the local media player




WI-FI AUDIO



1 Click **Settings**



2 Connect Your Wlan




NOTE: After connecting to Wi-Fi, use pre-installed apps to play music.


HDMI



1 Connect using HDMI cable




2 Select the HDMI input source to confirm connection




MICROPHONES



- 1 Hold the power button for 2 seconds to turn on.
Then the mic auto-pairs with the speaker.




- 2 Use buttons to switch effects, adjust volume, and play/pause.




NOTE: Don't point the mic at the speaker to avoid interference.

Two operation of mic will differ due to the version difference.(change mic effect*1, skip forward >2S)

- 4 Switch microphone sound via speaker buttons or **Mic Effect** in the software.




- 5 Click **Mic Settings** or **Custom** to enter custom sound mode and adjust Reverb, Treble, and Bass to your preference.




Enable vocal priority by clicking the **Music Ducking** button during speech.

SPEAKER CHARGING



1 Charging with the included power cable.




NOTE: RECOMMEND TO USE THE 65W ADAPTER TO QUICK CHARGE.

2

LOW BATTERY
*SLOW FLASHING

CHARGING
*BREATHING

FULLY CHARGED
*OFF



MICROPHONES CHARGING



CHARGING

*RED LIGHT ON




FULLY CHARGED


*OFF

Tap the microphone into the storage to begin charging.


NOTE: Microphone has a 30-hour usage duration
with a 5-hour full charge time.




SOFTWARE UPDATE



1 Click **Settings**



2 Click **Detect New Version** on **About**




NOTE: Ensure speaker power is above 50% or plugged in.

CUSTOMER SERVICE



1 Click **Service**



2 Fill in your information

Ikarao Service

If you have any suggestions of this product kindly leave your precious advice here, and your feedback will encourage us improve our product preferably.

way 1 :



way 2 :

Model Number

Shell s1


Tel

Email

Question or Suggestion




USE CARRYING STRAP

1 Take out Carrying Strap




Carrying Strap


2 Buckle up Carrying Strap




NOTE: Please fasten the strap to ensure your speaker can be carried safely.



USE SPEAKER TRIPOD STAND




- 1 Extend the speaker stand and find the 35mm mount hole on the bottom of the Break X2



NOTE: The Speaker Tripod Stand requires a separate purchase.

- 2 Place the speaker securely on the stand. For safety, it is recommended to have two people.



IMPORTANT SAFETY INFORMATION

Safety Instructions Before Using the Machine:

- 1 Please read and retain this user manual.
- 2 Do not block the speaker's ventilation openings or sound channels with objects.
- 3 Avoid using the machine at high volumes for prolonged periods to prevent damage.
- 4 Use compliant accessories, internal batteries must not be removed or replaced by the end user.
- 5 The operating temperature should be between 0°C and 40°C.
- 6 Do not expose the device to damp or high-temperature environments such as puddles, sunlight, or open flames to avoid the risk of electric shock or explosion.
- 7 Unplug the machine during thunderstorms or if it will not be used for an extended period.
- 8 Do not forcibly insert a TF card or SD card into the slot. Insert the card in the correct sequence to avoid malfunction.
- 9 Do not use any corrosive or oily cleaners to clean the machine.
- 10 To maintain the machine's performance and battery life, fully charge it at least once every three months.



CERTIFICATION AND COMPLIANCE



FCC ID: 2BCRN-BREAKX2D

IC:32795-BREAKX2D

HVIN:Break X2D

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

RF Exposure Warning Statements:
This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment shall be installed and operated with minimum distance 20cm between the radiator & body.

For USA: The frequency stability of all transmission frequencies of U-NII-1 and U-NII-3 meets the requirements of 47 CFR FCC Part15.407(g), and the manufacturer declares that their transmission is maintained at Band U-NII-1 and U-NII-3.

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- (1) This device may not cause interference.
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.
- L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :
- (1) L' appareil ne doit pas produire de brouillage;
- (2) L' appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d' en compromettre le fonctionnement.
- ISED Radio Frequency Exposure Statement: This equipment complies with ISED exposure limits set forth for an uncontrolled environment. This equipment shall be installed and operated with minimum distance 20cm between the radiator & body.

Déclaration d'ISDE sur l'exposition aux radiofréquences :

Cet équipement est conforme aux limites d'exposition d'ISDE établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé à une distance minimale de 20 cm entre le radiateur et le corps.

Operation of this device is restricted to indoor use only. (5150-5250MHz)

Le fonctionnement de cet appareil est limité à une utilisation en intérieur uniquement. (5150-5250MHz)

For Canada: The frequency stability of all transmission frequencies of U-NII-1and U-NII-3 meets the requirements of RSS-Gen Issue 5, Section 6.11, and the manufacturer states that their transmissions remain within the U-NII-1 and U-NII-3 bands.


Pour le Canada : La stabilité de fréquence de toutes les fréquences de transmission U-NII-1 et U-NII-3 répond aux exigences de la norme CNR-Gen, édition 5, section 6.11, et le fabricant déclare que leurs transmissions restent dans les bandes U-NII-1 et U-NII-3.



Dongguan Aika Electronic Technology Co., Ltd. declares that this product is in compliance with Directives 2014/53EU and all other applicable EU directive requirements. The complete declaration of conformity can be found at: www.ikarao.com



The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Dongguan Aika Electronic Technology Co., Ltd. is under license. Other trademarks and trade names are those of their respective owners.



This symbol means the product must not be discarded as household waste, and should be delivered to an appropriate collection facility for recycling. Follow local rules and never dispose of the product and rechargeable batteries with normal household waste. Correct disposal of old products and rechargeable batteries helps prevent negative consequences for the environment and human health.

For FAQs and more information, please visit

WWW.IKARAO.COM/PAGES/SUPPORT



@ikaraoofficial



@IKARAO



@IKARAO



@IKARAO



@ikaraoofficial