




CQASZ20260601252E-01


Appendix A: DTS Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	0.67	2401.70	2402.36	0.5	PASS
		2440	0.68	2439.68	2440.36	0.5	PASS
		2480	0.67	2479.70	2480.36	0.5	PASS

BLE_1M_Ant1_2402






Date: 27.JUL.2026 11:56:51

Appendix B: Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.072	2401.4920	2402.5640	---	---
		2440	1.1	2439.4760	2440.5760	---	---
		2480	1.108	2479.4720	2480.5800	---	---

Test Graphs






Date: 27.JUL.2026 11:57:02


Appendix C: Maximum conducted output power

Test Result Peak

TestMode	Antenna	Freq(MHz)	Conducted Peak Power[dBm]	Conducted Limit[dBm]	EIRP[dBm]	EIRP Limit[dBm]	Verdict
BLE_1M	Ant1	2402	-0.71	≤30	-0.95	≤36	PASS
		2440	-1.32	≤30	-1.56	≤36	PASS
		2480	-1.65	≤30	-1.89	≤36	PASS

Test Graphs Peak






Date: 27.JUL.2026 11:57:23


Appendix D: Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	Ant1	2402	-14.36	≤8.00	PASS
		2440	-15.07	≤8.00	PASS
		2480	-15.48	≤8.00	PASS

Test Graphs







Date: 27.JUL.2026 11:57:58

Appendix F: Band edge measurements

Test Result

TestMode	Antenna	ChName	Freq(MHz)	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	Low	2402	-1.76	-42.9	≤-21.76	PASS
		High	2480	-2.75	-44.51	≤-22.75	PASS

BLE_1M_Ant1_Low_2402





Appendix G: Conducted Spurious Emission

Test Result

TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	Reference	-1.64	-1.64	---	PASS
			30~1000	-1.64	-55.85	≤-21.64	PASS
			1000~26500	-1.64	-44.29	≤-21.64	PASS
		2440	Reference	-2.25	-2.25	---	PASS
			30~1000	-2.25	-56.54	≤-22.25	PASS
			1000~26500	-2.25	-42.09	≤-22.25	PASS
		2480	Reference	-2.71	-2.71	---	PASS
			30~1000	-2.71	-56.04	≤-22.71	PASS
			1000~26500	-2.71	-42.98	≤-22.71	PASS


Test Graphs






Date: 27.JUL.2026 11:50:14

BLE_1M_Ant1_2440_0~Reference




Date: 27.JUL.2026 11:54:05

BLE_1M_Ant1_2440_30~1000




Date: 27.JUL.2026 11:54:12

BLE_1M_Ant1_2440_1000~26500




Date: 27.JUL.2026 11:54:44

BLE_1M_Ant1_2480_0~Reference




Date: 27.JUL.2026 11:58:15

BLE_1M_Ant1_2480_30~1000



Date: 27.JUL.2026 11:58:23

BLE_1M_Ant1_2480_1000~26500




Date: 27.JUL.2026 11:58:54


Appendix H: Duty Cycle

Test Result

TestMode	Antenna	Freq(MHz)	ON Time [ms]	Period [ms]	X	DC [%]	xFactor	Limit	Verdict
BLE_1M	Ant1	2402	19.00	19.00	1.0000	100.00	0.00	---	---
		2440	19.00	19.00	1.0000	100.00	0.00	---	---
		2480	19.00	19.00	1.0000	100.00	0.00	---	---

Test Graphs





Date: 27.JUL.2026 13:22:14