

Appendix A: Test Results of 915MHz Band SRD


APPENDIX A: TEST RESULTS OF 915MHZ BAND SRD	1
APPENDIX A.1: TEST RESULTS OF 20DB BANDWIDTH	2
Test Result	2
Test Graphs	3
APPENDIX A.2: TEST RESULTS OF 99% BANDWIDTH	5
Test Result	5
Test Graphs	6
APPENDIX A.3: TEST RESULTS OF CARRIER FREQUENCY SEPARATION	8
Test Result	8
Test Graphs	9
APPENDIX A.4: TEST RESULTS OF TIME OF OCCUPANCY	11
Test Result	11
Test Graphs	12
APPENDIX A.5: TEST RESULTS OF NUMBER OF HOPPING FREQUENCY	13
Test Result	13
Test Graphs	14
APPENDIX A.6: TEST RESULTS OF BAND EDGE MEASUREMENTS	16
Fixed mode	16
Hopping mode	17
APPENDIX A.7: TEST RESULTS OF CONDUCTED SPURIOUS EMISSION	18
Fixed mode	18
Hopping mode	21
APPENDIX A.8: TEST RESULTS OF RADIATED SPURIOUS EMISSIONS	22
30 MHz - 1GHz	22
Above 1GHz	28

Appendix A.1: Test Results of 20dB Bandwidth


Test Result

Test Mode	Channel Frequency (MHz)	20dB Bandwidth (kHz)	Result
915MHz band SRD	903.05	11.51	Pass
	912.55	11.29	
	922.15	11.29	


Test Graphs



Date: 11.NOV.2024 05:02:38



Date: 11.NOV.2024 05:21:14




Appendix A.2: Test Results of 99% Bandwidth


Test Result

Test Mode	Channel Frequency (MHz)	99% Bandwidth (kHz)	Limit (MHz)	Result
915MHz band SRD	903.05	13.459	/	Pass
	912.55	13.242		
	922.15	13.242		


Test Graphs



Date: 11.NOV.2024 04:59:49



Date: 11.NOV.2024 05:21:37




Appendix A.3: Test Results of Carrier Frequency Separation

Test Result


Test Mode	Channel	Measured Channel Separation (kHz)	Limit (kHz)	Result
915MHz band SRD	Low Channel	50.00	≥ 25	Pass
	Adjacency Channel			
	Middle Channel	50.18		Pass
	Adjacency Channel			
	High Channel	50.18		Pass
	Adjacency Channel			

Note: The limit is MAX {25 kHz, BW 20dB}


Test Graphs



Date: 29.OCT.2024 05:48:22



Date: 29.OCT.2024 05:43:58




Date: 29.OCT.2024 05:51:14

Appendix A.4: Test Results of Time of Occupancy

Test Result

Test Mode	Period (s)	Channel Occupancy Time (ms)	Limit (ms)	Result
915MHz band SRD	20	315.2	400	Pass

Test Graphs



Date: 29.OCT.2024 05:56:06


Appendix A.5: Test Results of Number of Hopping Frequency

Test Result


Test Mode	Hopping Frequencies	Limit	Result
915MHz band SRD	384	>50	Pass

Test Graphs


Sub-range 1:




Sub-range 2:



Sub-range 3:



Sub-range 4:




Note: There are 4 plots to cover all Hopping Frequency channel list.


Appendix A.6: Test Results of Band Edge Measurements

Fixed mode

Low Channel




High Channel




Hopping mode

Low Channel





High Channel




Appendix A.7: Test Results of Conducted Spurious Emission

Fixed mode


Low Channel



Middle Channel




Date: 30.NOV.2024 03:59:31




Date: 30.NOV.2024 03:45:23

High Channel




Date: 30.NOV.2024 03:37:46




Date: 30.NOV.2024 03:45:23

Hopping mode



Date: 3.DEC.2024 11:38:00



Date: 3.DEC.2024 11:53:17

Appendix A.8: Test Results of Radiated Spurious Emissions


Note:

- 1) Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and above 10GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 10GHz were reported.
- 2) The highest waveform in the figure is 915MHz Band SRD Fundamental.

30 MHz - 1GHz

EUT Information

EUT Name:	Remote Control
Model:	TCT-E20
Test Mode:	902.05MHz
Order No/Sample No:	168496151/A003846249-002
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
46.079615	16.12	40.00	23.88	100.0	H	204.0	-18.8
103.608077	12.68	43.50	30.82	100.0	H	284.0	-19.0
288.020000	16.56	46.00	29.44	100.0	H	180.0	-16.6
700.978846	30.90	46.00	15.10	100.0	H	58.0	-7.9
806.410385	31.89	46.00	14.11	100.0	H	58.0	-6.1

Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote Control
Model:	TCT-E20
Test Mode:	902.05MHz
Order No/Sample No:	168496151/A003846249-002
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
46.490000	14.96	40.00	25.04	100.0	V	281.0	-18.7
105.100385	12.64	43.50	30.86	100.0	V	153.0	-18.9
241.721154	14.61	46.00	31.39	100.0	V	0.0	-17.7
533.430000	22.95	46.00	23.05	100.0	V	322.0	-11.1
759.701154	26.21	46.00	19.79	100.0	V	201.0	-6.9

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote Control
Model:	TCT-E20
Test Mode:	912.55MHz
Order No/Sample No:	168496151/A003846249-002
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
49.996923	14.97	40.00	25.04	100.0	H	20.0	-18.4
104.727308	13.82	43.50	29.68	100.0	H	4.0	-18.9
165.277692	12.69	43.50	30.81	100.0	H	131.0	-21.5
382.856154	18.11	46.00	27.89	100.0	H	56.0	-14.2
686.242308	32.20	46.00	13.80	100.0	H	56.0	-8.2
797.344615	32.55	46.00	13.45	100.0	H	56.0	-6.2

Final Result

Frequency (MHz)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote Control
Model:	TCT-E20
Test Mode:	912.55MHz
Order No/Sample No:	168496151/A003846249-002
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
42.087692	14.90	40.00	25.10	100.0	V	76.0	-19.7
99.168462	12.52	43.50	30.98	100.0	V	293.0	-19.2
214.971539	13.94	43.50	29.56	100.0	V	351.0	-18.8
341.743077	16.80	46.00	29.20	100.0	V	94.0	-15.0
693.853077	25.74	46.00	20.26	100.0	V	0.0	-8.1

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote Control
Model:	TCT-E20
Test Mode:	922.15MHz
Order No/Sample No:	168496151/A003846249-002
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
45.781154	15.23	40.00	24.77	100.0	H	4.0	-18.8
103.048462	12.49	43.50	31.01	100.0	H	109.0	-19.0
240.527308	15.64	46.00	30.36	100.0	H	260.0	-17.7
708.738846	31.69	46.00	14.31	100.0	H	42.0	-7.8
806.970000	33.21	46.00	12.79	100.0	H	51.0	-6.1

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote Control
Model:	TCT-E20
Test Mode:	922.15MHz
Order No/Sample No:	168496151/A003846249-002
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
46.676539	15.45	40.00	24.55	100.0	V	18.0	-18.7
104.316923	13.09	43.50	30.41	100.0	V	35.0	-18.9
231.237692	14.38	46.00	31.62	100.0	V	117.0	-18.1
361.926539	17.40	46.00	28.60	100.0	V	259.0	-14.6
698.964231	25.61	46.00	20.39	100.0	V	18.0	-8.0


Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Above 1GHz

EUT Information

EUT Name:	Remote Control
Model:	TCT-E20
Test Mode:	902.05MHz
Order No/Sample No:	168496151/A003846249-002
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1805.850000	49.02	---	74.00	24.98	150.0	H	359.0	6.3
1805.850000	---	45.14	54.00	8.86	150.0	H	359.0	6.3
2708.675000	50.70	---	74.00	23.30	150.0	H	82.0	9.1
2708.675000	---	43.61	54.00	10.39	150.0	H	82.0	9.1
3612.058333	52.13	---	74.00	21.87	150.0	H	72.0	10.9
3612.058333	---	45.13	54.00	8.87	150.0	H	72.0	10.9

Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote Control
Model:	TCT-E20
Test Mode:	902.05MHz
Order No/Sample No:	168496151/A003846249-002
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1805.850000	46.95	---	74.00	27.05	150.0	V	321.0	6.3
1805.850000	---	40.08	54.00	13.92	150.0	V	321.0	6.3
2708.675000	50.85	---	74.00	23.15	150.0	V	150.0	9.1
2708.675000	---	44.80	54.00	9.20	150.0	V	150.0	9.1

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote Control
Model:	TCT-E20
Test Mode:	902.05MHz
Order No/Sample No:	168496151/A003846249-002
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8182.200000	---	35.30	54.00	18.70	150.0	H	25.0	9.0
8183.700000	45.15	---	74.00	28.85	150.0	H	103.0	9.0
9024.400000	45.41	---	74.00	28.59	150.0	H	61.0	9.5
9025.100000	---	36.10	54.00	17.90	150.0	H	200.0	9.5

Final Result

Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote Control
Model:	TCT-E20
Test Mode:	902.05MHz
Order No/Sample No:	168496151/A003846249-002
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8195.200000	---	34.93	54.00	19.07	150.0	V	308.0	9.0
8211.900000	44.92	---	74.00	29.08	150.0	V	115.0	8.9
9010.600000	45.17	---	74.00	28.83	150.0	V	350.0	9.5
9030.700000	---	35.88	54.00	18.12	150.0	V	329.0	9.6

Final Result

Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote Control
Model:	TCT-E20
Test Mode:	912.55MHz
Order No/Sample No:	168496151/A003846249-002
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1824.833333	46.89	---	74.00	27.11	150.0	H	346.0	6.4
1824.833333	---	42.40	54.00	11.60	150.0	H	346.0	6.4
2737.150000	49.42	---	74.00	24.58	150.0	H	207.0	9.3
2737.150000	---	41.80	54.00	12.20	150.0	H	207.0	9.3
3650.025000	---	42.82	54.00	11.18	150.0	H	56.0	10.9
3651.141667	51.13	---	74.00	22.87	150.0	H	355.0	10.9

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote Control
Model:	TCT-E20
Test Mode:	912.55MHz
Order No/Sample No:	168496151/A003846249-002
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1824.833333	46.37	---	74.00	27.63	150.0	V	301.0	6.4
1824.833333	---	39.80	54.00	14.20	150.0	V	301.0	6.4
2737.150000	51.26	---	74.00	22.74	150.0	V	264.0	9.3
2737.708333	---	45.73	54.00	8.27	150.0	V	253.0	9.3
3643.883333	53.01	---	74.00	20.99	150.0	V	253.0	10.9
3657.283333	---	41.88	54.00	12.12	150.0	V	62.0	10.9

Final Result

Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote Control
Model:	TCT-E20
Test Mode:	912.55MHz
Order No/Sample No:	168496151/A003846249-002
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8247.800000	---	34.17	54.00	19.83	150.0	H	126.0	8.8
8261.800000	44.92	---	74.00	29.08	150.0	H	306.0	8.7
9131.500000	---	36.07	54.00	17.93	150.0	H	37.0	10.3
9143.000000	45.59	---	74.00	28.41	150.0	H	0.0	10.4

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote Control
Model:	TCT-E20
Test Mode:	912.55MHz
Order No/Sample No:	168496151/A003846249-002
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8184.500000	---	35.41	54.00	18.59	150.0	V	5.0	9.0
8199.600000	44.44	---	74.00	29.56	150.0	V	109.0	9.0
9169.300000	46.32	---	74.00	27.68	150.0	V	13.0	10.5
9172.900000	---	36.26	54.00	17.74	150.0	V	236.0	10.5

Final_Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote Control
Model:	TCT-E20
Test Mode:	922.15MHz
Order No/Sample No:	168496151/A003846249-002
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1843.816667	49.40	---	74.00	24.60	150.0	H	1.0	6.4
1843.816667	---	42.01	54.00	11.99	150.0	H	1.0	6.4
2766.183333	---	40.67	54.00	13.33	150.0	H	77.0	9.4
2766.741667	49.09	---	74.00	24.91	150.0	H	97.0	9.4

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote Control
Model:	TCT-E20
Test Mode:	922.15MHz
Order No/Sample No:	168496151/A003846249-002
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1844.375000	---	37.09	54.00	16.91	150.0	V	266.0	6.4
1857.775000	47.33	---	74.00	26.67	150.0	V	96.0	6.6
2766.183333	50.02	---	74.00	23.98	150.0	V	166.0	9.4
2766.183333	---	44.37	54.00	9.63	150.0	V	166.0	9.4

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Remote Control
Model:	TCT-E20
Test Mode:	922.15MHz
Order No/Sample No:	168496151/A003846249-002
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8196.300000	45.18	---	74.00	28.82	150.0	H	279.0	9.0
8205.400000	---	34.79	54.00	19.21	150.0	H	313.0	9.0
9131.900000	---	36.27	54.00	17.73	150.0	H	24.0	10.3
9168.300000	45.64	---	74.00	28.36	150.0	H	0.0	10.5

Final_Result

Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name:	Remote Control
Model:	TCT-E20
Test Mode:	922.15MHz
Order No/Sample No:	168496151/A003846249-002
Test Voltage:	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8191.700000	44.03	---	74.00	29.97	150.0	V	251.0	9.0
8193.700000	---	35.11	54.00	18.89	150.0	V	0.0	9.0
9169.300000	---	36.45	54.00	17.55	150.0	V	130.0	10.5
9193.600000	45.71	---	74.00	28.29	150.0	V	230.0	10.6

Final Result

Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---