



Right Band edge_Vertical_Peak_802.11ax40



Condition : Vertical
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4GWiFi-ax40-2452

	Freq Factor		Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	2483.500	-10.97	59.91	48.94	74.00	-25.06	Peak
2	2483.901	-10.97	66.15	55.18	74.00	-18.82	Peak

Right Band edge_Vertical_Average_802.11ax40




Condition : Vertical
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:300Hz Detector:Peak
Note : 2.4GWiFi-ax40-2452

	Freq Factor		Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	2483.500	-10.97	48.55	37.58	54.00	-16.42	Average
2	2485.060	-10.97	48.74	37.77	54.00	-16.23	Average

1-18GHz (Listed with the worst harmonic margin test plot)


1-4GHz_Horizontal_802.11b



Condition : Horizontal
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4GWiFi-b-2462

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBUV/m	dBUV/m	dB	
1	3812.125	-9.85	57.07	47.22	74.00	-26.78	Peak


1-4GHz_Vertical_802.11b



Condition : Vertical
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4GWiFi-b-2462

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	3578.875	-9.98	56.76	46.78	74.00	-27.22	Peak


4-18GHz_Horizontal_Peak_802.11b



Condition : Horizontal
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4GWiFi-b-2462

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	4924.000	-7.57	55.28	47.71	74.00	-26.29	Peak
2	17982.500	13.11	48.95	62.06	74.00	-11.94	Peak


4-18GHz_Horizontal_Average_802.11b



Condition : Horizontal
 Project No. : 2501X78385E-RF
 Tester : Zenos Qiao
 Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
 Note : 2.4GWiFi-b-2462

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17993.000	13.17	33.40	46.57	54.00	-7.43	Average


4-18GHz_Vertical_Peak_802.11b



Condition : Vertical
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4GWiFi-b-2462

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	4924.000	-7.57	54.43	46.86	74.00	-27.14	Peak
2	17959.750	13.00	49.29	62.29	74.00	-11.71	Peak


4-18GHz_Vertical_Average_802.11b



Condition : Vertical
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 2.4GWiFi-b-2462

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17996.500	13.19	33.26	46.45	54.00	-7.55	Average


1-4GHz_Horizontal_802.11g



Condition : Horizontal
 Project No. : 2501X78385E-RF
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 2.4GWiFi-g-2462

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 3939.250	-9.43	56.02	46.59	74.00	-27.41	Peak


1-4GHz_Vertical_802.11g



Condition : Vertical
 Project No. : 2501X78385E-RF
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 2.4GWiFi-g-2462

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 3958.000	-9.32	55.67	46.35	74.00	-27.65	Peak


4-18GHz_Horizontal_Peak_802.11g



Condition : Horizontal
 Project No. : 2501X78385E-RF
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 2.4GWiFi-g-2462

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	4924.000	-7.57	56.75	49.18	74.00	-24.82	Peak
2	17965.000	13.03	48.21	61.24	74.00	-12.76	Peak


4-18GHz_Horizontal_Average_802.11g



Condition : Horizontal
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 2.4GWiFi-g-2462

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17993.000	13.17	33.42	46.59	54.00	-7.41	Average


4-18GHz_Vertical_Peak_802.11g



Condition : Vertical
 Project No. : 2501X78385E-RF
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 2.4GWiFi-g-2462

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	4924.000	-7.57	55.92	48.35	74.00	-25.65	Peak
2	17945.750	12.94	48.27	61.21	74.00	-12.79	Peak


4-18GHz_Vertical_Average_802.11g



Condition : Vertical
 Project No. : 2501X78385E-RF
 Tester : Zenos Qiao
 Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
 Note : 2.4GWiFi-g-2462

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17989.500	13.16	33.26	46.42	54.00	-7.58	Average


1-4GHz_Horizontal_802.11n-HT20



Condition : Horizontal
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4GWiFi-n20-2462

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	3723.250	-9.55	56.19	46.64	74.00	-27.36	Peak


1-4GHz_Vertical_802.11n-HT20



Condition : Vertical
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4GWiFi-n20-2462

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	3740.500	-9.58	56.73	47.15	74.00	-26.85	Peak


4-18GHz_Horizontal_Peak_802.11n-HT20



Condition : Horizontal
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4WiFi-n20-2462

	Freq Factor		Read	Limit	Over	Remark
	MHz	dB/m	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	4924.000	-7.57	56.57	49.00	74.00	-25.00 Peak
2	17921.250	12.81	48.59	61.40	74.00	-12.60 Peak


4-18GHz_Horizontal_Average_802.11n-HT20



Condition : Horizontal
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 2.4WiFi-n20-2462

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17994.750	13.17	33.41	46.58	54.00	-7.42	Average


4-18GHz_Vertical_Peak_802.11n-HT20



Condition : Vertical
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4GWiFi-n20-2462

	Freq Factor		Read Level		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	4924.000	-7.57	55.71	48.14	74.00	-25.86	Peak
2	17905.500	12.74	48.84	61.58	74.00	-12.42	Peak


4-18GHz_Vertical_Average_802.11n-HT20



Condition : Vertical
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 2.4WiFi-n20-2462

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17993.000	13.17	33.30	46.47	54.00	-7.53	Average


1-4GHz_Horizontal_802.11n-HT40



Condition : Horizontal
 Project No. : 2501X78385E-RF
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 2.4GWiFi-n40-2452

	Freq Factor		Read Level		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	3688.375	-9.56	55.90	46.34	74.00	-27.66	Peak


1-4GHz_Vertical_802.11n-HT40



Condition : Vertical
 Project No. : 2501X78385E-RF
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 2.4GWiFi-n40-2452

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	3935.500	-9.48	56.20	46.72	74.00	-27.28 Peak


4-18GHz_Horizontal_Peak_802.11n-HT40



Condition : Horizontal
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4WiFi-n40-2452

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 4904.000	-7.53	54.64	47.11	74.00	-26.89	Peak
2 17933.500	12.87	48.64	61.51	74.00	-12.49	Peak


4-18GHz_Horizontal_Average_802.11n-HT40



Condition : Horizontal
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 2.4GWiFi-n40-2452

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17979.000	13.09	33.48	46.57	54.00	-7.43	Average


4-18GHz_Vertical_Peak_802.11n-HT40



Condition : Vertical
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4WiFi-n40-2452

	Freq Factor		Read Level		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	4904.000	-7.53	53.81	46.28	74.00	-27.72	Peak
2	17996.500	13.19	48.77	61.96	74.00	-12.04	Peak


4-18GHz_Vertical_Average_802.11n-HT40



Condition : Vertical
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 2.4WiFi-n40-2452

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17996.500	13.19	33.29	46.48	54.00	-7.52	Average


1-4GHz_Horizontal_802.11ax-HE20



Condition : Horizontal
 Project No. : 2501X78385E-RF
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 2.4GWiFi-ax20-2462

	Freq Factor		Read Level		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	3727.375	-9.55	56.06	46.51	74.00	-27.49	Peak


1-4GHz_Vertical_802.11ax-HE20



Condition : Vertical
 Project No. : 2501X78385E-RF
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 2.4GWiFi-ax20-2462

	Freq Factor		Read Level		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	3896.875	-9.83	56.31	46.48	74.00	-27.52	Peak


4-18GHz_Horizontal_Peak_802.11ax-HE20



Condition : Horizontal
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4WiFi-ax20-2462

	Freq Factor		Read Level		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	4924.000	-7.57	56.29	48.72	74.00	-25.28	Peak
2	17919.500	12.80	48.66	61.46	74.00	-12.54	Peak


4-18GHz_Horizontal_Average_802.11ax-HE20



Condition : Horizontal
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 2.4WiFi-ax20-2462

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Line	Limit	
1 17993.000	13.17	33.46	54.00	-7.37	Average


4-18GHz_Vertical_Peak_802.11ax-HE20



Condition : Vertical
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4WiFi-ax20-2462

	Freq Factor		Read Level		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	4924.000	-7.57	55.45	47.88	74.00	-26.12	Peak
2	17923.000	12.81	49.18	61.99	74.00	-12.01	Peak


4-18GHz_Vertical_Average_802.11ax-HE20



Condition : Vertical
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 2.4WiFi-ax20-2462

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17996.500	13.19	33.31	46.50	54.00	-7.50	Average


1-4GHz_Horizontal_802.11ax-HE40



Condition : Horizontal
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4GWiFi-ax40-2452

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	3590.125	-10.08	56.78	46.70	74.00	-27.30 Peak


1-4GHz_Vertical_802.11ax-HE40



Condition : Vertical
 Project No. : 2501X78385E-RF
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 2.4GWiFi-ax40-2452

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	3623.500	-9.99	56.85	46.86	74.00	-27.14 Peak


4-18GHz_Horizontal_Peak_802.11ax-HE40



Condition : Horizontal
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4WiFi-ax40-2452

	Freq Factor		Read Level		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	4904.000	-7.53	54.39	46.86	74.00	-27.14	Peak
2	17951.000	12.96	48.36	61.32	74.00	-12.68	Peak


4-18GHz_Horizontal_Average_802.11ax-HE40



Condition : Horizontal
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 2.4WiFi-ax40-2452

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17996.500	13.19	33.38	46.57	54.00	-7.43	Average


4-18GHz_Vertical_Peak_802.11ax-HE40



Condition : Vertical
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4WiFi-ax40-2452

	Freq Factor		Read Level		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	4904.000	-7.53	53.53	46.00	74.00	-28.00	Peak
2	17993.000	13.17	48.12	61.29	74.00	-12.71	Peak

4-18GHz_Vertical_Average_802.11ax-HE40




Condition : Vertical
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 2.4WiFi-ax40-2452

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	13.20	33.26	46.46	54.00	-7.54	Average

18-25GHz (Only Listed with the worst harmonic margin test plot)


18-25GHz_Horizontal



Condition : Horizontal
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4GWiFi-g-2462

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 19332.330	15.43	37.51	52.94	74.00	-21.06	Peak

18-25GHz_Vertical



Condition : Vertical
Project No. : 2501X78385E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 2.4GWiFi-g-2462

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 19358.000	15.43	37.44	52.87	74.00	-21.13 Peak

6dB Emission Bandwidth**Test Information:**

Sample No.:	3A7H-1	Test Date:	2025/10/04~2025/10/05
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	Pass


Environmental Conditions:

Temperature: (℃)	24.8-25.5	Relative Humidity: (%)	51-52	ATM Pressure: (kPa)	101.1-101.3
-----------------------------	-----------	---------------------------------------	-------	--------------------------------	-------------

Test Data:


Mode	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11b	2412	9.690	≥ 0.5	Pass
	2437	9.249	≥ 0.5	Pass
	2462	9.249	≥ 0.5	Pass
802.11g	2412	16.697	≥ 0.5	Pass
	2437	16.617	≥ 0.5	Pass
	2462	16.697	≥ 0.5	Pass
802.11n20	2412	17.898	≥ 0.5	Pass
	2437	17.858	≥ 0.5	Pass
	2462	17.858	≥ 0.5	Pass
802.11n40	2422	36.597	≥ 0.5	Pass
	2437	36.677	≥ 0.5	Pass
	2452	36.837	≥ 0.5	Pass
802.11ax20_RU_FULL	2412	19.299	≥ 0.5	Pass
	2437	19.299	≥ 0.5	Pass
	2462	19.099	≥ 0.5	Pass
802.11ax40_RU_FULL	2422	38.198	≥ 0.5	Pass
	2437	38.198	≥ 0.5	Pass
	2452	38.519	≥ 0.5	Pass

802.11b_2412MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 20:58:55

802.11b_2437MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:01:49

802.11b_2462MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:04:09

802.11g_2412MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:15:28

802.11g_2437MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:18:28

802.11g_2462MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:21:22

802.11n20_2412MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:27:13

802.11n20_2437MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:32:32

802.11n20_2462MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:35:52

802.11n40_2422MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 09:57:07

802.11n40_2437MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:00:46

802.11n40_2452MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:04:02

802.11ax20_2412MHz_RU_FULL




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:08:45

802.11ax20_2437MHz_RU_FULL




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:12:33

802.11ax20_2462MHz_RU_FULL




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:15:26

802.11ax40_2422MHz_RU_FULL




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:18:40

802.11ax40_2437MHz_RU_FULL



ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:23:00

802.11ax40_2452MHz_RU_FULL



ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:26:20

99% Occupied Bandwidth**Test Information:**

Sample No.:	3A7H-1	Test Date:	2025/10/04~2025/10/05
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	N/A


Environmental Conditions:

Temperature: (°C)	24.8-25.5	Relative Humidity: (%)	51-52	ATM Pressure: (kPa)	101.1-101.3
-------------------------------	-----------	---------------------------------------	-------	--------------------------------	-------------

Test Data:


Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11b	2412	12.720
	2437	12.720
	2462	12.720
802.11g	2412	16.840
	2437	16.880
	2462	16.800
802.11n20	2412	17.920
	2437	17.920
	2462	17.960
802.11n40	2422	36.640
	2437	36.560
	2452	36.640
802.11ax20_RU_FULL	2412	19.160
	2437	19.080
	2462	19.160
802.11ax40_RU_FULL	2422	38
	2437	38
	2452	38

802.11b_2412MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 20:59:17

802.11b_2437MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:02:10

802.11b_2462MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:04:30

802.11g_2412MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:15:52

802.11g_2437MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:18:52

802.11g_2462MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:21:44

802.11n20_2412MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:27:37

802.11n20_2437MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:32:53

802.11n20_2462MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:36:15

802.11n40_2422MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 09:57:18

802.11n40_2437MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:00:57

802.11n40_2452MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:04:13

802.11ax20_2412MHz_RU_FULL




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:09:09

802.11ax20_2437MHz_RU_FULL




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:12:54

802.11ax20_2462MHz_RU_FULL




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:15:49

802.11ax40_2422MHz_RU_FULL




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:18:52

802.11ax40_2437MHz_RU_FULL



ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:23:11

802.11ax40_2452MHz_RU_FULL



ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:26:32

Maximum Conducted Output Power**Test Information:**

Sample No.:	3A7H-1	Test Date:	2025/10/04~2025/10/05
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	Pass

Environmental Conditions:

Temperature: (℃)	24.8-25.5	Relative Humidity: (%)	51-52	ATM Pressure: (kPa)	101.1-101.3
-----------------------------	-----------	---------------------------------------	-------	--------------------------------	-------------

Test Data:

Mode	Test Frequency (MHz)	Peak Output Power(dBm)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11b	2412	16.82	13.20	30	Pass
	2437	16.89	13.77	30	Pass
	2462	17.13	13.90	30	Pass
802.11g	2412	21.40	14.34	30	Pass
	2437	21.64	14.54	30	Pass
	2462	21.82	14.86	30	Pass
802.11n20	2412	21.45	14.45	30	Pass
	2437	21.61	14.53	30	Pass
	2462	21.87	14.89	30	Pass
802.11n40	2422	17.58	10.51	30	Pass
	2437	18.04	11.17	30	Pass
	2452	17.53	10.88	30	Pass
802.11ax20_RU_FULL	2412	21.69	15.09	30	Pass
	2437	22.11	15.27	30	Pass
	2462	22.30	15.41	30	Pass
802.11ax40_RU_FULL	2422	18.01	11.62	30	Pass
	2437	18.54	11.99	30	Pass
	2452	18.28	11.24	30	Pass

Power Spectral Density**Test Information:**

Sample No.:	3A7H-1	Test Date:	2025/10/04~2025/10/05
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	Pass


Environmental Conditions:

Temperature: (°C)	24.8-25.5	Relative Humidity: (%)	51-52	ATM Pressure: (kPa)	101.1-101.3
-------------------------------	-----------	---------------------------------------	-------	--------------------------------	-------------

Test Data:


Mode	Test Frequency (MHz)	Result (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
802.11b	2412	-7.84	8	Pass
	2437	-8.69	8	Pass
	2462	-8.71	8	Pass
802.11g	2412	-10.37	8	Pass
	2437	-10.02	8	Pass
	2462	-9.49	8	Pass
802.11n20	2412	-10.79	8	Pass
	2437	-10.88	8	Pass
	2462	-9.18	8	Pass
802.11n40	2422	-16.57	8	Pass
	2437	-15.38	8	Pass
	2452	-16.67	8	Pass
802.11ax20_RU_FULL	2412	-11.36	8	Pass
	2437	-11.43	8	Pass
	2462	-11.31	8	Pass
802.11ax40_RU_FULL	2422	-17.76	8	Pass
	2437	-16.44	8	Pass
	2452	-17.96	8	Pass

802.11b_2412MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:00:47

802.11b_2437MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:03:03

802.11b_2462MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:05:42

802.11g_2412MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:17:28

802.11g_2437MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:20:08

802.11g_2462MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:23:31

802.11n20_2412MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:29:20

802.11n20_2437MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:34:11

802.11n20_2462MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:38:19

802.11n40_2422MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:00:07

802.11n40_2437MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:03:36

802.11n40_2452MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:07:12

802.11ax20_2412MHz_RU_FULL




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:10:56

802.11ax20_2437MHz_RU_FULL




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:14:20

802.11ax20_2462MHz_RU_FULL




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:17:31

802.11ax40_2422MHz_RU_FULL




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:21:39

802.11ax40_2437MHz_RU_FULL



ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:25:56

802.11ax40_2452MHz_RU_FULL



ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:36:37

100 kHz Bandwidth of Frequency Band Edge**Test Information:**


Sample No.:	3A7H-1	Test Date:	2025/10/04~2025/10/05
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.8-25.5	Relative Humidity: (%)	51-52	ATM Pressure: (kPa)	101.1-101.3
-------------------------------	-----------	---------------------------------------	-------	--------------------------------	-------------


Test Data:

802.11b_2412MHz




ProjectNo.:2501X78385E-RF Tester:Kungfmaster Liang
Date: 4.OCT.2025 21:00:08

802.11b_2462MHz




ProjectNo.:2501X78385E-RF Tester:Kungfmaster Liang
Date: 4.OCT.2025 21:05:05

802.11g_2412MHz




ProjectNo.:2501X78385E-RF Tester:Kungfmaster Liang
Date: 4.OCT.2025 21:16:27

802.11g_2462MHz




ProjectNo.:2501X78385E-RF Tester:Kungfmaster Liang
Date: 4.OCT.2025 21:22:30

802.11n20_2412MHz




ProjectNo.:2501X78385E-RF Tester:Kungfmaster Liang
Date: 4.OCT.2025 21:28:16

802.11n20_2462MHz




ProjectNo.:2501X78385E-RF Tester:Kungfmaster Liang
Date: 4.OCT.2025 21:37:15

802.11n40_2422MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 09:58:04

802.11n40_2452MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:05:08

802.11ax20_2412MHz_RU_FULL




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:09:47

802.11ax20_2462MHz_RU_FULL




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:16:22

802.11ax40_2422MHz_RU_FULL



ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:19:30

802.11ax40_2452MHz_RU_FULL



ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:34:29

Duty Cycle**Test Information:**

Sample No.:	3A7H-1	Test Date:	2025/10/04~2025/10/05
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	N/A

Environmental Conditions:


Temperature: (°C)	24.8-25.5	Relative Humidity: (%)	51-52	ATM Pressure: (kPa)	101.1-101.3
-------------------------------	-----------	---------------------------------------	-------	--------------------------------	-------------

Test Data:

Mode	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11b	2437	12.404	24.357	50.93	2.93	81	0.100
802.11g	2437	5.471	10.321	53.01	2.76	183	0.200
802.11n20	2437	5.357	10.337	51.82	2.86	187	0.200
802.11n40	2437	5.140	10.347	49.68	3.04	195	0.200
802.11ax20_RU_FULL	2437	4.637	12.141	38.19	4.18	216	0.300
802.11ax40_RU_FULL	2437	4.617	12.139	38.03	4.20	217	0.300


Duty Cycle = Ton/(Ton+Toff)*100%

802.11b_2437MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 20:56:20

802.11g_2437MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:13:51

802.11n20_2437MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:24:42

802.11n40_2437MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 4.OCT.2025 21:40:20

802.11ax20_2437MHz_RU_FULL



ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 09:08:28

802.11ax40_2437MHz_RU_FULL



ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 09:11:43

Conducted Spurious Emission**Test Information:**


Sample No.:	3A7H-1	Test Date:	2025/10/04~2025/10/05
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.8-25.5	Relative Humidity: (%)	51-52	ATM Pressure: (kPa)	101.1-101.3
-------------------------------	-----------	---------------------------------------	-------	--------------------------------	-------------


Test Data:

802.11b_2412MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaster Liang
Date: 4.OCT.2025 21:07:49

802.11b_2437MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaster Liang
Date: 4.OCT.2025 21:08:56

802.11b_2462MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaster Liang
Date: 4.OCT.2025 21:11:13

802.11g_2412MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaster Liang
Date: 5.OCT.2025 10:42:13

802.11g_2437MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaster Liang
Date: 5.OCT.2025 10:43:26

802.11g_2462MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaster Liang
Date: 5.OCT.2025 10:44:47

802.11n20_2412MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:46:32

802.11n20_2437MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:47:40

802.11n20_2462MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:48:51

802.11n40_2422MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:50:14

802.11n40_2437MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:51:25

802.11n40_2452MHz




ProjectNo.:2501X78385E-RF Tester:Kungfumaater Liang
Date: 5.OCT.2025 10:52:42

802.11ax20_2412MHz_RU_FULL




ProjectNo.:2501X78385E-RF Tester:Kungfumastr Liang
Date: 5.OCT.2025 10:54:17

802.11ax20_2437MHz_RU_FULL




ProjectNo.:2501X78385E-RF Tester:Kungfumastr Liang
Date: 5.OCT.2025 10:55:48

802.11ax20_2462MHz_RU_FULL




ProjectNo.:2501X78385E-RF Tester:Kungfumastr Liang
Date: 5.OCT.2025 10:57:04

802.11ax40_2422MHz_RU_FULL




ProjectNo.:2501X78385E-RF Tester:Kungfumastr Liang
Date: 5.OCT.2025 10:58:12

802.11ax40_2437MHz_RU_FULL



ProjectNo.:2501X78385E-RF Tester:Kungfumastr Liang
Date: 5.OCT.2025 10:59:22

802.11ax40_2452MHz_RU_FULL



ProjectNo.:2501X78385E-RF Tester:Kungfumastr Liang
Date: 5.OCT.2025 11:00:18

RF EXPOSURE EVALUATION

MPE-Based Exemption

Applicable Standard

According to subpart 2.1091 systems operating under the provisions of this section shall be operated in a manner that ensures the public is not exposed to RF energy level in excess of the communication guidelines.

According to KDB 447498 D04 v01 Interim General RF Exposure Guidance

MPE-Based Exemption:

General frequency and separation-distance dependent MPE-based effective radiated power(ERP) thresholds are in Table B.1 [Table 1 of § 1.1307(b)(3)(i)(C)] to support an exemption from further evaluation from 300 kHz through 100 GHz.

Table 1 to § 1.1307(b)(3)(i)(C) - Single RF Sources Subject to Routine Environmental Evaluation

RF Source frequency (MHz)	Threshold ERP (watts)
0.3-1.34	$1,920 R^2$.
1.34-30	$3,450 R^2 / f^2$.
30-300	$3.83 R^2$.
300-1,500	$0.0128 R^2 f$.
1,500-100,000	$19.2 R^2$.

R is the minimum separation distance in meters

f = frequency in MHz

Result

Mode	Frequency (MHz)	Tune up conducted power [#] (dBm)	Antenna Gain [#]		ERP		Evaluation Distance (m)	ERP Limit (mW)
			(dBi)	(dBd)	(dBm)	(mW)		
BT	2402-2480	11.5	5.1	2.95	14.45	27.86	0.2	768
BLE	2402-2480	8.5	5.1	2.95	11.45	13.96	0.2	768
2.4G Wi-Fi	2412-2462	22.5	5.1	2.95	25.45	350.75	0.2	768
5.2G Wi-Fi	5180-5240	11.5	4.5	2.35	13.85	24.27	0.2	768
5.8G Wi-Fi	5745-5825	9.0	4.5	2.35	11.35	13.65	0.2	768

Note: 1. The tune up conducted power and antenna gain was declared by the applicant.

2. 0dBd=2.15dBi

3. The BT, 2.4G and 5G Wi-Fi cannot transmit at same time.

To maintain compliance with the FCC's RF exposure guidelines, place the equipment at least 20cm from nearby persons.

Result: Compliant

EUT PHOTOGRAPHS

Please refer to the attachment 2501X78385E-RF-EXP External photo and 2501X78385E-RF-INP Internal photo.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2501X78385E-RF-TSPA Test Setup photo.

******* END OF REPORT *******