






WH851





Quick Start Guide

Guide de Démarrage Rapide

Schnellstartanleitung


wired connection / connexion filaire / Kabelverbindung

bluetooth connection / connexion Bluetooth / Bluetooth-Verbindung

Notice / Avis / Beachten:

- 1) The blue light flashes when the digital board is turned on, waiting for connection.
- 2) Turn on the Bluetooth of the device, find the device name (WH851), and connect according to the system prompts.
- 3) The blue light stays on for 10s and then goes off, and the white light stays on, which means the connection is successful.



1) Le voyant bleu clignote lorsque la carte numérique est allumée, en attente de connexion.

2) Activez la Bluetooth de l'appareil, recherchez le nom de l'appareil (WH851) et connectez-vous selon les invites du système.

3) La lumière bleue reste allumée pendant 10 secondes puis s'éteint, et la lumière blanche reste allumée, ce qui signifie que la connexion est réussie.

connection prompt / invite de connexion / Verbindungsaufforderung



Notice / Avis / Beachten:

- 1) After the digital tablet is successfully connected to the Android phone/tablet, please press and hold the K7 key for 3 seconds, and the indicator light goes off once, which means the auto switching is successful.
- 2) The corresponding ratio between the mobile phone/tablet and the tablet can be set in the driver, please refer to the user manual for details.

1) Une fois la tablette numérique connectée avec succès au téléphone/tablette Android, veuillez appuyer et maintenir la touche K7 pendant 3 secondes, et le voyant s'éteint une fois, ce qui signifie que la commutation du rapport est réussie.

2) Le rapport correspondant entre le téléphone mobile/tablette et la tablette peut être défini dans le pilote, veuillez vous référer au manuel d'utilisation pour plus de détails.

[illegible]

FCC Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

IC Warning

This device complies with Industry Canada's licence-exempt RSSs. Operation is subject to the following two conditions:

- (1) This device may not cause interference; and
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

The device has been evaluated to meet general RF exposure requirement.
The device can be used in portable exposure condition without restriction.

Cet appareil est conforme aux CNR exemptes de licence d'Industrie Canada .
Son fonctionnement est soumis aux deux conditions suivantes :

- (1) Ce dispositif ne peut causer d'interférences ; et
- (2) Ce dispositif doit accepter toute interférence , y compris les interférences qui peuvent causer un mauvais fonctionnement de l'appareil.

Le dispositif a été conçu pour répondre à la demande générale de radioexposition.