















Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS

Condition : 15C RSS247-QP LISN-100334-L 2025 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.167	51.50	-13.62	65.12	31.50	9.55	10.45	QP
2	0.167	36.60	-18.52	55.12	16.60	9.55	10.45	Average
3	0.199	49.81	-13.86	63.67	29.80	9.55	10.46	QP
4	0.199	35.51	-18.16	53.67	15.50	9.55	10.46	Average
5	0.226	44.56	-18.05	62.61	24.50	9.59	10.47	QP
6	0.226	32.56	-20.05	52.61	12.50	9.59	10.47	Average
7	0.440	41.15	-15.92	57.07	21.10	9.59	10.46	QP
8 *	0.440	33.85	-13.22	47.07	13.80	9.59	10.46	Average
9	0.549	35.08	-20.92	56.00	15.10	9.59	10.39	QP
10	0.549	28.18	-17.82	46.00	8.20	9.59	10.39	Average
11	18.920	34.66	-25.34	60.00	14.49	9.87	10.30	QP
12	18.920	26.46	-23.54	50.00	6.29	9.87	10.30	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-100334-N 2025 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1 *	0.152	54.51	-11.36	65.87	34.50	9.56	10.45	QP
2	0.152	41.51	-14.36	55.87	21.50	9.56	10.45	Average
3	0.164	51.20	-14.05	65.25	31.20	9.55	10.45	QP
4	0.164	36.20	-19.05	55.25	16.20	9.55	10.45	Average
5	0.184	47.23	-17.05	64.28	27.20	9.57	10.46	QP
6	0.184	32.23	-22.05	54.28	12.20	9.57	10.46	Average
7	0.255	40.63	-20.97	61.60	20.50	9.66	10.47	QP
8	0.255	30.33	-21.27	51.60	10.20	9.66	10.47	Average
9	0.558	32.35	-23.65	56.00	12.19	9.77	10.39	QP
10	0.558	26.35	-19.65	46.00	6.19	9.77	10.39	Average
11	19.122	34.57	-25.43	60.00	14.50	9.77	10.30	QP
12	19.122	27.57	-22.43	50.00	7.50	9.77	10.30	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Maven	Relative Humidity :	52 ~ 56 %
		Temperature :	22 ~ 25 °C

Radiated Spurious Emission Test Modes





Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	1	Bluetooth-LE_GFSK	0	2402	1Mbps	-	-
Mode 2	2400-2483.5	1	Bluetooth-LE_GFSK	19	2440	1Mbps	-	-
Mode 3	2400-2483.5	1	Bluetooth-LE_GFSK	39	2480	1Mbps	-	-
Mode 4	2400-2483.5	1	Bluetooth-LE_GFSK	0	2402	2Mbps	-	-
Mode 5	2400-2483.5	1	Bluetooth-LE_GFSK	19	2440	2Mbps	-	-
Mode 6	2400-2483.5	1	Bluetooth-LE_GFSK	39	2480	2Mbps	-	-
Mode 7	2400-2483.5	2	Bluetooth-LE_GFSK	39	2480	2Mbps	-	-

Note: Antenna 2 mode was verified the worst case of Antenna 1 mode.





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth-LE_GFSK	0	2382.02	39.13	54.00	-14.87	H	AVERAGE	Pass	Band Edge
1	Bluetooth-LE_GFSK	0	9497.99	46.38	54.00	-7.62	H	AVERAGE	Pass	Harmonic
2	Bluetooth-LE_GFSK	19	2493.34	39.23	54.00	-14.77	V	AVERAGE	Pass	Band Edge
2	Bluetooth-LE_GFSK	19	9497.94	43.98	54.00	-10.02	V	AVERAGE	Pass	Harmonic
3	Bluetooth-LE_GFSK	39	2486.98	39.51	54.00	-14.49	H	AVERAGE	Pass	Band Edge
3	Bluetooth-LE_GFSK	39	9497.90	43.37	54.00	-10.63	V	AVERAGE	Pass	Harmonic
4	Bluetooth-LE_GFSK	0	2373.18	39.50	54.00	-14.50	V	AVERAGE	Pass	Band Edge
4	Bluetooth-LE_GFSK	0	9497.99	48.34	54.00	-5.66	H	AVERAGE	Pass	Harmonic
5	Bluetooth-LE_GFSK	19	2483.50	40.05	54.00	-13.95	V	AVERAGE	Pass	Band Edge
5	Bluetooth-LE_GFSK	19	9497.94	48.04	54.00	-5.96	H	AVERAGE	Pass	Harmonic
6	Bluetooth-LE_GFSK	39	2498.68	40.56	54.00	-13.44	H	AVERAGE	Pass	Band Edge
6	Bluetooth-LE_GFSK	39	9497.90	49.10	54.00	-4.90	H	AVERAGE	Pass	Harmonic
7	Bluetooth-LE_GFSK	39	2489.62	40.17	54.00	-13.83	V	AVERAGE	Pass	Band Edge
7	Bluetooth-LE_GFSK	39	9831.00	49.58	68.08	-18.50	V	PEAK	Pass	Harmonic



Mode	1																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_Bluetooth-LE_GFSK_CH0_2402MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2382.15</td><td>49.56</td><td>74.00</td><td>-24.44</td><td>41.15</td><td>31.86</td><td>7.15</td><td>36.60</td><td>6.00</td><td>300</td><td>27 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.15	49.56	74.00	-24.44	41.15	31.86	7.15	36.60	6.00	300	27 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>91.13</td><td>-----</td><td>-----</td><td>82.52</td><td>32.01</td><td>7.18</td><td>36.58</td><td>6.00</td><td>300</td><td>27 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	91.13	-----	-----	82.52	32.01	7.18	36.58	6.00	300	27 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2382.15	49.56	74.00	-24.44	41.15	31.86	7.15	36.60	6.00	300	27 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2402.00	91.13	-----	-----	82.52	32.01	7.18	36.58	6.00	300	27 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2382.02</td><td>39.13</td><td>54.00</td><td>-14.87</td><td>30.73</td><td>31.86</td><td>7.15</td><td>36.61</td><td>6.00</td><td>300</td><td>27 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.02	39.13	54.00	-14.87	30.73	31.86	7.15	36.61	6.00	300	27 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>90.16</td><td>-----</td><td>-----</td><td>81.55</td><td>32.01</td><td>7.18</td><td>36.58</td><td>6.00</td><td>300</td><td>27 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	90.16	-----	-----	81.55	32.01	7.18	36.58	6.00	300	27 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2382.02	39.13	54.00	-14.87	30.73	31.86	7.15	36.61	6.00	300	27 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2402.00	90.16	-----	-----	81.55	32.01	7.18	36.58	6.00	300	27 AVERAGE																																																																																										







Mode	1																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_Bluetooth-LE_GFSK_CH0_2402MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2347.96</td><td>49.43</td><td>74.00</td><td>-24.57</td><td>41.38</td><td>31.60</td><td>7.10</td><td>36.65</td><td>6.00</td><td>297</td><td>18 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2347.96	49.43	74.00	-24.57	41.38	31.60	7.10	36.65	6.00	297	18 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>94.93</td><td>-----</td><td>-----</td><td>86.32</td><td>32.01</td><td>7.18</td><td>36.58</td><td>6.00</td><td>297</td><td>18 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	94.93	-----	-----	86.32	32.01	7.18	36.58	6.00	297
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2347.96	49.43	74.00	-24.57	41.38	31.60	7.10	36.65	6.00	297	18 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2402.00	94.93	-----	-----	86.32	32.01	7.18	36.58	6.00	297	18 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.92</td><td>38.69</td><td>54.00</td><td>-15.31</td><td>30.24</td><td>31.89</td><td>7.16</td><td>36.60</td><td>6.00</td><td>297</td><td>18 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.92	38.69	54.00	-15.31	30.24	31.89	7.16	36.60	6.00	297	18 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>93.95</td><td>-----</td><td>-----</td><td>85.34</td><td>32.01</td><td>7.18</td><td>36.58</td><td>6.00</td><td>297</td><td>18 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	93.95	-----	-----	85.34	32.01	7.18	36.58	6.00	297
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2385.92	38.69	54.00	-15.31	30.24	31.89	7.16	36.60	6.00	297	18 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2402.00	93.95	-----	-----	85.34	32.01	7.18	36.58	6.00	297	18 AVERAGE																																																																																										





Mode	1																																																																																																										
	Harmonic																																																																																																										
	2400-2483.5_Bluetooth-LE_GFSK_CH0_2402MHz																																																																																																										
ANT	1																																																																																																										
Pol.	Horizontal																																																																																																										
Peak Avg																																																																																																											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4884.00	42.93	74.00	-31.07	63.06	33.80	10.27	64.20	0.00	---	PEAK	2	7206.00	44.15	74.00	-29.85	61.87	35.60	12.61	65.93	0.00	---	PEAK	3	9497.99	55.46	74.00	-18.54	71.58	36.50	14.68	67.30	0.00	165	360 PEAK	4	9497.99	46.38	54.00	-7.62	62.51	36.49	14.68	67.30	0.00	165	360 AVERAGE	5	9609.00	55.21	70.23	-15.02	71.03	36.62	14.79	67.23	0.00	---	PEAK	6	9652.50	52.34	70.23	-17.89	68.03	36.71	14.81	67.21	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	4884.00	42.93	74.00	-31.07	63.06	33.80	10.27	64.20	0.00	---	PEAK																																																																																																
2	7206.00	44.15	74.00	-29.85	61.87	35.60	12.61	65.93	0.00	---	PEAK																																																																																																
3	9497.99	55.46	74.00	-18.54	71.58	36.50	14.68	67.30	0.00	165	360 PEAK																																																																																																
4	9497.99	46.38	54.00	-7.62	62.51	36.49	14.68	67.30	0.00	165	360 AVERAGE																																																																																																
5	9609.00	55.21	70.23	-15.02	71.03	36.62	14.79	67.23	0.00	---	PEAK																																																																																																
6	9652.50	52.34	70.23	-17.89	68.03	36.71	14.81	67.21	0.00	---	PEAK																																																																																																
Peak Avg																																																																																																											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4884.00	41.10	74.00	-32.90	61.23	33.80	10.27	64.20	0.00	---	PEAK	2	7206.00	43.47	74.00	-30.53	61.19	35.60	12.61	65.93	0.00	---	PEAK	3	9497.99	50.73	74.00	-23.27	66.85	36.50	14.68	67.30	0.00	300	337 PEAK	4	9497.99	41.22	54.00	-12.78	57.34	36.50	14.68	67.30	0.00	300	337 AVERAGE	5	9609.00	52.57	73.48	-20.91	68.39	36.62	14.79	67.23	0.00	---	PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	4884.00	41.10	74.00	-32.90	61.23	33.80	10.27	64.20	0.00	---	PEAK																																																																																																
2	7206.00	43.47	74.00	-30.53	61.19	35.60	12.61	65.93	0.00	---	PEAK																																																																																																
3	9497.99	50.73	74.00	-23.27	66.85	36.50	14.68	67.30	0.00	300	337 PEAK																																																																																																
4	9497.99	41.22	54.00	-12.78	57.34	36.50	14.68	67.30	0.00	300	337 AVERAGE																																																																																																
5	9609.00	52.57	73.48	-20.91	68.39	36.62	14.79	67.23	0.00	---	PEAK																																																																																																







Mode	2																																																																																											
	Band Edge - L																																																																																											
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2345.23</td><td>49.25</td><td>74.00</td><td>-24.75</td><td>41.23</td><td>31.59</td><td>7.09</td><td>36.66</td><td>6.00</td><td>292</td><td>36 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2345.23	49.25	74.00	-24.75	41.23	31.59	7.09	36.66	6.00	292	36 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>93.44</td><td>-----</td><td>-----</td><td>84.61</td><td>32.16</td><td>7.25</td><td>36.58</td><td>6.00</td><td>292</td><td>36 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	93.44	-----	-----	84.61	32.16	7.25	36.58	6.00	292	36 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2345.23	49.25	74.00	-24.75	41.23	31.59	7.09	36.66	6.00	292	36 PEAK																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2440.00	93.44	-----	-----	84.61	32.16	7.25	36.58	6.00	292	36 PEAK																																																																																	
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2382.28</td><td>38.85</td><td>54.00</td><td>-15.15</td><td>30.44</td><td>31.86</td><td>7.15</td><td>36.60</td><td>6.00</td><td>292</td><td>36 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.28	38.85	54.00	-15.15	30.44	31.86	7.15	36.60	6.00	292	36 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>92.58</td><td>-----</td><td>-----</td><td>83.75</td><td>32.16</td><td>7.25</td><td>36.58</td><td>6.00</td><td>292</td><td>36 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	92.58	-----	-----	83.75	32.16	7.25	36.58	6.00	292	36 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2382.28	38.85	54.00	-15.15	30.44	31.86	7.15	36.60	6.00	292	36 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2440.00	92.58	-----	-----	83.75	32.16	7.25	36.58	6.00	292	36 AVERAGE																																																																																	



Mode	2																																																					
	Band Edge - R																																																					
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																					
ANT	1																																																					
Pol.	Horizontal										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.84</td><td>50.26</td><td>74.00</td><td>-23.74</td><td>41.20</td><td>32.28</td><td>7.35</td><td>36.57</td><td>6.00</td><td>292</td><td>36 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.84	50.26	74.00	-23.74	41.20	32.28	7.35	36.57	6.00	292	36 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2491.84	50.26	74.00	-23.74	41.20	32.28	7.35	36.57	6.00	292	36 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.22</td><td>39.11</td><td>54.00</td><td>-14.89</td><td>30.02</td><td>32.30</td><td>7.36</td><td>36.57</td><td>6.00</td><td>292</td><td>36 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.22	39.11	54.00	-14.89	30.02	32.30	7.36	36.57	6.00	292	36 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2499.22	39.11	54.00	-14.89	30.02	32.30	7.36	36.57	6.00	292	36 AVERAGE																																											





Mode	2																																																																																																			
	Band Edge - L																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2327.68</td><td>50.17</td><td>74.00</td><td>-23.83</td><td>42.23</td><td>31.56</td><td>7.06</td><td>36.68</td><td>6.00</td><td>260</td><td>21 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2327.68	50.17	74.00	-23.83	42.23	31.56	7.06	36.68	6.00	260	21 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>95.96</td><td>-----</td><td>-----</td><td>87.13</td><td>32.16</td><td>7.25</td><td>36.58</td><td>6.00</td><td>260</td><td>21 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	95.96	-----	-----	87.13	32.16	7.25	36.58	6.00	260
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2327.68	50.17	74.00	-23.83	42.23	31.56	7.06	36.68	6.00	260	21 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2440.00	95.96	-----	-----	87.13	32.16	7.25	36.58	6.00	260	21 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.00</td><td>38.69</td><td>54.00</td><td>-15.31</td><td>30.23</td><td>31.90</td><td>7.16</td><td>36.60</td><td>6.00</td><td>260</td><td>21 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.00	38.69	54.00	-15.31	30.23	31.90	7.16	36.60	6.00	260	21 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>95.02</td><td>-----</td><td>-----</td><td>86.19</td><td>32.16</td><td>7.25</td><td>36.58</td><td>6.00</td><td>260</td><td>21 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	95.02	-----	-----	86.19	32.16	7.25	36.58	6.00	260
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2388.00	38.69	54.00	-15.31	30.23	31.90	7.16	36.60	6.00	260	21 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2440.00	95.02	-----	-----	86.19	32.16	7.25	36.58	6.00	260	21 AVERAGE																																																																																									







Mode	2																																																							
	Band Edge - R																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.94</td><td>50.00</td><td>74.00</td><td>-24.00</td><td>40.97</td><td>32.27</td><td>7.33</td><td>36.57</td><td>6.00</td><td>260</td><td>21 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.94	50.00	74.00	-24.00	40.97	32.27	7.33	36.57	6.00	260	21 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.94	50.00	74.00	-24.00	40.97	32.27	7.33	36.57	6.00	260	21 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.34</td><td>39.23</td><td>54.00</td><td>-14.77</td><td>30.16</td><td>32.29</td><td>7.35</td><td>36.57</td><td>6.00</td><td>260</td><td>21 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.34	39.23	54.00	-14.77	30.16	32.29	7.35	36.57	6.00	260	21 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2493.34	39.23	54.00	-14.77	30.16	32.29	7.35	36.57	6.00	260	21 AVERAGE																																													







Mode	2																																																																																																																																																																																																																		
	Harmonic																																																																																																																																																																																																																		
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																																																																																																																																		
ANT	1																																																																																																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																																																																																																												
Peak Avg																																																																																																																																																																																																																			
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>41.42</td><td>74.00</td><td>-32.58</td><td>61.49</td><td>33.86</td><td>10.35</td><td>64.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>42.93</td><td>74.00</td><td>-31.07</td><td>60.69</td><td>35.56</td><td>12.79</td><td>66.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>9496.48</td><td>50.49</td><td>74.00</td><td>-23.51</td><td>66.62</td><td>36.49</td><td>14.68</td><td>67.30</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>9496.48</td><td>40.91</td><td>54.00</td><td>-13.09</td><td>57.03</td><td>36.50</td><td>14.68</td><td>67.30</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>5</td><td>9760.50</td><td>53.74</td><td>72.33</td><td>-18.59</td><td>69.19</td><td>36.82</td><td>14.87</td><td>67.14</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4880.00	41.42	74.00	-32.58	61.49	33.86	10.35	64.28	0.00	---	---	PEAK	2	7320.00	42.93	74.00	-31.07	60.69	35.56	12.79	66.11	0.00	---	---	PEAK	3	9496.48	50.49	74.00	-23.51	66.62	36.49	14.68	67.30	0.00	300	360	PEAK	4	9496.48	40.91	54.00	-13.09	57.03	36.50	14.68	67.30	0.00	300	360	AVERAGE	5	9760.50	53.74	72.33	-18.59	69.19	36.82	14.87	67.14	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>40.77</td><td>74.00</td><td>-33.23</td><td>60.84</td><td>33.86</td><td>10.35</td><td>64.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>43.19</td><td>74.00</td><td>-30.81</td><td>60.95</td><td>35.56</td><td>12.79</td><td>66.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>9497.94</td><td>52.74</td><td>74.00</td><td>-21.26</td><td>68.86</td><td>36.50</td><td>14.68</td><td>67.30</td><td>0.00</td><td>101</td><td>348</td><td>PEAK</td></tr><tr><td>4</td><td>9497.94</td><td>43.98</td><td>54.00</td><td>-10.02</td><td>60.10</td><td>36.50</td><td>14.68</td><td>67.30</td><td>0.00</td><td>101</td><td>348</td><td>AVERAGE</td></tr><tr><td>5</td><td>9760.50</td><td>51.80</td><td>71.87</td><td>-20.07</td><td>67.25</td><td>36.82</td><td>14.87</td><td>67.14</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4880.00	40.77	74.00	-33.23	60.84	33.86	10.35	64.28	0.00	---	---	PEAK	2	7320.00	43.19	74.00	-30.81	60.95	35.56	12.79	66.11	0.00	---	---	PEAK	3	9497.94	52.74	74.00	-21.26	68.86	36.50	14.68	67.30	0.00	101	348	PEAK	4	9497.94	43.98	54.00	-10.02	60.10	36.50	14.68	67.30	0.00	101	348	AVERAGE	5	9760.50	51.80	71.87	-20.07	67.25	36.82	14.87	67.14	0.00	---	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																									
1	4880.00	41.42	74.00	-32.58	61.49	33.86	10.35	64.28	0.00	---	---	PEAK																																																																																																																																																																																																							
2	7320.00	42.93	74.00	-31.07	60.69	35.56	12.79	66.11	0.00	---	---	PEAK																																																																																																																																																																																																							
3	9496.48	50.49	74.00	-23.51	66.62	36.49	14.68	67.30	0.00	300	360	PEAK																																																																																																																																																																																																							
4	9496.48	40.91	54.00	-13.09	57.03	36.50	14.68	67.30	0.00	300	360	AVERAGE																																																																																																																																																																																																							
5	9760.50	53.74	72.33	-18.59	69.19	36.82	14.87	67.14	0.00	---	---	PEAK																																																																																																																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																									
1	4880.00	40.77	74.00	-33.23	60.84	33.86	10.35	64.28	0.00	---	---	PEAK																																																																																																																																																																																																							
2	7320.00	43.19	74.00	-30.81	60.95	35.56	12.79	66.11	0.00	---	---	PEAK																																																																																																																																																																																																							
3	9497.94	52.74	74.00	-21.26	68.86	36.50	14.68	67.30	0.00	101	348	PEAK																																																																																																																																																																																																							
4	9497.94	43.98	54.00	-10.02	60.10	36.50	14.68	67.30	0.00	101	348	AVERAGE																																																																																																																																																																																																							
5	9760.50	51.80	71.87	-20.07	67.25	36.82	14.87	67.14	0.00	---	---	PEAK																																																																																																																																																																																																							





Mode	3																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2499.22</td><td>50.09</td><td>74.00</td><td>-23.91</td><td>41.00</td><td>32.30</td><td>7.36</td><td>36.57</td><td>6.00</td><td>398</td><td>254</td><td>PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.22	50.09	74.00	-23.91	41.00	32.30	7.36	36.57	6.00	398	254	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>91.29</td><td>-----</td><td>-----</td><td>82.28</td><td>32.26</td><td>7.32</td><td>36.57</td><td>6.00</td><td>398</td><td>254</td><td>PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	91.29	-----	-----	82.28	32.26	7.32	36.57	6.00	398	254	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2499.22	50.09	74.00	-23.91	41.00	32.30	7.36	36.57	6.00	398	254	PEAK																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2480.00	91.29	-----	-----	82.28	32.26	7.32	36.57	6.00	398	254	PEAK																																																																														
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.98</td><td>39.51</td><td>54.00</td><td>-14.49</td><td>30.47</td><td>32.27</td><td>7.34</td><td>36.57</td><td>6.00</td><td>398</td><td>254</td><td>AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.98	39.51	54.00	-14.49	30.47	32.27	7.34	36.57	6.00	398	254	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>90.33</td><td>-----</td><td>-----</td><td>81.32</td><td>32.26</td><td>7.32</td><td>36.57</td><td>6.00</td><td>398</td><td>254</td><td>AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	90.33	-----	-----	81.32	32.26	7.32	36.57	6.00	398	254	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2486.98	39.51	54.00	-14.49	30.47	32.27	7.34	36.57	6.00	398	254	AVERAGE																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2480.00	90.33	-----	-----	81.32	32.26	7.32	36.57	6.00	398	254	AVERAGE																																																																														







Mode	3																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.78</td><td>50.75</td><td>74.00</td><td>-23.25</td><td>41.66</td><td>32.30</td><td>7.36</td><td>36.57</td><td>6.00</td><td>304</td><td>333 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.78	50.75	74.00	-23.25	41.66	32.30	7.36	36.57	6.00	304	333 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>94.05</td><td>-----</td><td>-----</td><td>85.04</td><td>32.26</td><td>7.32</td><td>36.57</td><td>6.00</td><td>304</td><td>333 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	94.05	-----	-----	85.04	32.26	7.32	36.57	6.00	304
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2497.78	50.75	74.00	-23.25	41.66	32.30	7.36	36.57	6.00	304	333 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	94.05	-----	-----	85.04	32.26	7.32	36.57	6.00	304	333 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.72</td><td>39.34</td><td>54.00</td><td>-14.66</td><td>30.25</td><td>32.30</td><td>7.36</td><td>36.57</td><td>6.00</td><td>304</td><td>333 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.72	39.34	54.00	-14.66	30.25	32.30	7.36	36.57	6.00	304	333 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>93.04</td><td>-----</td><td>-----</td><td>84.03</td><td>32.26</td><td>7.32</td><td>36.57</td><td>6.00</td><td>304</td><td>333 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	93.04	-----	-----	84.03	32.26	7.32	36.57	6.00	304
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2497.72	39.34	54.00	-14.66	30.25	32.30	7.36	36.57	6.00	304	333 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	93.04	-----	-----	84.03	32.26	7.32	36.57	6.00	304	333 AVERAGE																																																																																									







Mode	3																																																																																																																																																																																																																
	Harmonic																																																																																																																																																																																																																
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																																																																																																
ANT	1																																																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																																																										
Peak Avg																																																																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.38</td><td>74.00</td><td>-32.62</td><td>61.34</td><td>33.90</td><td>10.44</td><td>64.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.12</td><td>74.00</td><td>-30.88</td><td>60.89</td><td>35.60</td><td>12.93</td><td>66.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>9497.90</td><td>50.09</td><td>74.00</td><td>-23.91</td><td>66.21</td><td>36.50</td><td>14.68</td><td>67.30</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>9497.90</td><td>40.81</td><td>54.00</td><td>-13.19</td><td>56.94</td><td>36.49</td><td>14.68</td><td>67.30</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>5</td><td>9921.00</td><td>48.80</td><td>69.14</td><td>-20.34</td><td>63.83</td><td>37.04</td><td>14.98</td><td>67.05</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.38	74.00	-32.62	61.34	33.90	10.44	64.30	0.00	---	---	PEAK	2	7440.00	43.12	74.00	-30.88	60.89	35.60	12.93	66.30	0.00	---	---	PEAK	3	9497.90	50.09	74.00	-23.91	66.21	36.50	14.68	67.30	0.00	300	360	PEAK	4	9497.90	40.81	54.00	-13.19	56.94	36.49	14.68	67.30	0.00	300	360	AVERAGE	5	9921.00	48.80	69.14	-20.34	63.83	37.04	14.98	67.05	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.35</td><td>74.00</td><td>-32.65</td><td>61.31</td><td>33.90</td><td>10.44</td><td>64.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.41</td><td>74.00</td><td>-31.59</td><td>60.18</td><td>35.60</td><td>12.93</td><td>66.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>9497.90</td><td>51.95</td><td>74.00</td><td>-22.05</td><td>68.07</td><td>36.50</td><td>14.68</td><td>67.30</td><td>0.00</td><td>101</td><td>349</td><td>PEAK</td></tr><tr><td>4</td><td>9497.90</td><td>43.37</td><td>54.00</td><td>-10.63</td><td>59.50</td><td>36.49</td><td>14.68</td><td>67.30</td><td>0.00</td><td>101</td><td>349</td><td>AVERAGE</td></tr><tr><td>5</td><td>9921.00</td><td>48.39</td><td>71.27</td><td>-22.88</td><td>63.42</td><td>37.04</td><td>14.98</td><td>67.05</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.35	74.00	-32.65	61.31	33.90	10.44	64.30	0.00	---	---	PEAK	2	7440.00	42.41	74.00	-31.59	60.18	35.60	12.93	66.30	0.00	---	---	PEAK	3	9497.90	51.95	74.00	-22.05	68.07	36.50	14.68	67.30	0.00	101	349	PEAK	4	9497.90	43.37	54.00	-10.63	59.50	36.49	14.68	67.30	0.00	101	349	AVERAGE	5	9921.00	48.39	71.27	-22.88	63.42	37.04	14.98	67.05	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																						
1	4960.00	41.38	74.00	-32.62	61.34	33.90	10.44	64.30	0.00	---	---	PEAK																																																																																																																																																																																																					
2	7440.00	43.12	74.00	-30.88	60.89	35.60	12.93	66.30	0.00	---	---	PEAK																																																																																																																																																																																																					
3	9497.90	50.09	74.00	-23.91	66.21	36.50	14.68	67.30	0.00	300	360	PEAK																																																																																																																																																																																																					
4	9497.90	40.81	54.00	-13.19	56.94	36.49	14.68	67.30	0.00	300	360	AVERAGE																																																																																																																																																																																																					
5	9921.00	48.80	69.14	-20.34	63.83	37.04	14.98	67.05	0.00	---	---	PEAK																																																																																																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																						
1	4960.00	41.35	74.00	-32.65	61.31	33.90	10.44	64.30	0.00	---	---	PEAK																																																																																																																																																																																																					
2	7440.00	42.41	74.00	-31.59	60.18	35.60	12.93	66.30	0.00	---	---	PEAK																																																																																																																																																																																																					
3	9497.90	51.95	74.00	-22.05	68.07	36.50	14.68	67.30	0.00	101	349	PEAK																																																																																																																																																																																																					
4	9497.90	43.37	54.00	-10.63	59.50	36.49	14.68	67.30	0.00	101	349	AVERAGE																																																																																																																																																																																																					
5	9921.00	48.39	71.27	-22.88	63.42	37.04	14.98	67.05	0.00	---	---	PEAK																																																																																																																																																																																																					



Mode	4																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH0_2402MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2365.51</td><td>49.56</td><td>74.00</td><td>-24.44</td><td>41.35</td><td>31.72</td><td>7.12</td><td>36.63</td><td>6.00</td><td>300</td><td>256</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2365.51	49.56	74.00	-24.44	41.35	31.72	7.12	36.63	6.00	300	256	PEAK	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>90.53</td><td>-----</td><td>-----</td><td>81.92</td><td>32.01</td><td>7.18</td><td>36.58</td><td>6.00</td><td>300</td><td>256</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	90.53	-----	-----	81.92	32.01	7.18	36.58	6.00	300	256	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2365.51	49.56	74.00	-24.44	41.35	31.72	7.12	36.63	6.00	300	256	PEAK																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2402.00	90.53	-----	-----	81.92	32.01	7.18	36.58	6.00	300	256	PEAK																																																																														
Avg	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.27</td><td>39.19</td><td>54.00</td><td>-14.81</td><td>30.75</td><td>31.88</td><td>7.16</td><td>36.60</td><td>6.00</td><td>300</td><td>256</td><td>AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.27	39.19	54.00	-14.81	30.75	31.88	7.16	36.60	6.00	300	256	AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>88.19</td><td>-----</td><td>-----</td><td>79.58</td><td>32.01</td><td>7.18</td><td>36.58</td><td>6.00</td><td>300</td><td>256</td><td>AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	88.19	-----	-----	79.58	32.01	7.18	36.58	6.00	300	256	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2385.27	39.19	54.00	-14.81	30.75	31.88	7.16	36.60	6.00	300	256	AVERAGE																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2402.00	88.19	-----	-----	79.58	32.01	7.18	36.58	6.00	300	256	AVERAGE																																																																														







Mode	4																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH0_2402MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2375.78</td><td>49.46</td><td>74.00</td><td>-24.54</td><td>41.12</td><td>31.81</td><td>7.14</td><td>36.61</td><td>6.00</td><td>297</td><td>11 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2375.78	49.46	74.00	-24.54	41.12	31.81	7.14	36.61	6.00	297	11 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>95.13</td><td>-----</td><td>-----</td><td>86.52</td><td>32.01</td><td>7.18</td><td>36.58</td><td>6.00</td><td>297</td><td>11 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	95.13	-----	-----	86.52	32.01	7.18	36.58	6.00	297
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2375.78	49.46	74.00	-24.54	41.12	31.81	7.14	36.61	6.00	297	11 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2402.00	95.13	-----	-----	86.52	32.01	7.18	36.58	6.00	297	11 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2373.18</td><td>39.50</td><td>54.00</td><td>-14.50</td><td>31.19</td><td>31.79</td><td>7.14</td><td>36.62</td><td>6.00</td><td>297</td><td>11 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2373.18	39.50	54.00	-14.50	31.19	31.79	7.14	36.62	6.00	297	11 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>92.94</td><td>-----</td><td>-----</td><td>84.33</td><td>32.01</td><td>7.18</td><td>36.58</td><td>6.00</td><td>297</td><td>11 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	92.94	-----	-----	84.33	32.01	7.18	36.58	6.00	297
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2373.18	39.50	54.00	-14.50	31.19	31.79	7.14	36.62	6.00	297	11 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2402.00	92.94	-----	-----	84.33	32.01	7.18	36.58	6.00	297	11 AVERAGE																																																																																									



Mode	4																																																																																																
	Harmonic																																																																																																
	2400-2483.5_Bluetooth-LE_GFSK_CH0_2402MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal																																																																																																
Peak Avg																																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4884.00	41.44	74.00	-32.56	61.57	33.80	10.27	64.20	0.00	---	---	PEAK	2	9497.99	54.95	74.00	-19.05	71.07	36.50	14.68	67.30	0.00	182	359	PEAK	3	9497.99	48.34	54.00	-5.66	64.46	36.50	14.68	67.30	0.00	182	359	AVERAGE	4	9609.00	54.89	70.85	-15.96	70.71	36.62	14.79	67.23	0.00	---	---	PEAK	5	9682.50	50.63	70.85	-20.22	66.23	36.76	14.83	67.19	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	4884.00	41.44	74.00	-32.56	61.57	33.80	10.27	64.20	0.00	---	---	PEAK																																																																																					
2	9497.99	54.95	74.00	-19.05	71.07	36.50	14.68	67.30	0.00	182	359	PEAK																																																																																					
3	9497.99	48.34	54.00	-5.66	64.46	36.50	14.68	67.30	0.00	182	359	AVERAGE																																																																																					
4	9609.00	54.89	70.85	-15.96	70.71	36.62	14.79	67.23	0.00	---	---	PEAK																																																																																					
5	9682.50	50.63	70.85	-20.22	66.23	36.76	14.83	67.19	0.00	---	---	PEAK																																																																																					
Peak Avg																																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4884.00	39.96	74.00	-34.04	60.09	33.80	10.27	64.20	0.00	---	---	PEAK	2	9497.99	51.78	74.00	-22.22	67.90	36.50	14.68	67.30	0.00	306	357	PEAK	3	9497.99	45.27	54.00	-8.73	61.39	36.50	14.68	67.30	0.00	306	357	AVERAGE	4	9609.00	52.64	73.52	-20.88	68.46	36.62	14.79	67.23	0.00	---	---	PEAK												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	4884.00	39.96	74.00	-34.04	60.09	33.80	10.27	64.20	0.00	---	---	PEAK																																																																																					
2	9497.99	51.78	74.00	-22.22	67.90	36.50	14.68	67.30	0.00	306	357	PEAK																																																																																					
3	9497.99	45.27	54.00	-8.73	61.39	36.50	14.68	67.30	0.00	306	357	AVERAGE																																																																																					
4	9609.00	52.64	73.52	-20.88	68.46	36.62	14.79	67.23	0.00	---	---	PEAK																																																																																					







Mode	5																																																																																															
	Band Edge - L																																																																																															
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2367.20</td><td>49.71</td><td>74.00</td><td>-24.29</td><td>41.47</td><td>31.74</td><td>7.13</td><td>36.63</td><td>6.00</td><td>291</td><td>32 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2367.20	49.71	74.00	-24.29	41.47	31.74	7.13	36.63	6.00	291	32 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>93.77</td><td>-----</td><td>-----</td><td>84.94</td><td>32.16</td><td>7.25</td><td>36.58</td><td>6.00</td><td>291</td><td>32 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	93.77	-----	-----	84.94	32.16	7.25	36.58	6.00	291
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2367.20	49.71	74.00	-24.29	41.47	31.74	7.13	36.63	6.00	291	32 PEAK																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2440.00	93.77	-----	-----	84.94	32.16	7.25	36.58	6.00	291	32 PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.66</td><td>39.31</td><td>54.00</td><td>-14.69</td><td>30.86</td><td>31.89</td><td>7.16</td><td>36.60</td><td>6.00</td><td>291</td><td>32 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.66	39.31	54.00	-14.69	30.86	31.89	7.16	36.60	6.00	291	32 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>91.44</td><td>-----</td><td>-----</td><td>82.61</td><td>32.16</td><td>7.25</td><td>36.58</td><td>6.00</td><td>291</td><td>32 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	91.44	-----	-----	82.61	32.16	7.25	36.58	6.00	291
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2385.66	39.31	54.00	-14.69	30.86	31.89	7.16	36.60	6.00	291	32 AVERAGE																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2440.00	91.44	-----	-----	82.61	32.16	7.25	36.58	6.00	291	32 AVERAGE																																																																																					





Mode	5																																																					
	Band Edge - R																																																					
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																					
ANT	1																																																					
Pol.	Horizontal										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.78</td><td>49.80</td><td>74.00</td><td>-24.20</td><td>40.75</td><td>32.28</td><td>7.34</td><td>36.57</td><td>6.00</td><td>291</td><td>32 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.78	49.80	74.00	-24.20	40.75	32.28	7.34	36.57	6.00	291	32 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2488.78	49.80	74.00	-24.20	40.75	32.28	7.34	36.57	6.00	291	32 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.78</td><td>40.04</td><td>54.00</td><td>-13.96</td><td>30.99</td><td>32.28</td><td>7.34</td><td>36.57</td><td>6.00</td><td>291</td><td>32 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.78	40.04	54.00	-13.96	30.99	32.28	7.34	36.57	6.00	291	32 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2488.78	40.04	54.00	-13.96	30.99	32.28	7.34	36.57	6.00	291	32 AVERAGE																																											





Mode	5																																																																																																			
	Band Edge - L																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.79</td><td>49.85</td><td>74.00</td><td>-24.15</td><td>41.40</td><td>31.89</td><td>7.16</td><td>36.60</td><td>6.00</td><td>259</td><td>21 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.79	49.85	74.00	-24.15	41.40	31.89	7.16	36.60	6.00	259	21 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>96.02</td><td>-----</td><td>-----</td><td>87.19</td><td>32.16</td><td>7.25</td><td>36.58</td><td>6.00</td><td>259</td><td>21 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	96.02	-----	-----	87.19	32.16	7.25	36.58	6.00	259
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2385.79	49.85	74.00	-24.15	41.40	31.89	7.16	36.60	6.00	259	21 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2440.00	96.02	-----	-----	87.19	32.16	7.25	36.58	6.00	259	21 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2367.07</td><td>39.49</td><td>54.00</td><td>-14.51</td><td>31.25</td><td>31.74</td><td>7.13</td><td>36.63</td><td>6.00</td><td>259</td><td>21 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2367.07	39.49	54.00	-14.51	31.25	31.74	7.13	36.63	6.00	259	21 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>93.76</td><td>-----</td><td>-----</td><td>84.93</td><td>32.16</td><td>7.25</td><td>36.58</td><td>6.00</td><td>259</td><td>21 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	93.76	-----	-----	84.93	32.16	7.25	36.58	6.00	259
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2367.07	39.49	54.00	-14.51	31.25	31.74	7.13	36.63	6.00	259	21 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2440.00	93.76	-----	-----	84.93	32.16	7.25	36.58	6.00	259	21 AVERAGE																																																																																									







Mode	5																																																				
	Band Edge - R																																																				
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																				
ANT	1																																																				
Pol.	Vertical						Fundamental																																														
Peak	<table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2491.60</td><td>50.93</td><td>74.00</td><td>-23.07</td><td>41.88</td><td>32.28</td><td>7.34</td><td>36.57</td><td>6.00</td><td>259</td><td>21 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2491.60	50.93	74.00	-23.07	41.88	32.28	7.34	36.57	6.00	259	21 PEAK	Blank				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	2491.60	50.93	74.00	-23.07	41.88	32.28	7.34	36.57	6.00	259	21 PEAK																																										
Avg	<table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>40.05</td><td>54.00</td><td>-13.95</td><td>31.02</td><td>32.27</td><td>7.33</td><td>36.57</td><td>6.00</td><td>259</td><td>21 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	40.05	54.00	-13.95	31.02	32.27	7.33	36.57	6.00	259	21 AVERAGE	Blank				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	2483.50	40.05	54.00	-13.95	31.02	32.27	7.33	36.57	6.00	259	21 AVERAGE																																										







Mode	5																																																																																																																																																																																																								
	Harmonic																																																																																																																																																																																																								
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																																																																																																																								
ANT	1																																																																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																																																																		
Peak Avg																																																																																																																																																																																																									
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>41.26</td><td>74.00</td><td>-32.74</td><td>61.33</td><td>33.86</td><td>10.35</td><td>64.28</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>43.90</td><td>74.00</td><td>-30.10</td><td>61.66</td><td>35.56</td><td>12.79</td><td>66.11</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>3</td><td>9497.94</td><td>55.61</td><td>74.00</td><td>-18.39</td><td>71.73</td><td>36.50</td><td>14.68</td><td>67.30</td><td>0.00</td><td>183</td><td>21 PEAK</td></tr><tr><td>4</td><td>9497.94</td><td>48.04</td><td>54.00</td><td>-5.96</td><td>64.16</td><td>36.50</td><td>14.68</td><td>67.30</td><td>0.00</td><td>183</td><td>21 AVERAGE</td></tr><tr><td>5</td><td>9760.50</td><td>53.10</td><td>70.25</td><td>-17.15</td><td>68.55</td><td>36.82</td><td>14.87</td><td>67.14</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4880.00	41.26	74.00	-32.74	61.33	33.86	10.35	64.28	0.00	---	--- PEAK	2	7320.00	43.90	74.00	-30.10	61.66	35.56	12.79	66.11	0.00	---	--- PEAK	3	9497.94	55.61	74.00	-18.39	71.73	36.50	14.68	67.30	0.00	183	21 PEAK	4	9497.94	48.04	54.00	-5.96	64.16	36.50	14.68	67.30	0.00	183	21 AVERAGE	5	9760.50	53.10	70.25	-17.15	68.55	36.82	14.87	67.14	0.00	---	--- PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>41.65</td><td>74.00</td><td>-32.35</td><td>61.72</td><td>33.86</td><td>10.35</td><td>64.28</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>43.12</td><td>74.00</td><td>-30.88</td><td>60.88</td><td>35.56</td><td>12.79</td><td>66.11</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>3</td><td>9497.94</td><td>50.22</td><td>74.00</td><td>-23.78</td><td>66.34</td><td>36.50</td><td>14.68</td><td>67.30</td><td>0.00</td><td>100</td><td>349 PEAK</td></tr><tr><td>4</td><td>9497.94</td><td>42.35</td><td>54.00</td><td>-11.65</td><td>58.47</td><td>36.50</td><td>14.68</td><td>67.30</td><td>0.00</td><td>100</td><td>349 AVERAGE</td></tr><tr><td>5</td><td>9760.50</td><td>51.84</td><td>72.16</td><td>-20.32</td><td>67.29</td><td>36.82</td><td>14.87</td><td>67.14</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4880.00	41.65	74.00	-32.35	61.72	33.86	10.35	64.28	0.00	---	--- PEAK	2	7320.00	43.12	74.00	-30.88	60.88	35.56	12.79	66.11	0.00	---	--- PEAK	3	9497.94	50.22	74.00	-23.78	66.34	36.50	14.68	67.30	0.00	100	349 PEAK	4	9497.94	42.35	54.00	-11.65	58.47	36.50	14.68	67.30	0.00	100	349 AVERAGE	5	9760.50	51.84	72.16	-20.32	67.29	36.82	14.87	67.14	0.00	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																															
1	4880.00	41.26	74.00	-32.74	61.33	33.86	10.35	64.28	0.00	---	--- PEAK																																																																																																																																																																																														
2	7320.00	43.90	74.00	-30.10	61.66	35.56	12.79	66.11	0.00	---	--- PEAK																																																																																																																																																																																														
3	9497.94	55.61	74.00	-18.39	71.73	36.50	14.68	67.30	0.00	183	21 PEAK																																																																																																																																																																																														
4	9497.94	48.04	54.00	-5.96	64.16	36.50	14.68	67.30	0.00	183	21 AVERAGE																																																																																																																																																																																														
5	9760.50	53.10	70.25	-17.15	68.55	36.82	14.87	67.14	0.00	---	--- PEAK																																																																																																																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																															
1	4880.00	41.65	74.00	-32.35	61.72	33.86	10.35	64.28	0.00	---	--- PEAK																																																																																																																																																																																														
2	7320.00	43.12	74.00	-30.88	60.88	35.56	12.79	66.11	0.00	---	--- PEAK																																																																																																																																																																																														
3	9497.94	50.22	74.00	-23.78	66.34	36.50	14.68	67.30	0.00	100	349 PEAK																																																																																																																																																																																														
4	9497.94	42.35	54.00	-11.65	58.47	36.50	14.68	67.30	0.00	100	349 AVERAGE																																																																																																																																																																																														
5	9760.50	51.84	72.16	-20.32	67.29	36.82	14.87	67.14	0.00	---	--- PEAK																																																																																																																																																																																														





Mode	6																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.62</td><td>50.30</td><td>74.00</td><td>-23.70</td><td>41.27</td><td>32.27</td><td>7.33</td><td>36.57</td><td>6.00</td><td>397</td><td>252</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	50.30	74.00	-23.70	41.27	32.27	7.33	36.57	6.00	397	252	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>91.36</td><td>-----</td><td>-----</td><td>82.35</td><td>32.26</td><td>7.32</td><td>36.57</td><td>6.00</td><td>397</td><td>252</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	91.36	-----	-----	82.35	32.26	7.32	36.57	6.00	397	252
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.62	50.30	74.00	-23.70	41.27	32.27	7.33	36.57	6.00	397	252	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	91.36	-----	-----	82.35	32.26	7.32	36.57	6.00	397	252	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.68</td><td>40.56</td><td>54.00</td><td>-13.44</td><td>31.47</td><td>32.30</td><td>7.36</td><td>36.57</td><td>6.00</td><td>397</td><td>252</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.68	40.56	54.00	-13.44	31.47	32.30	7.36	36.57	6.00	397	252	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>89.04</td><td>-----</td><td>-----</td><td>80.03</td><td>32.26</td><td>7.32</td><td>36.57</td><td>6.00</td><td>397</td><td>252</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	89.04	-----	-----	80.03	32.26	7.32	36.57	6.00	397	252
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.68	40.56	54.00	-13.44	31.47	32.30	7.36	36.57	6.00	397	252	AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	89.04	-----	-----	80.03	32.26	7.32	36.57	6.00	397	252	AVERAGE																																																																																							







Mode	6																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.34</td><td>50.46</td><td>74.00</td><td>-23.54</td><td>41.43</td><td>32.27</td><td>7.33</td><td>36.57</td><td>6.00</td><td>304 332 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.34	50.46	74.00	-23.54	41.43	32.27	7.33	36.57	6.00	304 332 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>94.32</td><td>-----</td><td>-----</td><td>85.31</td><td>32.26</td><td>7.32</td><td>36.57</td><td>6.00</td><td>304 332 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	94.32	-----	-----	85.31	32.26	7.32	36.57	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2484.34	50.46	74.00	-23.54	41.43	32.27	7.33	36.57	6.00	304 332 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	94.32	-----	-----	85.31	32.26	7.32	36.57	6.00	304 332 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.64</td><td>40.09</td><td>54.00</td><td>-13.91</td><td>31.06</td><td>32.27</td><td>7.33</td><td>36.57</td><td>6.00</td><td>304 332 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.64	40.09	54.00	-13.91	31.06	32.27	7.33	36.57	6.00	304 332 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>92.00</td><td>-----</td><td>-----</td><td>82.99</td><td>32.26</td><td>7.32</td><td>36.57</td><td>6.00</td><td>304 332 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	92.00	-----	-----	82.99	32.26	7.32	36.57	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2484.64	40.09	54.00	-13.91	31.06	32.27	7.33	36.57	6.00	304 332 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	92.00	-----	-----	82.99	32.26	7.32	36.57	6.00	304 332 AVERAGE																																																																																									







Mode	6																																																																																																																																																																																																																
	Harmonic																																																																																																																																																																																																																
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																																																																																																
ANT	1																																																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																																																										
Peak Avg																																																																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.39</td><td>74.00</td><td>-32.61</td><td>61.35</td><td>33.90</td><td>10.44</td><td>64.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.37</td><td>74.00</td><td>-31.63</td><td>60.14</td><td>35.60</td><td>12.93</td><td>66.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>9497.90</td><td>55.48</td><td>74.00</td><td>-18.52</td><td>71.60</td><td>36.50</td><td>14.68</td><td>67.30</td><td>0.00</td><td>111</td><td>303</td><td>PEAK</td></tr><tr><td>4</td><td>9497.90</td><td>49.10</td><td>54.00</td><td>-4.90</td><td>65.22</td><td>36.50</td><td>14.68</td><td>67.30</td><td>0.00</td><td>111</td><td>303</td><td>AVERAGE</td></tr><tr><td>5</td><td>9921.00</td><td>49.30</td><td>68.16</td><td>-18.86</td><td>64.33</td><td>37.04</td><td>14.98</td><td>67.05</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.39	74.00	-32.61	61.35	33.90	10.44	64.30	0.00	---	---	PEAK	2	7440.00	42.37	74.00	-31.63	60.14	35.60	12.93	66.30	0.00	---	---	PEAK	3	9497.90	55.48	74.00	-18.52	71.60	36.50	14.68	67.30	0.00	111	303	PEAK	4	9497.90	49.10	54.00	-4.90	65.22	36.50	14.68	67.30	0.00	111	303	AVERAGE	5	9921.00	49.30	68.16	-18.86	64.33	37.04	14.98	67.05	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.49</td><td>74.00</td><td>-32.51</td><td>61.45</td><td>33.90</td><td>10.44</td><td>64.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.94</td><td>74.00</td><td>-32.06</td><td>59.71</td><td>35.60</td><td>12.93</td><td>66.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>9497.90</td><td>53.56</td><td>74.00</td><td>-20.44</td><td>69.68</td><td>36.50</td><td>14.68</td><td>67.30</td><td>0.00</td><td>351</td><td>353</td><td>PEAK</td></tr><tr><td>4</td><td>9497.90</td><td>46.72</td><td>54.00</td><td>-7.28</td><td>62.84</td><td>36.50</td><td>14.68</td><td>67.30</td><td>0.00</td><td>351</td><td>353</td><td>AVERAGE</td></tr><tr><td>5</td><td>9921.00</td><td>48.52</td><td>71.26</td><td>-22.74</td><td>63.55</td><td>37.04</td><td>14.98</td><td>67.05</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.49	74.00	-32.51	61.45	33.90	10.44	64.30	0.00	---	---	PEAK	2	7440.00	41.94	74.00	-32.06	59.71	35.60	12.93	66.30	0.00	---	---	PEAK	3	9497.90	53.56	74.00	-20.44	69.68	36.50	14.68	67.30	0.00	351	353	PEAK	4	9497.90	46.72	54.00	-7.28	62.84	36.50	14.68	67.30	0.00	351	353	AVERAGE	5	9921.00	48.52	71.26	-22.74	63.55	37.04	14.98	67.05	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																							
1	4960.00	41.39	74.00	-32.61	61.35	33.90	10.44	64.30	0.00	---	---	PEAK																																																																																																																																																																																																					
2	7440.00	42.37	74.00	-31.63	60.14	35.60	12.93	66.30	0.00	---	---	PEAK																																																																																																																																																																																																					
3	9497.90	55.48	74.00	-18.52	71.60	36.50	14.68	67.30	0.00	111	303	PEAK																																																																																																																																																																																																					
4	9497.90	49.10	54.00	-4.90	65.22	36.50	14.68	67.30	0.00	111	303	AVERAGE																																																																																																																																																																																																					
5	9921.00	49.30	68.16	-18.86	64.33	37.04	14.98	67.05	0.00	---	---	PEAK																																																																																																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																						
1	4960.00	41.49	74.00	-32.51	61.45	33.90	10.44	64.30	0.00	---	---	PEAK																																																																																																																																																																																																					
2	7440.00	41.94	74.00	-32.06	59.71	35.60	12.93	66.30	0.00	---	---	PEAK																																																																																																																																																																																																					
3	9497.90	53.56	74.00	-20.44	69.68	36.50	14.68	67.30	0.00	351	353	PEAK																																																																																																																																																																																																					
4	9497.90	46.72	54.00	-7.28	62.84	36.50	14.68	67.30	0.00	351	353	AVERAGE																																																																																																																																																																																																					
5	9921.00	48.52	71.26	-22.74	63.55	37.04	14.98	67.05	0.00	---	---	PEAK																																																																																																																																																																																																					



		7																																																																																																													
Mode		Band Edge																																																																																																													
		2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																													
ANT		2																																																																																																													
Pol.	Horizontal											Fundamental																																																																																																			
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2491.84</td><td>50.30</td><td>74.00</td><td>-23.70</td><td>41.24</td><td>32.28</td><td>7.35</td><td>36.57</td><td>6.00</td><td>210</td><td>313 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.84	50.30	74.00	-23.70	41.24	32.28	7.35	36.57	6.00	210	313 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>99.20</td><td>-----</td><td>-----</td><td>90.19</td><td>32.26</td><td>7.32</td><td>36.57</td><td>6.00</td><td>210</td><td>313 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.20	-----	-----	90.19	32.26	7.32	36.57	6.00	210
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2491.84	50.30	74.00	-23.70	41.24	32.28	7.35	36.57	6.00	210	313 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2480.00	99.20	-----	-----	90.19	32.26	7.32	36.57	6.00	210	313 PEAK																																																																																																				
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2489.80</td><td>39.83</td><td>54.00</td><td>-14.17</td><td>30.78</td><td>32.28</td><td>7.34</td><td>36.57</td><td>6.00</td><td>210</td><td>313 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.80	39.83	54.00	-14.17	30.78	32.28	7.34	36.57	6.00	210	313 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>97.15</td><td>-----</td><td>-----</td><td>88.14</td><td>32.26</td><td>7.32</td><td>36.57</td><td>6.00</td><td>210</td><td>313 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.15	-----	-----	88.14	32.26	7.32	36.57	6.00	210
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2489.80	39.83	54.00	-14.17	30.78	32.28	7.34	36.57	6.00	210	313 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2480.00	97.15	-----	-----	88.14	32.26	7.32	36.57	6.00	210	313 AVERAGE																																																																																																				





Mode	7																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																				
ANT	2																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.86</td><td>50.48</td><td>74.00</td><td>-23.52</td><td>41.41</td><td>32.29</td><td>7.35</td><td>36.57</td><td>6.00</td><td>325</td><td>31 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.86	50.48	74.00	-23.52	41.41	32.29	7.35	36.57	6.00	325	31 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>92.38</td><td>-----</td><td>-----</td><td>83.37</td><td>32.26</td><td>7.32</td><td>36.57</td><td>6.00</td><td>325</td><td>31 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	92.38	-----	-----	83.37	32.26	7.32	36.57	6.00	325
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2492.86	50.48	74.00	-23.52	41.41	32.29	7.35	36.57	6.00	325	31 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2480.00	92.38	-----	-----	83.37	32.26	7.32	36.57	6.00	325	31 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.62</td><td>40.17</td><td>54.00</td><td>-13.83</td><td>31.12</td><td>32.28</td><td>7.34</td><td>36.57</td><td>6.00</td><td>325</td><td>31 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.62	40.17	54.00	-13.83	31.12	32.28	7.34	36.57	6.00	325	31 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>90.19</td><td>-----</td><td>-----</td><td>81.18</td><td>32.26</td><td>7.32</td><td>36.57</td><td>6.00</td><td>325</td><td>31 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	90.19	-----	-----	81.18	32.26	7.32	36.57	6.00	325
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2489.62	40.17	54.00	-13.83	31.12	32.28	7.34	36.57	6.00	325	31 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2480.00	90.19	-----	-----	81.18	32.26	7.32	36.57	6.00	325	31 AVERAGE																																																																																										





Mode	7																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																																																			
ANT	2																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>42.49</td><td>74.00</td><td>-31.51</td><td>62.45</td><td>33.90</td><td>10.44</td><td>64.30</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.13</td><td>35.60</td><td>12.93</td><td>66.30</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>3</td><td>9921.00</td><td>48.12</td><td>96.71</td><td>-48.59</td><td>63.15</td><td>37.04</td><td>14.90</td><td>67.05</td><td>0.00</td><td>--- PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	4960.00	42.49	74.00	-31.51	62.45	33.90	10.44	64.30	0.00	--- PEAK	2	7440.00	43.36	74.00	-30.64	61.13	35.60	12.93	66.30	0.00	--- PEAK	3	9921.00	48.12	96.71	-48.59	63.15	37.04	14.90	67.05	0.00	--- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>40.86</td><td>74.00</td><td>-33.14</td><td>60.82</td><td>33.90</td><td>10.44</td><td>64.30</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.89</td><td>74.00</td><td>-31.11</td><td>60.66</td><td>35.60</td><td>12.93</td><td>66.30</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>3</td><td>9498.00</td><td>47.95</td><td>74.00</td><td>-26.05</td><td>64.07</td><td>36.50</td><td>14.68</td><td>67.30</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>4</td><td>9831.00</td><td>49.58</td><td>68.00</td><td>-18.50</td><td>64.87</td><td>36.90</td><td>14.91</td><td>67.10</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>5</td><td>9921.00</td><td>49.40</td><td>68.00</td><td>-18.60</td><td>64.43</td><td>37.04</td><td>14.98</td><td>67.05</td><td>0.00</td><td>--- PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	4960.00	40.86	74.00	-33.14	60.82	33.90	10.44	64.30	0.00	--- PEAK	2	7440.00	42.89	74.00	-31.11	60.66	35.60	12.93	66.30	0.00	--- PEAK	3	9498.00	47.95	74.00	-26.05	64.07	36.50	14.68	67.30	0.00	--- PEAK	4	9831.00	49.58	68.00	-18.50	64.87	36.90	14.91	67.10	0.00	--- PEAK	5	9921.00	49.40	68.00	-18.60	64.43	37.04	14.98	67.05	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																											
1	4960.00	42.49	74.00	-31.51	62.45	33.90	10.44	64.30	0.00	--- PEAK																																																																																																																																																										
2	7440.00	43.36	74.00	-30.64	61.13	35.60	12.93	66.30	0.00	--- PEAK																																																																																																																																																										
3	9921.00	48.12	96.71	-48.59	63.15	37.04	14.90	67.05	0.00	--- PEAK																																																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																											
1	4960.00	40.86	74.00	-33.14	60.82	33.90	10.44	64.30	0.00	--- PEAK																																																																																																																																																										
2	7440.00	42.89	74.00	-31.11	60.66	35.60	12.93	66.30	0.00	--- PEAK																																																																																																																																																										
3	9498.00	47.95	74.00	-26.05	64.07	36.50	14.68	67.30	0.00	--- PEAK																																																																																																																																																										
4	9831.00	49.58	68.00	-18.50	64.87	36.90	14.91	67.10	0.00	--- PEAK																																																																																																																																																										
5	9921.00	49.40	68.00	-18.60	64.43	37.04	14.98	67.05	0.00	--- PEAK																																																																																																																																																										



Mode	6	
	18G-25G	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		




Mode	6																																																																																																																																																																																																																										
	LF																																																																																																																																																																																																																										
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																																																																																																										
ANT	1																																																																																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																																																																																				
Peak																																																																																																																																																																																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>32.18</td><td>23.41</td><td>40.00</td><td>-16.59</td><td>31.70</td><td>24.13</td><td>0.38</td><td>32.80</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>64.68</td><td>19.54</td><td>40.00</td><td>-20.46</td><td>39.39</td><td>12.15</td><td>0.71</td><td>32.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>110.27</td><td>23.67</td><td>43.50</td><td>-19.83</td><td>38.12</td><td>17.14</td><td>1.14</td><td>32.73</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>140.82</td><td>20.33</td><td>43.50</td><td>-23.17</td><td>34.11</td><td>17.68</td><td>1.29</td><td>32.75</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>258.44</td><td>18.29</td><td>46.00</td><td>-27.71</td><td>29.30</td><td>20.02</td><td>1.77</td><td>32.80</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>840.19</td><td>28.92</td><td>46.00</td><td>-17.08</td><td>29.11</td><td>29.22</td><td>3.13</td><td>32.54</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	deg		1	32.18	23.41	40.00	-16.59	31.70	24.13	0.38	32.80	0.00	---	---	Peak	2	64.68	19.54	40.00	-20.46	39.39	12.15	0.71	32.71	0.00	---	---	Peak	3	110.27	23.67	43.50	-19.83	38.12	17.14	1.14	32.73	0.00	---	---	Peak	4	140.82	20.33	43.50	-23.17	34.11	17.68	1.29	32.75	0.00	---	---	Peak	5	258.44	18.29	46.00	-27.71	29.30	20.02	1.77	32.80	0.00	---	---	Peak	6	840.19	28.92	46.00	-17.08	29.11	29.22	3.13	32.54	0.00	---	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>31.94</td><td>33.31</td><td>40.00</td><td>-6.69</td><td>41.50</td><td>24.24</td><td>0.37</td><td>32.80</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>63.95</td><td>32.54</td><td>40.00</td><td>-7.46</td><td>52.41</td><td>12.14</td><td>0.70</td><td>32.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>110.27</td><td>20.95</td><td>43.50</td><td>-22.55</td><td>35.40</td><td>17.14</td><td>1.14</td><td>32.73</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>156.83</td><td>22.65</td><td>43.50</td><td>-20.85</td><td>37.07</td><td>16.97</td><td>1.36</td><td>32.75</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>249.95</td><td>21.06</td><td>46.00</td><td>-24.94</td><td>33.31</td><td>18.80</td><td>1.74</td><td>32.79</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>563.74</td><td>23.26</td><td>46.00</td><td>-22.74</td><td>27.33</td><td>26.53</td><td>2.59</td><td>33.19</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	deg		1	31.94	33.31	40.00	-6.69	41.50	24.24	0.37	32.80	0.00	---	---	Peak	2	63.95	32.54	40.00	-7.46	52.41	12.14	0.70	32.71	0.00	---	---	Peak	3	110.27	20.95	43.50	-22.55	35.40	17.14	1.14	32.73	0.00	---	---	Peak	4	156.83	22.65	43.50	-20.85	37.07	16.97	1.36	32.75	0.00	---	---	Peak	5	249.95	21.06	46.00	-24.94	33.31	18.80	1.74	32.79	0.00	---	---	Peak	6	563.74	23.26	46.00	-22.74	27.33	26.53	2.59	33.19	0.00	---	---
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	deg																																																																																																																																																																																																																
1	32.18	23.41	40.00	-16.59	31.70	24.13	0.38	32.80	0.00	---	---	Peak																																																																																																																																																																																																															
2	64.68	19.54	40.00	-20.46	39.39	12.15	0.71	32.71	0.00	---	---	Peak																																																																																																																																																																																																															
3	110.27	23.67	43.50	-19.83	38.12	17.14	1.14	32.73	0.00	---	---	Peak																																																																																																																																																																																																															
4	140.82	20.33	43.50	-23.17	34.11	17.68	1.29	32.75	0.00	---	---	Peak																																																																																																																																																																																																															
5	258.44	18.29	46.00	-27.71	29.30	20.02	1.77	32.80	0.00	---	---	Peak																																																																																																																																																																																																															
6	840.19	28.92	46.00	-17.08	29.11	29.22	3.13	32.54	0.00	---	---	Peak																																																																																																																																																																																																															
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	deg																																																																																																																																																																																																																
1	31.94	33.31	40.00	-6.69	41.50	24.24	0.37	32.80	0.00	---	---	Peak																																																																																																																																																																																																															
2	63.95	32.54	40.00	-7.46	52.41	12.14	0.70	32.71	0.00	---	---	Peak																																																																																																																																																																																																															
3	110.27	20.95	43.50	-22.55	35.40	17.14	1.14	32.73	0.00	---	---	Peak																																																																																																																																																																																																															
4	156.83	22.65	43.50	-20.85	37.07	16.97	1.36	32.75	0.00	---	---	Peak																																																																																																																																																																																																															
5	249.95	21.06	46.00	-24.94	33.31	18.80	1.74	32.79	0.00	---	---	Peak																																																																																																																																																																																																															
6	563.74	23.26	46.00	-22.74	27.33	26.53	2.59	33.19	0.00	---	---	Peak																																																																																																																																																																																																															


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
Bluetooth LE 1Mbps_ANT1	61.86	0.386	2.591	2.7KHZ
Bluetooth LE 2Mbps_ANT1	32.37	0.202	4.950	5KHZ
Bluetooth LE 2Mbps_ANT2	32.37	0.202	4.950	5KHZ

Bluetooth LE 1Mbps_ANT1



Bluetooth LE 2Mbps_ANT1



Bluetooth LE 2Mbps_ANT2

