













Mode	26																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																				
ANT	1+2																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.00</td><td>55.89</td><td>74.00</td><td>-18.11</td><td>48.11</td><td>34.10</td><td>10.65</td><td>36.97</td><td>0.00</td><td>315</td><td>301 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.00	55.89	74.00	-18.11	48.11	34.10	10.65	36.97	0.00	315	301 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>101.92</td><td>-----</td><td>-----</td><td>94.01</td><td>34.20</td><td>10.72</td><td>37.01</td><td>0.00</td><td>315</td><td>301 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	101.92	-----	-----	94.01	34.20	10.72	37.01	0.00	315
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5148.00	55.89	74.00	-18.11	48.11	34.10	10.65	36.97	0.00	315	301 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5210.00	101.92	-----	-----	94.01	34.20	10.72	37.01	0.00	315	301 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5146.40</td><td>44.48</td><td>54.00</td><td>-9.52</td><td>36.70</td><td>34.10</td><td>10.65</td><td>36.97</td><td>0.00</td><td>315</td><td>301 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.40	44.48	54.00	-9.52	36.70	34.10	10.65	36.97	0.00	315	301 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>92.19</td><td>-----</td><td>-----</td><td>84.28</td><td>34.20</td><td>10.72</td><td>37.01</td><td>0.00</td><td>315</td><td>301 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	92.19	-----	-----	84.28	34.20	10.72	37.01	0.00	315
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5146.40	44.48	54.00	-9.52	36.70	34.10	10.65	36.97	0.00	315	301 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5210.00	92.19	-----	-----	84.28	34.20	10.72	37.01	0.00	315	301 AVERAGE																																																																																										





Mode	26																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																					
ANT	1+2																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5392.26</td><td>49.22</td><td>74.00</td><td>-24.78</td><td>40.68</td><td>34.40</td><td>10.88</td><td>36.74</td><td>0.00</td><td>315</td><td>301 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5392.26	49.22	74.00	-24.78	40.68	34.40	10.88	36.74	0.00	315	301 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5392.26	49.22	74.00	-24.78	40.68	34.40	10.88	36.74	0.00	315	301 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.64</td><td>38.19</td><td>54.00</td><td>-15.81</td><td>29.75</td><td>34.40</td><td>10.85</td><td>36.81</td><td>0.00</td><td>315</td><td>301 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.64	38.19	54.00	-15.81	29.75	34.40	10.85	36.81	0.00	315	301 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5363.64	38.19	54.00	-15.81	29.75	34.40	10.85	36.81	0.00	315	301 AVERAGE																																											





		26																																																																																																														
Mode		Band Edge - L																																																																																																														
		U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																														
ANT		1+2																																																																																																														
Pol.		Fundamental																																																																																																														
Peak	Vertical	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.32</td><td>53.29</td><td>74.00</td><td>-20.71</td><td>45.51</td><td>34.10</td><td>10.65</td><td>36.97</td><td>0.00</td><td>318</td><td>257 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.32	53.29	74.00	-20.71	45.51	34.10	10.65	36.97	0.00	318	257 PEAK	Fundamental	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>99.78</td><td>-----</td><td>-----</td><td>91.88</td><td>34.20</td><td>10.71</td><td>37.01</td><td>0.00</td><td>318</td><td>257 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	99.78	-----	-----	91.88	34.20	10.71	37.01	0.00	318	257 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5148.32	53.29	74.00	-20.71	45.51	34.10	10.65	36.97	0.00	318	257 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5210.00	99.78	-----	-----	91.88	34.20	10.71	37.01	0.00	318	257 PEAK																																																																																																					
Avg	Vertical	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.72</td><td>43.00</td><td>54.00</td><td>-11.00</td><td>35.22</td><td>34.10</td><td>10.65</td><td>36.97</td><td>0.00</td><td>318</td><td>257 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.72	43.00	54.00	-11.00	35.22	34.10	10.65	36.97	0.00	318	257 AVERAGE	Fundamental	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>91.11</td><td>-----</td><td>-----</td><td>83.20</td><td>34.20</td><td>10.72</td><td>37.01</td><td>0.00</td><td>318</td><td>257 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	91.11	-----	-----	83.20	34.20	10.72	37.01	0.00	318	257 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5146.72	43.00	54.00	-11.00	35.22	34.10	10.65	36.97	0.00	318	257 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5210.00	91.11	-----	-----	83.20	34.20	10.72	37.01	0.00	318	257 AVERAGE																																																																																																					



Mode	26																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																					
ANT	1+2																																																					
Pol.	Vertical										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5365.44</td><td>49.27</td><td>74.00</td><td>-24.73</td><td>40.82</td><td>34.40</td><td>10.86</td><td>36.81</td><td>0.00</td><td>318</td><td>257 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5365.44	49.27	74.00	-24.73	40.82	34.40	10.86	36.81	0.00	318	257 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5365.44	49.27	74.00	-24.73	40.82	34.40	10.86	36.81	0.00	318	257 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5395.14</td><td>37.50</td><td>54.00</td><td>-16.50</td><td>28.94</td><td>34.40</td><td>10.89</td><td>36.73</td><td>0.00</td><td>318</td><td>257 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5395.14	37.50	54.00	-16.50	28.94	34.40	10.89	36.73	0.00	318	257 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5395.14	37.50	54.00	-16.50	28.94	34.40	10.89	36.73	0.00	318	257 AVERAGE																																											



Mode	26																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																																													
ANT	1+2																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7815.00</td><td>49.69</td><td>68.20</td><td>-18.51</td><td>67.26</td><td>35.77</td><td>13.25</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10420.00</td><td>46.93</td><td>68.20</td><td>-21.27</td><td>60.67</td><td>37.45</td><td>15.36</td><td>66.55</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7815.00	49.69	68.20	-18.51	67.26	35.77	13.25	66.59	0.00	---	---	PEAK	2	10420.00	46.93	68.20	-21.27	60.67	37.45	15.36	66.55	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7815.00</td><td>51.22</td><td>68.20</td><td>-16.98</td><td>68.79</td><td>35.77</td><td>13.25</td><td>66.59</td><td>0.00</td><td>100</td><td>47</td><td>PEAK</td></tr><tr><td>2</td><td>10420.00</td><td>46.62</td><td>68.20</td><td>-21.58</td><td>60.39</td><td>37.44</td><td>15.35</td><td>66.56</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7815.00	51.22	68.20	-16.98	68.79	35.77	13.25	66.59	0.00	100	47	PEAK	2	10420.00	46.62	68.20	-21.58	60.39	37.44	15.35	66.56	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7815.00	49.69	68.20	-18.51	67.26	35.77	13.25	66.59	0.00	---	---	PEAK																																																																																																																		
2	10420.00	46.93	68.20	-21.27	60.67	37.45	15.36	66.55	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7815.00	51.22	68.20	-16.98	68.79	35.77	13.25	66.59	0.00	100	47	PEAK																																																																																																																		
2	10420.00	46.62	68.20	-21.58	60.39	37.44	15.35	66.56	0.00	---	---	PEAK																																																																																																																		



		27									
Mode	Band Edge - L										
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz										
ANT	1+2										
Pol.	Horizontal										
Peak	Fundamental										
	Fundamental										
Avg	Fundamental										
	Fundamental										

Horizontal																																																											
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.40</td><td>49.36</td><td>74.00</td><td>-24.64</td><td>41.58</td><td>34.10</td><td>10.65</td><td>36.97</td><td>0.00</td><td>321</td><td>286 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5146.40	49.36	74.00	-24.64	41.58	34.10	10.65	36.97	0.00	321	286 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5146.40	49.36	74.00	-24.64	41.58	34.10	10.65	36.97	0.00	321	286 PEAK																																																

Fundamental																																																											
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>100.93</td><td>-----</td><td>-----</td><td>92.71</td><td>34.40</td><td>10.79</td><td>36.97</td><td>0.00</td><td>321</td><td>286 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	100.93	-----	-----	92.71	34.40	10.79	36.97	0.00	321	286 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5290.00	100.93	-----	-----	92.71	34.40	10.79	36.97	0.00	321	286 PEAK																																																





Horizontal																																																											
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5118.72</td><td>38.17</td><td>54.00</td><td>-15.83</td><td>30.40</td><td>34.10</td><td>10.62</td><td>36.95</td><td>0.00</td><td>321</td><td>286 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5118.72	38.17	54.00	-15.83	30.40	34.10	10.62	36.95	0.00	321	286 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5118.72	38.17	54.00	-15.83	30.40	34.10	10.62	36.95	0.00	321	286 AVERAGE																																																

Fundamental																																																											
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>91.81</td><td>-----</td><td>-----</td><td>83.59</td><td>34.40</td><td>10.79</td><td>36.97</td><td>0.00</td><td>321</td><td>286 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	91.81	-----	-----	83.59	34.40	10.79	36.97	0.00	321	286 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5290.00	91.81	-----	-----	83.59	34.40	10.79	36.97	0.00	321	286 AVERAGE																																																





Mode	27																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																						
ANT	1+2																																																						
Pol.	Horizontal						Fundamental																																																
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.70</td><td>55.71</td><td>74.00</td><td>-18.29</td><td>47.32</td><td>34.40</td><td>10.84</td><td>36.85</td><td>0.00</td><td>321 286 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.70	55.71	74.00	-18.29	47.32	34.40	10.84	36.85	0.00	321 286 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5351.70	55.71	74.00	-18.29	47.32	34.40	10.84	36.85	0.00	321 286 PEAK																																													
Avg	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.60</td><td>44.39</td><td>54.00</td><td>-9.61</td><td>36.00</td><td>34.40</td><td>10.84</td><td>36.85</td><td>0.00</td><td>321 286 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.60	44.39	54.00	-9.61	36.00	34.40	10.84	36.85	0.00	321 286 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.60	44.39	54.00	-9.61	36.00	34.40	10.84	36.85	0.00	321 286 AVERAGE																																													



		27																																																																																																			
Mode	Band Edge - L																																																																																																				
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																				
ANT	1+2																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5104.96</td><td>49.72</td><td>74.00</td><td>-24.28</td><td>41.95</td><td>34.10</td><td>10.61</td><td>36.94</td><td>0.00</td><td>308</td><td>270 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5104.96	49.72	74.00	-24.28	41.95	34.10	10.61	36.94	0.00	308	270 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>100.81</td><td>-----</td><td>-----</td><td>92.72</td><td>34.31</td><td>10.77</td><td>36.99</td><td>0.00</td><td>308</td><td>270 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	100.81	-----	-----	92.72	34.31	10.77	36.99	0.00	308
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5104.96	49.72	74.00	-24.28	41.95	34.10	10.61	36.94	0.00	308	270 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5290.00	100.81	-----	-----	92.72	34.31	10.77	36.99	0.00	308	270 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5114.08</td><td>38.10</td><td>54.00</td><td>-15.90</td><td>30.33</td><td>34.10</td><td>10.62</td><td>36.95</td><td>0.00</td><td>308</td><td>270 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5114.08	38.10	54.00	-15.90	30.33	34.10	10.62	36.95	0.00	308	270 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>91.95</td><td>-----</td><td>-----</td><td>83.73</td><td>34.40</td><td>10.79</td><td>36.97</td><td>0.00</td><td>308</td><td>270 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	91.95	-----	-----	83.73	34.40	10.79	36.97	0.00	308
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5114.08	38.10	54.00	-15.90	30.33	34.10	10.62	36.95	0.00	308	270 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5290.00	91.95	-----	-----	83.73	34.40	10.79	36.97	0.00	308	270 AVERAGE																																																																																										







Mode	27																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																							
ANT	1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5364.60</td><td>54.72</td><td>74.00</td><td>-19.28</td><td>46.28</td><td>34.40</td><td>10.85</td><td>36.81</td><td>0.00</td><td>308</td><td>270 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5364.60	54.72	74.00	-19.28	46.28	34.40	10.85	36.81	0.00	308	270 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5364.60	54.72	74.00	-19.28	46.28	34.40	10.85	36.81	0.00	308	270 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5364.40</td><td>44.63</td><td>54.00</td><td>-9.37</td><td>36.23</td><td>34.40</td><td>10.84</td><td>36.84</td><td>0.00</td><td>308</td><td>270 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5364.40	44.63	54.00	-9.37	36.23	34.40	10.84	36.84	0.00	308	270 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5364.40	44.63	54.00	-9.37	36.23	34.40	10.84	36.84	0.00	308	270 AVERAGE																																													




		27																																																																				
Mode		Harmonic																																																																				
		U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																				
ANT		1+2																																																																				
Pol.		Horizontal																																																																				
Peak Avg																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8464.00</td><td>49.52</td><td>74.00</td><td>-24.48</td><td>67.33</td><td>35.73</td><td>13.81</td><td>67.35</td><td>0.00</td><td>221</td><td>29 PEAK</td></tr><tr><td>2</td><td>8464.00</td><td>46.86</td><td>54.00</td><td>-7.14</td><td>64.67</td><td>35.73</td><td>13.81</td><td>67.35</td><td>0.00</td><td>221</td><td>29 AVERAGE</td></tr><tr><td>3</td><td>10500.00</td><td>43.80</td><td>68.20</td><td>-24.40</td><td>57.13</td><td>37.59</td><td>15.46</td><td>66.38</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8464.00	49.52	74.00	-24.48	67.33	35.73	13.81	67.35	0.00	221	29 PEAK	2	8464.00	46.86	54.00	-7.14	64.67	35.73	13.81	67.35	0.00	221	29 AVERAGE	3	10500.00	43.80	68.20	-24.40	57.13	37.59	15.46	66.38	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	8464.00	49.52	74.00	-24.48	67.33	35.73	13.81	67.35	0.00	221	29 PEAK																																																											
2	8464.00	46.86	54.00	-7.14	64.67	35.73	13.81	67.35	0.00	221	29 AVERAGE																																																											
3	10500.00	43.80	68.20	-24.40	57.13	37.59	15.46	66.38	0.00	---	---	PEAK																																																										
		Vertical																																																																				
Peak Avg																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8464.00</td><td>51.04</td><td>74.00</td><td>-22.96</td><td>68.85</td><td>35.73</td><td>13.81</td><td>67.35</td><td>0.00</td><td>300</td><td>327 PEAK</td></tr><tr><td>2</td><td>8464.00</td><td>47.89</td><td>54.00</td><td>-6.11</td><td>65.70</td><td>35.73</td><td>13.81</td><td>67.35</td><td>0.00</td><td>300</td><td>327 AVERAGE</td></tr><tr><td>3</td><td>10500.00</td><td>47.38</td><td>68.20</td><td>-20.82</td><td>60.72</td><td>37.58</td><td>15.46</td><td>66.38</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8464.00	51.04	74.00	-22.96	68.85	35.73	13.81	67.35	0.00	300	327 PEAK	2	8464.00	47.89	54.00	-6.11	65.70	35.73	13.81	67.35	0.00	300	327 AVERAGE	3	10500.00	47.38	68.20	-20.82	60.72	37.58	15.46	66.38	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	8464.00	51.04	74.00	-22.96	68.85	35.73	13.81	67.35	0.00	300	327 PEAK																																																											
2	8464.00	47.89	54.00	-6.11	65.70	35.73	13.81	67.35	0.00	300	327 AVERAGE																																																											
3	10500.00	47.38	68.20	-20.82	60.72	37.58	15.46	66.38	0.00	---	---	PEAK																																																										







Mode	28																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																																
ANT	1+2																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5450.96</td><td>52.39</td><td>74.00</td><td>-21.61</td><td>43.77</td><td>34.40</td><td>10.96</td><td>36.74</td><td>0.00</td><td>300</td><td>305 PEAK</td></tr><tr><td>2</td><td>5464.08</td><td>51.99</td><td>68.20</td><td>-16.21</td><td>43.34</td><td>34.43</td><td>10.97</td><td>36.75</td><td>0.00</td><td>300</td><td>305 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.96	52.39	74.00	-21.61	43.77	34.40	10.96	36.74	0.00	300	305 PEAK	2	5464.08	51.99	68.20	-16.21	43.34	34.43	10.97	36.75	0.00	300	305 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>101.23</td><td>-----</td><td>-----</td><td>92.63</td><td>34.42</td><td>11.07</td><td>36.89</td><td>0.00</td><td>300</td><td>305 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	101.23	-----	-----	92.63	34.42	11.07	36.89	0.00	300	305 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5450.96	52.39	74.00	-21.61	43.77	34.40	10.96	36.74	0.00	300	305 PEAK																																																																																																						
2	5464.08	51.99	68.20	-16.21	43.34	34.43	10.97	36.75	0.00	300	305 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	101.23	-----	-----	92.63	34.42	11.07	36.89	0.00	300	305 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.76</td><td>41.54</td><td>54.00</td><td>-12.46</td><td>32.89</td><td>34.42</td><td>10.97</td><td>36.74</td><td>0.00</td><td>300</td><td>305 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	41.54	54.00	-12.46	32.89	34.42	10.97	36.74	0.00	300	305 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>91.70</td><td>-----</td><td>-----</td><td>83.02</td><td>34.46</td><td>11.04</td><td>36.82</td><td>0.00</td><td>300</td><td>305 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	91.70	-----	-----	83.02	34.46	11.04	36.82	0.00	300	305 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.76	41.54	54.00	-12.46	32.89	34.42	10.97	36.74	0.00	300	305 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	91.70	-----	-----	83.02	34.46	11.04	36.82	0.00	300	305 AVERAGE																																																																																																						




Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																							
ANT	1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.68</td><td>49.08</td><td>68.20</td><td>-19.12</td><td>40.04</td><td>34.50</td><td>11.34</td><td>36.00</td><td>0.00</td><td>300</td><td>305</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.68	49.08	68.20	-19.12	40.04	34.50	11.34	36.00	0.00	300	305	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5728.68	49.08	68.20	-19.12	40.04	34.50	11.34	36.00	0.00	300	305	PEAK																																												



Mode	28																																																																
	Band Edge - L																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																
ANT	1+2																																																																
Pol.	Vertical																																																																
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.48</td><td>49.86</td><td>74.00</td><td>-24.14</td><td>41.25</td><td>34.40</td><td>10.95</td><td>36.74</td><td>0.00</td><td>301 267 PEAK</td></tr><tr><td>2</td><td>5467.28</td><td>51.01</td><td>68.20</td><td>-17.19</td><td>42.35</td><td>34.43</td><td>10.98</td><td>36.75</td><td>0.00</td><td>301 267 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.48	49.86	74.00	-24.14	41.25	34.40	10.95	36.74	0.00	301 267 PEAK	2	5467.28	51.01	68.20	-17.19	42.35	34.43	10.98	36.75	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5446.48	49.86	74.00	-24.14	41.25	34.40	10.95	36.74	0.00	301 267 PEAK																																																							
2	5467.28	51.01	68.20	-17.19	42.35	34.43	10.98	36.75	0.00	301 267 PEAK																																																							
Fundamental																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>99.71</td><td>-----</td><td>-----</td><td>91.04</td><td>34.45</td><td>11.05</td><td>36.83</td><td>0.00</td><td>301 267 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	99.71	-----	-----	91.04	34.45	11.05	36.83	0.00	301 267 PEAK										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5530.00	99.71	-----	-----	91.04	34.45	11.05	36.83	0.00	301 267 PEAK																																																							
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.60</td><td>40.28</td><td>54.00</td><td>-13.72</td><td>31.65</td><td>34.41</td><td>10.96</td><td>36.74</td><td>0.00</td><td>301 267 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.60	40.28	54.00	-13.72	31.65	34.41	10.96	36.74	0.00	301 267 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5455.60	40.28	54.00	-13.72	31.65	34.41	10.96	36.74	0.00	301 267 AVERAGE																																																							
Fundamental																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>91.14</td><td>-----</td><td>-----</td><td>82.42</td><td>34.48</td><td>11.04</td><td>36.80</td><td>0.00</td><td>301 267 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	91.14	-----	-----	82.42	34.48	11.04	36.80	0.00	301 267 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5530.00	91.14	-----	-----	82.42	34.48	11.04	36.80	0.00	301 267 AVERAGE																																																							







Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																							
ANT	1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.08</td><td>48.66</td><td>68.20</td><td>-19.54</td><td>39.53</td><td>34.52</td><td>11.38</td><td>36.77</td><td>0.00</td><td>301</td><td>267</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.08	48.66	68.20	-19.54	39.53	34.52	11.38	36.77	0.00	301	267	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5755.08	48.66	68.20	-19.54	39.53	34.52	11.38	36.77	0.00	301	267	PEAK																																												





Mode	28																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																																												
ANT	1+2																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8848.00</td><td>45.70</td><td>68.20</td><td>-22.50</td><td>63.02</td><td>36.00</td><td>14.15</td><td>67.47</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>45.14</td><td>74.00</td><td>-28.86</td><td>57.36</td><td>37.00</td><td>15.00</td><td>65.82</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8848.00	45.70	68.20	-22.50	63.02	36.00	14.15	67.47	0.00	---	PEAK	2	11060.00	45.14	74.00	-28.86	57.36	37.00	15.00	65.82	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8848.00</td><td>52.78</td><td>68.20</td><td>-15.42</td><td>70.10</td><td>36.00</td><td>14.15</td><td>67.47</td><td>0.00</td><td>122</td><td>355 PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>44.97</td><td>74.00</td><td>-29.03</td><td>57.19</td><td>37.00</td><td>15.00</td><td>65.82</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8848.00	52.78	68.20	-15.42	70.10	36.00	14.15	67.47	0.00	122	355 PEAK	2	11060.00	44.97	74.00	-29.03	57.19	37.00	15.00	65.82	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	8848.00	45.70	68.20	-22.50	63.02	36.00	14.15	67.47	0.00	---	PEAK																																																																																																																		
2	11060.00	45.14	74.00	-28.86	57.36	37.00	15.00	65.82	0.00	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	8848.00	52.78	68.20	-15.42	70.10	36.00	14.15	67.47	0.00	122	355 PEAK																																																																																																																		
2	11060.00	44.97	74.00	-29.03	57.19	37.00	15.00	65.82	0.00	---	PEAK																																																																																																																		







Mode	30																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																																	
ANT	1+2																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5130.50</td><td>55.02</td><td>74.00</td><td>-18.98</td><td>47.25</td><td>34.10</td><td>10.63</td><td>36.96</td><td>0.00</td><td>312 293 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5130.50	55.02	74.00	-18.98	47.25	34.10	10.63	36.96	0.00	312 293 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>98.75</td><td>-----</td><td>-----</td><td>90.82</td><td>34.20</td><td>10.73</td><td>37.00</td><td>0.00</td><td>312 293 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	98.75	-----	-----	90.82	34.20	10.73	37.00	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5130.50	55.02	74.00	-18.98	47.25	34.10	10.63	36.96	0.00	312 293 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5250.00	98.75	-----	-----	90.82	34.20	10.73	37.00	0.00	312 293 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.75</td><td>44.10</td><td>54.00</td><td>-9.90</td><td>36.32</td><td>34.10</td><td>10.65</td><td>36.97</td><td>0.00</td><td>312 293 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.75	44.10	54.00	-9.90	36.32	34.10	10.65	36.97	0.00	312 293 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>89.01</td><td>-----</td><td>-----</td><td>81.08</td><td>34.20</td><td>10.73</td><td>37.00</td><td>0.00</td><td>312 293 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	89.01	-----	-----	81.08	34.20	10.73	37.00	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5142.75	44.10	54.00	-9.90	36.32	34.10	10.65	36.97	0.00	312 293 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5250.00	89.01	-----	-----	81.08	34.20	10.73	37.00	0.00	312 293 AVERAGE																																																																																								





Mode	30																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																																							
ANT	1+2																																																							
Pol.	Horizontal										Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5364.03</td><td>57.53</td><td>74.00</td><td>-16.47</td><td>49.09</td><td>34.40</td><td>10.85</td><td>36.81</td><td>0.00</td><td>312</td><td>293 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5364.03	57.53	74.00	-16.47	49.09	34.40	10.85	36.81	0.00	312	293 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5364.03	57.53	74.00	-16.47	49.09	34.40	10.85	36.81	0.00	312	293 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5379.99</td><td>46.16</td><td>54.00</td><td>-7.84</td><td>37.66</td><td>34.40</td><td>10.87</td><td>36.77</td><td>0.00</td><td>312</td><td>293 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5379.99	46.16	54.00	-7.84	37.66	34.40	10.87	36.77	0.00	312	293 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5379.99	46.16	54.00	-7.84	37.66	34.40	10.87	36.77	0.00	312	293 AVERAGE																																													





Mode	30																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																																				
ANT	1+2																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5126.00</td><td>53.48</td><td>74.00</td><td>-20.52</td><td>45.71</td><td>34.10</td><td>10.63</td><td>36.96</td><td>0.00</td><td>308</td><td>257 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5126.00	53.48	74.00	-20.52	45.71	34.10	10.63	36.96	0.00	308	257 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>99.40</td><td>-----</td><td>-----</td><td>91.14</td><td>34.40</td><td>10.80</td><td>36.94</td><td>0.00</td><td>308</td><td>257 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	99.40	-----	-----	91.14	34.40	10.80	36.94	0.00	308	257 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5126.00	53.48	74.00	-20.52	45.71	34.10	10.63	36.96	0.00	308	257 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5250.00	99.40	-----	-----	91.14	34.40	10.80	36.94	0.00	308	257 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.75</td><td>43.17</td><td>54.00</td><td>-10.83</td><td>35.39</td><td>34.10</td><td>10.65</td><td>36.97</td><td>0.00</td><td>308</td><td>257 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.75	43.17	54.00	-10.83	35.39	34.10	10.65	36.97	0.00	308	257 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>88.68</td><td>-----</td><td>-----</td><td>80.54</td><td>34.34</td><td>10.78</td><td>36.98</td><td>0.00</td><td>308</td><td>257 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	88.68	-----	-----	80.54	34.34	10.78	36.98	0.00	308	257 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5145.75	43.17	54.00	-10.83	35.39	34.10	10.65	36.97	0.00	308	257 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5250.00	88.68	-----	-----	80.54	34.34	10.78	36.98	0.00	308	257 AVERAGE																																																																																										







Mode	30																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																																							
ANT	1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.00</td><td>55.86</td><td>74.00</td><td>-18.14</td><td>47.37</td><td>34.40</td><td>10.87</td><td>36.78</td><td>0.00</td><td>308</td><td>257 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5376.00	55.86	74.00	-18.14	47.37	34.40	10.87	36.78	0.00	308	257 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5376.00	55.86	74.00	-18.14	47.37	34.40	10.87	36.78	0.00	308	257 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5373.90</td><td>45.35</td><td>54.00</td><td>-8.65</td><td>36.88</td><td>34.40</td><td>10.86</td><td>36.79</td><td>0.00</td><td>308</td><td>257 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.90	45.35	54.00	-8.65	36.88	34.40	10.86	36.79	0.00	308	257 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5373.90	45.35	54.00	-8.65	36.88	34.40	10.86	36.79	0.00	308	257 AVERAGE																																													







Mode	30																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																																																													
ANT	1+2																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7875.00</td><td>48.58</td><td>68.20</td><td>-19.62</td><td>66.22</td><td>35.70</td><td>13.28</td><td>66.62</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10500.00</td><td>46.14</td><td>68.20</td><td>-22.06</td><td>59.77</td><td>37.49</td><td>15.39</td><td>66.51</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7875.00	48.58	68.20	-19.62	66.22	35.70	13.28	66.62	0.00	---	PEAK	2	10500.00	46.14	68.20	-22.06	59.77	37.49	15.39	66.51	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7875.00</td><td>52.21</td><td>68.20</td><td>-15.99</td><td>69.85</td><td>35.70</td><td>13.28</td><td>66.62</td><td>0.00</td><td>303</td><td>14 PEAK</td></tr><tr><td>2</td><td>10500.00</td><td>44.92</td><td>68.20</td><td>-23.28</td><td>58.52</td><td>37.50</td><td>15.40</td><td>66.50</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7875.00	52.21	68.20	-15.99	69.85	35.70	13.28	66.62	0.00	303	14 PEAK	2	10500.00	44.92	68.20	-23.28	58.52	37.50	15.40	66.50	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	7875.00	48.58	68.20	-19.62	66.22	35.70	13.28	66.62	0.00	---	PEAK																																																																																																																			
2	10500.00	46.14	68.20	-22.06	59.77	37.49	15.39	66.51	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	7875.00	52.21	68.20	-15.99	69.85	35.70	13.28	66.62	0.00	303	14 PEAK																																																																																																																			
2	10500.00	44.92	68.20	-23.28	58.52	37.50	15.40	66.50	0.00	---	PEAK																																																																																																																			







Mode	45																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_26/0_5180MHz																																																						
ANT	1+2																																																						
Pol.	Horizontal																																																						
Peak	Fundamental																																																						
																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5136.00</td><td>57.52</td><td>74.00</td><td>-16.48</td><td>49.75</td><td>34.10</td><td>10.64</td><td>36.97</td><td>0.00</td><td>290 310 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.00	57.52	74.00	-16.48	49.75	34.10	10.64	36.97	0.00	290 310 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5136.00	57.52	74.00	-16.48	49.75	34.10	10.64	36.97	0.00	290 310 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5138.90</td><td>40.62</td><td>54.00</td><td>-13.38</td><td>32.85</td><td>34.10</td><td>10.64</td><td>36.97</td><td>0.00</td><td>290 310 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.90	40.62	54.00	-13.38	32.85	34.10	10.64	36.97	0.00	290 310 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5138.90	40.62	54.00	-13.38	32.85	34.10	10.64	36.97	0.00	290 310 AVERAGE																																													
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>117.92</td><td>-----</td><td>-----</td><td>110.09</td><td>34.14</td><td>10.68</td><td>36.99</td><td>0.00</td><td>290 310 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	117.92	-----	-----	110.09	34.14	10.68	36.99	0.00	290 310 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	117.92	-----	-----	110.09	34.14	10.68	36.99	0.00	290 310 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>109.80</td><td>-----</td><td>-----</td><td>101.97</td><td>34.14</td><td>10.68</td><td>36.99</td><td>0.00</td><td>290 310 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.80	-----	-----	101.97	34.14	10.68	36.99	0.00	290 310 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	109.80	-----	-----	101.97	34.14	10.68	36.99	0.00	290 310 AVERAGE																																													







Mode	45																																																																																																	
	Band Edge																																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_26/0_5180MHz																																																																																																	
ANT	1+2																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5139.00</td><td>61.94</td><td>74.00</td><td>-12.06</td><td>54.17</td><td>34.10</td><td>10.64</td><td>36.97</td><td>0.00</td><td>115 298 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5139.00	61.94	74.00	-12.06	54.17	34.10	10.64	36.97	0.00	115 298 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>116.18</td><td>-----</td><td>-----</td><td>108.35</td><td>34.14</td><td>10.68</td><td>36.99</td><td>0.00</td><td>115 298 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	116.18	-----	-----	108.35	34.14	10.68	36.99	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5139.00	61.94	74.00	-12.06	54.17	34.10	10.64	36.97	0.00	115 298 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5180.00	116.18	-----	-----	108.35	34.14	10.68	36.99	0.00	115 298 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5138.00</td><td>42.77</td><td>54.00</td><td>-11.23</td><td>35.00</td><td>34.10</td><td>10.64</td><td>36.97</td><td>0.00</td><td>115 298 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.00	42.77	54.00	-11.23	35.00	34.10	10.64	36.97	0.00	115 298 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.85</td><td>-----</td><td>-----</td><td>101.02</td><td>34.14</td><td>10.68</td><td>36.99</td><td>0.00</td><td>115 298 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.85	-----	-----	101.02	34.14	10.68	36.99	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5138.00	42.77	54.00	-11.23	35.00	34.10	10.64	36.97	0.00	115 298 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5180.00	108.85	-----	-----	101.02	34.14	10.68	36.99	0.00	115 298 AVERAGE																																																																																								







Mode	46																																																																																																			
	Band Edge																																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_52/37_5180MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5142.60</td><td>65.91</td><td>74.00</td><td>-8.09</td><td>58.13</td><td>34.10</td><td>10.65</td><td>36.97</td><td>0.00</td><td>100</td><td>312 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.60	65.91	74.00	-8.09	58.13	34.10	10.65	36.97	0.00	100	312 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>114.42</td><td>-----</td><td>-----</td><td>106.58</td><td>34.15</td><td>10.68</td><td>36.99</td><td>0.00</td><td>100</td><td>312 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	114.42	-----	-----	106.58	34.15	10.68	36.99	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5142.60	65.91	74.00	-8.09	58.13	34.10	10.65	36.97	0.00	100	312 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	114.42	-----	-----	106.58	34.15	10.68	36.99	0.00	100	312 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5143.80</td><td>47.73</td><td>54.00</td><td>-6.27</td><td>39.95</td><td>34.10</td><td>10.65</td><td>36.97</td><td>0.00</td><td>100</td><td>312 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.80	47.73	54.00	-6.27	39.95	34.10	10.65	36.97	0.00	100	312 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>106.51</td><td>-----</td><td>-----</td><td>98.67</td><td>34.15</td><td>10.68</td><td>36.99</td><td>0.00</td><td>100</td><td>312 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.51	-----	-----	98.67	34.15	10.68	36.99	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5143.80	47.73	54.00	-6.27	39.95	34.10	10.65	36.97	0.00	100	312 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	106.51	-----	-----	98.67	34.15	10.68	36.99	0.00	100	312 AVERAGE																																																																																									







Mode	46																																																																																																						
	Band Edge																																																																																																						
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_52/37_5180MHz																																																																																																						
ANT	1+2																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.10</td><td>62.28</td><td>74.00</td><td>-11.72</td><td>54.50</td><td>34.10</td><td>10.65</td><td>36.97</td><td>0.00</td><td>138</td><td>294</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.10	62.28	74.00	-11.72	54.50	34.10	10.65	36.97	0.00	138	294	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>112.05</td><td>-----</td><td>-----</td><td>104.22</td><td>34.14</td><td>10.68</td><td>36.99</td><td>0.00</td><td>138</td><td>294</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	112.05	-----	-----	104.22	34.14	10.68	36.99	0.00	138	294
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5148.10	62.28	74.00	-11.72	54.50	34.10	10.65	36.97	0.00	138	294	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5180.00	112.05	-----	-----	104.22	34.14	10.68	36.99	0.00	138	294	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5141.00</td><td>47.65</td><td>54.00</td><td>-6.35</td><td>39.87</td><td>34.10</td><td>10.65</td><td>36.97</td><td>0.00</td><td>138</td><td>294</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.00	47.65	54.00	-6.35	39.87	34.10	10.65	36.97	0.00	138	294	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>106.06</td><td>-----</td><td>-----</td><td>98.23</td><td>34.14</td><td>10.68</td><td>36.99</td><td>0.00</td><td>138</td><td>294</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.06	-----	-----	98.23	34.14	10.68	36.99	0.00	138	294
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5141.00	47.65	54.00	-6.35	39.87	34.10	10.65	36.97	0.00	138	294	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5180.00	106.06	-----	-----	98.23	34.14	10.68	36.99	0.00	138	294	AVERAGE																																																																																											






Mode	47																																																																																																			
	Band Edge																																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_106/53_5180MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5107.10</td><td>58.90</td><td>74.00</td><td>-15.10</td><td>51.13</td><td>34.10</td><td>10.61</td><td>36.94</td><td>0.00</td><td>100</td><td>311 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5107.10	58.90	74.00	-15.10	51.13	34.10	10.61	36.94	0.00	100	311 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>112.57</td><td>-----</td><td>-----</td><td>104.73</td><td>34.15</td><td>10.68</td><td>36.99</td><td>0.00</td><td>100</td><td>311 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	112.57	-----	-----	104.73	34.15	10.68	36.99	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5107.10	58.90	74.00	-15.10	51.13	34.10	10.61	36.94	0.00	100	311 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	112.57	-----	-----	104.73	34.15	10.68	36.99	0.00	100	311 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5143.00</td><td>47.48</td><td>54.00</td><td>-6.52</td><td>39.70</td><td>34.10</td><td>10.65</td><td>36.97</td><td>0.00</td><td>100</td><td>311 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.00	47.48	54.00	-6.52	39.70	34.10	10.65	36.97	0.00	100	311 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>103.56</td><td>-----</td><td>-----</td><td>95.72</td><td>34.15</td><td>10.68</td><td>36.99</td><td>0.00</td><td>100</td><td>311 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.56	-----	-----	95.72	34.15	10.68	36.99	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5143.00	47.48	54.00	-6.52	39.70	34.10	10.65	36.97	0.00	100	311 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	103.56	-----	-----	95.72	34.15	10.68	36.99	0.00	100	311 AVERAGE																																																																																									







		47																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_106/53_5180MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.50</td><td>59.30</td><td>74.00</td><td>-14.70</td><td>51.52</td><td>34.10</td><td>10.65</td><td>36.97</td><td>0.00</td><td>137</td><td>294 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.50	59.30	74.00	-14.70	51.52	34.10	10.65	36.97	0.00	137	294 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>112.21</td><td>-----</td><td>-----</td><td>104.38</td><td>34.14</td><td>10.68</td><td>36.99</td><td>0.00</td><td>137</td><td>294 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	112.21	-----	-----	104.38	34.14	10.68	36.99	0.00	137
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5144.50	59.30	74.00	-14.70	51.52	34.10	10.65	36.97	0.00	137	294 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	112.21	-----	-----	104.38	34.14	10.68	36.99	0.00	137	294 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>47.70</td><td>54.00</td><td>-6.30</td><td>39.92</td><td>34.10</td><td>10.65</td><td>36.97</td><td>0.00</td><td>137</td><td>294 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	47.70	54.00	-6.30	39.92	34.10	10.65	36.97	0.00	137	294 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>103.40</td><td>-----</td><td>-----</td><td>95.57</td><td>34.14</td><td>10.68</td><td>36.99</td><td>0.00</td><td>137</td><td>294 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.40	-----	-----	95.57	34.14	10.68	36.99	0.00	137
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5150.00	47.70	54.00	-6.30	39.92	34.10	10.65	36.97	0.00	137	294 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	103.40	-----	-----	95.57	34.14	10.68	36.99	0.00	137	294 AVERAGE																																																																																									







Mode	48																																																					
	Band Edge																																																					
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_26/8_5320MHz																																																					
ANT	1+2																																																					
Pol.	Horizontal																																																					
Peak	Fundamental																																																					
																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5359.60</td><td>59.83</td><td>74.00</td><td>-14.17</td><td>51.41</td><td>34.40</td><td>10.85</td><td>36.83</td><td>0.00</td><td>253 296 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5359.60	59.83	74.00	-14.17	51.41	34.40	10.85	36.83	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5359.60	59.83	74.00	-14.17	51.41	34.40	10.85	36.83	0.00	253 296 PEAK																																												
Avg																																																						
																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>111.43</td><td>-----</td><td>-----</td><td>103.12</td><td>34.40</td><td>10.82</td><td>36.91</td><td>0.00</td><td>253 296 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	111.43	-----	-----	103.12	34.40	10.82	36.91	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5320.00	111.43	-----	-----	103.12	34.40	10.82	36.91	0.00	253 296 AVERAGE																																												







		48																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_26/8_5320MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.30</td><td>57.92</td><td>74.00</td><td>-16.08</td><td>49.50</td><td>34.40</td><td>10.85</td><td>36.83</td><td>0.00</td><td>100</td><td>301 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.30	57.92	74.00	-16.08	49.50	34.40	10.85	36.83	0.00	100	301 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>119.09</td><td>-----</td><td>-----</td><td>110.78</td><td>34.40</td><td>10.82</td><td>36.91</td><td>0.00</td><td>100</td><td>301 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	119.09	-----	-----	110.78	34.40	10.82	36.91	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5358.30	57.92	74.00	-16.08	49.50	34.40	10.85	36.83	0.00	100	301 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	119.09	-----	-----	110.78	34.40	10.82	36.91	0.00	100	301 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5360.00</td><td>46.82</td><td>54.00</td><td>-7.18</td><td>38.39</td><td>34.40</td><td>10.85</td><td>36.82</td><td>0.00</td><td>100</td><td>301 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5360.00	46.82	54.00	-7.18	38.39	34.40	10.85	36.82	0.00	100	301 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>110.80</td><td>-----</td><td>-----</td><td>102.49</td><td>34.40</td><td>10.82</td><td>36.91</td><td>0.00</td><td>100</td><td>301 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	110.80	-----	-----	102.49	34.40	10.82	36.91	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5360.00	46.82	54.00	-7.18	38.39	34.40	10.85	36.82	0.00	100	301 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	110.80	-----	-----	102.49	34.40	10.82	36.91	0.00	100	301 AVERAGE																																																																																									







Mode	49																																																																																																						
	Band Edge																																																																																																						
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_52/40_5320MHz																																																																																																						
ANT	1+2																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.20</td><td>62.31</td><td>74.00</td><td>-11.69</td><td>53.91</td><td>34.40</td><td>10.84</td><td>36.84</td><td>0.00</td><td>207</td><td>298</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.20	62.31	74.00	-11.69	53.91	34.40	10.84	36.84	0.00	207	298	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>117.43</td><td>-----</td><td>-----</td><td>109.12</td><td>34.40</td><td>10.82</td><td>36.91</td><td>0.00</td><td>207</td><td>298</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	117.43	-----	-----	109.12	34.40	10.82	36.91	0.00	207	298
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5354.20	62.31	74.00	-11.69	53.91	34.40	10.84	36.84	0.00	207	298	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5320.00	117.43	-----	-----	109.12	34.40	10.82	36.91	0.00	207	298	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.20</td><td>48.16</td><td>54.00</td><td>-5.84</td><td>39.74</td><td>34.40</td><td>10.85</td><td>36.83</td><td>0.00</td><td>207</td><td>298</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.20	48.16	54.00	-5.84	39.74	34.40	10.85	36.83	0.00	207	298	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>108.44</td><td>-----</td><td>-----</td><td>100.13</td><td>34.40</td><td>10.82</td><td>36.91</td><td>0.00</td><td>207</td><td>298</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	108.44	-----	-----	100.13	34.40	10.82	36.91	0.00	207	298
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5358.20	48.16	54.00	-5.84	39.74	34.40	10.85	36.83	0.00	207	298	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5320.00	108.44	-----	-----	100.13	34.40	10.82	36.91	0.00	207	298	AVERAGE																																																																																											







		49																																																																																																					
Mode	Band Edge																																																																																																						
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_52/40_5320MHz																																																																																																						
ANT	1+2																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.30</td><td>58.54</td><td>74.00</td><td>-15.46</td><td>50.12</td><td>34.40</td><td>10.85</td><td>36.83</td><td>0.00</td><td>100</td><td>300</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5357.30	58.54	74.00	-15.46	50.12	34.40	10.85	36.83	0.00	100	300	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>117.62</td><td>-----</td><td>-----</td><td>109.30</td><td>34.40</td><td>10.82</td><td>36.90</td><td>0.00</td><td>100</td><td>300</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	117.62	-----	-----	109.30	34.40	10.82	36.90	0.00	100	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5357.30	58.54	74.00	-15.46	50.12	34.40	10.85	36.83	0.00	100	300	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5320.00	117.62	-----	-----	109.30	34.40	10.82	36.90	0.00	100	300	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>47.27</td><td>54.00</td><td>-6.73</td><td>38.88</td><td>34.40</td><td>10.84</td><td>36.85</td><td>0.00</td><td>100</td><td>300</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	47.27	54.00	-6.73	38.88	34.40	10.84	36.85	0.00	100	300	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>108.32</td><td>-----</td><td>-----</td><td>100.01</td><td>34.40</td><td>10.82</td><td>36.91</td><td>0.00</td><td>100</td><td>300</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	108.32	-----	-----	100.01	34.40	10.82	36.91	0.00	100	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5350.00	47.27	54.00	-6.73	38.88	34.40	10.84	36.85	0.00	100	300	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5320.00	108.32	-----	-----	100.01	34.40	10.82	36.91	0.00	100	300	AVERAGE																																																																																											







Mode	50																																																																																																				
	Band Edge																																																																																																				
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_106/54_5320MHz																																																																																																				
ANT	1+2																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.90</td><td>61.31</td><td>74.00</td><td>-12.69</td><td>52.87</td><td>34.40</td><td>10.85</td><td>36.81</td><td>0.00</td><td>152</td><td>317 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.90	61.31	74.00	-12.69	52.87	34.40	10.85	36.81	0.00	152	317 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>114.70</td><td>-----</td><td>-----</td><td>106.39</td><td>34.40</td><td>10.82</td><td>36.91</td><td>0.00</td><td>152</td><td>317 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	114.70	-----	-----	106.39	34.40	10.82	36.91	0.00	152
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5363.90	61.31	74.00	-12.69	52.87	34.40	10.85	36.81	0.00	152	317 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5320.00	114.70	-----	-----	106.39	34.40	10.82	36.91	0.00	152	317 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.10</td><td>46.75</td><td>54.00</td><td>-7.25</td><td>38.36</td><td>34.40</td><td>10.84</td><td>36.85</td><td>0.00</td><td>152</td><td>317 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.10	46.75	54.00	-7.25	38.36	34.40	10.84	36.85	0.00	152	317 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>106.13</td><td>-----</td><td>-----</td><td>97.82</td><td>34.40</td><td>10.82</td><td>36.91</td><td>0.00</td><td>152</td><td>317 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	106.13	-----	-----	97.82	34.40	10.82	36.91	0.00	152
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5350.10	46.75	54.00	-7.25	38.36	34.40	10.84	36.85	0.00	152	317 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5320.00	106.13	-----	-----	97.82	34.40	10.82	36.91	0.00	152	317 AVERAGE																																																																																										







Mode	50																																																																																																						
	Band Edge																																																																																																						
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_106/54_5320MHz																																																																																																						
ANT	1+2																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.60</td><td>57.85</td><td>74.00</td><td>-16.15</td><td>49.43</td><td>34.40</td><td>10.85</td><td>36.83</td><td>0.00</td><td>302</td><td>281</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.60	57.85	74.00	-16.15	49.43	34.40	10.85	36.83	0.00	302	281	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>114.92</td><td>-----</td><td>-----</td><td>106.61</td><td>34.40</td><td>10.82</td><td>36.91</td><td>0.00</td><td>302</td><td>281</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	114.92	-----	-----	106.61	34.40	10.82	36.91	0.00	302	281
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5356.60	57.85	74.00	-16.15	49.43	34.40	10.85	36.83	0.00	302	281	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5320.00	114.92	-----	-----	106.61	34.40	10.82	36.91	0.00	302	281	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.20</td><td>46.61</td><td>54.00</td><td>-7.39</td><td>38.21</td><td>34.40</td><td>10.84</td><td>36.84</td><td>0.00</td><td>302</td><td>281</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.20	46.61	54.00	-7.39	38.21	34.40	10.84	36.84	0.00	302	281	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>107.33</td><td>-----</td><td>-----</td><td>99.02</td><td>34.40</td><td>10.82</td><td>36.91</td><td>0.00</td><td>302</td><td>281</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	107.33	-----	-----	99.02	34.40	10.82	36.91	0.00	302	281
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5354.20	46.61	54.00	-7.39	38.21	34.40	10.84	36.84	0.00	302	281	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5320.00	107.33	-----	-----	99.02	34.40	10.82	36.91	0.00	302	281	AVERAGE																																																																																											







Mode	51																																																																	
	Band Edge																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_26/0_5500MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.56</td><td>58.48</td><td>74.00</td><td>-15.52</td><td>49.85</td><td>34.41</td><td>10.96</td><td>36.74</td><td>0.00</td><td>319 303 PEAK</td></tr><tr><td>2</td><td>5468.88</td><td>58.57</td><td>68.20</td><td>-9.63</td><td>49.90</td><td>34.44</td><td>10.98</td><td>36.75</td><td>0.00</td><td>319 303 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.56	58.48	74.00	-15.52	49.85	34.41	10.96	36.74	0.00	319 303 PEAK	2	5468.88	58.57	68.20	-9.63	49.90	34.44	10.98	36.75	0.00	319 303 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5456.56	58.48	74.00	-15.52	49.85	34.41	10.96	36.74	0.00	319 303 PEAK																																																								
2	5468.88	58.57	68.20	-9.63	49.90	34.44	10.98	36.75	0.00	319 303 PEAK																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>119.10</td><td>-----</td><td>-----</td><td>110.36</td><td>34.49</td><td>11.01</td><td>36.76</td><td>0.00</td><td>319 303 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	119.10	-----	-----	110.36	34.49	11.01	36.76	0.00	319 303 PEAK											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5500.00	119.10	-----	-----	110.36	34.49	11.01	36.76	0.00	319 303 PEAK																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.52</td><td>48.70</td><td>54.00</td><td>-5.30</td><td>40.06</td><td>34.42</td><td>10.96</td><td>36.74</td><td>0.00</td><td>319 303 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.52	48.70	54.00	-5.30	40.06	34.42	10.96	36.74	0.00	319 303 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5457.52	48.70	54.00	-5.30	40.06	34.42	10.96	36.74	0.00	319 303 AVERAGE																																																								
AVERAGE																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>112.15</td><td>-----</td><td>-----</td><td>103.41</td><td>34.49</td><td>11.01</td><td>36.76</td><td>0.00</td><td>319 303 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	112.15	-----	-----	103.41	34.49	11.01	36.76	0.00	319 303 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5500.00	112.15	-----	-----	103.41	34.49	11.01	36.76	0.00	319 303 AVERAGE																																																								







Mode	51																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_26/0_5500MHz																																																																			
ANT	1+2																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.32</td><td>58.34</td><td>74.00</td><td>-15.66</td><td>49.71</td><td>34.41</td><td>10.96</td><td>36.74</td><td>0.00</td><td>300</td><td>279 PEAK</td></tr><tr><td>2</td><td>5467.12</td><td>57.91</td><td>68.20</td><td>-10.29</td><td>49.25</td><td>34.43</td><td>10.98</td><td>36.75</td><td>0.00</td><td>300</td><td>279 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.32	58.34	74.00	-15.66	49.71	34.41	10.96	36.74	0.00	300	279 PEAK	2	5467.12	57.91	68.20	-10.29	49.25	34.43	10.98	36.75	0.00	300	279 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5454.32	58.34	74.00	-15.66	49.71	34.41	10.96	36.74	0.00	300	279 PEAK																																																									
2	5467.12	57.91	68.20	-10.29	49.25	34.43	10.98	36.75	0.00	300	279 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>118.98</td><td>-----</td><td>-----</td><td>110.24</td><td>34.49</td><td>11.01</td><td>36.76</td><td>0.00</td><td>300</td><td>279 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	118.98	-----	-----	110.24	34.49	11.01	36.76	0.00	300	279 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	118.98	-----	-----	110.24	34.49	11.01	36.76	0.00	300	279 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.48</td><td>47.89</td><td>54.00</td><td>-6.11</td><td>39.24</td><td>34.42</td><td>10.97</td><td>36.74</td><td>0.00</td><td>300</td><td>279 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.48	47.89	54.00	-6.11	39.24	34.42	10.97	36.74	0.00	300	279 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5458.48	47.89	54.00	-6.11	39.24	34.42	10.97	36.74	0.00	300	279 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>111.01</td><td>-----</td><td>-----</td><td>102.27</td><td>34.49</td><td>11.01</td><td>36.76</td><td>0.00</td><td>300</td><td>279 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.01	-----	-----	102.27	34.49	11.01	36.76	0.00	300	279 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	111.01	-----	-----	102.27	34.49	11.01	36.76	0.00	300	279 AVERAGE																																																									







Mode	52																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_52/37_5500MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.12</td><td>59.35</td><td>74.00</td><td>-14.65</td><td>50.72</td><td>34.41</td><td>10.96</td><td>36.74</td><td>0.00</td><td>318</td><td>303 PEAK</td></tr><tr><td>2</td><td>5460.72</td><td>59.58</td><td>68.20</td><td>-8.62</td><td>50.93</td><td>34.42</td><td>10.97</td><td>36.74</td><td>0.00</td><td>318</td><td>303 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.12	59.35	74.00	-14.65	50.72	34.41	10.96	36.74	0.00	318	303 PEAK	2	5460.72	59.58	68.20	-8.62	50.93	34.42	10.97	36.74	0.00	318	303 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>117.00</td><td>-----</td><td>-----</td><td>109.06</td><td>34.49</td><td>11.01</td><td>36.76</td><td>0.00</td><td>318</td><td>303 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	117.00	-----	-----	109.06	34.49	11.01	36.76	0.00	318
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5455.12	59.35	74.00	-14.65	50.72	34.41	10.96	36.74	0.00	318	303 PEAK																																																																																																					
2	5460.72	59.58	68.20	-8.62	50.93	34.42	10.97	36.74	0.00	318	303 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	117.00	-----	-----	109.06	34.49	11.01	36.76	0.00	318	303 PEAK																																																																																																					
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>48.62</td><td>54.00</td><td>-5.38</td><td>39.97</td><td>34.42</td><td>10.97</td><td>36.74</td><td>0.00</td><td>318</td><td>303 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	48.62	54.00	-5.38	39.97	34.42	10.97	36.74	0.00	318	303 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>109.19</td><td>-----</td><td>-----</td><td>100.45</td><td>34.49</td><td>11.01</td><td>36.76</td><td>0.00</td><td>318</td><td>303 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.19	-----	-----	100.45	34.49	11.01	36.76	0.00	318	303 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.92	48.62	54.00	-5.38	39.97	34.42	10.97	36.74	0.00	318	303 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	109.19	-----	-----	100.45	34.49	11.01	36.76	0.00	318	303 AVERAGE																																																																																																					







Mode	52																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_52/37_5500MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.60</td><td>57.88</td><td>74.00</td><td>-16.12</td><td>49.49</td><td>34.40</td><td>10.84</td><td>36.85</td><td>0.00</td><td>300</td><td>292 PEAK</td></tr><tr><td>2</td><td>5466.48</td><td>58.03</td><td>68.20</td><td>-10.17</td><td>49.37</td><td>34.43</td><td>10.98</td><td>36.75</td><td>0.00</td><td>300</td><td>292 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.60	57.88	74.00	-16.12	49.49	34.40	10.84	36.85	0.00	300	292 PEAK	2	5466.48	58.03	68.20	-10.17	49.37	34.43	10.98	36.75	0.00	300	292 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>118.16</td><td>-----</td><td>-----</td><td>109.42</td><td>34.49</td><td>11.01</td><td>36.76</td><td>0.00</td><td>300</td><td>292 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	118.16	-----	-----	109.42	34.49	11.01	36.76	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5351.60	57.88	74.00	-16.12	49.49	34.40	10.84	36.85	0.00	300	292 PEAK																																																																																																					
2	5466.48	58.03	68.20	-10.17	49.37	34.43	10.98	36.75	0.00	300	292 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	118.16	-----	-----	109.42	34.49	11.01	36.76	0.00	300	292 PEAK																																																																																																					
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>47.77</td><td>54.00</td><td>-6.23</td><td>39.12</td><td>34.42</td><td>10.97</td><td>36.74</td><td>0.00</td><td>300</td><td>292 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	47.77	54.00	-6.23	39.12	34.42	10.97	36.74	0.00	300	292 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>109.88</td><td>-----</td><td>-----</td><td>101.14</td><td>34.49</td><td>11.01</td><td>36.76</td><td>0.00</td><td>300</td><td>292 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.88	-----	-----	101.14	34.49	11.01	36.76	0.00	300	292 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.92	47.77	54.00	-6.23	39.12	34.42	10.97	36.74	0.00	300	292 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	109.88	-----	-----	101.14	34.49	11.01	36.76	0.00	300	292 AVERAGE																																																																																																					






Mode	53																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_106/53_5500MHz																																																																																																				
ANT	1+2																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																			
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5391.92</td><td>58.49</td><td>74.00</td><td>-15.51</td><td>49.95</td><td>34.40</td><td>10.88</td><td>36.74</td><td>0.00</td><td>213 303 PEAK</td></tr><tr><td>2</td><td>5469.20</td><td>57.03</td><td>68.20</td><td>-11.17</td><td>48.36</td><td>34.44</td><td>10.98</td><td>36.75</td><td>0.00</td><td>213 303 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5391.92	58.49	74.00	-15.51	49.95	34.40	10.88	36.74	0.00	213 303 PEAK	2	5469.20	57.03	68.20	-11.17	48.36	34.44	10.98	36.75	0.00	213 303 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>114.21</td><td>-----</td><td>-----</td><td>105.47</td><td>34.49</td><td>11.01</td><td>36.76</td><td>0.00</td><td>213 303 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	114.21	-----	-----	105.47	34.49	11.01	36.76	0.00	213 303 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5391.92	58.49	74.00	-15.51	49.95	34.40	10.88	36.74	0.00	213 303 PEAK																																																																																											
2	5469.20	57.03	68.20	-11.17	48.36	34.44	10.98	36.75	0.00	213 303 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	114.21	-----	-----	105.47	34.49	11.01	36.76	0.00	213 303 PEAK																																																																																											
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.44</td><td>46.75</td><td>54.00</td><td>-7.25</td><td>38.10</td><td>34.42</td><td>10.97</td><td>36.74</td><td>0.00</td><td>213 303 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	46.75	54.00	-7.25	38.10	34.42	10.97	36.74	0.00	213 303 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>106.18</td><td>-----</td><td>-----</td><td>97.44</td><td>34.49</td><td>11.01</td><td>36.76</td><td>0.00</td><td>213 303 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.18	-----	-----	97.44	34.49	11.01	36.76	0.00	213 303 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5459.44	46.75	54.00	-7.25	38.10	34.42	10.97	36.74	0.00	213 303 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	106.18	-----	-----	97.44	34.49	11.01	36.76	0.00	213 303 AVERAGE																																																																																											






Mode	53																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_106/53_5500MHz																																																																			
ANT	1+2																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5419.12</td><td>56.80</td><td>74.00</td><td>-17.20</td><td>48.22</td><td>34.40</td><td>10.91</td><td>36.73</td><td>0.00</td><td>300</td><td>291 PEAK</td></tr><tr><td>2</td><td>5463.60</td><td>56.44</td><td>68.20</td><td>-11.76</td><td>47.79</td><td>34.43</td><td>10.97</td><td>36.75</td><td>0.00</td><td>300</td><td>291 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5419.12	56.80	74.00	-17.20	48.22	34.40	10.91	36.73	0.00	300	291 PEAK	2	5463.60	56.44	68.20	-11.76	47.79	34.43	10.97	36.75	0.00	300	291 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5419.12	56.80	74.00	-17.20	48.22	34.40	10.91	36.73	0.00	300	291 PEAK																																																									
2	5463.60	56.44	68.20	-11.76	47.79	34.43	10.97	36.75	0.00	300	291 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>116.09</td><td>-----</td><td>-----</td><td>107.35</td><td>34.49</td><td>11.01</td><td>36.76</td><td>0.00</td><td>300</td><td>291 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	116.09	-----	-----	107.35	34.49	11.01	36.76	0.00	300	291 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	116.09	-----	-----	107.35	34.49	11.01	36.76	0.00	300	291 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>46.63</td><td>54.00</td><td>-7.37</td><td>37.98</td><td>34.42</td><td>10.97</td><td>36.74</td><td>0.00</td><td>300</td><td>291 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	46.63	54.00	-7.37	37.98	34.42	10.97	36.74	0.00	300	291 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5459.92	46.63	54.00	-7.37	37.98	34.42	10.97	36.74	0.00	300	291 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>106.62</td><td>-----</td><td>-----</td><td>97.88</td><td>34.49</td><td>11.01</td><td>36.76</td><td>0.00</td><td>300</td><td>291 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.62	-----	-----	97.88	34.49	11.01	36.76	0.00	300	291 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	106.62	-----	-----	97.88	34.49	11.01	36.76	0.00	300	291 AVERAGE																																																									






Mode	54																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_26/8_5700MHz																																																																																																	
ANT	1+2																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5725.48</td><td>58.48</td><td>68.20</td><td>-9.72</td><td>49.45</td><td>34.50</td><td>11.33</td><td>36.00</td><td>0.00</td><td>292</td><td>300 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5725.48	58.48	68.20	-9.72	49.45	34.50	11.33	36.00	0.00	292	300 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>118.67</td><td>-----</td><td>-----</td><td>109.68</td><td>34.50</td><td>11.31</td><td>36.82</td><td>0.00</td><td>292</td><td>300 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	118.67	-----	-----	109.68	34.50	11.31	36.82	0.00	292
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5725.48	58.48	68.20	-9.72	49.45	34.50	11.33	36.00	0.00	292	300 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5700.00	118.67	-----	-----	109.68	34.50	11.31	36.82	0.00	292	300 PEAK																																																																																								
Avg	Blank																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>109.75</td><td>-----</td><td>-----</td><td>100.76</td><td>34.50</td><td>11.31</td><td>36.82</td><td>0.00</td><td>292</td><td>300 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	109.75	-----	-----	100.76	34.50	11.31	36.82	0.00	292	300 AVERAGE																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5700.00	109.75	-----	-----	100.76	34.50	11.31	36.82	0.00	292	300 AVERAGE																																																																																								






Mode	54																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_26/8_5700MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5727.96</td><td>58.75</td><td>68.20</td><td>-9.45</td><td>49.72</td><td>34.50</td><td>11.33</td><td>36.80</td><td>0.00</td><td>389</td><td>283</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.96	58.75	68.20	-9.45	49.72	34.50	11.33	36.80	0.00	389	283	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>117.07</td><td>-----</td><td>-----</td><td>100.00</td><td>34.50</td><td>11.31</td><td>36.82</td><td>0.00</td><td>389</td><td>283</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	117.07	-----	-----	100.00	34.50	11.31	36.82	0.00	389	283
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5727.96	58.75	68.20	-9.45	49.72	34.50	11.33	36.80	0.00	389	283	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	117.07	-----	-----	100.00	34.50	11.31	36.82	0.00	389	283	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>109.20</td><td>-----</td><td>-----</td><td>100.21</td><td>34.50</td><td>11.31</td><td>36.82</td><td>0.00</td><td>389</td><td>283</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.20	-----	-----	100.21	34.50	11.31	36.82	0.00	389	283	AVERAGE																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	109.20	-----	-----	100.21	34.50	11.31	36.82	0.00	389	283	AVERAGE																																																																																							






Mode	55																																																																									
	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_52/40_5700MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5738.20</td><td>59.31</td><td>68.20</td><td>-8.89</td><td>50.25</td><td>34.50</td><td>11.35</td><td>36.79</td><td>0.00</td></tr></tbody></table> Remark	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5738.20	59.31	68.20	-8.89	50.25	34.50	11.35	36.79	0.00	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5700.00</td><td>114.40</td><td>-----</td><td>-----</td><td>105.43</td><td>34.50</td><td>11.30</td><td>36.83</td><td>0.00</td></tr></tbody></table> Remark	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5700.00	114.40	-----	-----	105.43	34.50	11.30	36.83	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																		
1 5738.20	59.31	68.20	-8.89	50.25	34.50	11.35	36.79	0.00																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																		
1 5700.00	114.40	-----	-----	105.43	34.50	11.30	36.83	0.00																																																																		
Avg	Blank	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5700.00</td><td>105.72</td><td>-----</td><td>-----</td><td>96.75</td><td>34.50</td><td>11.30</td><td>36.83</td><td>0.00</td></tr></tbody></table> Remark	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5700.00	105.72	-----	-----	96.75	34.50	11.30	36.83	0.00																																				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																		
1 5700.00	105.72	-----	-----	96.75	34.50	11.30	36.83	0.00																																																																		






Mode	55																																																																																																							
	Band Edge																																																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_52/40_5700MHz																																																																																																							
ANT	1+2																																																																																																							
Pol.	Vertical						Fundamental																																																																																																	
Peak																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5728.92</td><td>66.58</td><td>68.20</td><td>-1.62</td><td>57.54</td><td>34.50</td><td>11.34</td><td>36.80</td><td>0.00</td><td>336</td><td>288</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.92	66.58	68.20	-1.62	57.54	34.50	11.34	36.80	0.00	336	288	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>114.51</td><td>-----</td><td>-----</td><td>105.54</td><td>34.50</td><td>11.30</td><td>36.83</td><td>0.00</td><td>336</td><td>288</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	114.51	-----	-----	105.54	34.50	11.30	36.83	0.00	336	288
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5728.92	66.58	68.20	-1.62	57.54	34.50	11.34	36.80	0.00	336	288	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5700.00	114.51	-----	-----	105.54	34.50	11.30	36.83	0.00	336	288	PEAK																																																																																												
Avg	Blank																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>106.34</td><td>-----</td><td>-----</td><td>97.35</td><td>34.50</td><td>11.31</td><td>36.82</td><td>0.00</td><td>336</td><td>288</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	106.34	-----	-----	97.35	34.50	11.31	36.82	0.00	336	288	AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5700.00	106.34	-----	-----	97.35	34.50	11.31	36.82	0.00	336	288	AVERAGE																																																																																												





Mode	56																																																																									
	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_106/54_5700MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5725.72</td><td>67.32</td><td>68.20</td><td>-0.88</td><td>58.29</td><td>34.50</td><td>11.33</td><td>36.00</td><td>0.00</td></tr></tbody></table> Remark	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5725.72	67.32	68.20	-0.88	58.29	34.50	11.33	36.00	0.00	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5700.00</td><td>111.55</td><td>-----</td><td>-----</td><td>102.58</td><td>34.50</td><td>11.30</td><td>36.83</td><td>0.00</td></tr></tbody></table> Remark	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5700.00	111.55	-----	-----	102.58	34.50	11.30	36.83	0.00
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																		
1 5725.72	67.32	68.20	-0.88	58.29	34.50	11.33	36.00	0.00																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																		
1 5700.00	111.55	-----	-----	102.58	34.50	11.30	36.83	0.00																																																																		
Avg	Blank	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5700.00</td><td>103.39</td><td>-----</td><td>-----</td><td>94.42</td><td>34.50</td><td>11.30</td><td>36.83</td><td>0.00</td></tr></tbody></table> Remark	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5700.00	103.39	-----	-----	94.42	34.50	11.30	36.83	0.00																																				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																		
1 5700.00	103.39	-----	-----	94.42	34.50	11.30	36.83	0.00																																																																		





Mode	56																																																																																																							
	Band Edge																																																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_106/54_5700MHz																																																																																																							
ANT	1+2																																																																																																							
Pol.	Vertical						Fundamental																																																																																																	
Peak																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5727.32</td><td>65.62</td><td>68.20</td><td>-2.58</td><td>56.59</td><td>34.50</td><td>11.33</td><td>36.00</td><td>0.00</td><td>334</td><td>288</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.32	65.62	68.20	-2.58	56.59	34.50	11.33	36.00	0.00	334	288	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>113.03</td><td>-----</td><td>-----</td><td>104.04</td><td>34.50</td><td>11.31</td><td>36.82</td><td>0.00</td><td>334</td><td>288</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	113.03	-----	-----	104.04	34.50	11.31	36.82	0.00	334	288
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5727.32	65.62	68.20	-2.58	56.59	34.50	11.33	36.00	0.00	334	288	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5700.00	113.03	-----	-----	104.04	34.50	11.31	36.82	0.00	334	288	PEAK																																																																																												
Avg	Blank																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>103.72</td><td>-----</td><td>-----</td><td>94.75</td><td>34.50</td><td>11.30</td><td>36.83</td><td>0.00</td><td>334</td><td>288</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	103.72	-----	-----	94.75	34.50	11.30	36.83	0.00	334	288	AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5700.00	103.72	-----	-----	94.75	34.50	11.30	36.83	0.00	334	288	AVERAGE																																																																																												






Mode	6	
	18G-25G	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		





Mode	6																																																																																																																			
	LF																																																																																																																			
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																			
ANT	1+2																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>31.46</td><td>21.90</td><td>40.00</td><td>-18.10</td><td>29.87</td><td>24.46</td><td>0.37</td><td>32.80</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>64.19</td><td>19.39</td><td>40.00</td><td>-20.61</td><td>39.26</td><td>12.14</td><td>0.70</td><td>32.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>110.75</td><td>23.53</td><td>43.50</td><td>-19.97</td><td>37.95</td><td>17.17</td><td>1.14</td><td>32.73</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>140.10</td><td>19.29</td><td>43.50</td><td>-24.21</td><td>33.08</td><td>17.68</td><td>1.28</td><td>32.75</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>249.95</td><td>20.32</td><td>46.00</td><td>-25.68</td><td>32.57</td><td>18.80</td><td>1.74</td><td>32.79</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>455.59</td><td>23.27</td><td>46.00</td><td>-22.73</td><td>30.59</td><td>23.33</td><td>2.33</td><td>32.98</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	31.46	21.90	40.00	-18.10	29.87	24.46	0.37	32.80	0.00	---	---	Peak	2	64.19	19.39	40.00	-20.61	39.26	12.14	0.70	32.71	0.00	---	---	Peak	3	110.75	23.53	43.50	-19.97	37.95	17.17	1.14	32.73	0.00	---	---	Peak	4	140.10	19.29	43.50	-24.21	33.08	17.68	1.28	32.75	0.00	---	---	Peak	5	249.95	20.32	46.00	-25.68	32.57	18.80	1.74	32.79	0.00	---	---	Peak	6	455.59	23.27	46.00	-22.73	30.59	23.33	2.33	32.98	0.00	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																								
1	31.46	21.90	40.00	-18.10	29.87	24.46	0.37	32.80	0.00	---	---	Peak																																																																																																								
2	64.19	19.39	40.00	-20.61	39.26	12.14	0.70	32.71	0.00	---	---	Peak																																																																																																								
3	110.75	23.53	43.50	-19.97	37.95	17.17	1.14	32.73	0.00	---	---	Peak																																																																																																								
4	140.10	19.29	43.50	-24.21	33.08	17.68	1.28	32.75	0.00	---	---	Peak																																																																																																								
5	249.95	20.32	46.00	-25.68	32.57	18.80	1.74	32.79	0.00	---	---	Peak																																																																																																								
6	455.59	23.27	46.00	-22.73	30.59	23.33	2.33	32.98	0.00	---	---	Peak																																																																																																								
																																																																																																																				
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>31.46</td><td>33.06</td><td>40.00</td><td>-6.94</td><td>41.03</td><td>24.46</td><td>0.37</td><td>32.80</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>63.22</td><td>32.35</td><td>40.00</td><td>-7.65</td><td>52.25</td><td>12.12</td><td>0.69</td><td>32.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>156.10</td><td>21.95</td><td>43.50</td><td>-21.55</td><td>36.32</td><td>17.02</td><td>1.36</td><td>32.75</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>249.95</td><td>21.46</td><td>46.00</td><td>-24.54</td><td>33.71</td><td>18.80</td><td>1.74</td><td>32.79</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>442.98</td><td>21.26</td><td>46.00</td><td>-24.74</td><td>28.86</td><td>23.05</td><td>2.30</td><td>32.95</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>824.67</td><td>30.20</td><td>46.00</td><td>-15.80</td><td>31.21</td><td>28.53</td><td>3.10</td><td>32.64</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	31.46	33.06	40.00	-6.94	41.03	24.46	0.37	32.80	0.00	---	---	Peak	2	63.22	32.35	40.00	-7.65	52.25	12.12	0.69	32.71	0.00	---	---	Peak	3	156.10	21.95	43.50	-21.55	36.32	17.02	1.36	32.75	0.00	---	---	Peak	4	249.95	21.46	46.00	-24.54	33.71	18.80	1.74	32.79	0.00	---	---	Peak	5	442.98	21.26	46.00	-24.74	28.86	23.05	2.30	32.95	0.00	---	---	Peak	6	824.67	30.20	46.00	-15.80	31.21	28.53	3.10	32.64	0.00	---	---	Peak
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																								
1	31.46	33.06	40.00	-6.94	41.03	24.46	0.37	32.80	0.00	---	---	Peak																																																																																																								
2	63.22	32.35	40.00	-7.65	52.25	12.12	0.69	32.71	0.00	---	---	Peak																																																																																																								
3	156.10	21.95	43.50	-21.55	36.32	17.02	1.36	32.75	0.00	---	---	Peak																																																																																																								
4	249.95	21.46	46.00	-24.54	33.71	18.80	1.74	32.79	0.00	---	---	Peak																																																																																																								
5	442.98	21.26	46.00	-24.74	28.86	23.05	2.30	32.95	0.00	---	---	Peak																																																																																																								
6	824.67	30.20	46.00	-15.80	31.21	28.53	3.10	32.64	0.00	---	---	Peak																																																																																																								



Mode	32																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																			
ANT	1+2																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5638.00</td><td>47.60</td><td>68.20</td><td>-20.60</td><td>38.90</td><td>34.48</td><td>11.20</td><td>36.98</td><td>0.00</td><td>105</td><td>341 PEAK</td></tr><tr><td>2 5650.40</td><td>45.92</td><td>68.50</td><td>-22.58</td><td>37.15</td><td>34.50</td><td>11.22</td><td>36.95</td><td>0.00</td><td>105</td><td>341 PEAK</td></tr><tr><td>3 5701.20</td><td>49.19</td><td>105.64</td><td>-56.45</td><td>40.23</td><td>34.50</td><td>11.29</td><td>36.83</td><td>0.00</td><td>105</td><td>341 PEAK</td></tr><tr><td>4 5720.00</td><td>49.29</td><td>110.90</td><td>-61.61</td><td>40.28</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>105</td><td>341 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5638.00	47.60	68.20	-20.60	38.90	34.48	11.20	36.98	0.00	105	341 PEAK	2 5650.40	45.92	68.50	-22.58	37.15	34.50	11.22	36.95	0.00	105	341 PEAK	3 5701.20	49.19	105.64	-56.45	40.23	34.50	11.29	36.83	0.00	105	341 PEAK	4 5720.00	49.29	110.90	-61.61	40.28	34.50	11.32	36.81	0.00	105	341 PEAK	 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5745.00</td><td>109.30</td><td>-----</td><td>-----</td><td>100.24</td><td>34.50</td><td>11.35</td><td>36.79</td><td>0.00</td><td>105</td><td>341 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	109.30	-----	-----	100.24	34.50	11.35	36.79	0.00	105	341 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5638.00	47.60	68.20	-20.60	38.90	34.48	11.20	36.98	0.00	105	341 PEAK																																																																																																																										
2 5650.40	45.92	68.50	-22.58	37.15	34.50	11.22	36.95	0.00	105	341 PEAK																																																																																																																										
3 5701.20	49.19	105.64	-56.45	40.23	34.50	11.29	36.83	0.00	105	341 PEAK																																																																																																																										
4 5720.00	49.29	110.90	-61.61	40.28	34.50	11.32	36.81	0.00	105	341 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	109.30	-----	-----	100.24	34.50	11.35	36.79	0.00	105	341 PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5745.00</td><td>101.27</td><td>-----</td><td>-----</td><td>92.19</td><td>34.50</td><td>11.36</td><td>36.78</td><td>0.00</td><td>105</td><td>341 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	101.27	-----	-----	92.19	34.50	11.36	36.78	0.00	105	341 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	101.27	-----	-----	92.19	34.50	11.36	36.78	0.00	105	341 AVERAGE																																																																																																																										






Mode	32																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																							
ANT	1+2																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5641.60</td><td>49.26</td><td>68.20</td><td>-18.94</td><td>40.54</td><td>34.48</td><td>11.21</td><td>36.97</td><td>0.00</td><td>269</td><td>282 PEAK</td></tr><tr><td>2 5650.80</td><td>46.04</td><td>68.80</td><td>-22.76</td><td>37.27</td><td>34.50</td><td>11.22</td><td>36.95</td><td>0.00</td><td>269</td><td>282 PEAK</td></tr><tr><td>3 5704.80</td><td>49.46</td><td>106.65</td><td>-57.19</td><td>40.48</td><td>34.50</td><td>11.30</td><td>36.82</td><td>0.00</td><td>269</td><td>282 PEAK</td></tr><tr><td>4 5720.00</td><td>47.85</td><td>110.90</td><td>-63.05</td><td>38.84</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>269</td><td>282 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5641.60	49.26	68.20	-18.94	40.54	34.48	11.21	36.97	0.00	269	282 PEAK	2 5650.80	46.04	68.80	-22.76	37.27	34.50	11.22	36.95	0.00	269	282 PEAK	3 5704.80	49.46	106.65	-57.19	40.48	34.50	11.30	36.82	0.00	269	282 PEAK	4 5720.00	47.85	110.90	-63.05	38.84	34.50	11.32	36.81	0.00	269	282 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5641.60	49.26	68.20	-18.94	40.54	34.48	11.21	36.97	0.00	269	282 PEAK																																																																														
2 5650.80	46.04	68.80	-22.76	37.27	34.50	11.22	36.95	0.00	269	282 PEAK																																																																														
3 5704.80	49.46	106.65	-57.19	40.48	34.50	11.30	36.82	0.00	269	282 PEAK																																																																														
4 5720.00	47.85	110.90	-63.05	38.84	34.50	11.32	36.81	0.00	269	282 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5745.00</td><td>110.62</td><td>-----</td><td>-----</td><td>101.56</td><td>34.50</td><td>11.35</td><td>36.79</td><td>0.00</td><td>269</td><td>282 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	110.62	-----	-----	101.56	34.50	11.35	36.79	0.00	269	282 PEAK																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5745.00	110.62	-----	-----	101.56	34.50	11.35	36.79	0.00	269	282 PEAK																																																																														




Mode	32																																																																																										
	Harmonic																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																										
ANT	1+2																																																																																										
Pol.	Horizontal																																																																																										
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9192.00</td><td>45.02</td><td>74.00</td><td>-28.98</td><td>61.66</td><td>36.28</td><td>14.50</td><td>67.42</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>45.77</td><td>74.00</td><td>-28.23</td><td>57.56</td><td>38.09</td><td>16.12</td><td>66.00</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9192.00	45.02	74.00	-28.98	61.66	36.28	14.50	67.42	0.00	---	PEAK	2	11490.00	45.77	74.00	-28.23	57.56	38.09	16.12	66.00	0.00	---	PEAK																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	9192.00	45.02	74.00	-28.98	61.66	36.28	14.50	67.42	0.00	---	PEAK																																																																																
2	11490.00	45.77	74.00	-28.23	57.56	38.09	16.12	66.00	0.00	---	PEAK																																																																																
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9192.00</td><td>50.16</td><td>74.00</td><td>-23.84</td><td>66.00</td><td>36.28</td><td>14.50</td><td>67.42</td><td>0.00</td><td>106</td><td>0 PEAK</td></tr><tr><td>2</td><td>9192.00</td><td>47.35</td><td>54.00</td><td>-6.65</td><td>63.99</td><td>36.28</td><td>14.50</td><td>67.42</td><td>0.00</td><td>106</td><td>0 AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>52.58</td><td>74.00</td><td>-21.42</td><td>64.37</td><td>38.09</td><td>16.12</td><td>66.00</td><td>0.00</td><td>106</td><td>0 PEAK</td></tr><tr><td>4</td><td>11490.00</td><td>40.78</td><td>54.00</td><td>-13.22</td><td>52.57</td><td>38.09</td><td>16.12</td><td>66.00</td><td>0.00</td><td>106</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9192.00	50.16	74.00	-23.84	66.00	36.28	14.50	67.42	0.00	106	0 PEAK	2	9192.00	47.35	54.00	-6.65	63.99	36.28	14.50	67.42	0.00	106	0 AVERAGE	3	11490.00	52.58	74.00	-21.42	64.37	38.09	16.12	66.00	0.00	106	0 PEAK	4	11490.00	40.78	54.00	-13.22	52.57	38.09	16.12	66.00	0.00	106	0 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	9192.00	50.16	74.00	-23.84	66.00	36.28	14.50	67.42	0.00	106	0 PEAK																																																																																
2	9192.00	47.35	54.00	-6.65	63.99	36.28	14.50	67.42	0.00	106	0 AVERAGE																																																																																
3	11490.00	52.58	74.00	-21.42	64.37	38.09	16.12	66.00	0.00	106	0 PEAK																																																																																
4	11490.00	40.78	54.00	-13.22	52.57	38.09	16.12	66.00	0.00	106	0 AVERAGE																																																																																
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9192.00</td><td>50.16</td><td>74.00</td><td>-23.84</td><td>66.00</td><td>36.28</td><td>14.50</td><td>67.42</td><td>0.00</td><td>106</td><td>0 PEAK</td></tr><tr><td>2</td><td>9192.00</td><td>47.35</td><td>54.00</td><td>-6.65</td><td>63.99</td><td>36.28</td><td>14.50</td><td>67.42</td><td>0.00</td><td>106</td><td>0 AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>52.58</td><td>74.00</td><td>-21.42</td><td>64.37</td><td>38.09</td><td>16.12</td><td>66.00</td><td>0.00</td><td>106</td><td>0 PEAK</td></tr><tr><td>4</td><td>11490.00</td><td>40.78</td><td>54.00</td><td>-13.22</td><td>52.57</td><td>38.09</td><td>16.12</td><td>66.00</td><td>0.00</td><td>106</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9192.00	50.16	74.00	-23.84	66.00	36.28	14.50	67.42	0.00	106	0 PEAK	2	9192.00	47.35	54.00	-6.65	63.99	36.28	14.50	67.42	0.00	106	0 AVERAGE	3	11490.00	52.58	74.00	-21.42	64.37	38.09	16.12	66.00	0.00	106	0 PEAK	4	11490.00	40.78	54.00	-13.22	52.57	38.09	16.12	66.00	0.00	106	0 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	9192.00	50.16	74.00	-23.84	66.00	36.28	14.50	67.42	0.00	106	0 PEAK																																																																																
2	9192.00	47.35	54.00	-6.65	63.99	36.28	14.50	67.42	0.00	106	0 AVERAGE																																																																																
3	11490.00	52.58	74.00	-21.42	64.37	38.09	16.12	66.00	0.00	106	0 PEAK																																																																																
4	11490.00	40.78	54.00	-13.22	52.57	38.09	16.12	66.00	0.00	106	0 AVERAGE																																																																																






Mode	33																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																									
ANT	1+2																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5639.60</td><td>49.60</td><td>68.20</td><td>-18.60</td><td>40.88</td><td>34.48</td><td>11.21</td><td>36.97</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>46.67</td><td>68.50</td><td>-21.83</td><td>37.90</td><td>34.50</td><td>11.22</td><td>36.95</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr><tr><td>3</td><td>5703.20</td><td>48.20</td><td>106.20</td><td>-58.00</td><td>39.23</td><td>34.50</td><td>11.30</td><td>36.83</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>46.32</td><td>110.90</td><td>-64.58</td><td>37.31</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5639.60	49.60	68.20	-18.60	40.88	34.48	11.21	36.97	0.00	100	341 PEAK	2	5650.40	46.67	68.50	-21.83	37.90	34.50	11.22	36.95	0.00	100	341 PEAK	3	5703.20	48.20	106.20	-58.00	39.23	34.50	11.30	36.83	0.00	100	341 PEAK	4	5720.00	46.32	110.90	-64.58	37.31	34.50	11.32	36.81	0.00	100	341 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>108.32</td><td>-----</td><td>-----</td><td>99.01</td><td>34.63</td><td>11.42</td><td>36.74</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	108.32	-----	-----	99.01	34.63	11.42	36.74	0.00	100	341 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5639.60	49.60	68.20	-18.60	40.88	34.48	11.21	36.97	0.00	100	341 PEAK																																																																																																																															
2	5650.40	46.67	68.50	-21.83	37.90	34.50	11.22	36.95	0.00	100	341 PEAK																																																																																																																															
3	5703.20	48.20	106.20	-58.00	39.23	34.50	11.30	36.83	0.00	100	341 PEAK																																																																																																																															
4	5720.00	46.32	110.90	-64.58	37.31	34.50	11.32	36.81	0.00	100	341 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5785.00	108.32	-----	-----	99.01	34.63	11.42	36.74	0.00	100	341 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>100.55</td><td>-----</td><td>-----</td><td>91.20</td><td>34.65</td><td>11.43</td><td>36.73</td><td>0.00</td><td>100</td><td>341 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	100.55	-----	-----	91.20	34.65	11.43	36.73	0.00	100	341 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5785.00	100.55	-----	-----	91.20	34.65	11.43	36.73	0.00	100	341 AVERAGE																																																																																																																															




Mode	33																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak							Blank																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>45.91</td><td>111.36</td><td>-65.45</td><td>36.49</td><td>34.83</td><td>11.49</td><td>36.90</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>48.12</td><td>105.69</td><td>-57.57</td><td>38.63</td><td>34.94</td><td>11.51</td><td>36.96</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>47.20</td><td>68.94</td><td>-21.74</td><td>37.54</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr><tr><td>4</td><td>5951.60</td><td>49.51</td><td>68.20</td><td>-18.69</td><td>39.77</td><td>35.10</td><td>11.57</td><td>36.93</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	45.91	111.36	-65.45	36.49	34.83	11.49	36.90	0.00	100	341 PEAK	2	5873.60	48.12	105.69	-57.57	38.63	34.94	11.51	36.96	0.00	100	341 PEAK	3	5924.00	47.20	68.94	-21.74	37.54	35.10	11.55	36.99	0.00	100	341 PEAK	4	5951.60	49.51	68.20	-18.69	39.77	35.10	11.57	36.93	0.00	100	341 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.00	45.91	111.36	-65.45	36.49	34.83	11.49	36.90	0.00	100	341 PEAK																																																																																	
2	5873.60	48.12	105.69	-57.57	38.63	34.94	11.51	36.96	0.00	100	341 PEAK																																																																																	
3	5924.00	47.20	68.94	-21.74	37.54	35.10	11.55	36.99	0.00	100	341 PEAK																																																																																	
4	5951.60	49.51	68.20	-18.69	39.77	35.10	11.57	36.93	0.00	100	341 PEAK																																																																																	





Mode	33																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																								
ANT	1+2																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5637.60</td><td>49.21</td><td>68.20</td><td>-18.99</td><td>40.51</td><td>34.48</td><td>11.20</td><td>36.98</td><td>0.00</td><td>250</td><td>284 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>46.20</td><td>68.20</td><td>-22.00</td><td>37.43</td><td>34.50</td><td>11.22</td><td>36.95</td><td>0.00</td><td>250</td><td>284 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>47.00</td><td>105.30</td><td>-58.22</td><td>38.12</td><td>34.50</td><td>11.29</td><td>36.83</td><td>0.00</td><td>250</td><td>284 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>48.01</td><td>110.90</td><td>-62.89</td><td>39.00</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>250</td><td>284 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5637.60	49.21	68.20	-18.99	40.51	34.48	11.20	36.98	0.00	250	284 PEAK	2	5650.00	46.20	68.20	-22.00	37.43	34.50	11.22	36.95	0.00	250	284 PEAK	3	5700.00	47.00	105.30	-58.22	38.12	34.50	11.29	36.83	0.00	250	284 PEAK	4	5720.00	48.01	110.90	-62.89	39.00	34.50	11.32	36.81	0.00	250	284 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>108.14</td><td>-----</td><td>-----</td><td>98.79</td><td>34.65</td><td>11.43</td><td>36.73</td><td>0.00</td><td>250</td><td>284 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	108.14	-----	-----	98.79	34.65	11.43	36.73	0.00	250
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5637.60	49.21	68.20	-18.99	40.51	34.48	11.20	36.98	0.00	250	284 PEAK																																																																																																																														
2	5650.00	46.20	68.20	-22.00	37.43	34.50	11.22	36.95	0.00	250	284 PEAK																																																																																																																														
3	5700.00	47.00	105.30	-58.22	38.12	34.50	11.29	36.83	0.00	250	284 PEAK																																																																																																																														
4	5720.00	48.01	110.90	-62.89	39.00	34.50	11.32	36.81	0.00	250	284 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5785.00	108.14	-----	-----	98.79	34.65	11.43	36.73	0.00	250	284 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>100.60</td><td>-----</td><td>-----</td><td>91.29</td><td>34.63</td><td>11.42</td><td>36.74</td><td>0.00</td><td>250</td><td>284 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	100.60	-----	-----	91.29	34.63	11.42	36.74	0.00	250	284 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5785.00	100.60	-----	-----	91.29	34.63	11.42	36.74	0.00	250	284 AVERAGE																																																																																																																														






Mode	33																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																															
ANT	1+2																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>47.67</td><td>112.27</td><td>-64.60</td><td>38.24</td><td>34.83</td><td>11.49</td><td>36.89</td><td>0.00</td><td>250</td><td>284</td><td>PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>48.52</td><td>105.69</td><td>-57.17</td><td>39.03</td><td>34.94</td><td>11.51</td><td>36.96</td><td>0.00</td><td>250</td><td>284</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>47.16</td><td>68.64</td><td>-21.48</td><td>37.50</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>250</td><td>284</td><td>PEAK</td></tr><tr><td>4</td><td>5995.20</td><td>49.69</td><td>68.20</td><td>-18.51</td><td>39.73</td><td>35.19</td><td>11.61</td><td>36.84</td><td>0.00</td><td>250</td><td>284</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	47.67	112.27	-64.60	38.24	34.83	11.49	36.89	0.00	250	284	PEAK	2	5873.60	48.52	105.69	-57.17	39.03	34.94	11.51	36.96	0.00	250	284	PEAK	3	5924.40	47.16	68.64	-21.48	37.50	35.10	11.55	36.99	0.00	250	284	PEAK	4	5995.20	49.69	68.20	-18.51	39.73	35.19	11.61	36.84	0.00	250	284	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.40	47.67	112.27	-64.60	38.24	34.83	11.49	36.89	0.00	250	284	PEAK																																																																																				
2	5873.60	48.52	105.69	-57.17	39.03	34.94	11.51	36.96	0.00	250	284	PEAK																																																																																				
3	5924.40	47.16	68.64	-21.48	37.50	35.10	11.55	36.99	0.00	250	284	PEAK																																																																																				
4	5995.20	49.69	68.20	-18.51	39.73	35.19	11.61	36.84	0.00	250	284	PEAK																																																																																				






Mode	33																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																													
ANT	1+2																																																																																																																																													
Pol.	Horizontal										Vertical																																																																																																																																			
Peak Avg																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>9256.00</td><td>44.39</td><td>68.20</td><td>-23.81</td><td>68.96</td><td>36.30</td><td>14.53</td><td>67.40</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>46.92</td><td>74.00</td><td>-27.08</td><td>58.46</td><td>38.17</td><td>16.18</td><td>65.89</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9256.00	44.39	68.20	-23.81	68.96	36.30	14.53	67.40	0.00	---	PEAK	2	11570.00	46.92	74.00	-27.08	58.46	38.17	16.18	65.89	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>9256.00</td><td>50.26</td><td>68.20</td><td>-17.94</td><td>66.83</td><td>36.30</td><td>14.53</td><td>67.40</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>56.27</td><td>74.00</td><td>-17.73</td><td>67.81</td><td>38.17</td><td>16.18</td><td>65.89</td><td>0.00</td><td>100</td><td>5 PEAK</td></tr><tr><td>3</td><td>11570.00</td><td>45.15</td><td>54.00</td><td>-8.85</td><td>56.69</td><td>38.17</td><td>16.18</td><td>65.89</td><td>0.00</td><td>100</td><td>5 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9256.00	50.26	68.20	-17.94	66.83	36.30	14.53	67.40	0.00	---	PEAK	2	11570.00	56.27	74.00	-17.73	67.81	38.17	16.18	65.89	0.00	100	5 PEAK	3	11570.00	45.15	54.00	-8.85	56.69	38.17	16.18	65.89	0.00	100	5 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	9256.00	44.39	68.20	-23.81	68.96	36.30	14.53	67.40	0.00	---	PEAK																																																																																																																																			
2	11570.00	46.92	74.00	-27.08	58.46	38.17	16.18	65.89	0.00	---	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	9256.00	50.26	68.20	-17.94	66.83	36.30	14.53	67.40	0.00	---	PEAK																																																																																																																																			
2	11570.00	56.27	74.00	-17.73	67.81	38.17	16.18	65.89	0.00	100	5 PEAK																																																																																																																																			
3	11570.00	45.15	54.00	-8.85	56.69	38.17	16.18	65.89	0.00	100	5 AVERAGE																																																																																																																																			



Mode	34																																																																																																																																				
	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																				
ANT	1+2																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>50.81</td><td>111.36</td><td>-60.55</td><td>41.39</td><td>34.83</td><td>11.49</td><td>36.90</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr><tr><td>2 5874.40</td><td>48.49</td><td>105.47</td><td>-56.98</td><td>38.99</td><td>34.95</td><td>11.51</td><td>36.96</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr><tr><td>3 5924.00</td><td>47.20</td><td>68.94</td><td>-21.74</td><td>37.54</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr><tr><td>4 5930.40</td><td>49.25</td><td>68.20</td><td>-18.95</td><td>39.58</td><td>35.10</td><td>11.55</td><td>36.98</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	50.81	111.36	-60.55	41.39	34.83	11.49	36.90	0.00	100	342	PEAK	2 5874.40	48.49	105.47	-56.98	38.99	34.95	11.51	36.96	0.00	100	342	PEAK	3 5924.00	47.20	68.94	-21.74	37.54	35.10	11.55	36.99	0.00	100	342	PEAK	4 5930.40	49.25	68.20	-18.95	39.58	35.10	11.55	36.98	0.00	100	342	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>108.17</td><td>-----</td><td>-----</td><td>98.76</td><td>34.76</td><td>11.47</td><td>36.82</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr></tbody></table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	108.17	-----	-----	98.76	34.76	11.47	36.82	0.00	100	342	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5854.00	50.81	111.36	-60.55	41.39	34.83	11.49	36.90	0.00	100	342	PEAK																																																																																																																										
2 5874.40	48.49	105.47	-56.98	38.99	34.95	11.51	36.96	0.00	100	342	PEAK																																																																																																																										
3 5924.00	47.20	68.94	-21.74	37.54	35.10	11.55	36.99	0.00	100	342	PEAK																																																																																																																										
4 5930.40	49.25	68.20	-18.95	39.58	35.10	11.55	36.98	0.00	100	342	PEAK																																																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5825.00	108.17	-----	-----	98.76	34.76	11.47	36.82	0.00	100	342	PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>99.27</td><td>-----</td><td>-----</td><td>89.85</td><td>34.75</td><td>11.47</td><td>36.80</td><td>0.00</td><td>100</td><td>342</td><td>AVERAGE</td></tr></tbody></table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	99.27	-----	-----	89.85	34.75	11.47	36.80	0.00	100	342	AVERAGE																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5825.00	99.27	-----	-----	89.85	34.75	11.47	36.80	0.00	100	342	AVERAGE																																																																																																																										



Mode	34																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																							
ANT	1+2																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>46.70</td><td>111.36</td><td>-64.66</td><td>37.28</td><td>34.83</td><td>11.49</td><td>36.90</td><td>0.00</td><td>336</td><td>275 PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>50.44</td><td>105.92</td><td>-55.48</td><td>40.94</td><td>34.94</td><td>11.51</td><td>36.95</td><td>0.00</td><td>336</td><td>275 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>49.36</td><td>69.23</td><td>-19.87</td><td>39.70</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>336</td><td>275 PEAK</td></tr><tr><td>4</td><td>5938.00</td><td>49.55</td><td>68.20</td><td>-18.65</td><td>39.85</td><td>35.10</td><td>11.56</td><td>36.96</td><td>0.00</td><td>336</td><td>275 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	46.70	111.36	-64.66	37.28	34.83	11.49	36.90	0.00	336	275 PEAK	2	5872.00	50.44	105.92	-55.48	40.94	34.94	11.51	36.95	0.00	336	275 PEAK	3	5923.60	49.36	69.23	-19.87	39.70	35.10	11.55	36.99	0.00	336	275 PEAK	4	5938.00	49.55	68.20	-18.65	39.85	35.10	11.56	36.96	0.00	336	275 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.97</td><td>-----</td><td>-----</td><td>98.55</td><td>34.74</td><td>11.46</td><td>36.78</td><td>0.00</td><td>336</td><td>275 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.97	-----	-----	98.55	34.74	11.46	36.78	0.00	336
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5854.00	46.70	111.36	-64.66	37.28	34.83	11.49	36.90	0.00	336	275 PEAK																																																																																																																													
2	5872.00	50.44	105.92	-55.48	40.94	34.94	11.51	36.95	0.00	336	275 PEAK																																																																																																																													
3	5923.60	49.36	69.23	-19.87	39.70	35.10	11.55	36.99	0.00	336	275 PEAK																																																																																																																													
4	5938.00	49.55	68.20	-18.65	39.85	35.10	11.56	36.96	0.00	336	275 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5825.00	107.97	-----	-----	98.55	34.74	11.46	36.78	0.00	336	275 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.20</td><td>-----</td><td>-----</td><td>90.79</td><td>34.76</td><td>11.47</td><td>36.82</td><td>0.00</td><td>336</td><td>275 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.20	-----	-----	90.79	34.76	11.47	36.82	0.00	336	275 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5825.00	100.20	-----	-----	90.79	34.76	11.47	36.82	0.00	336	275 AVERAGE																																																																																																																													



Mode	34																																																																																										
	Harmonic																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																										
ANT	1+2																																																																																										
Pol.	Horizontal																																																																																										
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>9320.00</td><td>43.37</td><td>74.00</td><td>-30.63</td><td>59.88</td><td>36.30</td><td>14.56</td><td>67.37</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>47.27</td><td>74.00</td><td>-26.73</td><td>58.50</td><td>38.30</td><td>16.23</td><td>65.76</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>3</td><td>11650.00</td><td>37.36</td><td>54.00</td><td>-16.64</td><td>48.58</td><td>38.30</td><td>16.24</td><td>65.76</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	9320.00	43.37	74.00	-30.63	59.88	36.30	14.56	67.37	0.00	---	PEAK	2	11650.00	47.27	74.00	-26.73	58.50	38.30	16.23	65.76	0.00	300	0 PEAK	3	11650.00	37.36	54.00	-16.64	48.58	38.30	16.24	65.76	0.00	300	0 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																	
1	9320.00	43.37	74.00	-30.63	59.88	36.30	14.56	67.37	0.00	---	PEAK																																																																																
2	11650.00	47.27	74.00	-26.73	58.50	38.30	16.23	65.76	0.00	300	0 PEAK																																																																																
3	11650.00	37.36	54.00	-16.64	48.58	38.30	16.24	65.76	0.00	300	0 AVERAGE																																																																																
Vertical																																																																																											
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>9320.00</td><td>48.49</td><td>74.00</td><td>-25.51</td><td>65.00</td><td>36.30</td><td>14.56</td><td>67.37</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>9320.00</td><td>44.86</td><td>54.00</td><td>-9.14</td><td>61.37</td><td>36.30</td><td>14.56</td><td>67.37</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr><tr><td>3</td><td>11650.00</td><td>54.91</td><td>74.00</td><td>-19.09</td><td>66.14</td><td>38.30</td><td>16.23</td><td>65.76</td><td>0.00</td><td>100</td><td>9 PEAK</td></tr><tr><td>4</td><td>11650.00</td><td>44.73</td><td>54.00</td><td>-9.27</td><td>55.95</td><td>38.30</td><td>16.24</td><td>65.76</td><td>0.00</td><td>100</td><td>9 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	9320.00	48.49	74.00	-25.51	65.00	36.30	14.56	67.37	0.00	100	0 PEAK	2	9320.00	44.86	54.00	-9.14	61.37	36.30	14.56	67.37	0.00	100	0 AVERAGE	3	11650.00	54.91	74.00	-19.09	66.14	38.30	16.23	65.76	0.00	100	9 PEAK	4	11650.00	44.73	54.00	-9.27	55.95	38.30	16.24	65.76	0.00	100	9 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																		
1	9320.00	48.49	74.00	-25.51	65.00	36.30	14.56	67.37	0.00	100	0 PEAK																																																																																
2	9320.00	44.86	54.00	-9.14	61.37	36.30	14.56	67.37	0.00	100	0 AVERAGE																																																																																
3	11650.00	54.91	74.00	-19.09	66.14	38.30	16.23	65.76	0.00	100	9 PEAK																																																																																
4	11650.00	44.73	54.00	-9.27	55.95	38.30	16.24	65.76	0.00	100	9 AVERAGE																																																																																





Mode	35																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																								
ANT	1+2																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5633.20</td><td>48.62</td><td>68.20</td><td>-19.58</td><td>39.94</td><td>34.47</td><td>11.20</td><td>36.99</td><td>0.00</td><td>100</td><td>342 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>45.39</td><td>68.20</td><td>-22.81</td><td>36.62</td><td>34.50</td><td>11.22</td><td>36.95</td><td>0.00</td><td>100</td><td>342 PEAK</td></tr><tr><td>3</td><td>5705.60</td><td>50.03</td><td>106.87</td><td>-56.84</td><td>41.05</td><td>34.50</td><td>11.30</td><td>36.82</td><td>0.00</td><td>100</td><td>342 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>50.93</td><td>110.90</td><td>-59.97</td><td>41.92</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>100</td><td>342 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5633.20	48.62	68.20	-19.58	39.94	34.47	11.20	36.99	0.00	100	342 PEAK	2	5650.00	45.39	68.20	-22.81	36.62	34.50	11.22	36.95	0.00	100	342 PEAK	3	5705.60	50.03	106.87	-56.84	41.05	34.50	11.30	36.82	0.00	100	342 PEAK	4	5720.00	50.93	110.90	-59.97	41.92	34.50	11.32	36.81	0.00	100	342 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.44</td><td>-----</td><td>-----</td><td>100.33</td><td>34.51</td><td>11.37</td><td>36.77</td><td>0.00</td><td>100</td><td>342 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	109.44	-----	-----	100.33	34.51	11.37	36.77	0.00	100	342 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5633.20	48.62	68.20	-19.58	39.94	34.47	11.20	36.99	0.00	100	342 PEAK																																																																																																																														
2	5650.00	45.39	68.20	-22.81	36.62	34.50	11.22	36.95	0.00	100	342 PEAK																																																																																																																														
3	5705.60	50.03	106.87	-56.84	41.05	34.50	11.30	36.82	0.00	100	342 PEAK																																																																																																																														
4	5720.00	50.93	110.90	-59.97	41.92	34.50	11.32	36.81	0.00	100	342 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	109.44	-----	-----	100.33	34.51	11.37	36.77	0.00	100	342 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.96</td><td>-----</td><td>-----</td><td>90.90</td><td>34.50</td><td>11.35</td><td>36.79</td><td>0.00</td><td>100</td><td>342 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	99.96	-----	-----	90.90	34.50	11.35	36.79	0.00	100	342 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	99.96	-----	-----	90.90	34.50	11.35	36.79	0.00	100	342 AVERAGE																																																																																																																														






Mode	35																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical																																																																																											
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.00</td><td>48.37</td><td>68.20</td><td>-19.83</td><td>39.63</td><td>34.49</td><td>11.21</td><td>36.96</td><td>0.00</td><td>255</td><td>291 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>46.71</td><td>69.39</td><td>-22.68</td><td>37.94</td><td>34.50</td><td>11.22</td><td>36.95</td><td>0.00</td><td>255</td><td>291 PEAK</td></tr><tr><td>3</td><td>5703.60</td><td>49.25</td><td>106.31</td><td>-57.06</td><td>40.28</td><td>34.50</td><td>11.30</td><td>36.83</td><td>0.00</td><td>255</td><td>291 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>50.08</td><td>111.81</td><td>-61.73</td><td>41.07</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>255</td><td>291 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.00	48.37	68.20	-19.83	39.63	34.49	11.21	36.96	0.00	255	291 PEAK	2	5651.60	46.71	69.39	-22.68	37.94	34.50	11.22	36.95	0.00	255	291 PEAK	3	5703.60	49.25	106.31	-57.06	40.28	34.50	11.30	36.83	0.00	255	291 PEAK	4	5720.40	50.08	111.81	-61.73	41.07	34.50	11.32	36.81	0.00	255	291 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
	1	5646.00	48.37	68.20	-19.83	39.63	34.49	11.21	36.96	0.00	255	291 PEAK																																																																																
2	5651.60	46.71	69.39	-22.68	37.94	34.50	11.22	36.95	0.00	255	291 PEAK																																																																																	
3	5703.60	49.25	106.31	-57.06	40.28	34.50	11.30	36.83	0.00	255	291 PEAK																																																																																	
4	5720.40	50.08	111.81	-61.73	41.07	34.50	11.32	36.81	0.00	255	291 PEAK																																																																																	
Fundamental	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.00</td><td>-----</td><td>-----</td><td>100.74</td><td>34.50</td><td>11.35</td><td>36.79</td><td>0.00</td><td>255</td><td>291 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	109.00	-----	-----	100.74	34.50	11.35	36.79	0.00	255	291 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
	1	5745.00	109.00	-----	-----	100.74	34.50	11.35	36.79	0.00	255	291 PEAK																																																																																
Avg	Blank																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.48</td><td>-----</td><td>-----</td><td>91.42</td><td>34.50</td><td>11.35</td><td>36.79</td><td>0.00</td><td>255</td><td>291 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.48	-----	-----	91.42	34.50	11.35	36.79	0.00	255	291 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5745.00	100.48	-----	-----	91.42	34.50	11.35	36.79	0.00	255	291 AVERAGE																																																																																	




Mode	35																																																																																
	Harmonic																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																
ANT	1+2																																																																																
Pol.	Horizontal																																																																																
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9192.00</td><td>50.54</td><td>74.00</td><td>-23.46</td><td>67.18</td><td>36.28</td><td>14.50</td><td>67.42</td><td>0.00</td><td>304</td><td>81 PEAK</td></tr><tr><td>2</td><td>9192.00</td><td>48.18</td><td>54.00</td><td>-5.82</td><td>64.82</td><td>36.28</td><td>14.50</td><td>67.42</td><td>0.00</td><td>304</td><td>81 AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>46.51</td><td>74.00</td><td>-27.49</td><td>58.30</td><td>38.09</td><td>16.12</td><td>66.00</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9192.00	50.54	74.00	-23.46	67.18	36.28	14.50	67.42	0.00	304	81 PEAK	2	9192.00	48.18	54.00	-5.82	64.82	36.28	14.50	67.42	0.00	304	81 AVERAGE	3	11490.00	46.51	74.00	-27.49	58.30	38.09	16.12	66.00	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	9192.00	50.54	74.00	-23.46	67.18	36.28	14.50	67.42	0.00	304	81 PEAK																																																																						
2	9192.00	48.18	54.00	-5.82	64.82	36.28	14.50	67.42	0.00	304	81 AVERAGE																																																																						
3	11490.00	46.51	74.00	-27.49	58.30	38.09	16.12	66.00	0.00	---	---	PEAK																																																																					
Vertical																																																																																	
																																																																																	
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9192.00</td><td>52.03</td><td>74.00</td><td>-21.97</td><td>68.67</td><td>36.28</td><td>14.50</td><td>67.42</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>2</td><td>9192.00</td><td>49.61</td><td>54.00</td><td>-4.39</td><td>66.25</td><td>36.28</td><td>14.50</td><td>67.42</td><td>0.00</td><td>100</td><td>305 AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>45.29</td><td>74.00</td><td>-28.71</td><td>57.08</td><td>38.09</td><td>16.12</td><td>66.00</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9192.00	52.03	74.00	-21.97	68.67	36.28	14.50	67.42	0.00	100	305 PEAK	2	9192.00	49.61	54.00	-4.39	66.25	36.28	14.50	67.42	0.00	100	305 AVERAGE	3	11490.00	45.29	74.00	-28.71	57.08	38.09	16.12	66.00	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	9192.00	52.03	74.00	-21.97	68.67	36.28	14.50	67.42	0.00	100	305 PEAK																																																																						
2	9192.00	49.61	54.00	-4.39	66.25	36.28	14.50	67.42	0.00	100	305 AVERAGE																																																																						
3	11490.00	45.29	74.00	-28.71	57.08	38.09	16.12	66.00	0.00	---	---	PEAK																																																																					






Mode	36																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz																																																																																																																																		
ANT	1+2																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5622.00</td><td>48.11</td><td>68.20</td><td>-20.09</td><td>39.51</td><td>34.44</td><td>11.18</td><td>37.02</td><td>0.00</td><td>103</td><td>340 PEAK</td></tr><tr><td>2 5650.00</td><td>46.35</td><td>68.20</td><td>-21.85</td><td>37.58</td><td>34.50</td><td>11.22</td><td>36.95</td><td>0.00</td><td>103</td><td>340 PEAK</td></tr><tr><td>3 5702.00</td><td>47.64</td><td>105.86</td><td>-58.22</td><td>38.68</td><td>34.50</td><td>11.29</td><td>36.83</td><td>0.00</td><td>103</td><td>340 PEAK</td></tr><tr><td>4 5720.40</td><td>49.19</td><td>111.81</td><td>-62.62</td><td>40.18</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>103</td><td>340 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5622.00	48.11	68.20	-20.09	39.51	34.44	11.18	37.02	0.00	103	340 PEAK	2 5650.00	46.35	68.20	-21.85	37.58	34.50	11.22	36.95	0.00	103	340 PEAK	3 5702.00	47.64	105.86	-58.22	38.68	34.50	11.29	36.83	0.00	103	340 PEAK	4 5720.40	49.19	111.81	-62.62	40.18	34.50	11.32	36.81	0.00	103	340 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>111.34</td><td>-----</td><td>-----</td><td>101.99</td><td>34.65</td><td>11.43</td><td>36.73</td><td>0.00</td><td>103</td><td>340 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	111.34	-----	-----	101.99	34.65	11.43	36.73	0.00	103
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5622.00	48.11	68.20	-20.09	39.51	34.44	11.18	37.02	0.00	103	340 PEAK																																																																																																																									
2 5650.00	46.35	68.20	-21.85	37.58	34.50	11.22	36.95	0.00	103	340 PEAK																																																																																																																									
3 5702.00	47.64	105.86	-58.22	38.68	34.50	11.29	36.83	0.00	103	340 PEAK																																																																																																																									
4 5720.40	49.19	111.81	-62.62	40.18	34.50	11.32	36.81	0.00	103	340 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5785.00	111.34	-----	-----	101.99	34.65	11.43	36.73	0.00	103	340 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>100.89</td><td>-----</td><td>-----</td><td>91.58</td><td>34.63</td><td>11.42</td><td>36.74</td><td>0.00</td><td>103</td><td>340 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	100.89	-----	-----	91.58	34.63	11.42	36.74	0.00	103	340 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5785.00	100.89	-----	-----	91.58	34.63	11.42	36.74	0.00	103	340 AVERAGE																																																																																																																									




Mode	36																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz																																																																																															
ANT	1+2																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>48.49</td><td>113.18</td><td>-64.69</td><td>39.07</td><td>34.82</td><td>11.49</td><td>36.89</td><td>0.00</td><td>103</td><td>340</td><td>PEAK</td></tr><tr><td>2</td><td>5872.80</td><td>47.72</td><td>105.92</td><td>-58.20</td><td>38.22</td><td>34.94</td><td>11.51</td><td>36.95</td><td>0.00</td><td>103</td><td>340</td><td>PEAK</td></tr><tr><td>3</td><td>5921.20</td><td>49.39</td><td>71.01</td><td>-21.62</td><td>39.74</td><td>35.10</td><td>11.55</td><td>37.00</td><td>0.00</td><td>103</td><td>340</td><td>PEAK</td></tr><tr><td>4</td><td>5946.40</td><td>49.10</td><td>68.20</td><td>-19.10</td><td>39.37</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>103</td><td>340</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	48.49	113.18	-64.69	39.07	34.82	11.49	36.89	0.00	103	340	PEAK	2	5872.80	47.72	105.92	-58.20	38.22	34.94	11.51	36.95	0.00	103	340	PEAK	3	5921.20	49.39	71.01	-21.62	39.74	35.10	11.55	37.00	0.00	103	340	PEAK	4	5946.40	49.10	68.20	-19.10	39.37	35.10	11.57	36.94	0.00	103	340	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.00	48.49	113.18	-64.69	39.07	34.82	11.49	36.89	0.00	103	340	PEAK																																																																																				
2	5872.80	47.72	105.92	-58.20	38.22	34.94	11.51	36.95	0.00	103	340	PEAK																																																																																				
3	5921.20	49.39	71.01	-21.62	39.74	35.10	11.55	37.00	0.00	103	340	PEAK																																																																																				
4	5946.40	49.10	68.20	-19.10	39.37	35.10	11.57	36.94	0.00	103	340	PEAK																																																																																				





Mode	36																																																																																																																																													
	Band Edge - L																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz																																																																																																																																													
ANT	1+2																																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5633.20</td><td>48.32</td><td>68.20</td><td>-19.88</td><td>39.64</td><td>34.47</td><td>11.20</td><td>36.99</td><td>0.00</td><td>251</td><td>283</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>45.80</td><td>68.20</td><td>-22.40</td><td>37.03</td><td>34.50</td><td>11.22</td><td>36.95</td><td>0.00</td><td>251</td><td>283</td><td>PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>47.75</td><td>106.09</td><td>-58.34</td><td>38.79</td><td>34.50</td><td>11.29</td><td>36.83</td><td>0.00</td><td>251</td><td>283</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>46.62</td><td>110.90</td><td>-64.28</td><td>37.61</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>251</td><td>283</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5633.20	48.32	68.20	-19.88	39.64	34.47	11.20	36.99	0.00	251	283	PEAK	2	5650.00	45.80	68.20	-22.40	37.03	34.50	11.22	36.95	0.00	251	283	PEAK	3	5702.00	47.75	106.09	-58.34	38.79	34.50	11.29	36.83	0.00	251	283	PEAK	4	5720.00	46.62	110.90	-64.28	37.61	34.50	11.32	36.81	0.00	251	283	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>110.18</td><td>-----</td><td>-----</td><td>100.87</td><td>34.63</td><td>11.42</td><td>36.74</td><td>0.00</td><td>251</td><td>283</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	110.18	-----	-----	100.87	34.63	11.42	36.74	0.00	251	283	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5633.20	48.32	68.20	-19.88	39.64	34.47	11.20	36.99	0.00	251	283	PEAK																																																																																																																																		
2	5650.00	45.80	68.20	-22.40	37.03	34.50	11.22	36.95	0.00	251	283	PEAK																																																																																																																																		
3	5702.00	47.75	106.09	-58.34	38.79	34.50	11.29	36.83	0.00	251	283	PEAK																																																																																																																																		
4	5720.00	46.62	110.90	-64.28	37.61	34.50	11.32	36.81	0.00	251	283	PEAK																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5785.00	110.18	-----	-----	100.87	34.63	11.42	36.74	0.00	251	283	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>100.39</td><td>-----</td><td>-----</td><td>91.08</td><td>34.63</td><td>11.42</td><td>36.74</td><td>0.00</td><td>251</td><td>283</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	100.39	-----	-----	91.08	34.63	11.42	36.74	0.00	251	283	AVERAGE																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5785.00	100.39	-----	-----	91.08	34.63	11.42	36.74	0.00	251	283	AVERAGE																																																																																																																																		






Mode	36																																																																																																
	Band Edge - R																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz																																																																																																
ANT	1+2																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>47.15</td><td>111.36</td><td>-64.21</td><td>37.73</td><td>34.83</td><td>11.49</td><td>36.90</td><td>0.00</td><td>251</td><td>283</td><td>PEAK</td></tr><tr><td>2</td><td>5872.80</td><td>48.33</td><td>105.92</td><td>-57.59</td><td>38.83</td><td>34.94</td><td>11.51</td><td>36.95</td><td>0.00</td><td>251</td><td>283</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>46.81</td><td>68.35</td><td>-21.54</td><td>37.15</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>251</td><td>283</td><td>PEAK</td></tr><tr><td>4</td><td>5948.40</td><td>49.43</td><td>68.20</td><td>-18.77</td><td>39.70</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>251</td><td>283</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	47.15	111.36	-64.21	37.73	34.83	11.49	36.90	0.00	251	283	PEAK	2	5872.80	48.33	105.92	-57.59	38.83	34.94	11.51	36.95	0.00	251	283	PEAK	3	5924.80	46.81	68.35	-21.54	37.15	35.10	11.55	36.99	0.00	251	283	PEAK	4	5948.40	49.43	68.20	-18.77	39.70	35.10	11.57	36.94	0.00	251	283	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5854.80	47.15	111.36	-64.21	37.73	34.83	11.49	36.90	0.00	251	283	PEAK																																																																																					
2	5872.80	48.33	105.92	-57.59	38.83	34.94	11.51	36.95	0.00	251	283	PEAK																																																																																					
3	5924.80	46.81	68.35	-21.54	37.15	35.10	11.55	36.99	0.00	251	283	PEAK																																																																																					
4	5948.40	49.43	68.20	-18.77	39.70	35.10	11.57	36.94	0.00	251	283	PEAK																																																																																					






Mode	36																																																																																																																																																											
	Harmonic																																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz																																																																																																																																																											
ANT	1+2																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9256.00</td><td>48.19</td><td>68.20</td><td>-20.01</td><td>64.76</td><td>36.30</td><td>14.53</td><td>67.40</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>48.24</td><td>74.00</td><td>-25.76</td><td>59.78</td><td>38.17</td><td>16.18</td><td>65.89</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11570.00</td><td>36.94</td><td>54.00</td><td>-17.06</td><td>48.47</td><td>38.17</td><td>16.18</td><td>65.88</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9256.00	48.19	68.20	-20.01	64.76	36.30	14.53	67.40	0.00	---	---	PEAK	2	11570.00	48.24	74.00	-25.76	59.78	38.17	16.18	65.89	0.00	300	360	PEAK	3	11570.00	36.94	54.00	-17.06	48.47	38.17	16.18	65.88	0.00	300	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9256.00</td><td>52.75</td><td>68.20</td><td>-15.45</td><td>69.32</td><td>36.30</td><td>14.53</td><td>67.40</td><td>0.00</td><td>107</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>54.08</td><td>74.00</td><td>-19.92</td><td>65.62</td><td>38.17</td><td>16.18</td><td>65.89</td><td>0.00</td><td>107</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11570.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>53.86</td><td>38.17</td><td>16.18</td><td>65.88</td><td>0.00</td><td>107</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9256.00	52.75	68.20	-15.45	69.32	36.30	14.53	67.40	0.00	107	360	PEAK	2	11570.00	54.08	74.00	-19.92	65.62	38.17	16.18	65.89	0.00	107	360	PEAK	3	11570.00	42.33	54.00	-11.67	53.86	38.17	16.18	65.88	0.00	107	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																		
1	9256.00	48.19	68.20	-20.01	64.76	36.30	14.53	67.40	0.00	---	---	PEAK																																																																																																																																																
2	11570.00	48.24	74.00	-25.76	59.78	38.17	16.18	65.89	0.00	300	360	PEAK																																																																																																																																																
3	11570.00	36.94	54.00	-17.06	48.47	38.17	16.18	65.88	0.00	300	360	AVERAGE																																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	9256.00	52.75	68.20	-15.45	69.32	36.30	14.53	67.40	0.00	107	360	PEAK																																																																																																																																																
2	11570.00	54.08	74.00	-19.92	65.62	38.17	16.18	65.89	0.00	107	360	PEAK																																																																																																																																																
3	11570.00	42.33	54.00	-11.67	53.86	38.17	16.18	65.88	0.00	107	360	AVERAGE																																																																																																																																																



Mode	37																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																								
ANT	1+2																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>47.31</td><td>111.36</td><td>-64.05</td><td>37.89</td><td>34.83</td><td>11.49</td><td>36.90</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>49.70</td><td>105.58</td><td>-55.88</td><td>40.21</td><td>34.94</td><td>11.51</td><td>36.96</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>48.14</td><td>68.64</td><td>-20.50</td><td>38.48</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr><tr><td>4</td><td>5927.60</td><td>49.21</td><td>68.20</td><td>-18.99</td><td>39.54</td><td>35.10</td><td>11.55</td><td>36.98</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	47.31	111.36	-64.05	37.89	34.83	11.49	36.90	0.00	100	341 PEAK	2	5874.00	49.70	105.58	-55.88	40.21	34.94	11.51	36.96	0.00	100	341 PEAK	3	5924.40	48.14	68.64	-20.50	38.48	35.10	11.55	36.99	0.00	100	341 PEAK	4	5927.60	49.21	68.20	-18.99	39.54	35.10	11.55	36.98	0.00	100	341 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>107.70</td><td>-----</td><td>-----</td><td>98.28</td><td>34.74</td><td>11.46</td><td>36.78</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.70	-----	-----	98.28	34.74	11.46	36.78	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5854.00	47.31	111.36	-64.05	37.89	34.83	11.49	36.90	0.00	100	341 PEAK																																																																																																																														
2	5874.00	49.70	105.58	-55.88	40.21	34.94	11.51	36.96	0.00	100	341 PEAK																																																																																																																														
3	5924.40	48.14	68.64	-20.50	38.48	35.10	11.55	36.99	0.00	100	341 PEAK																																																																																																																														
4	5927.60	49.21	68.20	-18.99	39.54	35.10	11.55	36.98	0.00	100	341 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	107.70	-----	-----	98.28	34.74	11.46	36.78	0.00	100	341 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>99.14</td><td>-----</td><td>-----</td><td>89.72</td><td>34.75</td><td>11.47</td><td>36.80</td><td>0.00</td><td>100</td><td>341 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.14	-----	-----	89.72	34.75	11.47	36.80	0.00	100	341 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	99.14	-----	-----	89.72	34.75	11.47	36.80	0.00	100	341 AVERAGE																																																																																																																														






Mode	37																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																							
ANT	1+2																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.80</td><td>48.90</td><td>111.36</td><td>-62.46</td><td>39.48</td><td>34.83</td><td>11.49</td><td>36.90</td><td>0.00</td><td>304</td><td>274 PEAK</td></tr><tr><td>2</td><td>5868.40</td><td>51.16</td><td>107.15</td><td>-55.99</td><td>41.69</td><td>34.91</td><td>11.50</td><td>36.94</td><td>0.00</td><td>304</td><td>274 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>48.14</td><td>68.35</td><td>-20.21</td><td>38.48</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>304</td><td>274 PEAK</td></tr><tr><td>4</td><td>5955.60</td><td>49.72</td><td>68.20</td><td>-18.48</td><td>39.96</td><td>35.11</td><td>11.57</td><td>36.92</td><td>0.00</td><td>304</td><td>274 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	48.90	111.36	-62.46	39.48	34.83	11.49	36.90	0.00	304	274 PEAK	2	5868.40	51.16	107.15	-55.99	41.69	34.91	11.50	36.94	0.00	304	274 PEAK	3	5924.80	48.14	68.35	-20.21	38.48	35.10	11.55	36.99	0.00	304	274 PEAK	4	5955.60	49.72	68.20	-18.48	39.96	35.11	11.57	36.92	0.00	304	274 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.52</td><td>-----</td><td>-----</td><td>99.10</td><td>34.75</td><td>11.47</td><td>36.80</td><td>0.00</td><td>304</td><td>274 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	108.52	-----	-----	99.10	34.75	11.47	36.80	0.00	304
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5854.80	48.90	111.36	-62.46	39.48	34.83	11.49	36.90	0.00	304	274 PEAK																																																																																																																													
2	5868.40	51.16	107.15	-55.99	41.69	34.91	11.50	36.94	0.00	304	274 PEAK																																																																																																																													
3	5924.80	48.14	68.35	-20.21	38.48	35.10	11.55	36.99	0.00	304	274 PEAK																																																																																																																													
4	5955.60	49.72	68.20	-18.48	39.96	35.11	11.57	36.92	0.00	304	274 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	108.52	-----	-----	99.10	34.75	11.47	36.80	0.00	304	274 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.23</td><td>-----</td><td>-----</td><td>90.81</td><td>34.75</td><td>11.47</td><td>36.80</td><td>0.00</td><td>304</td><td>274 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	100.23	-----	-----	90.81	34.75	11.47	36.80	0.00	304	274 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	100.23	-----	-----	90.81	34.75	11.47	36.80	0.00	304	274 AVERAGE																																																																																																																													




Mode	37																																																																																											
	Harmonic																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal																																																																																											
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>9320.00</td><td>43.38</td><td>74.00</td><td>-30.62</td><td>59.89</td><td>36.30</td><td>14.56</td><td>67.37</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>48.48</td><td>74.00</td><td>-25.52</td><td>59.71</td><td>38.30</td><td>16.23</td><td>65.76</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>3</td><td>11650.00</td><td>37.30</td><td>54.00</td><td>-16.70</td><td>48.50</td><td>38.31</td><td>16.24</td><td>65.75</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	9320.00	43.38	74.00	-30.62	59.89	36.30	14.56	67.37	0.00	---	PEAK	2	11650.00	48.48	74.00	-25.52	59.71	38.30	16.23	65.76	0.00	300	0 PEAK	3	11650.00	37.30	54.00	-16.70	48.50	38.31	16.24	65.75	0.00	300	0 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																			
1	9320.00	43.38	74.00	-30.62	59.89	36.30	14.56	67.37	0.00	---	PEAK																																																																																	
2	11650.00	48.48	74.00	-25.52	59.71	38.30	16.23	65.76	0.00	300	0 PEAK																																																																																	
3	11650.00	37.30	54.00	-16.70	48.50	38.31	16.24	65.75	0.00	300	0 AVERAGE																																																																																	
Vertical																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>9320.00</td><td>51.00</td><td>74.00</td><td>-23.00</td><td>67.51</td><td>36.30</td><td>14.56</td><td>67.37</td><td>0.00</td><td>103</td><td>308 PEAK</td></tr><tr><td>2</td><td>9320.00</td><td>48.54</td><td>54.00</td><td>-5.46</td><td>65.05</td><td>36.30</td><td>14.56</td><td>67.37</td><td>0.00</td><td>103</td><td>308 AVERAGE</td></tr><tr><td>3</td><td>11650.00</td><td>55.55</td><td>74.00</td><td>-18.45</td><td>66.78</td><td>38.30</td><td>16.23</td><td>65.76</td><td>0.00</td><td>114</td><td>11 PEAK</td></tr><tr><td>4</td><td>11650.00</td><td>42.96</td><td>54.00</td><td>-11.04</td><td>54.17</td><td>38.31</td><td>16.24</td><td>65.76</td><td>0.00</td><td>114</td><td>11 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	9320.00	51.00	74.00	-23.00	67.51	36.30	14.56	67.37	0.00	103	308 PEAK	2	9320.00	48.54	54.00	-5.46	65.05	36.30	14.56	67.37	0.00	103	308 AVERAGE	3	11650.00	55.55	74.00	-18.45	66.78	38.30	16.23	65.76	0.00	114	11 PEAK	4	11650.00	42.96	54.00	-11.04	54.17	38.31	16.24	65.76	0.00	114	11 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																			
1	9320.00	51.00	74.00	-23.00	67.51	36.30	14.56	67.37	0.00	103	308 PEAK																																																																																	
2	9320.00	48.54	54.00	-5.46	65.05	36.30	14.56	67.37	0.00	103	308 AVERAGE																																																																																	
3	11650.00	55.55	74.00	-18.45	66.78	38.30	16.23	65.76	0.00	114	11 PEAK																																																																																	
4	11650.00	42.96	54.00	-11.04	54.17	38.31	16.24	65.76	0.00	114	11 AVERAGE																																																																																	



Mode	38																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																		
ANT	1+2																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5645.42</td><td>52.19</td><td>68.20</td><td>-16.01</td><td>43.45</td><td>34.49</td><td>11.21</td><td>36.96</td><td>0.00</td><td>107 339 PEAK</td></tr><tr><td>2</td><td>5651.31</td><td>49.24</td><td>69.17</td><td>-19.93</td><td>40.47</td><td>34.50</td><td>11.22</td><td>36.95</td><td>0.00</td><td>107 339 PEAK</td></tr><tr><td>3</td><td>5702.46</td><td>52.17</td><td>105.99</td><td>-53.82</td><td>43.21</td><td>34.50</td><td>11.29</td><td>36.83</td><td>0.00</td><td>107 339 PEAK</td></tr><tr><td>4</td><td>5721.21</td><td>53.35</td><td>113.66</td><td>-60.31</td><td>44.34</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>107 339 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5645.42	52.19	68.20	-16.01	43.45	34.49	11.21	36.96	0.00	107 339 PEAK	2	5651.31	49.24	69.17	-19.93	40.47	34.50	11.22	36.95	0.00	107 339 PEAK	3	5702.46	52.17	105.99	-53.82	43.21	34.50	11.29	36.83	0.00	107 339 PEAK	4	5721.21	53.35	113.66	-60.31	44.34	34.50	11.32	36.81	0.00	107 339 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>106.83</td><td>-----</td><td>-----</td><td>97.72</td><td>34.51</td><td>11.37</td><td>36.77</td><td>0.00</td><td>107 339 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	106.83	-----	-----	97.72	34.51	11.37	36.77	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5645.42	52.19	68.20	-16.01	43.45	34.49	11.21	36.96	0.00	107 339 PEAK																																																																																																																									
2	5651.31	49.24	69.17	-19.93	40.47	34.50	11.22	36.95	0.00	107 339 PEAK																																																																																																																									
3	5702.46	52.17	105.99	-53.82	43.21	34.50	11.29	36.83	0.00	107 339 PEAK																																																																																																																									
4	5721.21	53.35	113.66	-60.31	44.34	34.50	11.32	36.81	0.00	107 339 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5755.00	106.83	-----	-----	97.72	34.51	11.37	36.77	0.00	107 339 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>98.02</td><td>-----</td><td>-----</td><td>88.91</td><td>34.51</td><td>11.37</td><td>36.77</td><td>0.00</td><td>107 339 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	98.02	-----	-----	88.91	34.51	11.37	36.77	0.00	107 339 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5755.00	98.02	-----	-----	88.91	34.51	11.37	36.77	0.00	107 339 AVERAGE																																																																																																																									




Mode	38																																																																																																
	Band Edge - R																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																
ANT	1+2																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.26</td><td>49.18</td><td>112.60</td><td>-63.42</td><td>39.75</td><td>34.83</td><td>11.49</td><td>36.89</td><td>0.00</td><td>107</td><td>339</td><td>PEAK</td></tr><tr><td>2</td><td>5873.37</td><td>49.43</td><td>105.76</td><td>-56.33</td><td>39.93</td><td>34.94</td><td>11.51</td><td>36.95</td><td>0.00</td><td>107</td><td>339</td><td>PEAK</td></tr><tr><td>3</td><td>5924.07</td><td>48.04</td><td>68.89</td><td>-20.85</td><td>38.38</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>107</td><td>339</td><td>PEAK</td></tr><tr><td>4</td><td>5941.03</td><td>50.50</td><td>68.20</td><td>-17.70</td><td>40.79</td><td>35.10</td><td>11.56</td><td>36.95</td><td>0.00</td><td>107</td><td>339</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.26	49.18	112.60	-63.42	39.75	34.83	11.49	36.89	0.00	107	339	PEAK	2	5873.37	49.43	105.76	-56.33	39.93	34.94	11.51	36.95	0.00	107	339	PEAK	3	5924.07	48.04	68.89	-20.85	38.38	35.10	11.55	36.99	0.00	107	339	PEAK	4	5941.03	50.50	68.20	-17.70	40.79	35.10	11.56	36.95	0.00	107	339	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5854.26	49.18	112.60	-63.42	39.75	34.83	11.49	36.89	0.00	107	339	PEAK																																																																																					
2	5873.37	49.43	105.76	-56.33	39.93	34.94	11.51	36.95	0.00	107	339	PEAK																																																																																					
3	5924.07	48.04	68.89	-20.85	38.38	35.10	11.55	36.99	0.00	107	339	PEAK																																																																																					
4	5941.03	50.50	68.20	-17.70	40.79	35.10	11.56	36.95	0.00	107	339	PEAK																																																																																					





Mode	38																																																																																																																																														
	Band Edge - L																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																														
ANT	1+2																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5624.49</td><td>49.62</td><td>68.20</td><td>-18.58</td><td>41.00</td><td>34.45</td><td>11.18</td><td>37.01</td><td>0.00</td><td>232</td><td>289</td><td>PEAK</td></tr><tr><td>2</td><td>5650.07</td><td>47.45</td><td>68.25</td><td>-20.80</td><td>38.68</td><td>34.50</td><td>11.22</td><td>36.95</td><td>0.00</td><td>232</td><td>289</td><td>PEAK</td></tr><tr><td>3</td><td>5700.44</td><td>50.22</td><td>105.42</td><td>-55.20</td><td>41.26</td><td>34.50</td><td>11.29</td><td>36.83</td><td>0.00</td><td>232</td><td>289</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>52.33</td><td>111.19</td><td>-58.86</td><td>43.32</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>232</td><td>289</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5624.49	49.62	68.20	-18.58	41.00	34.45	11.18	37.01	0.00	232	289	PEAK	2	5650.07	47.45	68.25	-20.80	38.68	34.50	11.22	36.95	0.00	232	289	PEAK	3	5700.44	50.22	105.42	-55.20	41.26	34.50	11.29	36.83	0.00	232	289	PEAK	4	5720.13	52.33	111.19	-58.86	43.32	34.50	11.32	36.81	0.00	232	289	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>106.76</td><td>-----</td><td>-----</td><td>97.68</td><td>34.50</td><td>11.36</td><td>36.78</td><td>0.00</td><td>232</td><td>289</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	106.76	-----	-----	97.68	34.50	11.36	36.78	0.00	232	289	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5624.49	49.62	68.20	-18.58	41.00	34.45	11.18	37.01	0.00	232	289	PEAK																																																																																																																																			
2	5650.07	47.45	68.25	-20.80	38.68	34.50	11.22	36.95	0.00	232	289	PEAK																																																																																																																																			
3	5700.44	50.22	105.42	-55.20	41.26	34.50	11.29	36.83	0.00	232	289	PEAK																																																																																																																																			
4	5720.13	52.33	111.19	-58.86	43.32	34.50	11.32	36.81	0.00	232	289	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5755.00	106.76	-----	-----	97.68	34.50	11.36	36.78	0.00	232	289	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>97.20</td><td>-----</td><td>-----</td><td>88.09</td><td>34.51</td><td>11.37</td><td>36.77</td><td>0.00</td><td>232</td><td>289</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	97.20	-----	-----	88.09	34.51	11.37	36.77	0.00	232	289	AVERAGE																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5755.00	97.20	-----	-----	88.09	34.51	11.37	36.77	0.00	232	289	AVERAGE																																																																																																																																			



Mode	38																																																																																																
	Band Edge - R																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																
ANT	1+2																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>46.95</td><td>111.26</td><td>-64.31</td><td>37.53</td><td>34.83</td><td>11.49</td><td>36.90</td><td>0.00</td><td>232</td><td>289</td><td>PEAK</td></tr><tr><td>2</td><td>5874.15</td><td>49.27</td><td>105.54</td><td>-56.27</td><td>39.78</td><td>34.94</td><td>11.51</td><td>36.96</td><td>0.00</td><td>232</td><td>289</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>47.72</td><td>68.46</td><td>-20.74</td><td>38.06</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>232</td><td>289</td><td>PEAK</td></tr><tr><td>4</td><td>5932.65</td><td>49.38</td><td>68.20</td><td>-18.82</td><td>39.69</td><td>35.10</td><td>11.56</td><td>36.97</td><td>0.00</td><td>232</td><td>289</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	46.95	111.26	-64.31	37.53	34.83	11.49	36.90	0.00	232	289	PEAK	2	5874.15	49.27	105.54	-56.27	39.78	34.94	11.51	36.96	0.00	232	289	PEAK	3	5924.65	47.72	68.46	-20.74	38.06	35.10	11.55	36.99	0.00	232	289	PEAK	4	5932.65	49.38	68.20	-18.82	39.69	35.10	11.56	36.97	0.00	232	289	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5854.84	46.95	111.26	-64.31	37.53	34.83	11.49	36.90	0.00	232	289	PEAK																																																																																					
2	5874.15	49.27	105.54	-56.27	39.78	34.94	11.51	36.96	0.00	232	289	PEAK																																																																																					
3	5924.65	47.72	68.46	-20.74	38.06	35.10	11.55	36.99	0.00	232	289	PEAK																																																																																					
4	5932.65	49.38	68.20	-18.82	39.69	35.10	11.56	36.97	0.00	232	289	PEAK																																																																																					




Mode	38																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																									
ANT	1+2																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9208.00</td><td>54.68</td><td>68.20</td><td>-13.52</td><td>71.29</td><td>36.30</td><td>14.51</td><td>67.42</td><td>0.00</td><td>107 301 PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>42.91</td><td>74.00</td><td>-31.09</td><td>54.65</td><td>38.11</td><td>16.13</td><td>65.98</td><td>0.00</td><td>--- --- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9208.00	54.68	68.20	-13.52	71.29	36.30	14.51	67.42	0.00	107 301 PEAK	2	11510.00	42.91	74.00	-31.09	54.65	38.11	16.13	65.98	0.00	--- --- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9208.00</td><td>53.53</td><td>68.20</td><td>-14.67</td><td>70.14</td><td>36.30</td><td>14.51</td><td>67.42</td><td>0.00</td><td>127 360 PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>43.86</td><td>74.00</td><td>-30.14</td><td>55.60</td><td>38.11</td><td>16.13</td><td>65.98</td><td>0.00</td><td>--- --- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9208.00	53.53	68.20	-14.67	70.14	36.30	14.51	67.42	0.00	127 360 PEAK	2	11510.00	43.86	74.00	-30.14	55.60	38.11	16.13	65.98	0.00	--- --- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	9208.00	54.68	68.20	-13.52	71.29	36.30	14.51	67.42	0.00	107 301 PEAK																																																																																																																
2	11510.00	42.91	74.00	-31.09	54.65	38.11	16.13	65.98	0.00	--- --- PEAK																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	9208.00	53.53	68.20	-14.67	70.14	36.30	14.51	67.42	0.00	127 360 PEAK																																																																																																																
2	11510.00	43.86	74.00	-30.14	55.60	38.11	16.13	65.98	0.00	--- --- PEAK																																																																																																																






Mode	39																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																								
ANT	1+2																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5605.20</td><td>49.75</td><td>68.20</td><td>-18.45</td><td>41.24</td><td>34.41</td><td>11.16</td><td>37.06</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>49.15</td><td>69.39</td><td>-20.24</td><td>40.38</td><td>34.50</td><td>11.22</td><td>36.95</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>52.30</td><td>105.75</td><td>-53.45</td><td>43.34</td><td>34.50</td><td>11.29</td><td>36.83</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>50.37</td><td>110.90</td><td>-60.53</td><td>41.36</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5605.20	49.75	68.20	-18.45	41.24	34.41	11.16	37.06	0.00	100	341 PEAK	2	5651.60	49.15	69.39	-20.24	40.38	34.50	11.22	36.95	0.00	100	341 PEAK	3	5701.60	52.30	105.75	-53.45	43.34	34.50	11.29	36.83	0.00	100	341 PEAK	4	5720.00	50.37	110.90	-60.53	41.36	34.50	11.32	36.81	0.00	100	341 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>106.46</td><td>-----</td><td>-----</td><td>97.03</td><td>34.70</td><td>11.45</td><td>36.72</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	106.46	-----	-----	97.03	34.70	11.45	36.72	0.00	100	341 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5605.20	49.75	68.20	-18.45	41.24	34.41	11.16	37.06	0.00	100	341 PEAK																																																																																																																														
2	5651.60	49.15	69.39	-20.24	40.38	34.50	11.22	36.95	0.00	100	341 PEAK																																																																																																																														
3	5701.60	52.30	105.75	-53.45	43.34	34.50	11.29	36.83	0.00	100	341 PEAK																																																																																																																														
4	5720.00	50.37	110.90	-60.53	41.36	34.50	11.32	36.81	0.00	100	341 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5795.00	106.46	-----	-----	97.03	34.70	11.45	36.72	0.00	100	341 PEAK																																																																																																																														
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>96.79</td><td>-----</td><td>-----</td><td>87.40</td><td>34.68</td><td>11.44</td><td>36.73</td><td>0.00</td><td>100</td><td>341 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	96.79	-----	-----	87.40	34.68	11.44	36.73	0.00	100	341 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5795.00	96.79	-----	-----	87.40	34.68	11.44	36.73	0.00	100	341 AVERAGE																																																																																																																														




Mode	39																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>47.45</td><td>111.36</td><td>-63.91</td><td>38.03</td><td>34.83</td><td>11.49</td><td>36.90</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>50.30</td><td>106.25</td><td>-55.95</td><td>40.81</td><td>34.93</td><td>11.51</td><td>36.95</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>48.11</td><td>68.64</td><td>-20.53</td><td>38.45</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr><tr><td>4</td><td>5926.80</td><td>49.94</td><td>68.20</td><td>-18.26</td><td>40.27</td><td>35.10</td><td>11.55</td><td>36.98</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	47.45	111.36	-63.91	38.03	34.83	11.49	36.90	0.00	100	341 PEAK	2	5871.60	50.30	106.25	-55.95	40.81	34.93	11.51	36.95	0.00	100	341 PEAK	3	5924.40	48.11	68.64	-20.53	38.45	35.10	11.55	36.99	0.00	100	341 PEAK	4	5926.80	49.94	68.20	-18.26	40.27	35.10	11.55	36.98	0.00	100	341 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.80	47.45	111.36	-63.91	38.03	34.83	11.49	36.90	0.00	100	341 PEAK																																																																																	
2	5871.60	50.30	106.25	-55.95	40.81	34.93	11.51	36.95	0.00	100	341 PEAK																																																																																	
3	5924.40	48.11	68.64	-20.53	38.45	35.10	11.55	36.99	0.00	100	341 PEAK																																																																																	
4	5926.80	49.94	68.20	-18.26	40.27	35.10	11.55	36.98	0.00	100	341 PEAK																																																																																	





Mode	39																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																			
ANT	1+2																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue trace with peaks labeled 1, 2, 3, and 4. The peak at 5795 MHz is the most prominent. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5644.40</td><td>49.74</td><td>68.20</td><td>-18.46</td><td>41.00</td><td>34.49</td><td>11.21</td><td>36.96</td><td>0.00</td><td>282 282 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>48.98</td><td>69.09</td><td>-20.11</td><td>40.21</td><td>34.50</td><td>11.22</td><td>36.95</td><td>0.00</td><td>282 282 PEAK</td></tr><tr><td>3</td><td>5704.40</td><td>50.85</td><td>106.53</td><td>-55.68</td><td>41.88</td><td>34.50</td><td>11.30</td><td>36.83</td><td>0.00</td><td>282 282 PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>50.98</td><td>112.72</td><td>-61.74</td><td>41.97</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>282 282 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5644.40	49.74	68.20	-18.46	41.00	34.49	11.21	36.96	0.00	282 282 PEAK	2	5651.20	48.98	69.09	-20.11	40.21	34.50	11.22	36.95	0.00	282 282 PEAK	3	5704.40	50.85	106.53	-55.68	41.88	34.50	11.30	36.83	0.00	282 282 PEAK	4	5720.80	50.98	112.72	-61.74	41.97	34.50	11.32	36.81	0.00	282 282 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue trace with a single prominent peak at 5795 MHz. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>106.81</td><td>-----</td><td>-----</td><td>97.42</td><td>34.68</td><td>11.44</td><td>36.73</td><td>0.00</td><td>282 282 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	106.81	-----	-----	97.42	34.68	11.44	36.73	0.00	282 282 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5644.40	49.74	68.20	-18.46	41.00	34.49	11.21	36.96	0.00	282 282 PEAK																																																																																																																										
2	5651.20	48.98	69.09	-20.11	40.21	34.50	11.22	36.95	0.00	282 282 PEAK																																																																																																																										
3	5704.40	50.85	106.53	-55.68	41.88	34.50	11.30	36.83	0.00	282 282 PEAK																																																																																																																										
4	5720.80	50.98	112.72	-61.74	41.97	34.50	11.32	36.81	0.00	282 282 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5795.00	106.81	-----	-----	97.42	34.68	11.44	36.73	0.00	282 282 PEAK																																																																																																																										
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue trace with a single prominent peak at 5795 MHz. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>97.46</td><td>-----</td><td>-----</td><td>88.03</td><td>34.70</td><td>11.45</td><td>36.72</td><td>0.00</td><td>282 282 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	97.46	-----	-----	88.03	34.70	11.45	36.72	0.00	282 282 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5795.00	97.46	-----	-----	88.03	34.70	11.45	36.72	0.00	282 282 AVERAGE																																																																																																																										






Mode	39																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>47.29</td><td>111.36</td><td>-64.07</td><td>37.87</td><td>34.83</td><td>11.49</td><td>36.90</td><td>0.00</td><td>282</td><td>282 PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>51.03</td><td>105.80</td><td>-54.77</td><td>41.53</td><td>34.94</td><td>11.51</td><td>36.95</td><td>0.00</td><td>282</td><td>282 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>49.59</td><td>69.53</td><td>-19.94</td><td>39.93</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>282</td><td>282 PEAK</td></tr><tr><td>4</td><td>5950.00</td><td>51.02</td><td>68.20</td><td>-17.18</td><td>41.29</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>282</td><td>282 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	47.29	111.36	-64.07	37.87	34.83	11.49	36.90	0.00	282	282 PEAK	2	5873.20	51.03	105.80	-54.77	41.53	34.94	11.51	36.95	0.00	282	282 PEAK	3	5923.20	49.59	69.53	-19.94	39.93	35.10	11.55	36.99	0.00	282	282 PEAK	4	5950.00	51.02	68.20	-17.18	41.29	35.10	11.57	36.94	0.00	282	282 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.80	47.29	111.36	-64.07	37.87	34.83	11.49	36.90	0.00	282	282 PEAK																																																																																	
2	5873.20	51.03	105.80	-54.77	41.53	34.94	11.51	36.95	0.00	282	282 PEAK																																																																																	
3	5923.20	49.59	69.53	-19.94	39.93	35.10	11.55	36.99	0.00	282	282 PEAK																																																																																	
4	5950.00	51.02	68.20	-17.18	41.29	35.10	11.57	36.94	0.00	282	282 PEAK																																																																																	




Mode	39																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																										
ANT	1+2																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9272.00</td><td>52.22</td><td>68.20</td><td>-15.98</td><td>68.77</td><td>36.30</td><td>14.54</td><td>67.39</td><td>0.00</td><td>104</td><td>301 PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>45.14</td><td>74.00</td><td>-28.86</td><td>56.62</td><td>38.19</td><td>16.19</td><td>65.86</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9272.00	52.22	68.20	-15.98	68.77	36.30	14.54	67.39	0.00	104	301 PEAK	2	11590.00	45.14	74.00	-28.86	56.62	38.19	16.19	65.86	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9272.00</td><td>51.86</td><td>68.20</td><td>-16.34</td><td>68.41</td><td>36.30</td><td>14.54</td><td>67.39</td><td>0.00</td><td>124</td><td>0 PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>47.48</td><td>74.00</td><td>-26.52</td><td>58.96</td><td>38.19</td><td>16.19</td><td>65.86</td><td>0.00</td><td>124</td><td>0 PEAK</td></tr><tr><td>3</td><td>11590.00</td><td>37.02</td><td>54.00</td><td>-16.98</td><td>48.50</td><td>38.19</td><td>16.19</td><td>65.86</td><td>0.00</td><td>124</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9272.00	51.86	68.20	-16.34	68.41	36.30	14.54	67.39	0.00	124	0 PEAK	2	11590.00	47.48	74.00	-26.52	58.96	38.19	16.19	65.86	0.00	124	0 PEAK	3	11590.00	37.02	54.00	-16.98	48.50	38.19	16.19	65.86	0.00	124	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	9272.00	52.22	68.20	-15.98	68.77	36.30	14.54	67.39	0.00	104	301 PEAK																																																																																																																																
2	11590.00	45.14	74.00	-28.86	56.62	38.19	16.19	65.86	0.00	---	---	PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	9272.00	51.86	68.20	-16.34	68.41	36.30	14.54	67.39	0.00	124	0 PEAK																																																																																																																																
2	11590.00	47.48	74.00	-26.52	58.96	38.19	16.19	65.86	0.00	124	0 PEAK																																																																																																																																
3	11590.00	37.02	54.00	-16.98	48.50	38.19	16.19	65.86	0.00	124	0 AVERAGE																																																																																																																																







Mode	40																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																									
ANT	1+2																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>48.95</td><td>68.20</td><td>-19.25</td><td>40.40</td><td>34.42</td><td>11.17</td><td>37.04</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>47.43</td><td>70.29</td><td>-22.86</td><td>38.65</td><td>34.50</td><td>11.22</td><td>36.94</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>49.36</td><td>105.41</td><td>-56.05</td><td>40.40</td><td>34.50</td><td>11.29</td><td>36.83</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>47.85</td><td>112.72</td><td>-64.87</td><td>38.84</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	48.95	68.20	-19.25	40.40	34.42	11.17	37.04	0.00	100	341 PEAK	2	5652.00	47.43	70.29	-22.86	38.65	34.50	11.22	36.94	0.00	100	341 PEAK	3	5700.40	49.36	105.41	-56.05	40.40	34.50	11.29	36.83	0.00	100	341 PEAK	4	5720.00	47.85	112.72	-64.87	38.84	34.50	11.32	36.81	0.00	100	341 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>99.33</td><td>-----</td><td>-----</td><td>89.94</td><td>34.68</td><td>11.44</td><td>36.73</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	99.33	-----	-----	89.94	34.68	11.44	36.73	0.00	100	341 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5610.00	48.95	68.20	-19.25	40.40	34.42	11.17	37.04	0.00	100	341 PEAK																																																																																																																															
2	5652.00	47.43	70.29	-22.86	38.65	34.50	11.22	36.94	0.00	100	341 PEAK																																																																																																																															
3	5700.40	49.36	105.41	-56.05	40.40	34.50	11.29	36.83	0.00	100	341 PEAK																																																																																																																															
4	5720.00	47.85	112.72	-64.87	38.84	34.50	11.32	36.81	0.00	100	341 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5775.00	99.33	-----	-----	89.94	34.68	11.44	36.73	0.00	100	341 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>90.23</td><td>-----</td><td>-----</td><td>81.00</td><td>34.58</td><td>11.40</td><td>36.75</td><td>0.00</td><td>100</td><td>341 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	90.23	-----	-----	81.00	34.58	11.40	36.75	0.00	100	341 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5775.00	90.23	-----	-----	81.00	34.58	11.40	36.75	0.00	100	341 AVERAGE																																																																																																																															




Mode	40																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																		
ANT	1+2																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>46.83</td><td>111.36</td><td>-64.53</td><td>37.41</td><td>34.83</td><td>11.49</td><td>36.90</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr><tr><td>2</td><td>5870.80</td><td>48.77</td><td>106.47</td><td>-57.70</td><td>39.29</td><td>34.92</td><td>11.51</td><td>36.95</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>46.02</td><td>68.35</td><td>-22.33</td><td>36.36</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr><tr><td>4</td><td>5939.60</td><td>49.62</td><td>68.20</td><td>-18.58</td><td>39.92</td><td>35.10</td><td>11.56</td><td>36.96</td><td>0.00</td><td>100</td><td>341 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	46.83	111.36	-64.53	37.41	34.83	11.49	36.90	0.00	100	341 PEAK	2	5870.80	48.77	106.47	-57.70	39.29	34.92	11.51	36.95	0.00	100	341 PEAK	3	5924.80	46.02	68.35	-22.33	36.36	35.10	11.55	36.99	0.00	100	341 PEAK	4	5939.60	49.62	68.20	-18.58	39.92	35.10	11.56	36.96	0.00	100	341 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.80	46.83	111.36	-64.53	37.41	34.83	11.49	36.90	0.00	100	341 PEAK																																																																								
2	5870.80	48.77	106.47	-57.70	39.29	34.92	11.51	36.95	0.00	100	341 PEAK																																																																								
3	5924.80	46.02	68.35	-22.33	36.36	35.10	11.55	36.99	0.00	100	341 PEAK																																																																								
4	5939.60	49.62	68.20	-18.58	39.92	35.10	11.56	36.96	0.00	100	341 PEAK																																																																								





Mode	40																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																								
ANT	1+2																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5636.40</td><td>49.07</td><td>68.20</td><td>-19.13</td><td>40.38</td><td>34.47</td><td>11.20</td><td>36.98</td><td>0.00</td><td>250</td><td>290 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>46.99</td><td>68.50</td><td>-21.51</td><td>38.22</td><td>34.50</td><td>11.22</td><td>36.95</td><td>0.00</td><td>250</td><td>290 PEAK</td></tr><tr><td>3</td><td>5704.40</td><td>48.97</td><td>106.53</td><td>-57.56</td><td>40.00</td><td>34.50</td><td>11.30</td><td>36.83</td><td>0.00</td><td>250</td><td>290 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>46.07</td><td>110.90</td><td>-64.83</td><td>37.06</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>250</td><td>290 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5636.40	49.07	68.20	-19.13	40.38	34.47	11.20	36.98	0.00	250	290 PEAK	2	5650.40	46.99	68.50	-21.51	38.22	34.50	11.22	36.95	0.00	250	290 PEAK	3	5704.40	48.97	106.53	-57.56	40.00	34.50	11.30	36.83	0.00	250	290 PEAK	4	5720.00	46.07	110.90	-64.83	37.06	34.50	11.32	36.81	0.00	250	290 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>100.54</td><td>-----</td><td>-----</td><td>91.40</td><td>34.53</td><td>11.38</td><td>36.77</td><td>0.00</td><td>250</td><td>290 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	100.54	-----	-----	91.40	34.53	11.38	36.77	0.00	250
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5636.40	49.07	68.20	-19.13	40.38	34.47	11.20	36.98	0.00	250	290 PEAK																																																																																																																														
2	5650.40	46.99	68.50	-21.51	38.22	34.50	11.22	36.95	0.00	250	290 PEAK																																																																																																																														
3	5704.40	48.97	106.53	-57.56	40.00	34.50	11.30	36.83	0.00	250	290 PEAK																																																																																																																														
4	5720.00	46.07	110.90	-64.83	37.06	34.50	11.32	36.81	0.00	250	290 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5775.00	100.54	-----	-----	91.40	34.53	11.38	36.77	0.00	250	290 PEAK																																																																																																																														
Avg																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>91.15</td><td>-----</td><td>-----</td><td>81.84</td><td>34.63</td><td>11.42</td><td>36.74</td><td>0.00</td><td>250</td><td>290 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	91.15	-----	-----	81.84	34.63	11.42	36.74	0.00	250	290 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>91.15</td><td>-----</td><td>-----</td><td>81.84</td><td>34.63</td><td>11.42</td><td>36.74</td><td>0.00</td><td>250</td><td>290 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	91.15	-----	-----	81.84	34.63	11.42	36.74	0.00	250	290 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5775.00	91.15	-----	-----	81.84	34.63	11.42	36.74	0.00	250	290 AVERAGE																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5775.00	91.15	-----	-----	81.84	34.63	11.42	36.74	0.00	250	290 AVERAGE																																																																																																																														






Mode	40																																																																																																
	Band Edge - R																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																
ANT	1+2																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>46.96</td><td>111.36</td><td>-64.40</td><td>37.54</td><td>34.83</td><td>11.49</td><td>36.90</td><td>0.00</td><td>250</td><td>290</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>50.15</td><td>105.36</td><td>-55.21</td><td>40.65</td><td>34.95</td><td>11.51</td><td>36.96</td><td>0.00</td><td>250</td><td>290</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>48.55</td><td>68.94</td><td>-20.39</td><td>38.89</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>250</td><td>290</td><td>PEAK</td></tr><tr><td>4</td><td>5947.60</td><td>49.82</td><td>68.20</td><td>-18.38</td><td>40.09</td><td>35.10</td><td>11.57</td><td>36.94</td><td>0.00</td><td>250</td><td>290</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	46.96	111.36	-64.40	37.54	34.83	11.49	36.90	0.00	250	290	PEAK	2	5874.00	50.15	105.36	-55.21	40.65	34.95	11.51	36.96	0.00	250	290	PEAK	3	5924.00	48.55	68.94	-20.39	38.89	35.10	11.55	36.99	0.00	250	290	PEAK	4	5947.60	49.82	68.20	-18.38	40.09	35.10	11.57	36.94	0.00	250	290	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5854.00	46.96	111.36	-64.40	37.54	34.83	11.49	36.90	0.00	250	290	PEAK																																																																																					
2	5874.00	50.15	105.36	-55.21	40.65	34.95	11.51	36.96	0.00	250	290	PEAK																																																																																					
3	5924.00	48.55	68.94	-20.39	38.89	35.10	11.55	36.99	0.00	250	290	PEAK																																																																																					
4	5947.60	49.82	68.20	-18.38	40.09	35.10	11.57	36.94	0.00	250	290	PEAK																																																																																					



Mode	40																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																	
ANT	1+2																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9240.00</td><td>53.64</td><td>68.20</td><td>-14.56</td><td>70.21</td><td>36.30</td><td>14.53</td><td>67.40</td><td>0.00</td><td>100</td><td>299</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>44.18</td><td>74.00</td><td>-29.82</td><td>55.79</td><td>38.15</td><td>16.16</td><td>65.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9240.00	53.64	68.20	-14.56	70.21	36.30	14.53	67.40	0.00	100	299	PEAK	2	11550.00	44.18	74.00	-29.82	55.79	38.15	16.16	65.92	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9240.00</td><td>52.08</td><td>68.20</td><td>-16.12</td><td>68.65</td><td>36.30</td><td>14.53</td><td>67.40</td><td>0.00</td><td>115</td><td>307</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>43.15</td><td>74.00</td><td>-30.85</td><td>54.76</td><td>38.15</td><td>16.16</td><td>65.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9240.00	52.08	68.20	-16.12	68.65	36.30	14.53	67.40	0.00	115	307	PEAK	2	11550.00	43.15	74.00	-30.85	54.76	38.15	16.16	65.92	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	9240.00	53.64	68.20	-14.56	70.21	36.30	14.53	67.40	0.00	100	299	PEAK																																																																																																																						
2	11550.00	44.18	74.00	-29.82	55.79	38.15	16.16	65.92	0.00	---	---	PEAK																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	9240.00	52.08	68.20	-16.12	68.65	36.30	14.53	67.40	0.00	115	307	PEAK																																																																																																																						
2	11550.00	43.15	74.00	-30.85	54.76	38.15	16.16	65.92	0.00	---	---	PEAK																																																																																																																						






	60																																																																																						
Mode	Band Edge																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_26/0_5745MHz																																																																																						
ANT	1+2																																																																																						
Pol.	Horizontal																																																																																						
Peak																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5645.60</td><td>57.53</td><td>68.20</td><td>-10.67</td><td>48.79</td><td>34.49</td><td>11.21</td><td>36.96</td><td>0.00</td><td>168</td><td>0 PEAK</td></tr><tr><td>2 5652.80</td><td>55.88</td><td>70.29</td><td>-14.41</td><td>47.10</td><td>34.50</td><td>11.22</td><td>36.94</td><td>0.00</td><td>168</td><td>0 PEAK</td></tr><tr><td>3 5700.00</td><td>56.78</td><td>105.30</td><td>-48.52</td><td>47.82</td><td>34.50</td><td>11.29</td><td>36.83</td><td>0.00</td><td>168</td><td>0 PEAK</td></tr><tr><td>4 5720.00</td><td>54.57</td><td>110.90</td><td>-56.33</td><td>45.56</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>168</td><td>0 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5645.60	57.53	68.20	-10.67	48.79	34.49	11.21	36.96	0.00	168	0 PEAK	2 5652.80	55.88	70.29	-14.41	47.10	34.50	11.22	36.94	0.00	168	0 PEAK	3 5700.00	56.78	105.30	-48.52	47.82	34.50	11.29	36.83	0.00	168	0 PEAK	4 5720.00	54.57	110.90	-56.33	45.56	34.50	11.32	36.81	0.00	168
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5645.60	57.53	68.20	-10.67	48.79	34.49	11.21	36.96	0.00	168	0 PEAK																																																																													
2 5652.80	55.88	70.29	-14.41	47.10	34.50	11.22	36.94	0.00	168	0 PEAK																																																																													
3 5700.00	56.78	105.30	-48.52	47.82	34.50	11.29	36.83	0.00	168	0 PEAK																																																																													
4 5720.00	54.57	110.90	-56.33	45.56	34.50	11.32	36.81	0.00	168	0 PEAK																																																																													
Fundamental																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5720.00</td><td>117.52</td><td>-----</td><td>-----</td><td>108.53</td><td>34.50</td><td>11.31</td><td>36.82</td><td>0.00</td><td>222</td><td>0 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5720.00	117.52	-----	-----	108.53	34.50	11.31	36.82	0.00	222	0 PEAK																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5720.00	117.52	-----	-----	108.53	34.50	11.31	36.82	0.00	222	0 PEAK																																																																													
Avg	Blank																																																																																						
																																																																																							
<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5720.00</td><td>109.79</td><td>-----</td><td>-----</td><td>100.80</td><td>34.50</td><td>11.31</td><td>36.82</td><td>0.00</td><td>222</td><td>0 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5720.00	109.79	-----	-----	100.80	34.50	11.31	36.82	0.00	222	0 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5720.00	109.79	-----	-----	100.80	34.50	11.31	36.82	0.00	222	0 AVERAGE																																																																													






Mode	60																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_26/0_5745MHz																																																																																																																																			
ANT	1+2																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5618.40</td><td>56.80</td><td>68.20</td><td>-11.40</td><td>48.21</td><td>34.44</td><td>11.18</td><td>37.03</td><td>0.00</td><td>238 360 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.60</td><td>68.20</td><td>-13.60</td><td>45.83</td><td>34.50</td><td>11.22</td><td>36.95</td><td>0.00</td><td>238 360 PEAK</td></tr><tr><td>3</td><td>5704.40</td><td>57.26</td><td>106.53</td><td>-49.27</td><td>48.29</td><td>34.50</td><td>11.30</td><td>36.83</td><td>0.00</td><td>238 360 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>56.38</td><td>110.90</td><td>-54.52</td><td>47.37</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>238 360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5618.40	56.80	68.20	-11.40	48.21	34.44	11.18	37.03	0.00	238 360 PEAK	2	5650.00	54.60	68.20	-13.60	45.83	34.50	11.22	36.95	0.00	238 360 PEAK	3	5704.40	57.26	106.53	-49.27	48.29	34.50	11.30	36.83	0.00	238 360 PEAK	4	5720.00	56.38	110.90	-54.52	47.37	34.50	11.32	36.81	0.00	238 360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5720.00</td><td>117.80</td><td>-----</td><td>-----</td><td>108.81</td><td>34.50</td><td>11.31</td><td>36.82</td><td>0.00</td><td>241 301 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5720.00	117.80	-----	-----	108.81	34.50	11.31	36.82	0.00	241 301 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5618.40	56.80	68.20	-11.40	48.21	34.44	11.18	37.03	0.00	238 360 PEAK																																																																																																																										
2	5650.00	54.60	68.20	-13.60	45.83	34.50	11.22	36.95	0.00	238 360 PEAK																																																																																																																										
3	5704.40	57.26	106.53	-49.27	48.29	34.50	11.30	36.83	0.00	238 360 PEAK																																																																																																																										
4	5720.00	56.38	110.90	-54.52	47.37	34.50	11.32	36.81	0.00	238 360 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5720.00	117.80	-----	-----	108.81	34.50	11.31	36.82	0.00	241 301 PEAK																																																																																																																										
Avg																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5720.00</td><td>108.45</td><td>-----</td><td>-----</td><td>99.46</td><td>34.50</td><td>11.31</td><td>36.82</td><td>0.00</td><td>241 301 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5720.00	108.45	-----	-----	99.46	34.50	11.31	36.82	0.00	241 301 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5720.00</td><td>108.45</td><td>-----</td><td>-----</td><td>99.46</td><td>34.50</td><td>11.31</td><td>36.82</td><td>0.00</td><td>241 301 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5720.00	108.45	-----	-----	99.46	34.50	11.31	36.82	0.00	241 301 AVERAGE																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5720.00	108.45	-----	-----	99.46	34.50	11.31	36.82	0.00	241 301 AVERAGE																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5720.00	108.45	-----	-----	99.46	34.50	11.31	36.82	0.00	241 301 AVERAGE																																																																																																																										
Blank																																																																																																																																				







Mode	61																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_52/37_5745MHz																																																																																																																																														
ANT	1+2																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5600.40</td><td>57.18</td><td>68.20</td><td>-11.02</td><td>48.70</td><td>34.40</td><td>11.15</td><td>37.07</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>56.02</td><td>68.20</td><td>-12.18</td><td>47.25</td><td>34.50</td><td>11.22</td><td>36.95</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>58.90</td><td>107.54</td><td>-48.64</td><td>49.92</td><td>34.50</td><td>11.30</td><td>36.82</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>56.97</td><td>110.90</td><td>-53.93</td><td>47.96</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5600.40	57.18	68.20	-11.02	48.70	34.40	11.15	37.07	0.00	100	342	PEAK	2	5650.00	56.02	68.20	-12.18	47.25	34.50	11.22	36.95	0.00	100	342	PEAK	3	5700.00	58.90	107.54	-48.64	49.92	34.50	11.30	36.82	0.00	100	342	PEAK	4	5720.00	56.97	110.90	-53.93	47.96	34.50	11.32	36.81	0.00	100	342	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>113.97</td><td>-----</td><td>-----</td><td>104.91</td><td>34.50</td><td>11.35</td><td>36.79</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	113.97	-----	-----	104.91	34.50	11.35	36.79	0.00	100	342
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5600.40	57.18	68.20	-11.02	48.70	34.40	11.15	37.07	0.00	100	342	PEAK																																																																																																																																			
2	5650.00	56.02	68.20	-12.18	47.25	34.50	11.22	36.95	0.00	100	342	PEAK																																																																																																																																			
3	5700.00	58.90	107.54	-48.64	49.92	34.50	11.30	36.82	0.00	100	342	PEAK																																																																																																																																			
4	5720.00	56.97	110.90	-53.93	47.96	34.50	11.32	36.81	0.00	100	342	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	113.97	-----	-----	104.91	34.50	11.35	36.79	0.00	100	342	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.32</td><td>-----</td><td>-----</td><td>97.26</td><td>34.50</td><td>11.35</td><td>36.79</td><td>0.00</td><td>100</td><td>342</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.32	-----	-----	97.26	34.50	11.35	36.79	0.00	100	342	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	106.32	-----	-----	97.26	34.50	11.35	36.79	0.00	100	342	AVERAGE																																																																																																																																			







Mode	61																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_52/37_5745MHz																																																																																																																																							
ANT	1+2																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5620.00</td><td>57.40</td><td>68.20</td><td>-10.80</td><td>48.00</td><td>34.44</td><td>11.18</td><td>37.02</td><td>0.00</td><td>241</td><td>267 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>55.91</td><td>68.20</td><td>-12.29</td><td>47.14</td><td>34.50</td><td>11.22</td><td>36.95</td><td>0.00</td><td>241</td><td>267 PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>58.00</td><td>106.09</td><td>-48.09</td><td>49.04</td><td>34.50</td><td>11.29</td><td>36.83</td><td>0.00</td><td>241</td><td>267 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>56.56</td><td>112.72</td><td>-56.16</td><td>47.55</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>241</td><td>267 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5620.00	57.40	68.20	-10.80	48.00	34.44	11.18	37.02	0.00	241	267 PEAK	2	5650.00	55.91	68.20	-12.29	47.14	34.50	11.22	36.95	0.00	241	267 PEAK	3	5702.00	58.00	106.09	-48.09	49.04	34.50	11.29	36.83	0.00	241	267 PEAK	4	5720.00	56.56	112.72	-56.16	47.55	34.50	11.32	36.81	0.00	241	267 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>115.94</td><td>-----</td><td>-----</td><td>106.88</td><td>34.50</td><td>11.35</td><td>36.79</td><td>0.00</td><td>241</td><td>267 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	115.94	-----	-----	106.88	34.50	11.35	36.79	0.00	241
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5620.00	57.40	68.20	-10.80	48.00	34.44	11.18	37.02	0.00	241	267 PEAK																																																																																																																													
2	5650.00	55.91	68.20	-12.29	47.14	34.50	11.22	36.95	0.00	241	267 PEAK																																																																																																																													
3	5702.00	58.00	106.09	-48.09	49.04	34.50	11.29	36.83	0.00	241	267 PEAK																																																																																																																													
4	5720.00	56.56	112.72	-56.16	47.55	34.50	11.32	36.81	0.00	241	267 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5745.00	115.94	-----	-----	106.88	34.50	11.35	36.79	0.00	241	267 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.17</td><td>-----</td><td>-----</td><td>98.11</td><td>34.50</td><td>11.35</td><td>36.79</td><td>0.00</td><td>241</td><td>267 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	107.17	-----	-----	98.11	34.50	11.35	36.79	0.00	241	267 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5745.00	107.17	-----	-----	98.11	34.50	11.35	36.79	0.00	241	267 AVERAGE																																																																																																																													







Mode	62																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_106/53_5745MHz																																																																																																																																														
ANT	1+2																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5644.40</td><td>57.40</td><td>68.20</td><td>-10.80</td><td>48.66</td><td>34.49</td><td>11.21</td><td>36.96</td><td>0.00</td><td>100</td><td>343</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>54.81</td><td>68.50</td><td>-13.69</td><td>46.04</td><td>34.50</td><td>11.22</td><td>36.95</td><td>0.00</td><td>100</td><td>343</td><td>PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>56.28</td><td>105.41</td><td>-49.13</td><td>47.32</td><td>34.50</td><td>11.29</td><td>36.83</td><td>0.00</td><td>100</td><td>343</td><td>PEAK</td></tr><tr><td>4</td><td>5721.60</td><td>68.96</td><td>114.55</td><td>-45.59</td><td>59.95</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>100</td><td>343</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5644.40	57.40	68.20	-10.80	48.66	34.49	11.21	36.96	0.00	100	343	PEAK	2	5650.40	54.81	68.50	-13.69	46.04	34.50	11.22	36.95	0.00	100	343	PEAK	3	5700.40	56.28	105.41	-49.13	47.32	34.50	11.29	36.83	0.00	100	343	PEAK	4	5721.60	68.96	114.55	-45.59	59.95	34.50	11.32	36.81	0.00	100	343	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>114.10</td><td>-----</td><td>-----</td><td>105.04</td><td>34.50</td><td>11.35</td><td>36.79</td><td>0.00</td><td>100</td><td>343</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	114.10	-----	-----	105.04	34.50	11.35	36.79	0.00	100	343	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5644.40	57.40	68.20	-10.80	48.66	34.49	11.21	36.96	0.00	100	343	PEAK																																																																																																																																			
2	5650.40	54.81	68.50	-13.69	46.04	34.50	11.22	36.95	0.00	100	343	PEAK																																																																																																																																			
3	5700.40	56.28	105.41	-49.13	47.32	34.50	11.29	36.83	0.00	100	343	PEAK																																																																																																																																			
4	5721.60	68.96	114.55	-45.59	59.95	34.50	11.32	36.81	0.00	100	343	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	114.10	-----	-----	105.04	34.50	11.35	36.79	0.00	100	343	PEAK																																																																																																																																			
Avg																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>105.28</td><td>-----</td><td>-----</td><td>96.22</td><td>34.50</td><td>11.35</td><td>36.79</td><td>0.00</td><td>100</td><td>343</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.28	-----	-----	96.22	34.50	11.35	36.79	0.00	100	343	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>105.28</td><td>-----</td><td>-----</td><td>96.22</td><td>34.50</td><td>11.35</td><td>36.79</td><td>0.00</td><td>100</td><td>343</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.28	-----	-----	96.22	34.50	11.35	36.79	0.00	100	343	AVERAGE																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	105.28	-----	-----	96.22	34.50	11.35	36.79	0.00	100	343	AVERAGE																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	105.28	-----	-----	96.22	34.50	11.35	36.79	0.00	100	343	AVERAGE																																																																																																																																			







Mode	62																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_106/53_5745MHz																																																																																																																																							
ANT	1+2																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5618.00</td><td>57.84</td><td>68.20</td><td>-10.36</td><td>49.25</td><td>34.44</td><td>11.18</td><td>37.03</td><td>0.00</td><td>241</td><td>267 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>56.09</td><td>68.50</td><td>-12.41</td><td>47.32</td><td>34.50</td><td>11.22</td><td>36.95</td><td>0.00</td><td>241</td><td>267 PEAK</td></tr><tr><td>3</td><td>5704.80</td><td>58.26</td><td>106.65</td><td>-48.39</td><td>49.28</td><td>34.50</td><td>11.30</td><td>36.82</td><td>0.00</td><td>241</td><td>267 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>55.51</td><td>110.90</td><td>-55.39</td><td>46.50</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>241</td><td>267 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5618.00	57.84	68.20	-10.36	49.25	34.44	11.18	37.03	0.00	241	267 PEAK	2	5650.40	56.09	68.50	-12.41	47.32	34.50	11.22	36.95	0.00	241	267 PEAK	3	5704.80	58.26	106.65	-48.39	49.28	34.50	11.30	36.82	0.00	241	267 PEAK	4	5720.00	55.51	110.90	-55.39	46.50	34.50	11.32	36.81	0.00	241	267 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>115.59</td><td>-----</td><td>-----</td><td>106.53</td><td>34.50</td><td>11.35</td><td>36.79</td><td>0.00</td><td>241</td><td>267 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	115.59	-----	-----	106.53	34.50	11.35	36.79	0.00	241
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5618.00	57.84	68.20	-10.36	49.25	34.44	11.18	37.03	0.00	241	267 PEAK																																																																																																																													
2	5650.40	56.09	68.50	-12.41	47.32	34.50	11.22	36.95	0.00	241	267 PEAK																																																																																																																													
3	5704.80	58.26	106.65	-48.39	49.28	34.50	11.30	36.82	0.00	241	267 PEAK																																																																																																																													
4	5720.00	55.51	110.90	-55.39	46.50	34.50	11.32	36.81	0.00	241	267 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5745.00	115.59	-----	-----	106.53	34.50	11.35	36.79	0.00	241	267 PEAK																																																																																																																													
Avg																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.10</td><td>-----</td><td>-----</td><td>98.04</td><td>34.50</td><td>11.35</td><td>36.79</td><td>0.00</td><td>241</td><td>267 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	107.10	-----	-----	98.04	34.50	11.35	36.79	0.00	241	267 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.10</td><td>-----</td><td>-----</td><td>98.04</td><td>34.50</td><td>11.35</td><td>36.79</td><td>0.00</td><td>241</td><td>267 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	107.10	-----	-----	98.04	34.50	11.35	36.79	0.00	241	267 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5745.00	107.10	-----	-----	98.04	34.50	11.35	36.79	0.00	241	267 AVERAGE																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5745.00	107.10	-----	-----	98.04	34.50	11.35	36.79	0.00	241	267 AVERAGE																																																																																																																													






Mode	63																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_26/8_5825MHz																																																																																																																																														
ANT	1+2																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>57.89</td><td>113.18</td><td>-55.29</td><td>48.47</td><td>34.82</td><td>11.49</td><td>36.89</td><td>0.00</td><td>292</td><td>266</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>58.51</td><td>105.36</td><td>-46.85</td><td>49.01</td><td>34.95</td><td>11.51</td><td>36.96</td><td>0.00</td><td>292</td><td>266</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>58.96</td><td>68.64</td><td>-9.68</td><td>49.30</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>292</td><td>266</td><td>PEAK</td></tr><tr><td>4</td><td>5956.00</td><td>58.93</td><td>68.20</td><td>-9.27</td><td>49.17</td><td>35.11</td><td>11.57</td><td>36.92</td><td>0.00</td><td>292</td><td>266</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	57.89	113.18	-55.29	48.47	34.82	11.49	36.89	0.00	292	266	PEAK	2	5874.00	58.51	105.36	-46.85	49.01	34.95	11.51	36.96	0.00	292	266	PEAK	3	5924.40	58.96	68.64	-9.68	49.30	35.10	11.55	36.99	0.00	292	266	PEAK	4	5956.00	58.93	68.20	-9.27	49.17	35.11	11.57	36.92	0.00	292	266	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>117.81</td><td>-----</td><td>-----</td><td>108.40</td><td>34.77</td><td>11.48</td><td>36.84</td><td>0.00</td><td>292</td><td>266</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	117.81	-----	-----	108.40	34.77	11.48	36.84	0.00	292	266	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5854.00	57.89	113.18	-55.29	48.47	34.82	11.49	36.89	0.00	292	266	PEAK																																																																																																																																			
2	5874.00	58.51	105.36	-46.85	49.01	34.95	11.51	36.96	0.00	292	266	PEAK																																																																																																																																			
3	5924.40	58.96	68.64	-9.68	49.30	35.10	11.55	36.99	0.00	292	266	PEAK																																																																																																																																			
4	5956.00	58.93	68.20	-9.27	49.17	35.11	11.57	36.92	0.00	292	266	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5825.00	117.81	-----	-----	108.40	34.77	11.48	36.84	0.00	292	266	PEAK																																																																																																																																			
Avg																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.97</td><td>-----</td><td>-----</td><td>99.56</td><td>34.77</td><td>11.48</td><td>36.84</td><td>0.00</td><td>292</td><td>266</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	108.97	-----	-----	99.56	34.77	11.48	36.84	0.00	292	266	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.97</td><td>-----</td><td>-----</td><td>99.56</td><td>34.77</td><td>11.48</td><td>36.84</td><td>0.00</td><td>292</td><td>266</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	108.97	-----	-----	99.56	34.77	11.48	36.84	0.00	292	266	AVERAGE																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5825.00	108.97	-----	-----	99.56	34.77	11.48	36.84	0.00	292	266	AVERAGE																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5825.00	108.97	-----	-----	99.56	34.77	11.48	36.84	0.00	292	266	AVERAGE																																																																																																																																			






Mode	63																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_26/8_5825MHz																																																																																																																																									
ANT	1+2																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>55.62</td><td>111.36</td><td>-55.74</td><td>46.20</td><td>34.83</td><td>11.49</td><td>36.90</td><td>0.00</td><td>318</td><td>284 PEAK</td></tr><tr><td>2</td><td>5868.00</td><td>62.96</td><td>107.26</td><td>-44.30</td><td>53.49</td><td>34.91</td><td>11.50</td><td>36.94</td><td>0.00</td><td>318</td><td>284 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>57.02</td><td>68.35</td><td>-11.33</td><td>47.36</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>318</td><td>284 PEAK</td></tr><tr><td>4</td><td>5939.20</td><td>59.33</td><td>68.20</td><td>-8.87</td><td>49.63</td><td>35.10</td><td>11.56</td><td>36.96</td><td>0.00</td><td>318</td><td>284 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	55.62	111.36	-55.74	46.20	34.83	11.49	36.90	0.00	318	284 PEAK	2	5868.00	62.96	107.26	-44.30	53.49	34.91	11.50	36.94	0.00	318	284 PEAK	3	5924.00	57.02	68.35	-11.33	47.36	35.10	11.55	36.99	0.00	318	284 PEAK	4	5939.20	59.33	68.20	-8.87	49.63	35.10	11.56	36.96	0.00	318	284 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>119.06</td><td>-----</td><td>-----</td><td>110.45</td><td>34.77</td><td>11.48</td><td>36.84</td><td>0.00</td><td>318</td><td>284 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	119.06	-----	-----	110.45	34.77	11.48	36.84	0.00	318	284 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5854.00	55.62	111.36	-55.74	46.20	34.83	11.49	36.90	0.00	318	284 PEAK																																																																																																																															
2	5868.00	62.96	107.26	-44.30	53.49	34.91	11.50	36.94	0.00	318	284 PEAK																																																																																																																															
3	5924.00	57.02	68.35	-11.33	47.36	35.10	11.55	36.99	0.00	318	284 PEAK																																																																																																																															
4	5939.20	59.33	68.20	-8.87	49.63	35.10	11.56	36.96	0.00	318	284 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5825.00	119.06	-----	-----	110.45	34.77	11.48	36.84	0.00	318	284 PEAK																																																																																																																															
Avg																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>110.45</td><td>-----</td><td>-----</td><td>101.04</td><td>34.77</td><td>11.48</td><td>36.84</td><td>0.00</td><td>318</td><td>284 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	110.45	-----	-----	101.04	34.77	11.48	36.84	0.00	318	284 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>110.45</td><td>-----</td><td>-----</td><td>101.04</td><td>34.77</td><td>11.48</td><td>36.84</td><td>0.00</td><td>318</td><td>284 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	110.45	-----	-----	101.04	34.77	11.48	36.84	0.00	318	284 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	110.45	-----	-----	101.04	34.77	11.48	36.84	0.00	318	284 AVERAGE																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5825.00	110.45	-----	-----	101.04	34.77	11.48	36.84	0.00	318	284 AVERAGE																																																																																																																															






Mode	64																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_52/40_5825MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>57.70</td><td>112.27</td><td>-54.57</td><td>48.27</td><td>34.83</td><td>11.49</td><td>36.89</td><td>0.00</td><td>100</td><td>345 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>56.63</td><td>105.58</td><td>-48.95</td><td>47.14</td><td>34.94</td><td>11.51</td><td>36.96</td><td>0.00</td><td>100</td><td>345 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>56.74</td><td>68.35</td><td>-11.61</td><td>47.08</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>100</td><td>345 PEAK</td></tr><tr><td>4</td><td>5934.00</td><td>58.96</td><td>68.20</td><td>-9.24</td><td>49.27</td><td>35.10</td><td>11.56</td><td>36.97</td><td>0.00</td><td>100</td><td>345 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	57.70	112.27	-54.57	48.27	34.83	11.49	36.89	0.00	100	345 PEAK	2	5874.00	56.63	105.58	-48.95	47.14	34.94	11.51	36.96	0.00	100	345 PEAK	3	5924.80	56.74	68.35	-11.61	47.08	35.10	11.55	36.99	0.00	100	345 PEAK	4	5934.00	58.96	68.20	-9.24	49.27	35.10	11.56	36.97	0.00	100	345 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.40	57.70	112.27	-54.57	48.27	34.83	11.49	36.89	0.00	100	345 PEAK																																																																																	
2	5874.00	56.63	105.58	-48.95	47.14	34.94	11.51	36.96	0.00	100	345 PEAK																																																																																	
3	5924.80	56.74	68.35	-11.61	47.08	35.10	11.55	36.99	0.00	100	345 PEAK																																																																																	
4	5934.00	58.96	68.20	-9.24	49.27	35.10	11.56	36.97	0.00	100	345 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>114.91</td><td>-----</td><td>-----</td><td>105.50</td><td>34.76</td><td>11.47</td><td>36.82</td><td>0.00</td><td>100</td><td>345 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	114.91	-----	-----	105.50	34.76	11.47	36.82	0.00	100	345 PEAK																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	114.91	-----	-----	105.50	34.76	11.47	36.82	0.00	100	345 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>106.58</td><td>-----</td><td>-----</td><td>97.17</td><td>34.76</td><td>11.47</td><td>36.82</td><td>0.00</td><td>100</td><td>345 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.58	-----	-----	97.17	34.76	11.47	36.82	0.00	100	345 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	106.58	-----	-----	97.17	34.76	11.47	36.82	0.00	100	345 AVERAGE																																																																																	







Mode	64																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_52/40_5825MHz																																																																																																																																							
ANT	1+2																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>57.26</td><td>112.27</td><td>-55.01</td><td>47.83</td><td>34.83</td><td>11.49</td><td>36.89</td><td>0.00</td><td>290</td><td>289 PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>57.46</td><td>105.36</td><td>-47.90</td><td>47.96</td><td>34.95</td><td>11.51</td><td>36.96</td><td>0.00</td><td>290</td><td>289 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>57.41</td><td>69.53</td><td>-12.12</td><td>47.75</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>290</td><td>289 PEAK</td></tr><tr><td>4</td><td>5966.00</td><td>60.10</td><td>68.20</td><td>-8.10</td><td>50.29</td><td>35.13</td><td>11.58</td><td>36.90</td><td>0.00</td><td>290</td><td>289 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	57.26	112.27	-55.01	47.83	34.83	11.49	36.89	0.00	290	289 PEAK	2	5874.80	57.46	105.36	-47.90	47.96	34.95	11.51	36.96	0.00	290	289 PEAK	3	5923.20	57.41	69.53	-12.12	47.75	35.10	11.55	36.99	0.00	290	289 PEAK	4	5966.00	60.10	68.20	-8.10	50.29	35.13	11.58	36.90	0.00	290	289 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>117.66</td><td>-----</td><td>-----</td><td>108.25</td><td>34.76</td><td>11.47</td><td>36.82</td><td>0.00</td><td>290</td><td>289 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	117.66	-----	-----	108.25	34.76	11.47	36.82	0.00	290
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5854.40	57.26	112.27	-55.01	47.83	34.83	11.49	36.89	0.00	290	289 PEAK																																																																																																																													
2	5874.80	57.46	105.36	-47.90	47.96	34.95	11.51	36.96	0.00	290	289 PEAK																																																																																																																													
3	5923.20	57.41	69.53	-12.12	47.75	35.10	11.55	36.99	0.00	290	289 PEAK																																																																																																																													
4	5966.00	60.10	68.20	-8.10	50.29	35.13	11.58	36.90	0.00	290	289 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5825.00	117.66	-----	-----	108.25	34.76	11.47	36.82	0.00	290	289 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.87</td><td>-----</td><td>-----</td><td>98.46</td><td>34.76</td><td>11.47</td><td>36.82</td><td>0.00</td><td>290</td><td>289 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.87	-----	-----	98.46	34.76	11.47	36.82	0.00	290	289 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5825.00	107.87	-----	-----	98.46	34.76	11.47	36.82	0.00	290	289 AVERAGE																																																																																																																													





Mode	65																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_106/54_5825MHz																																																																																												
ANT	1+2																																																																																												
Pol.	Horizontal						Fundamental																																																																																						
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.80</td><td>59.14</td><td>111.36</td><td>-52.22</td><td>49.72</td><td>34.83</td><td>11.49</td><td>36.90</td><td>0.00</td><td>100</td><td>344 PEAK</td></tr><tr><td>2</td><td>5859.20</td><td>65.88</td><td>109.72</td><td>-43.84</td><td>56.43</td><td>34.86</td><td>11.50</td><td>36.91</td><td>0.00</td><td>100</td><td>344 PEAK</td></tr><tr><td>3</td><td>5921.60</td><td>58.57</td><td>70.71</td><td>-12.14</td><td>48.91</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>100</td><td>344 PEAK</td></tr><tr><td>4</td><td>5983.60</td><td>58.98</td><td>68.20</td><td>-9.22</td><td>49.07</td><td>35.17</td><td>11.60</td><td>36.86</td><td>0.00</td><td>100</td><td>344 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	59.14	111.36	-52.22	49.72	34.83	11.49	36.90	0.00	100	344 PEAK	2	5859.20	65.88	109.72	-43.84	56.43	34.86	11.50	36.91	0.00	100	344 PEAK	3	5921.60	58.57	70.71	-12.14	48.91	35.10	11.55	36.99	0.00	100	344 PEAK	4	5983.60	58.98	68.20	-9.22	49.07	35.17	11.60	36.86	0.00	100	344 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5854.80	59.14	111.36	-52.22	49.72	34.83	11.49	36.90	0.00	100	344 PEAK																																																																																		
2	5859.20	65.88	109.72	-43.84	56.43	34.86	11.50	36.91	0.00	100	344 PEAK																																																																																		
3	5921.60	58.57	70.71	-12.14	48.91	35.10	11.55	36.99	0.00	100	344 PEAK																																																																																		
4	5983.60	58.98	68.20	-9.22	49.07	35.17	11.60	36.86	0.00	100	344 PEAK																																																																																		
Avg																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>113.05</td><td>-----</td><td>-----</td><td>103.64</td><td>34.76</td><td>11.47</td><td>36.82</td><td>0.00</td><td>100</td><td>344 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	113.05	-----	-----	103.64	34.76	11.47	36.82	0.00	100	344 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5825.00	113.05	-----	-----	103.64	34.76	11.47	36.82	0.00	100	344 PEAK																																																																																		
Blank																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.04</td><td>-----</td><td>-----</td><td>94.63</td><td>34.76</td><td>11.47</td><td>36.82</td><td>0.00</td><td>100</td><td>344 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	104.04	-----	-----	94.63	34.76	11.47	36.82	0.00	100	344 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5825.00	104.04	-----	-----	94.63	34.76	11.47	36.82	0.00	100	344 AVERAGE																																																																																		



Mode	65																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_106/54_5825MHz																																																																																																																																									
ANT	1+2																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>60.91</td><td>112.27</td><td>-51.36</td><td>51.48</td><td>34.83</td><td>11.49</td><td>36.89</td><td>0.00</td><td>291</td><td>289 PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>57.33</td><td>105.80</td><td>-48.47</td><td>47.83</td><td>34.94</td><td>11.51</td><td>36.95</td><td>0.00</td><td>291</td><td>289 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>57.73</td><td>68.35</td><td>-10.62</td><td>48.07</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>291</td><td>289 PEAK</td></tr><tr><td>4</td><td>5965.60</td><td>60.08</td><td>68.20</td><td>-8.12</td><td>50.27</td><td>35.13</td><td>11.58</td><td>36.90</td><td>0.00</td><td>291</td><td>289 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	60.91	112.27	-51.36	51.48	34.83	11.49	36.89	0.00	291	289 PEAK	2	5873.20	57.33	105.80	-48.47	47.83	34.94	11.51	36.95	0.00	291	289 PEAK	3	5924.80	57.73	68.35	-10.62	48.07	35.10	11.55	36.99	0.00	291	289 PEAK	4	5965.60	60.08	68.20	-8.12	50.27	35.13	11.58	36.90	0.00	291	289 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>114.60</td><td>-----</td><td>-----</td><td>105.19</td><td>34.76</td><td>11.47</td><td>36.82</td><td>0.00</td><td>291</td><td>289 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	114.60	-----	-----	105.19	34.76	11.47	36.82	0.00	291	289 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5854.40	60.91	112.27	-51.36	51.48	34.83	11.49	36.89	0.00	291	289 PEAK																																																																																																																															
2	5873.20	57.33	105.80	-48.47	47.83	34.94	11.51	36.95	0.00	291	289 PEAK																																																																																																																															
3	5924.80	57.73	68.35	-10.62	48.07	35.10	11.55	36.99	0.00	291	289 PEAK																																																																																																																															
4	5965.60	60.08	68.20	-8.12	50.27	35.13	11.58	36.90	0.00	291	289 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	114.60	-----	-----	105.19	34.76	11.47	36.82	0.00	291	289 PEAK																																																																																																																															
Avg																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>105.29</td><td>-----</td><td>-----</td><td>95.88</td><td>34.76</td><td>11.47</td><td>36.82</td><td>0.00</td><td>291</td><td>289 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.29	-----	-----	95.88	34.76	11.47	36.82	0.00	291	289 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>105.29</td><td>-----</td><td>-----</td><td>95.88</td><td>34.76</td><td>11.47</td><td>36.82</td><td>0.00</td><td>291</td><td>289 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.29	-----	-----	95.88	34.76	11.47	36.82	0.00	291	289 AVERAGE																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	105.29	-----	-----	95.88	34.76	11.47	36.82	0.00	291	289 AVERAGE																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	105.29	-----	-----	95.88	34.76	11.47	36.82	0.00	291	289 AVERAGE																																																																																																																															
	Blank																																																																																																																																									





Mode	35	
	18G-25G	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
Peak Avg		





Mode	35																																																																																																																			
	LF																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																			
ANT	1+2																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>31.94</td><td>21.05</td><td>40.00</td><td>-18.95</td><td>29.24</td><td>24.24</td><td>0.37</td><td>32.80</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>64.68</td><td>19.98</td><td>40.00</td><td>-20.02</td><td>39.83</td><td>12.15</td><td>0.71</td><td>32.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>111.72</td><td>23.23</td><td>43.50</td><td>-20.27</td><td>37.58</td><td>17.23</td><td>1.15</td><td>32.73</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>249.95</td><td>20.78</td><td>46.00</td><td>-25.22</td><td>33.03</td><td>18.80</td><td>1.74</td><td>32.79</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>455.59</td><td>23.22</td><td>46.00</td><td>-22.78</td><td>30.54</td><td>23.33</td><td>2.33</td><td>32.98</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>860.32</td><td>28.63</td><td>46.00</td><td>-17.37</td><td>27.98</td><td>29.89</td><td>3.17</td><td>32.41</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	deg		1	31.94	21.05	40.00	-18.95	29.24	24.24	0.37	32.80	0.00	---	---	Peak	2	64.68	19.98	40.00	-20.02	39.83	12.15	0.71	32.71	0.00	---	---	Peak	3	111.72	23.23	43.50	-20.27	37.58	17.23	1.15	32.73	0.00	---	---	Peak	4	249.95	20.78	46.00	-25.22	33.03	18.80	1.74	32.79	0.00	---	---	Peak	5	455.59	23.22	46.00	-22.78	30.54	23.33	2.33	32.98	0.00	---	---	Peak	6	860.32	28.63	46.00	-17.37	27.98	29.89	3.17	32.41	0.00	---	---	Peak
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	deg																																																																																																									
1	31.94	21.05	40.00	-18.95	29.24	24.24	0.37	32.80	0.00	---	---	Peak																																																																																																								
2	64.68	19.98	40.00	-20.02	39.83	12.15	0.71	32.71	0.00	---	---	Peak																																																																																																								
3	111.72	23.23	43.50	-20.27	37.58	17.23	1.15	32.73	0.00	---	---	Peak																																																																																																								
4	249.95	20.78	46.00	-25.22	33.03	18.80	1.74	32.79	0.00	---	---	Peak																																																																																																								
5	455.59	23.22	46.00	-22.78	30.54	23.33	2.33	32.98	0.00	---	---	Peak																																																																																																								
6	860.32	28.63	46.00	-17.37	27.98	29.89	3.17	32.41	0.00	---	---	Peak																																																																																																								
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>31.94</td><td>32.55</td><td>40.00</td><td>-7.45</td><td>40.74</td><td>24.24</td><td>0.37</td><td>32.80</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>62.98</td><td>31.89</td><td>40.00</td><td>-8.11</td><td>51.80</td><td>12.11</td><td>0.69</td><td>32.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>151.01</td><td>20.58</td><td>43.50</td><td>-22.92</td><td>34.67</td><td>17.33</td><td>1.33</td><td>32.75</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>249.95</td><td>21.41</td><td>46.00</td><td>-24.59</td><td>33.66</td><td>18.80</td><td>1.74</td><td>32.79</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>566.90</td><td>24.72</td><td>46.00</td><td>-21.28</td><td>28.80</td><td>26.52</td><td>2.60</td><td>33.20</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>838.01</td><td>26.87</td><td>46.00</td><td>-19.13</td><td>27.18</td><td>29.11</td><td>3.13</td><td>32.55</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	deg		1	31.94	32.55	40.00	-7.45	40.74	24.24	0.37	32.80	0.00	---	---	Peak	2	62.98	31.89	40.00	-8.11	51.80	12.11	0.69	32.71	0.00	---	---	Peak	3	151.01	20.58	43.50	-22.92	34.67	17.33	1.33	32.75	0.00	---	---	Peak	4	249.95	21.41	46.00	-24.59	33.66	18.80	1.74	32.79	0.00	---	---	Peak	5	566.90	24.72	46.00	-21.28	28.80	26.52	2.60	33.20	0.00	---	---	Peak	6	838.01	26.87	46.00	-19.13	27.18	29.11	3.13	32.55	0.00	---	---	Peak
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	deg																																																																																																									
1	31.94	32.55	40.00	-7.45	40.74	24.24	0.37	32.80	0.00	---	---	Peak																																																																																																								
2	62.98	31.89	40.00	-8.11	51.80	12.11	0.69	32.71	0.00	---	---	Peak																																																																																																								
3	151.01	20.58	43.50	-22.92	34.67	17.33	1.33	32.75	0.00	---	---	Peak																																																																																																								
4	249.95	21.41	46.00	-24.59	33.66	18.80	1.74	32.79	0.00	---	---	Peak																																																																																																								
5	566.90	24.72	46.00	-21.28	28.80	26.52	2.60	33.20	0.00	---	---	Peak																																																																																																								
6	838.01	26.87	46.00	-19.13	27.18	29.11	3.13	32.55	0.00	---	---	Peak																																																																																																								



Mode	41																																																																																					
	Harmonic																																																																																					
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																					
ANT	1+2																																																																																					
Pol.	Horizontal											Vertical																																																																										
Peak Avg																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9152.00</td><td>49.89</td><td>74.00</td><td>-24.11</td><td>66.68</td><td>36.20</td><td>14.45</td><td>67.44</td><td>0.00</td><td>214</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>9152.00</td><td>45.69</td><td>54.00</td><td>-8.31</td><td>62.48</td><td>36.20</td><td>14.45</td><td>67.44</td><td>0.00</td><td>214</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>11440.00</td><td>45.01</td><td>74.00</td><td>-28.99</td><td>56.87</td><td>38.04</td><td>16.08</td><td>65.98</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9152.00	49.89	74.00	-24.11	66.68	36.20	14.45	67.44	0.00	214	360	PEAK	2	9152.00	45.69	54.00	-8.31	62.48	36.20	14.45	67.44	0.00	214	360	AVERAGE	3	11440.00	45.01	74.00	-28.99	56.87	38.04	16.08	65.98	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	9152.00	49.89	74.00	-24.11	66.68	36.20	14.45	67.44	0.00	214	360	PEAK																																																																										
2	9152.00	45.69	54.00	-8.31	62.48	36.20	14.45	67.44	0.00	214	360	AVERAGE																																																																										
3	11440.00	45.01	74.00	-28.99	56.87	38.04	16.08	65.98	0.00	---	---	PEAK																																																																										
																																																																																						
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9152.00</td><td>52.08</td><td>74.00</td><td>-21.92</td><td>68.87</td><td>36.20</td><td>14.45</td><td>67.44</td><td>0.00</td><td>123</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>9152.00</td><td>49.98</td><td>54.00</td><td>-4.02</td><td>66.77</td><td>36.20</td><td>14.45</td><td>67.44</td><td>0.00</td><td>123</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>11440.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>57.72</td><td>38.04</td><td>16.08</td><td>65.98</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9152.00	52.08	74.00	-21.92	68.87	36.20	14.45	67.44	0.00	123	0	PEAK	2	9152.00	49.98	54.00	-4.02	66.77	36.20	14.45	67.44	0.00	123	0	AVERAGE	3	11440.00	45.86	74.00	-28.14	57.72	38.04	16.08	65.98	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	9152.00	52.08	74.00	-21.92	68.87	36.20	14.45	67.44	0.00	123	0	PEAK																																																																										
2	9152.00	49.98	54.00	-4.02	66.77	36.20	14.45	67.44	0.00	123	0	AVERAGE																																																																										
3	11440.00	45.86	74.00	-28.14	57.72	38.04	16.08	65.98	0.00	---	---	PEAK																																																																										





Mode	42																																																																																																																																																									
	Harmonic																																																																																																																																																									
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_Full_5720MHz																																																																																																																																																									
ANT	1+2																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																			
Peak Avg																																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9152.00</td><td>51.56</td><td>74.00</td><td>-22.44</td><td>68.35</td><td>36.20</td><td>14.45</td><td>67.44</td><td>0.00</td><td>101 333 PEAK</td></tr><tr><td>2</td><td>9152.00</td><td>48.58</td><td>54.00</td><td>-5.42</td><td>65.37</td><td>36.20</td><td>14.45</td><td>67.44</td><td>0.00</td><td>101 333 AVERAGE</td></tr><tr><td>3</td><td>11440.00</td><td>44.66</td><td>74.00</td><td>-29.34</td><td>56.52</td><td>38.04</td><td>16.08</td><td>65.98</td><td>0.00</td><td>--- --- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9152.00	51.56	74.00	-22.44	68.35	36.20	14.45	67.44	0.00	101 333 PEAK	2	9152.00	48.58	54.00	-5.42	65.37	36.20	14.45	67.44	0.00	101 333 AVERAGE	3	11440.00	44.66	74.00	-29.34	56.52	38.04	16.08	65.98	0.00	--- --- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9152.00</td><td>53.04</td><td>74.00</td><td>-20.96</td><td>69.83</td><td>36.20</td><td>14.45</td><td>67.44</td><td>0.00</td><td>125 0 PEAK</td></tr><tr><td>2</td><td>9152.00</td><td>50.75</td><td>54.00</td><td>-3.25</td><td>67.54</td><td>36.20</td><td>14.45</td><td>67.44</td><td>0.00</td><td>125 0 AVERAGE</td></tr><tr><td>3</td><td>11440.00</td><td>49.16</td><td>74.00</td><td>-24.84</td><td>61.02</td><td>38.04</td><td>16.08</td><td>65.98</td><td>0.00</td><td>125 0 PEAK</td></tr><tr><td>4</td><td>11440.00</td><td>37.74</td><td>54.00</td><td>-16.26</td><td>49.60</td><td>38.04</td><td>16.08</td><td>65.98</td><td>0.00</td><td>125 0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9152.00	53.04	74.00	-20.96	69.83	36.20	14.45	67.44	0.00	125 0 PEAK	2	9152.00	50.75	54.00	-3.25	67.54	36.20	14.45	67.44	0.00	125 0 AVERAGE	3	11440.00	49.16	74.00	-24.84	61.02	38.04	16.08	65.98	0.00	125 0 PEAK	4	11440.00	37.74	54.00	-16.26	49.60	38.04	16.08	65.98	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	9152.00	51.56	74.00	-22.44	68.35	36.20	14.45	67.44	0.00	101 333 PEAK																																																																																																																																																
2	9152.00	48.58	54.00	-5.42	65.37	36.20	14.45	67.44	0.00	101 333 AVERAGE																																																																																																																																																
3	11440.00	44.66	74.00	-29.34	56.52	38.04	16.08	65.98	0.00	--- --- PEAK																																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	9152.00	53.04	74.00	-20.96	69.83	36.20	14.45	67.44	0.00	125 0 PEAK																																																																																																																																																
2	9152.00	50.75	54.00	-3.25	67.54	36.20	14.45	67.44	0.00	125 0 AVERAGE																																																																																																																																																
3	11440.00	49.16	74.00	-24.84	61.02	38.04	16.08	65.98	0.00	125 0 PEAK																																																																																																																																																
4	11440.00	37.74	54.00	-16.26	49.60	38.04	16.08	65.98	0.00	125 0 AVERAGE																																																																																																																																																



Mode	43																																																																																																																																																												
	Harmonic																																																																																																																																																												
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_5710MHz																																																																																																																																																												
ANT	1+2																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																						
Peak Avg																																																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>9136.00</td><td>51.17</td><td>74.00</td><td>-22.83</td><td>67.99</td><td>36.20</td><td>14.43</td><td>67.45</td><td>0.00</td><td>125</td><td>354</td><td>PEAK</td></tr><tr><td>2</td><td>9136.00</td><td>49.33</td><td>54.00</td><td>-4.67</td><td>66.15</td><td>36.20</td><td>14.43</td><td>67.45</td><td>0.00</td><td>125</td><td>354</td><td>AVERAGE</td></tr><tr><td>3</td><td>11420.00</td><td>44.00</td><td>74.00</td><td>-29.92</td><td>55.96</td><td>38.02</td><td>16.07</td><td>65.97</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9136.00	51.17	74.00	-22.83	67.99	36.20	14.43	67.45	0.00	125	354	PEAK	2	9136.00	49.33	54.00	-4.67	66.15	36.20	14.43	67.45	0.00	125	354	AVERAGE	3	11420.00	44.00	74.00	-29.92	55.96	38.02	16.07	65.97	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>9136.00</td><td>51.34</td><td>74.00</td><td>-22.66</td><td>68.16</td><td>36.20</td><td>14.43</td><td>67.45</td><td>0.00</td><td>139</td><td>28</td><td>PEAK</td></tr><tr><td>2</td><td>9136.00</td><td>49.49</td><td>54.00</td><td>-4.51</td><td>66.31</td><td>36.20</td><td>14.43</td><td>67.45</td><td>0.00</td><td>139</td><td>28</td><td>AVERAGE</td></tr><tr><td>3</td><td>11420.00</td><td>45.60</td><td>74.00</td><td>-28.40</td><td>57.48</td><td>38.02</td><td>16.07</td><td>65.97</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9136.00	51.34	74.00	-22.66	68.16	36.20	14.43	67.45	0.00	139	28	PEAK	2	9136.00	49.49	54.00	-4.51	66.31	36.20	14.43	67.45	0.00	139	28	AVERAGE	3	11420.00	45.60	74.00	-28.40	57.48	38.02	16.07	65.97	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	9136.00	51.17	74.00	-22.83	67.99	36.20	14.43	67.45	0.00	125	354	PEAK																																																																																																																																																	
2	9136.00	49.33	54.00	-4.67	66.15	36.20	14.43	67.45	0.00	125	354	AVERAGE																																																																																																																																																	
3	11420.00	44.00	74.00	-29.92	55.96	38.02	16.07	65.97	0.00	---	---	PEAK																																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	9136.00	51.34	74.00	-22.66	68.16	36.20	14.43	67.45	0.00	139	28	PEAK																																																																																																																																																	
2	9136.00	49.49	54.00	-4.51	66.31	36.20	14.43	67.45	0.00	139	28	AVERAGE																																																																																																																																																	
3	11420.00	45.60	74.00	-28.40	57.48	38.02	16.07	65.97	0.00	---	---	PEAK																																																																																																																																																	




Mode	44																																																																																																																																																										
	Harmonic																																																																																																																																																										
	U-NII-2C_5.47-5.85_802.11ax HE80_CH138_5690MHz																																																																																																																																																										
ANT	1+2																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																											
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9104.00</td><td>48.14</td><td>74.00</td><td>-25.86</td><td>65.01</td><td>36.20</td><td>14.39</td><td>67.46</td><td>0.00</td><td>101</td><td>330 PEAK</td></tr><tr><td>2</td><td>9104.00</td><td>45.62</td><td>54.00</td><td>-8.38</td><td>62.49</td><td>36.20</td><td>14.39</td><td>67.46</td><td>0.00</td><td>101</td><td>330 AVERAGE</td></tr><tr><td>3</td><td>11300.00</td><td>42.51</td><td>74.00</td><td>-31.49</td><td>54.42</td><td>38.00</td><td>16.04</td><td>65.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	9104.00	48.14	74.00	-25.86	65.01	36.20	14.39	67.46	0.00	101	330 PEAK	2	9104.00	45.62	54.00	-8.38	62.49	36.20	14.39	67.46	0.00	101	330 AVERAGE	3	11300.00	42.51	74.00	-31.49	54.42	38.00	16.04	65.95	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9104.00</td><td>51.17</td><td>74.00</td><td>-22.83</td><td>68.04</td><td>36.20</td><td>14.39</td><td>67.46</td><td>0.00</td><td>139</td><td>29 PEAK</td></tr><tr><td>2</td><td>9104.00</td><td>48.87</td><td>54.00</td><td>-5.13</td><td>65.74</td><td>36.20</td><td>14.39</td><td>67.46</td><td>0.00</td><td>139</td><td>29 AVERAGE</td></tr><tr><td>3</td><td>11300.00</td><td>42.98</td><td>74.00</td><td>-31.02</td><td>54.89</td><td>38.00</td><td>16.04</td><td>65.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	9104.00	51.17	74.00	-22.83	68.04	36.20	14.39	67.46	0.00	139	29 PEAK	2	9104.00	48.87	54.00	-5.13	65.74	36.20	14.39	67.46	0.00	139	29 AVERAGE	3	11300.00	42.98	74.00	-31.02	54.89	38.00	16.04	65.95	0.00	---	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																
1	9104.00	48.14	74.00	-25.86	65.01	36.20	14.39	67.46	0.00	101	330 PEAK																																																																																																																																																
2	9104.00	45.62	54.00	-8.38	62.49	36.20	14.39	67.46	0.00	101	330 AVERAGE																																																																																																																																																
3	11300.00	42.51	74.00	-31.49	54.42	38.00	16.04	65.95	0.00	---	---	PEAK																																																																																																																																															
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																
1	9104.00	51.17	74.00	-22.83	68.04	36.20	14.39	67.46	0.00	139	29 PEAK																																																																																																																																																
2	9104.00	48.87	54.00	-5.13	65.74	36.20	14.39	67.46	0.00	139	29 AVERAGE																																																																																																																																																
3	11300.00	42.98	74.00	-31.02	54.89	38.00	16.04	65.95	0.00	---	---	PEAK																																																																																																																																															


Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1+2	802.11a	99.05	-	-	10HZ
1+2	802.11ax HE20 Full RU	100	-	-	10HZ
1+2	802.11ax HE40	100	-	-	10HZ
1+2	802.11ax HE80	100	-	-	10HZ
1+2	802.11ax HE160	100	-	-	10HZ
1+2	802.11ax HE20 RU26	100	-	-	10HZ
1+2	802.11ax HE20 RU52	100	-	-	10HZ
1+2	802.11ax HE20 RU106	100	-	-	10HZ


802.11a





802.11 ax HE20 Full RU




802.11 ax HE40






802.11 ax HE20 RU26



802.11 ax HE20 RU52





802.11 ax HE20 RU106

