

Appendix RF Test Data for 2.4G WIFI

Company: : Zhongshan Bolong Electronic Technology Co., Ltd.

EUT : Smart Projector Bulb

FCC ID: : 2BCZO-BL-DP01

Model Number : BL-DP01

Report No. : HTT2026071137F01

Reviewed By : Heber He

1. Duty Cycle


1.1 Test Result

1.1.1 Ant1


Ant1							
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11b	SISO	2412	8.387	8.473	98.99	0.04	0.04
		2437	8.386	8.473	98.97	0.04	0.00
		2462	8.387	8.473	98.99	0.04	0.04
802.11g	SISO	2412	5.486	5.544	98.95	0.05	0.04
		2437	5.486	5.544	98.95	0.05	0.04
		2462	5.486	5.544	98.95	0.05	0.04
802.11n (HT20)	SISO	2412	5.085	5.139	98.95	0.05	0.04
		2437	5.085	5.139	98.95	0.05	0.00
		2462	5.085	5.139	98.95	0.05	0.04

1.2 Test Graph


1.2.1 Ant1




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV



2. Bandwidth

2.1 Test Result

2.1.1 OBW


Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	14.202	/	Pass
		2437	1	13.971	/	Pass
		2462	1	13.805	/	Pass
802.11g	SISO	2412	1	17.491	/	Pass
		2437	1	17.329	/	Pass
		2462	1	17.415	/	Pass
802.11n (HT20)	SISO	2412	1	18.253	/	Pass
		2437	1	18.304	/	Pass
		2462	1	18.107	/	Pass

2.1.2 6dB BW


Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	9.165	≥ 0.5	Pass
		2437	1	9.113	≥ 0.5	Pass
		2462	1	9.122	≥ 0.5	Pass
802.11g	SISO	2412	1	16.194	≥ 0.5	Pass
		2437	1	13.332	≥ 0.5	Pass
		2462	1	13.962	≥ 0.5	Pass
802.11n (HT20)	SISO	2412	1	14.110	≥ 0.5	Pass
		2437	1	12.873	≥ 0.5	Pass
		2462	1	11.150	≥ 0.5	Pass

2.2 Test Graph


2.2.1 OBW




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




2.2.2 6dB BW




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV



3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

Mode	TX Type	Frequency (MHz)	Maximum Peak Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11b	SISO	2412	13.70	<=30	Pass
		2437	12.60	<=30	Pass
		2462	11.76	<=30	Pass
802.11g	SISO	2412	14.39	<=30	Pass
		2437	11.63	<=30	Pass
		2462	11.75	<=30	Pass
802.11n (HT20)	SISO	2412	13.94	<=30	Pass
		2437	12.51	<=30	Pass
		2462	11.08	<=30	Pass

4. Maximum Power Spectral Density


4.1 Test Result

4.1.1 PSD


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm)		Verdict
			ANT1	Limit(dBm/3kHz)	
802.11b	SISO	2412	2.38dBm/100kHz	<=8	Pass
		2437	1.38dBm/100kHz	<=8	Pass
		2462	0.45dBm/100kHz	<=8	Pass
802.11g	SISO	2412	-1.97dBm/100kHz	<=8	Pass
		2437	-3.55dBm/100kHz	<=8	Pass
		2462	-4.75dBm/100kHz	<=8	Pass
802.11n (HT20)	SISO	2412	0.94dBm/100kHz	<=8	Pass
		2437	-2.25dBm/100kHz	<=8	Pass
		2462	-4.24dBm/100kHz	<=8	Pass

4.2 Test Graph


4.2.1 PSD




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV



5. Unwanted Emissions In Non-restricted Frequency Bands

5.1 Test Result

5.1.1 Ref


Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
802.11b	SISO	2412	1	2.04
		2437	1	0.89
		2462	1	0.54
802.11g	SISO	2412	1	-2.35
		2437	1	-3.70
		2462	1	-5.49
802.11n (HT20)	SISO	2412	1	0.94
		2437	1	-0.24
		2462	1	-1.46

5.1.2 CSE


Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
802.11b	SISO	2412	1	2.04	-17.96	Pass
		2437	1	0.89	-19.11	Pass
		2462	1	0.54	-19.46	Pass
802.11g	SISO	2412	1	-2.35	-22.35	Pass
		2437	1	-3.70	-23.70	Pass
		2462	1	-5.49	-25.49	Pass
802.11n (HT20)	SISO	2412	1	0.94	-19.06	Pass
		2437	1	-0.24	-20.24	Pass
		2462	1	-1.46	-21.46	Pass

5.2 Test Graph


5.2.1 Ref




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




5.2.2 CSE




802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV



Unwanted Emissions In Restricted Frequency Bands


6.1 Test Result

6.1.1 RSE


Mode	TX Type	Frequency (MHz)	ANT	Level of Unwanted Emissions (dBm)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	Refer To Test Graph		Pass
		2437	1	Refer To Test Graph		Pass
		2462	1	Refer To Test Graph		Pass
802.11g	SISO	2412	1	Refer To Test Graph		Pass
		2437	1	Refer To Test Graph		Pass
		2462	1	Refer To Test Graph		Pass
802.11n (HT20)	SISO	2412	1	Refer To Test Graph		Pass
		2437	1	Refer To Test Graph		Pass
		2462	1	Refer To Test Graph		Pass

6.2 Test Graph

6.2.1 RSE




802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18887.2	-41.85	-21.20	20.65	Pass	Peak	7	18887.2	-51.16	-41.20	9.96	Pass	AVG
2	20489.6	-40.09	-21.20	18.89	Pass	Peak	8	20489.6	-50.85	-41.20	9.65	Pass	AVG
3	21267.2	-37.27	-21.20	16.07	Pass	Peak	9	21267.2	-47.78	-41.20	6.58	Pass	AVG
4	22220	-39.77	-21.20	18.57	Pass	Peak	10	22220	-50.00	-41.20	8.80	Pass	AVG
5	22950.4	-40.08	-21.20	18.88	Pass	Peak	11	22950.4	-50.26	-41.20	9.06	Pass	AVG
6	23964.8	-38.18	-21.20	16.98	Pass	Peak	12	23964.8	-47.74	-41.20	6.54	Pass	AVG

802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18167.2	-42.35	-21.20	21.15	Pass	Peak	7	18167.2	-51.69	-41.20	10.49	Pass	AVG
2	18990.4	-41.08	-21.20	19.88	Pass	Peak	8	18990.4	-51.03	-41.20	9.83	Pass	AVG
3	20154.4	-41.14	-21.20	19.94	Pass	Peak	9	20154.4	-51.24	-41.20	10.04	Pass	AVG
4	21320	-37.29	-21.20	16.09	Pass	Peak	10	21320	-47.49	-41.20	6.29	Pass	AVG
5	22432.8	-39.83	-21.20	18.63	Pass	Peak	11	22432.8	-50.12	-41.20	8.92	Pass	AVG
6	23908	-38.04	-21.20	16.84	Pass	Peak	12	23908	-47.72	-41.20	6.52	Pass	AVG


802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV



802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2357.702	-46.18	-21.20	24.98	Pass	Peak	7	2357.702	-54.77	-41.20	13.57	Pass	AVG
2	2365.998	-45.16	-21.20	23.96	Pass	Peak	8	2365.998	-54.17	-41.20	12.97	Pass	AVG
3	2374.660	-44.99	-21.20	23.79	Pass	Peak	9	2374.660	-54.24	-41.20	13.04	Pass	AVG
4	2381.370	-45.31	-21.20	24.11	Pass	Peak	10	2381.370	-53.87	-41.20	12.67	Pass	AVG
5	2385.396	-45.73	-21.20	24.53	Pass	Peak	11	2385.396	-54.11	-41.20	12.91	Pass	AVG
6	2389.788	-38.90	-21.20	17.70	Pass	Peak	12	2389.788	-51.69	-41.20	10.49	Pass	AVG

802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18182.4	-40.84	-21.20	19.64	Pass	Peak	7	18182.4	-51.58	-41.20	10.38	Pass	AVG
2	20372.8	-40.96	-21.20	19.76	Pass	Peak	8	20372.8	-51.12	-41.20	9.92	Pass	AVG
3	21327.2	-38.23	-21.20	17.03	Pass	Peak	9	21327.2	-47.71	-41.20	6.51	Pass	AVG
4	22288	-39.82	-21.20	18.62	Pass	Peak	10	22288	-49.79	-41.20	8.59	Pass	AVG
5	23019.2	-40.49	-21.20	19.29	Pass	Peak	11	23019.2	-49.85	-41.20	8.65	Pass	AVG
6	23896.8	-38.08	-21.20	16.88	Pass	Peak	12	23896.8	-47.82	-41.20	6.62	Pass	AVG

802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18128	-41.34	-21.20	20.14	Pass	Peak	7	18128	-51.85	-41.20	10.65	Pass	AVG
2	18884	-40.47	-21.20	19.27	Pass	Peak	8	18884	-51.11	-41.20	9.91	Pass	AVG
3	20602.4	-41.11	-21.20	19.91	Pass	Peak	9	20602.4	-50.26	-41.20	9.06	Pass	AVG
4	21332	-37.44	-21.20	16.24	Pass	Peak	10	21332	-47.79	-41.20	6.59	Pass	AVG
5	22465.6	-39.69	-21.20	18.49	Pass	Peak	11	22465.6	-50.23	-41.20	9.03	Pass	AVG
6	23900	-38.21	-21.20	17.01	Pass	Peak	12	23900	-47.60	-41.20	6.40	Pass	AVG

802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2483.876	-45.87	-21.20	24.67	Pass	Peak	7	2483.876	-56.01	-41.20	14.81	Pass	AVG
2	2486.022	-48.33	-21.20	27.13	Pass	Peak	8	2486.022	-56.93	-41.20	15.73	Pass	AVG
3	2488.342	-47.28	-21.20	26.08	Pass	Peak	9	2488.342	-57.15	-41.20	15.95	Pass	AVG
4	2490.894	-48.69	-21.20	27.49	Pass	Peak	10	2490.894	-56.98	-41.20	15.78	Pass	AVG
5	2492.982	-49.24	-21.20	28.04	Pass	Peak	11	2492.982	-57.55	-41.20	16.35	Pass	AVG
6	2498.724	-47.17	-21.20	25.97	Pass	Peak	12	2498.724	-57.51	-41.20	16.31	Pass	AVG

802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18895.2	-41.53	-21.20	20.33	Pass	Peak	7	18895.2	-51.16	-41.20	9.96	Pass	AVG
2	20552	-40.29	-21.20	19.09	Pass	Peak	8	20552	-50.37	-41.20	9.17	Pass	AVG
3	21305.6	-37.78	-21.20	16.58	Pass	Peak	9	21305.6	-47.70	-41.20	6.50	Pass	AVG
4	22119.2	-40.02	-21.20	18.82	Pass	Peak	10	22119.2	-49.80	-41.20	8.60	Pass	AVG
5	22929.6	-39.65	-21.20	18.45	Pass	Peak	11	22929.6	-50.30	-41.20	9.10	Pass	AVG
6	23924	-38.40	-21.20	17.20	Pass	Peak	12	23924	-47.69	-41.20	6.49	Pass	AVG

802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2339.890	-46.09	-21.20	24.89	Pass	Peak	7	2339.890	-54.70	-41.20	13.50	Pass	AVG
2	2366.242	-45.64	-21.20	24.44	Pass	Peak	8	2366.242	-54.57	-41.20	13.37	Pass	AVG
3	2373.318	-46.85	-21.20	25.65	Pass	Peak	9	2373.318	-54.67	-41.20	13.47	Pass	AVG
4	2380.028	-46.34	-21.20	25.14	Pass	Peak	10	2380.028	-54.30	-41.20	13.10	Pass	AVG
5	2385.152	-45.32	-21.20	24.12	Pass	Peak	11	2385.152	-53.79	-41.20	12.59	Pass	AVG
6	2389.910	-39.55	-21.20	18.35	Pass	Peak	12	2389.910	-50.90	-41.20	9.70	Pass	AVG

802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18938.4	-40.89	-21.20	19.69	Pass	Peak	7	18938.4	-50.76	-41.20	9.56	Pass	AVG
2	20451.2	-40.78	-21.20	19.58	Pass	Peak	8	20451.2	-50.96	-41.20	9.76	Pass	AVG
3	21371.2	-37.10	-21.20	15.90	Pass	Peak	9	21371.2	-47.67	-41.20	6.47	Pass	AVG
4	22102.4	-41.16	-21.20	19.96	Pass	Peak	10	22102.4	-49.72	-41.20	8.52	Pass	AVG
5	22866.4	-39.30	-21.20	18.10	Pass	Peak	11	22866.4	-50.20	-41.20	9.00	Pass	AVG
6	23730.4	-37.79	-21.20	16.59	Pass	Peak	12	23730.4	-48.20	-41.20	7.00	Pass	AVG

802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18857.6	-46.27	-21.20	25.07	Pass	Peak	7	18857.6	-57.47	-41.20	16.27	Pass	AVG
2	20522.4	-46.54	-21.20	25.34	Pass	Peak	8	20522.4	-56.66	-41.20	15.46	Pass	AVG
3	21287.2	-44.32	-21.20	23.12	Pass	Peak	9	21287.2	-53.62	-41.20	12.42	Pass	AVG
4	22030.4	-46.36	-21.20	25.16	Pass	Peak	10	22030.4	-55.46	-41.20	14.26	Pass	AVG
5	22940.8	-46.16	-21.20	24.96	Pass	Peak	11	22940.8	-56.21	-41.20	15.01	Pass	AVG
6	23935.2	-44.58	-21.20	23.38	Pass	Peak	12	23935.2	-53.58	-41.20	12.38	Pass	AVG

802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2483.992	-47.45	-21.20	26.25	Pass	Peak	7	2483.992	-57.52	-41.20	16.32	Pass	AVG
2	2486.544	-50.61	-21.20	29.41	Pass	Peak	8	2486.544	-58.43	-41.20	17.23	Pass	AVG
3	2488.690	-50.81	-21.20	29.61	Pass	Peak	9	2488.690	-59.17	-41.20	17.97	Pass	AVG
4	2490.778	-50.41	-21.20	29.21	Pass	Peak	10	2490.778	-59.45	-41.20	18.25	Pass	AVG
5	2492.924	-50.32	-21.20	29.12	Pass	Peak	11	2492.924	-59.34	-41.20	18.14	Pass	AVG
6	2495.998	-48.98	-21.20	27.78	Pass	Peak	12	2495.998	-59.38	-41.20	18.18	Pass	AVG