




Dimension:120*52mm(±2mm)
Material:PC+ABS
Color:Pantone Black C

AIPER

NA Region
Model: Aiper Scuba SI Pro
Charger Input: 100-240V 40/50Hz, Max. 2.5A
Charger Output: 25V/1A
Power: 25W 4.2A 100W
Temperature max: 35°C / 95°F
Data Code: 2312
www.aiper.com - Made in China

CONFORMS TO UL 51011 CERTIFIED TO CSA 5115 C22.2 NO.281

UL US
Intertek
5006311

CSA ENCLOSURE 3
FCC ID: 2805N-SINPRO
IC: 3095-SINPRO


This device complies with Part 15 of the FCC rules. Operation of the product is subject to the following: (1) This device may not cause interference; (2) This device accepts any interference received, including interference that may cause undesired operation.

CAUTION

1. FOR USE WITH SWIMMING POOLS ONLY
2. DO NOT RUN PUMP DRY
3. TO REDUCE THE RISK OF INJURY, USER MUST READ MANUAL
4. FOR USE ONLY WITH AC/DC ADAPTOR, MODEL: GM95-294300-IFGN

MISE EN GARDE

1. POUR UNE UTILISATION AVEC PISCINES SEULEMENT
2. NE PAS FAIRE FONCTIONNER A SEC
3. POUR REDUIRE LE RISQUE OU LA BLESSURE, L'UTILISATEUR DOIT LIRE LE MANUEL
4. POUR UNE SEULEMENT AVEC ADAPTEUR AC/DC, MODELE: GM95-294300-IFGN






Dimension:120*52mm(±2mm)
Material:PC+ABS
Color:Pantone Black C

AIPER

NA Region
Model: Aiper Scuba N1 Pro
Charger Input: 100-240V 40/50Hz, Max. 2.5A
Charger Output: 25V±5mA
Power: 25.2W, 4.2A, 100W
Temperature max: 35°C / 95°F
Date Code: 2312
www.aiper.com - Made in China

CONFORMS TO UL STD 1010 CERTIFIED TO CSA STD C22.2 NO.2181





Dimension:120*52mm(±2mm)
Material:PC+ABS
Color:Pantone Black C

AIPER

NA Region
Model: Aiper Scuba N1 Ultra
Charger Input: 100-240V 40/50Hz, Max. 2.5A
Charger Output: 20V/1A/2A
Power: 20-24W/30W
Temperature max: 35°C/ 95°F
Date Code: 2122
www.aiper.com Made in China

CONFORMS TO UL STD 1010 CERTIFIED TO CSA STD C22.2 NO.2181

Intertek
SGS0011

USA ENCLOSURE 3 FCC ID: 28059H-SINPRIO IC: 3793-SINPRIO

This device complies with Part 15 of the FCC rules. Operation of the product is subject to the following: (1) This device may not cause interference; (2) This device accepts any interference received, including interference that may cause undesired operation.

CAUTION

1. FOR USE WITH SWIMMING POOLS ONLY
2. DO NOT RUN PUMP DRY
3. TO REDUCE THE RISK OF INJURY, USER MUST READ MANUAL
4. FOR USE ONLY WITH AC/DC ADAPTOR, MODEL: GM95-294300-IFGN

MISE EN GARDE

1. POUR UNE UTILISATION AVEC PISCINES SEULEMENT
2. NE PAS FAIRE FONCTIONNER A SEC
3. POUR REDUIRE LE RISQUE OU LA BLESSURE, L'UTILISATEUR DOIT LIRE LE MANUEL
4. POUR UNE SEULEMENT AVEC ADAPTEUR AC/DC, MODELE: GM95-294300-IFGN