




Test Graphs








Appendix H: Emissions in Restricted Bands

Test Result




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.52	40.19	2.67	74.00	33.81	150	141	PK	Vertical	PASS
2	2323.5200	38.64	41.50	2.86	74.00	32.50	150	97	PK	Vertical	PASS
3	2339.3800	39.32	42.16	2.84	74.00	31.84	150	185	PK	Vertical	PASS
4	2357.0600	38.45	41.41	2.96	74.00	32.59	150	276	PK	Vertical	PASS
5	2373.1800	38.83	41.83	3.00	74.00	32.17	150	256	PK	Vertical	PASS
6	2390.0000	37.15	40.10	2.95	74.00	33.90	150	324	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.63	40.30	2.67	74.00	33.70	150	314	PK	Horizontal	PASS
2	2322.7400	38.57	41.44	2.87	74.00	32.56	150	319	PK	Horizontal	PASS
3	2331.8400	39.07	41.84	2.77	74.00	32.16	150	27	PK	Horizontal	PASS
4	2348.0900	39.00	41.97	2.97	74.00	32.03	150	182	PK	Horizontal	PASS
5	2366.0300	39.33	42.33	3.00	74.00	31.67	150	265	PK	Horizontal	PASS
6	2390.0000	37.27	40.22	2.95	74.00	33.78	150	300	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	37.53	40.99	3.46	74.00	33.01	150	248	PK	Vertical	PASS
2	2484.7000	46.33	49.85	3.52	74.00	24.15	150	46	PK	Vertical	PASS
3	2489.6000	41.70	45.27	3.57	74.00	28.73	150	49	PK	Vertical	PASS
4	2492.1500	39.01	42.57	3.56	74.00	31.43	150	127	PK	Vertical	PASS
5	2496.0500	38.48	42.04	3.56	74.00	31.96	150	90	PK	Vertical	PASS
6	2500.0000	37.19	40.69	3.50	74.00	33.31	150	260	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	37.47	40.93	3.46	74.00	33.07	150	322	PK	Horizontal	PASS
2	2484.9000	43.96	47.49	3.53	74.00	26.51	150	142	PK	Horizontal	PASS
3	2489.6500	40.46	44.03	3.57	74.00	29.97	150	106	PK	Horizontal	PASS
4	2494.2500	38.90	42.48	3.58	74.00	31.52	150	142	PK	Horizontal	PASS
5	2496.7000	38.20	41.78	3.58	74.00	32.22	150	356	PK	Horizontal	PASS
6	2500.0000	37.41	40.91	3.50	74.00	33.09	150	310	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	38.98	41.65	2.67	74.00	32.35	150	54	PK	Vertical	PASS
2	2320.4000	38.69	41.60	2.91	74.00	32.40	150	215	PK	Vertical	PASS
3	2331.9700	38.93	41.69	2.76	74.00	32.31	150	235	PK	Vertical	PASS
4	2356.2800	38.28	41.24	2.96	74.00	32.76	150	277	PK	Vertical	PASS
5	2375.7800	39.70	42.73	3.03	74.00	31.27	150	98	PK	Vertical	PASS
6	2390.0000	37.16	40.11	2.95	74.00	33.89	150	262	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.44	40.11	2.67	74.00	33.89	150	279	PK	Horizontal	PASS
2	2323.1300	38.98	41.84	2.86	74.00	32.16	150	356	PK	Horizontal	PASS
3	2336.2600	38.83	41.64	2.81	74.00	32.36	150	130	PK	Horizontal	PASS
4	2362.0000	39.31	42.22	2.91	74.00	31.78	150	305	PK	Horizontal	PASS
5	2377.2100	38.71	41.79	3.08	74.00	32.21	150	308	PK	Horizontal	PASS
6	2390.0000	38.63	41.58	2.95	74.00	32.42	150	57	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	37.05	40.51	3.46	74.00	33.49	150	81	PK	Vertical	PASS
2	2484.2500	40.45	43.93	3.48	74.00	30.07	150	45	PK	Vertical	PASS
3	2489.8000	39.07	42.64	3.57	74.00	31.36	150	53	PK	Vertical	PASS
4	2492.3000	39.77	43.33	3.56	74.00	30.67	150	239	PK	Vertical	PASS
5	2497.4000	38.89	42.47	3.58	74.00	31.53	150	81	PK	Vertical	PASS
6	2500.0000	37.76	41.26	3.50	74.00	32.74	150	301	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	37.45	40.91	3.46	74.00	33.09	150	49	PK	Horizontal	PASS
2	2484.7000	41.32	44.84	3.52	74.00	29.16	150	142	PK	Horizontal	PASS
3	2487.9000	39.72	43.19	3.47	74.00	30.81	150	31	PK	Horizontal	PASS
4	2490.4000	38.80	42.36	3.56	74.00	31.64	150	31	PK	Horizontal	PASS
5	2494.8500	38.77	42.33	3.56	74.00	31.67	150	204	PK	Horizontal	PASS
6	2500.0000	37.88	41.38	3.50	74.00	32.62	150	55	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Appendix I: Spurious emissions

Test Result

Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (1M-2402MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	45.5216	47.48	31.61	-15.87	40.00	8.39	150	346	PK	Vertical	PASS
2	68.0278	53.33	35.65	-17.68	40.00	4.35	150	108	PK	Vertical	PASS
3	93.9294	57.42	37.34	-20.08	43.50	6.16	150	132	PK	Vertical	PASS
4	115.3685	54.13	36.03	-18.10	43.50	7.47	150	29	PK	Vertical	PASS
5	194.1404	39.35	20.47	-18.88	43.50	23.03	150	234	PK	Vertical	PASS
6	300.9481	39.33	23.72	-15.61	46.00	22.28	150	118	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	32.3282	48.57	32.06	-16.51	40.00	7.94	150	25	PK	Horizontal	PASS
2	67.8338	53.36	35.71	-17.65	40.00	4.29	150	120	PK	Horizontal	PASS
3	100.1380	57.91	38.16	-19.75	43.50	5.34	150	148	PK	Horizontal	PASS
4	112.5553	55.27	36.75	-18.52	43.50	6.75	150	76	PK	Horizontal	PASS
5	202.4832	41.29	22.28	-19.01	43.50	21.22	150	241	PK	Horizontal	PASS
6	300.9481	39.13	23.52	-15.61	46.00	22.48	150	145	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1162.0000	-0.29	41.66	41.37	74.00	32.63	41.51	41.22	54.00	12.78	150	107	Vertical	PASS
2	1998.8000	1.63	40.85	42.48	74.00	31.52	40.57	42.20	54.00	11.80	150	313	Vertical	PASS
3	3603.5000	-19.38	57.74	38.36	74.00	35.64	54.76	35.38	54.00	18.62	150	210	Vertical	PASS
4	4803.4135	-14.56	70.38	55.82	74.00	18.18	66.91	52.35	54.00	1.65	150	85	Vertical	PASS
5	6496.0000	-9.95	53.37	43.42	74.00	30.58	51.01	41.06	54.00	12.94	150	91	Vertical	PASS
6	9932.0000	-4.29	50.4	46.11	74.00	27.89	46.61	42.32	54.00	11.68	150	66	Vertical	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: 1M

Channel: 2402MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1318.0000	-0.25	39.14	38.89	74.00	35.11	38.89	38.64	54.00	15.36	150	81	Horizonta	PASS
2	1888.2000	1.40	39.05	40.45	74.00	33.55	38.91	40.31	54.00	13.69	150	224	Horizonta	PASS
3	3800.5000	-18.68	56.23	37.55	74.00	36.45	50.79	32.11	54.00	21.89	150	127	Horizonta	PASS
4	4804.0000	-14.53	68.8	54.27	74.00	19.73	67.05	52.52	54.00	1.48	150	76	Horizonta	PASS
5	6282.0000	-10.82	54.34	43.52	74.00	30.48	52.40	41.58	54.00	12.42	150	217	Horizonta	PASS
6	9124.5000	-5.93	52.3	46.37	74.00	27.63	50.29	44.36	54.00	9.64	150	70	Horizonta	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2440MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1163.4000	-0.25	39.88	39.63	74.00	34.37	39.77	39.52	54.00	14.48	150	68	Vertical	PASS
2	1594.2000	0.32	41.37	41.69	74.00	32.31	41.23	41.55	54.00	12.45	150	189	Vertical	PASS
3	3328.0000	-20.52	59.06	38.54	74.00	35.46	56.40	35.88	54.00	18.12	150	242	Vertical	PASS
4	4880.5000	-14.05	69.7	55.65	74.00	18.35	66.90	52.85	54.00	1.15	150	69	Vertical	PASS
5	6658.0000	-10.17	55.3	45.13	74.00	28.87	52.57	42.40	54.00	11.60	150	89	Vertical	PASS
6	9759.5000	-4.59	50.57	45.98	74.00	28.02	48.97	44.38	54.00	9.62	150	108	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2440MHz

Test Graph

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1200.8000	-0.28	38.72	38.44	74.00	35.56	38.46	38.18	54.00	15.82	150	315	Horizontal	PASS
2	1741.0000	0.80	39.18	39.98	74.00	34.02	39.04	39.84	54.00	14.16	150	301	Horizontal	PASS
3	3660.5000	-19.37	56.23	36.86	74.00	37.14	54.50	35.13	54.00	18.87	150	226	Horizontal	PASS
4	4880.0000	-14.07	67.91	53.84	74.00	20.16	66.92	52.85	54.00	1.15	150	81	Horizontal	PASS
5	7357.5000	-9.12	52.03	42.91	74.00	31.09	50.14	41.02	54.00	12.98	150	245	Horizontal	PASS
6	9767.0000	-4.65	50.87	46.22	74.00	27.78	49.24	44.59	54.00	9.41	150	176	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480MHz

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1161.8000	-0.29	42.16	41.87	74.00	32.13	41.94	41.65	54.00	12.35	150	66	Vertical	PASS
2	1998.4000	1.64	41.41	43.05	74.00	30.95	41.18	42.82	54.00	11.18	150	37	Vertical	PASS
3	3322.0000	-20.25	59.99	39.74	74.00	34.26	57.87	37.62	54.00	16.38	150	89	Vertical	PASS
4	4960.0000	-14.84	65.69	50.85	74.00	23.15	64.35	49.51	54.00	4.49	150	70	Vertical	PASS
5	8333.5000	-7.38	51.86	44.48	74.00	29.52	49.43	42.05	54.00	11.95	150	7	Vertical	PASS
6	11443.500	-2.62	49.27	46.65	74.00	27.35	44.63	42.01	54.00	11.99	150	304	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480MHz

Test Graph

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1132.2000	-0.38	40.09	39.71	74.00	34.29	39.95	39.57	54.00	14.43	150	342	Horizonta	PASS
2	1853.2000	1.26	39.1	40.36	74.00	33.64	38.90	40.16	54.00	13.84	150	60	Horizonta	PASS
3	3660.5000	-19.37	57.08	37.71	74.00	36.29	54.83	35.46	54.00	18.54	150	81	Horizonta	PASS
4	4960.0000	-14.84	64.06	49.22	74.00	24.78	62.63	47.79	54.00	6.21	150	144	Horizonta	PASS
5	6635.0000	-10.32	53.35	43.03	74.00	30.97	50.51	40.19	54.00	13.81	150	81	Horizonta	PASS
6	9099.0000	-5.99	51.33	45.34	74.00	28.66	48.48	42.49	54.00	11.51	150	273	Horizonta	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1315.8000	-0.26	39.28	39.02	74.00	34.98	39.02	38.76	54.00	15.24	150	4	Vertical	PASS
2	1991.6000	1.81	40.72	42.53	74.00	31.47	40.46	42.27	54.00	11.73	150	93	Vertical	PASS
3	3328.0000	-20.52	62.16	41.64	74.00	32.36	58.90	38.38	54.00	15.62	150	236	Vertical	PASS
4	4803.5000	-14.56	69.53	54.97	74.00	19.03	66.89	52.33	54.00	1.67	150	86	Vertical	PASS
5	7981.0000	-7.33	54.54	47.21	74.00	26.79	52.34	45.01	54.00	8.99	150	121	Vertical	PASS
6	10001.500	-4.43	50.84	46.41	74.00	27.59	48.17	43.74	54.00	10.26	150	299	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1366.0000	-0.42	38.85	38.43	74.00	35.57	38.67	38.25	54.00	15.75	150	235	Horizontal	PASS
2	1830.4000	1.22	39	40.22	74.00	33.78	38.74	39.96	54.00	14.04	150	15	Horizontal	PASS
3	3666.0000	-19.15	56.33	37.18	74.00	36.82	53.86	34.71	54.00	19.29	150	3	Horizontal	PASS
4	4804.5000	-14.51	68.58	54.07	74.00	19.93	67.19	52.68	54.00	1.32	150	229	Horizontal	PASS
5	6341.5000	-10.37	53.04	42.67	74.00	31.33	50.02	39.65	54.00	14.35	150	337	Horizontal	PASS
6	8361.5000	-7.15	52.38	45.23	74.00	28.77	50.77	43.62	54.00	10.38	150	15	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2440MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1161.6000	-0.30	40.56	40.26	74.00	33.74	40.40	40.10	54.00	13.90	150	93	Vertical	PASS
2	1711.0000	0.71	43.62	44.33	74.00	29.67	43.26	43.97	54.00	10.03	150	219	Vertical	PASS
3	3326.5000	-20.45	60.15	39.70	74.00	34.30	57.73	37.28	54.00	16.72	150	219	Vertical	PASS
4	4891.5000	-13.68	57.92	44.24	74.00	29.76	55.23	41.55	54.00	12.45	150	250	Vertical	PASS
5	6428.5000	-10.57	53.55	42.98	74.00	31.02	50.99	40.42	54.00	13.58	150	262	Vertical	PASS
6	9261.5000	-4.55	50.34	45.79	74.00	28.21	46.33	41.78	54.00	12.22	150	58	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2440MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1327.4000	-0.51	39.92	39.41	74.00	34.59	39.70	39.19	54.00	14.81	150	126	Horizontal	PASS
2	1935.0000	1.49	38.99	40.48	74.00	33.52	38.76	40.25	54.00	13.75	150	356	Horizontal	PASS
3	3648.0000	-19.21	56.61	37.40	74.00	36.60	55.32	36.11	54.00	17.89	150	284	Horizontal	PASS
4	4879.0000	-14.10	56.75	42.65	74.00	31.35	53.85	39.75	54.00	14.25	150	247	Horizontal	PASS
5	6238.0000	-10.12	52.48	42.36	74.00	31.64	49.74	39.62	54.00	14.38	150	337	Horizontal	PASS
6	7875.5000	-8.26	52.9	44.64	74.00	29.36	50.21	41.95	54.00	12.05	150	106	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1329.0000	-0.57	40.27	39.70	74.00	34.30	40.06	39.49	54.00	14.51	150	93	Vertical	PASS
2	1991.6000	1.81	41.09	42.90	74.00	31.10	40.84	42.65	54.00	11.35	150	21	Vertical	PASS
3	3320.5000	-20.18	62.03	41.85	74.00	32.15	58.81	38.63	54.00	15.37	150	235	Vertical	PASS
4	4940.0000	-13.94	56.72	42.78	74.00	31.22	55.81	41.87	54.00	12.13	150	260	Vertical	PASS
5	6658.5000	-10.16	53.57	43.41	74.00	30.59	49.06	38.90	54.00	15.10	150	90	Vertical	PASS
6	9564.0000	-4.79	51.02	46.23	74.00	27.77	49.21	44.42	54.00	9.58	150	127	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1353.0000	-0.37	39.24	38.87	74.00	35.13	39.01	38.64	54.00	15.36	150	205	Horizonta	PASS
2	1981.8000	1.81	38.98	40.79	74.00	33.21	38.86	40.67	54.00	13.33	150	119	Horizonta	PASS
3	4281.5000	-16.29	55.54	39.25	74.00	34.75	53.81	37.52	54.00	16.48	150	281	Horizonta	PASS
4	4955.0000	-14.34	55.61	41.27	74.00	32.73	52.73	38.39	54.00	15.61	150	199	Horizonta	PASS
5	6410.0000	-10.41	53.17	42.76	74.00	31.24	51.81	41.40	54.00	12.60	150	173	Horizonta	PASS
6	9665.5000	-4.71	50.98	46.27	74.00	27.73	48.86	44.15	54.00	9.85	150	249	Horizonta	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Appendix J: Conducted emission AC power port

Test Result

During the test, the Conducted emission was performed in all modes with all channels. The test data of the worst-case (1M-2402MHz) condition was recorded in this report.



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.195	10.34	39.97	63.82	23.85	24.96	53.82	28.86	L1	PASS
2	0.564	10.25	32.81	56.00	23.19	22.66	46.00	23.34	L1	PASS
3	0.885	10.26	33.68	56.00	22.32	22.31	46.00	23.69	L1	PASS
4	1.545	10.27	32.13	56.00	23.87	21.67	46.00	24.33	L1	PASS
5	5.727	10.43	36.19	60.00	23.81	23.46	50.00	26.54	L1	PASS
6	12.043	10.59	34.92	60.00	25.08	23.38	50.00	26.62	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.195	10.35	40.67	63.82	23.15	25.64	53.82	28.18	N	PASS
2	0.453	10.35	33.43	56.82	23.39	23.24	46.82	23.58	N	PASS
3	0.852	10.36	36.38	56.00	19.62	25.50	46.00	20.50	N	PASS
4	2.172	10.48	33.81	56.00	22.19	22.83	46.00	23.17	N	PASS
5	5.952	10.51	35.58	60.00	24.42	24.86	50.00	25.14	N	PASS
6	11.716	10.52	34.94	60.00	25.06	22.74	50.00	27.26	N	PASS