




Test Graphs








Appendix H: Emissions in Restricted Bands

Test Result




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.84	40.51	2.67	74.00	33.49	150	299	PK	Vertical	PASS
2	2319.7500	38.36	41.28	2.92	74.00	32.72	150	84	PK	Vertical	PASS
3	2335.3500	38.86	41.67	2.81	74.00	32.33	150	283	PK	Vertical	PASS
4	2349.3900	38.78	41.80	3.02	74.00	32.20	150	217	PK	Vertical	PASS
5	2366.4200	38.94	41.93	2.99	74.00	32.07	150	26	PK	Vertical	PASS
6	2390.0000	38.37	41.32	2.95	74.00	32.68	150	86	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	38.31	40.98	2.67	74.00	33.02	150	344	PK	Horizontal	PASS
2	2328.3300	39.07	41.92	2.85	74.00	32.08	150	206	PK	Horizontal	PASS
3	2350.0400	39.00	42.05	3.05	74.00	31.95	150	232	PK	Horizontal	PASS
4	2366.5500	39.12	42.11	2.99	74.00	31.89	150	37	PK	Horizontal	PASS
5	2378.6400	40.31	43.37	3.06	74.00	30.63	150	54	PK	Horizontal	PASS
6	2390.0000	37.75	40.70	2.95	74.00	33.30	150	160	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	38.65	42.11	3.46	74.00	31.89	150	360	PK	Vertical	PASS
2	2485.0000	41.86	45.40	3.54	74.00	28.60	150	56	PK	Vertical	PASS
3	2489.4000	39.43	42.99	3.56	74.00	31.01	150	16	PK	Vertical	PASS
4	2493.3000	39.38	42.96	3.58	74.00	31.04	150	308	PK	Vertical	PASS
5	2495.5000	38.71	42.27	3.56	74.00	31.73	150	314	PK	Vertical	PASS
6	2500.0000	37.68	41.18	3.50	74.00	32.82	150	229	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	38.00	41.46	3.46	74.00	32.54	150	119	PK	Horizontal	PASS
2	2484.8000	44.63	48.15	3.52	74.00	25.85	150	132	PK	Horizontal	PASS
3	2489.4000	40.82	44.38	3.56	74.00	29.62	150	128	PK	Horizontal	PASS
4	2492.7500	39.37	42.94	3.57	74.00	31.06	150	113	PK	Horizontal	PASS
5	2497.6500	39.03	42.61	3.58	74.00	31.39	150	346	PK	Horizontal	PASS
6	2500.0000	38.09	41.59	3.50	74.00	32.41	150	270	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.16	39.83	2.67	74.00	34.17	150	210	PK	Vertical	PASS
2	2318.1900	39.79	42.70	2.91	74.00	31.30	150	49	PK	Vertical	PASS
3	2337.5600	38.55	41.36	2.81	74.00	32.64	150	178	PK	Vertical	PASS
4	2350.4300	39.23	42.26	3.03	74.00	31.74	150	242	PK	Vertical	PASS
5	2371.4900	38.91	41.94	3.03	74.00	32.06	150	41	PK	Vertical	PASS
6	2390.0000	37.39	40.34	2.95	74.00	33.66	150	345	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.87	40.54	2.67	74.00	33.46	150	90	PK	Horizontal	PASS
2	2318.5800	38.62	41.53	2.91	74.00	32.47	150	146	PK	Horizontal	PASS
3	2340.9400	39.11	41.98	2.87	74.00	32.02	150	16	PK	Horizontal	PASS
4	2358.6200	38.99	41.94	2.95	74.00	32.06	150	22	PK	Horizontal	PASS
5	2375.5200	40.08	43.10	3.02	74.00	30.90	150	124	PK	Horizontal	PASS
6	2390.0000	37.86	40.81	2.95	74.00	33.19	150	40	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	37.63	41.09	3.46	74.00	32.91	150	44	PK	Vertical	PASS
2	2484.8500	41.89	45.42	3.53	74.00	28.58	150	31	PK	Vertical	PASS
3	2489.9500	40.09	43.66	3.57	74.00	30.34	150	336	PK	Vertical	PASS
4	2494.1500	39.28	42.87	3.59	74.00	31.13	150	95	PK	Vertical	PASS
5	2497.0000	39.02	42.61	3.59	74.00	31.39	150	187	PK	Vertical	PASS
6	2500.0000	37.84	41.34	3.50	74.00	32.66	150	197	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	38.16	41.62	3.46	74.00	32.38	150	116	PK	Horizontal	PASS
2	2485.0500	44.76	48.30	3.54	74.00	25.70	150	132	PK	Horizontal	PASS
3	2489.5500	42.00	45.57	3.57	74.00	28.43	150	132	PK	Horizontal	PASS
4	2493.4000	38.90	42.48	3.58	74.00	31.52	150	132	PK	Horizontal	PASS
5	2496.2000	38.73	42.30	3.57	74.00	31.70	150	236	PK	Horizontal	PASS
6	2500.0000	38.03	41.53	3.50	74.00	32.47	150	0	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Appendix I: Spurious emissions

Test Result

Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (1M-2402MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	47.4617	42.53	26.42	-16.11	40.00	13.58	150	117	PK	Vertical	PASS
2	72.1022	50.73	32.04	-18.69	40.00	7.96	150	99	PK	Vertical	PASS
3	108.9659	43.11	24.27	-18.84	43.50	19.23	150	174	PK	Vertical	PASS
4	191.9092	43.21	24.57	-18.64	43.50	18.93	150	234	PK	Vertical	PASS
5	324.2304	45.34	30.53	-14.81	46.00	15.47	150	195	PK	Vertical	PASS
6	585.2835	41.81	32.96	-8.85	46.00	13.04	150	301	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	48.4318	41.12	25.08	-16.04	40.00	14.92	150	73	PK	Horizontal	PASS
2	72.0052	51.11	32.45	-18.66	40.00	7.55	150	104	PK	Horizontal	PASS
3	108.9659	40.98	22.14	-18.84	43.50	21.36	150	148	PK	Horizontal	PASS
4	200.4460	43.07	24.05	-19.02	43.50	19.45	150	117	PK	Horizontal	PASS
5	304.5375	45.85	30.41	-15.44	46.00	15.59	150	213	PK	Horizontal	PASS
6	584.8955	40.79	31.94	-8.85	46.00	14.06	150	112	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1165.8000	-0.18	42.64	42.46	74.00	31.54	42.51	42.33	54.00	11.67	150	95	Vertical	PASS
2	1849.8000	1.29	39.11	40.40	74.00	33.60	38.77	40.06	54.00	13.94	150	44	Vertical	PASS
3	3766.5000	-18.77	56.45	37.68	74.00	36.32	52.50	33.73	54.00	20.27	150	356	Vertical	PASS
4	4804.5000	-14.51	68.82	54.31	74.00	19.69	65.48	50.97	54.00	3.03	150	90	Vertical	PASS
5	7242.0000	-9.02	52.79	43.77	74.00	30.23	51.21	42.19	54.00	11.81	150	229	Vertical	PASS
6	9518.0000	-4.67	50.82	46.15	74.00	27.85	45.54	40.87	54.00	13.13	150	185	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1163.2000	-0.26	38.73	38.47	74.00	35.53	38.50	38.24	54.00	15.76	150	113	Horizonta	PASS
2	1920.4000	1.34	39.52	40.86	74.00	33.14	39.19	40.53	54.00	13.47	150	209	Horizonta	PASS
3	3679.0000	-18.78	55.87	37.09	74.00	36.91	53.77	34.99	54.00	19.01	150	90	Horizonta	PASS
4	4803.5000	-14.56	71.01	56.45	74.00	17.55	66.54	51.98	54.00	2.02	150	84	Horizonta	PASS
5	6382.0000	-10.18	52.22	42.04	74.00	31.96	49.68	39.50	54.00	14.50	150	274	Horizonta	PASS
6	9259.0000	-4.49	51.28	46.79	74.00	27.21	49.06	44.57	54.00	9.43	150	262	Horizonta	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2440MHz

Test Graph


★ PK Detector ★ AV Detector

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1166.0000	-0.17	39.92	39.75	74.00	34.25	39.76	39.59	54.00	14.41	150	75	Vertical	PASS
2	1999.4000	1.62	40.76	42.38	74.00	31.62	40.57	42.19	54.00	11.81	150	60	Vertical	PASS
3	3327.0000	-20.48	60.87	40.39	74.00	33.61	56.84	36.36	54.00	17.64	150	229	Vertical	PASS
4	4880.5000	-14.05	68.11	54.06	74.00	19.94	64.68	50.63	54.00	3.37	150	91	Vertical	PASS
5	7238.5000	-8.98	51.57	42.59	74.00	31.41	49.24	40.26	54.00	13.74	150	84	Vertical	PASS
6	9702.0000	-4.55	50.64	46.09	74.00	27.91	48.80	44.25	54.00	9.75	150	229	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2440MHz

Test Graph


★ PK Detector ★ AV Detector

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1119.6000	-0.41	40.2	39.79	74.00	34.21	39.86	39.45	54.00	14.55	150	74	Horizonta	PASS
2	1914.8000	1.39	38.74	40.13	74.00	33.87	38.49	39.88	54.00	14.12	150	335	Horizonta	PASS
3	3789.5000	-18.51	56.39	37.88	74.00	36.12	54.43	35.92	54.00	18.08	150	173	Horizonta	PASS
4	4880.0000	-14.07	70.72	56.65	74.00	17.35	66.23	52.16	54.00	1.84	150	90	Horizonta	PASS
5	7020.0000	-9.55	52.82	43.27	74.00	30.73	51.13	41.58	54.00	12.42	150	300	Horizonta	PASS
6	9671.0000	-4.70	50.28	45.58	74.00	28.42	48.32	43.62	54.00	10.38	150	14	Horizonta	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1492.8000	-0.06	41.13	41.07	74.00	32.93	40.94	40.88	54.00	13.12	150	82	Vertical	PASS
2	1728.8000	0.65	45.17	45.82	74.00	28.18	44.93	45.58	54.00	8.42	150	182	Vertical	PASS
3	3318.5000	-20.25	60.71	40.46	74.00	33.54	56.84	36.59	54.00	17.41	150	244	Vertical	PASS
4	4959.5000	-14.79	66.09	51.30	74.00	22.70	64.50	49.71	54.00	4.29	150	93	Vertical	PASS
5	6635.0000	-10.32	54.07	43.75	74.00	30.25	51.81	41.49	54.00	12.51	150	93	Vertical	PASS
6	9955.5000	-4.00	50.71	46.71	74.00	27.29	48.30	44.30	54.00	9.70	150	294	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1128.0000	-0.37	40.02	39.65	74.00	34.35	39.76	39.39	54.00	14.61	150	104	Horizonta	PASS
2	1722.6000	0.64	41.92	42.56	74.00	31.44	41.63	42.27	54.00	11.73	150	45	Horizonta	PASS
3	4213.0000	-17.14	55	37.86	74.00	36.14	50.99	33.85	54.00	20.15	150	15	Horizonta	PASS
4	4960.5000	-14.77	68.36	53.59	74.00	20.41	65.45	50.68	54.00	3.32	150	90	Horizonta	PASS
5	7025.5000	-9.61	52.98	43.37	74.00	30.63	50.66	41.05	54.00	12.95	150	210	Horizonta	PASS
6	9508.5000	-4.77	51.06	46.29	74.00	27.71	49.33	44.56	54.00	9.44	150	337	Horizonta	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1166.2000	-0.17	41.38	41.21	74.00	32.79	40.93	40.76	54.00	13.24	150	79	Vertical	PASS
2	1711.0000	0.71	44.89	45.60	74.00	28.40	44.76	45.47	54.00	8.53	150	125	Vertical	PASS
3	3991.0000	-17.54	57.03	39.49	74.00	34.51	54.64	37.10	54.00	16.90	150	137	Vertical	PASS
4	4803.0000	-14.58	68.28	53.70	74.00	20.30	66.11	51.53	54.00	2.47	150	0	Vertical	PASS
5	7987.5000	-7.32	53.22	45.90	74.00	28.10	51.25	43.93	54.00	10.07	150	200	Vertical	PASS
6	11111.000	-2.98	51.07	48.09	74.00	25.91	49.09	46.11	54.00	7.89	150	300	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1244.0000	-0.49	39.93	39.44	74.00	34.56	39.60	39.11	54.00	14.89	150	310	Horizonta	PASS
2	1722.0000	0.64	39.64	40.28	74.00	33.72	39.51	40.15	54.00	13.85	150	299	Horizonta	PASS
3	3702.5000	-19.03	56.45	37.42	74.00	36.58	54.66	35.63	54.00	18.37	150	311	Horizonta	PASS
4	4805.0000	-14.47	71.91	57.44	74.00	16.56	66.43	51.96	54.00	2.04	150	88	Horizonta	PASS
5	7104.5000	-9.83	53.09	43.26	74.00	30.74	50.69	40.86	54.00	13.14	150	299	Horizonta	PASS
6	10424.500	-3.94	51.03	47.09	74.00	26.91	46.49	42.55	54.00	11.45	150	145	Horizonta	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2440MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1165.0000	-0.20	40.99	40.79	74.00	33.21	40.55	40.35	54.00	13.65	150	56	Vertical	PASS
2	1877.2000	1.45	38.93	40.38	74.00	33.62	38.57	40.02	54.00	13.98	150	257	Vertical	PASS
3	3323.5000	-20.32	60.56	40.24	74.00	33.76	58.46	38.14	54.00	15.86	150	93	Vertical	PASS
4	4879.0000	-14.10	68.2	54.10	74.00	19.90	65.23	51.13	54.00	2.87	150	93	Vertical	PASS
5	6542.5000	-10.60	54.24	43.64	74.00	30.36	50.27	39.67	54.00	14.33	150	330	Vertical	PASS
6	7996.5000	-7.64	53.51	45.87	74.00	28.13	49.66	42.02	54.00	11.98	150	43	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2440MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1355.6000	-0.43	39.33	38.90	74.00	35.10	39.10	38.67	54.00	15.33	150	280	Horizontal	PASS
2	2078.2000	2.01	39.69	41.70	74.00	32.30	39.49	41.50	54.00	12.50	150	139	Horizontal	PASS
3	3771.5000	-18.83	56.76	37.93	74.00	36.07	54.40	35.57	54.00	18.43	150	330	Horizontal	PASS
4	4879.0000	-14.10	71.5	57.40	74.00	16.60	66.57	52.47	54.00	1.53	150	85	Horizontal	PASS
5	6500.0000	-10.07	53.2	43.13	74.00	30.87	48.82	38.75	54.00	15.25	150	337	Horizontal	PASS
6	9914.0000	-4.34	51.25	46.91	74.00	27.09	49.38	45.04	54.00	8.96	150	154	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1161.8000	-0.29	43.13	42.84	74.00	31.16	42.87	42.58	54.00	11.42	150	104	Vertical	PASS
2	1992.6000	1.78	41.07	42.85	74.00	31.15	40.88	42.66	54.00	11.34	150	19	Vertical	PASS
3	3329.0000	-20.57	60.15	39.58	74.00	34.42	57.48	36.91	54.00	17.09	150	233	Vertical	PASS
4	4959.0000	-14.74	65.01	50.27	74.00	23.73	61.97	47.23	54.00	6.77	150	344	Vertical	PASS
5	7986.0000	-7.33	52.21	44.88	74.00	29.12	50.07	42.74	54.00	11.26	150	120	Vertical	PASS
6	10554.000	-3.63	50.86	47.23	74.00	26.77	49.17	45.54	54.00	8.46	150	52	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480MHz

Test Graph

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1165.8000	-0.18	39.18	39.00	74.00	35.00	38.97	38.79	54.00	15.21	150	12	Horizontal	PASS
2	1742.0000	0.80	39.67	40.47	74.00	33.53	39.47	40.27	54.00	13.73	150	126	Horizontal	PASS
3	3678.5000	-18.79	55.76	36.97	74.00	37.03	53.90	35.11	54.00	18.89	150	253	Horizontal	PASS
4	4960.5000	-14.77	68.68	53.91	74.00	20.09	65.18	50.41	54.00	3.59	150	94	Horizontal	PASS
5	6378.0000	-10.15	52.39	42.24	74.00	31.76	47.94	37.79	54.00	16.21	150	43	Horizontal	PASS
6	9224.0000	-4.94	51.33	46.39	74.00	27.61	47.49	42.55	54.00	11.45	150	227	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Appendix J: Conducted emission AC power port

Test Result

During the test, the Conducted emission was performed in all modes with all channels. The test data of the worst-case (1M-2402MHz) condition was recorded in this report.



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.18	10.31	44.26	64.49	20.23	33.02	54.49	21.47	L1	PASS
2	0.366	10.29	36.77	58.59	21.82	25.04	48.59	23.55	L1	PASS
3	0.864	10.26	35.99	56.00	20.01	24.30	46.00	21.70	L1	PASS
4	2.733	10.29	33.75	56.00	22.25	21.53	46.00	24.47	L1	PASS
5	5.76	10.43	35.99	60.00	24.01	22.62	50.00	27.38	L1	PASS
6	9.921	10.54	36.43	60.00	23.57	23.19	50.00	26.81	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.198	10.35	40.53	63.69	23.16	31.08	53.69	22.61	N	PASS
2	0.513	10.35	34.51	56.00	21.49	24.02	46.00	21.98	N	PASS
3	0.852	10.36	37.09	56.00	18.91	25.80	46.00	20.20	N	PASS
4	2.22	10.48	34.29	56.00	21.71	21.66	46.00	24.34	N	PASS
5	5.295	10.51	35.03	60.00	24.97	23.24	50.00	26.76	N	PASS
6	15.877	10.66	35.76	60.00	24.24	22.63	50.00	27.37	N	PASS