


Test Graphs








Appendix H: Emissions in Restricted Bands

Test Result



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.62	40.29	2.67	74.00	33.71	150	360	PK	Vertical	PASS
2	2321.8300	38.94	41.83	2.89	74.00	32.17	150	179	PK	Vertical	PASS
3	2339.3800	38.92	41.76	2.84	74.00	32.24	150	331	PK	Vertical	PASS
4	2354.2000	38.65	41.62	2.97	74.00	32.38	150	17	PK	Vertical	PASS
5	2373.0500	38.55	41.56	3.01	74.00	32.44	150	86	PK	Vertical	PASS
6	2390.0000	38.36	41.31	2.95	74.00	32.69	150	50	PK	Vertical	PASS


Note:

Level=Reading+Factor

Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.80	40.47	2.67	74.00	33.53	150	353	PK	Horizontal	PASS
2	2317.1500	39.44	42.33	2.89	74.00	31.67	150	130	PK	Horizontal	PASS
3	2332.8800	39.30	42.06	2.76	74.00	31.94	150	288	PK	Horizontal	PASS
4	2346.9200	39.12	42.06	2.94	74.00	31.94	150	169	PK	Horizontal	PASS
5	2369.1500	39.02	42.04	3.02	74.00	31.96	150	256	PK	Horizontal	PASS
6	2390.0000	37.13	40.08	2.95	74.00	33.92	150	271	PK	Horizontal	PASS


Note:

Level=Reading+Factor

Margin=Limit-Level

Mode: 1M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	37.62	41.08	3.46	74.00	32.92	150	193	PK	Vertical	PASS
2	2486.2500	39.59	43.08	3.49	74.00	30.92	150	128	PK	Vertical	PASS
3	2489.1000	40.23	43.79	3.56	74.00	30.21	150	100	PK	Vertical	PASS
4	2494.5500	38.92	42.49	3.57	74.00	31.51	150	229	PK	Vertical	PASS
5	2497.2500	38.56	42.14	3.58	74.00	31.86	150	67	PK	Vertical	PASS
6	2500.0000	37.59	41.09	3.50	74.00	32.91	150	344	PK	Vertical	PASS


Note:

Level=Reading+Factor

Margin=Limit-Level

Mode: 1M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	38.17	41.63	3.46	74.00	32.37	150	211	PK	Horizontal	PASS
2	2488.1000	39.48	42.95	3.47	74.00	31.05	150	289	PK	Horizontal	PASS
3	2491.9500	39.11	42.67	3.56	74.00	31.33	150	48	PK	Horizontal	PASS
4	2494.8500	38.51	42.07	3.56	74.00	31.93	150	148	PK	Horizontal	PASS
5	2499.0500	38.81	42.31	3.50	74.00	31.69	150	244	PK	Horizontal	PASS
6	2500.0000	37.57	41.07	3.50	74.00	32.93	150	198	PK	Horizontal	PASS

Note:


Level=Reading+Factor

Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.17	39.84	2.67	74.00	34.16	150	35	PK	Vertical	PASS
2	2321.5700	39.21	42.10	2.89	74.00	31.90	150	360	PK	Vertical	PASS
3	2338.0800	38.85	41.67	2.82	74.00	32.33	150	152	PK	Vertical	PASS
4	2355.6300	38.84	41.81	2.97	74.00	32.19	150	66	PK	Vertical	PASS
5	2375.2600	39.52	42.53	3.01	74.00	31.47	150	217	PK	Vertical	PASS
6	2390.0000	38.41	41.36	2.95	74.00	32.64	150	90	PK	Vertical	PASS


Note:

Level=Reading+Factor

Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.84	40.51	2.67	74.00	33.49	150	275	PK	Horizontal	PASS
2	2320.6600	38.56	41.47	2.91	74.00	32.53	150	336	PK	Horizontal	PASS
3	2341.8500	38.79	41.67	2.88	74.00	32.33	150	63	PK	Horizontal	PASS
4	2356.5400	39.15	42.11	2.96	74.00	31.89	150	168	PK	Horizontal	PASS
5	2374.7400	39.22	42.21	2.99	74.00	31.79	150	354	PK	Horizontal	PASS
6	2390.0000	37.66	40.61	2.95	74.00	33.39	150	254	PK	Horizontal	PASS


Note:

Level=Reading+Factor

Margin=Limit-Level

Mode: 2M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector


Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	37.47	40.93	3.46	74.00	33.07	150	352	PK	Vertical	PASS
2	2486.7000	38.79	42.31	3.52	74.00	31.69	150	10	PK	Vertical	PASS
3	2490.9000	38.82	42.37	3.55	74.00	31.63	150	180	PK	Vertical	PASS
4	2494.2500	38.55	42.13	3.58	74.00	31.87	150	227	PK	Vertical	PASS
5	2498.4500	39.07	42.61	3.54	74.00	31.39	150	224	PK	Vertical	PASS
6	2500.0000	38.36	41.86	3.50	74.00	32.14	150	29	PK	Vertical	PASS

Note:

Level=Reading+Factor

Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	37.12	40.58	3.46	74.00	33.42	150	244	PK	Horizontal	PASS
2	2487.0000	38.30	41.84	3.54	74.00	32.16	150	100	PK	Horizontal	PASS
3	2492.1500	38.97	42.53	3.56	74.00	31.47	150	172	PK	Horizontal	PASS
4	2494.3000	39.22	42.80	3.58	74.00	31.20	150	162	PK	Horizontal	PASS
5	2497.3000	38.31	41.89	3.58	74.00	32.11	150	100	PK	Horizontal	PASS
6	2500.0000	37.36	40.86	3.50	74.00	33.14	150	110	PK	Horizontal	PASS

Note:

Level=Reading+Factor

Margin=Limit-Level


Appendix I: Spurious Emissions

Test Result

Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (1M-2402MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	47.5588	33.31	17.21	-16.10	40.00	22.79	150	94	PK	Vertical	PASS
2	101.9812	47.32	27.72	-19.60	43.50	15.78	150	97	PK	Vertical	PASS
3	166.2986	33.99	18.06	-15.93	43.50	25.44	150	206	PK	Vertical	PASS
4	451.3131	32.60	20.89	-11.71	46.00	25.11	150	145	PK	Vertical	PASS
5	587.9028	34.02	24.95	-9.07	46.00	21.05	150	179	PK	Vertical	PASS
6	723.2313	37.99	30.78	-7.21	46.00	15.22	150	317	PK	Vertical	PASS


Note:

Level=Reading+Factor

Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	47.0737	32.14	16.00	-16.14	40.00	24.00	150	205	PK	Horizontal	PASS
2	78.7959	34.39	14.68	-19.71	40.00	25.32	150	137	PK	Horizontal	PASS
3	102.8543	44.03	24.42	-19.61	43.50	19.08	150	205	PK	Horizontal	PASS
4	212.8633	34.85	15.73	-19.12	43.50	27.77	150	293	PK	Horizontal	PASS
5	587.4177	35.78	26.75	-9.03	46.00	19.25	150	290	PK	Horizontal	PASS
6	705.4785	36.17	28.56	-7.61	46.00	17.44	150	215	PK	Horizontal	PASS


Note:

Level=Reading+Factor

Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1164.4000	41.00	40.77	-0.23	74.00	33.23	150	63	PK	Vertical	PASS
2	1581.6000	40.19	40.39	0.20	74.00	33.61	150	321	PK	Vertical	PASS
3	3330.0000	59.19	38.58	-20.61	74.00	35.42	150	230	PK	Vertical	PASS
4	4804.0000	57.43	42.90	-14.53	74.00	31.10	150	20	PK	Vertical	PASS
5	6639.0000	55.71	45.32	-10.39	74.00	28.68	150	129	PK	Vertical	PASS
6	7988.0000	53.78	46.46	-7.32	74.00	27.54	150	167	PK	Vertical	PASS


Note:

Level=Reading+Factor

Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1132.6000	39.37	38.99	-0.38	74.00	35.01	150	317	PK	Horizontal	PASS
2	1731.8000	40.10	40.78	0.68	74.00	33.22	150	266	PK	Horizontal	PASS
3	3714.5000	57.27	38.36	-18.91	74.00	35.64	150	131	PK	Horizontal	PASS
4	4804.5000	58.69	44.18	-14.51	74.00	29.82	150	61	PK	Horizontal	PASS
5	6630.5000	52.92	42.68	-10.24	74.00	31.32	150	28	PK	Horizontal	PASS
6	9622.5000	51.75	46.76	-4.99	74.00	27.24	150	35	PK	Horizontal	PASS


Note:

Level=Reading+Factor

Margin=Limit-Level

Mode: 1M

Channel: 2440MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1166.2000	41.87	41.70	-0.17	74.00	32.30	150	81	PK	Vertical	PASS
2	1992.2000	39.32	41.11	1.79	74.00	32.89	150	194	PK	Vertical	PASS
3	3471.0000	58.47	38.46	-20.01	74.00	35.54	150	140	PK	Vertical	PASS
4	4880.0000	57.71	43.64	-14.07	74.00	30.36	150	12	PK	Vertical	PASS
5	6499.0000	53.56	43.52	-10.04	74.00	30.48	150	140	PK	Vertical	PASS
6	8719.5000	52.30	45.82	-6.48	74.00	28.18	150	306	PK	Vertical	PASS


Note:

Level=Reading+Factor

Margin=Limit-Level

Mode: 1M

Channel: 2440MHz

Test Graph


★ PK Detector ★ AV Detector


Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1178.8000	39.31	39.11	-0.20	74.00	34.89	150	205	PK	Horizontal	PASS
2	1819.8000	39.18	40.36	1.18	74.00	33.64	150	130	PK	Horizontal	PASS
3	3396.0000	57.29	37.52	-19.77	74.00	36.48	150	234	PK	Horizontal	PASS
4	4879.5000	61.19	47.10	-14.09	74.00	26.90	150	241	PK	Horizontal	PASS
5	6493.0000	53.13	43.26	-9.87	74.00	30.74	150	62	PK	Horizontal	PASS
6	8434.5000	52.21	45.20	-7.01	74.00	28.80	150	292	PK	Horizontal	PASS

Note:

Level=Reading+Factor

Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1162.6000	42.09	41.82	-0.27	74.00	32.18	150	118	PK	Vertical	PASS
2	1999.6000	40.25	41.86	1.61	74.00	32.14	150	118	PK	Vertical	PASS
3	3818.0000	56.72	38.20	-18.52	74.00	35.80	150	266	PK	Vertical	PASS
4	4960.5000	57.22	42.45	-14.77	74.00	31.55	150	337	PK	Vertical	PASS
5	6337.0000	54.30	43.68	-10.62	74.00	30.32	150	74	PK	Vertical	PASS
6	7990.0000	53.47	46.15	-7.32	74.00	27.85	150	150	PK	Vertical	PASS


Note:

Level=Reading+Factor

Margin=Limit-Level

Mode: 1M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1316.8000	39.24	38.98	-0.26	74.00	35.02	150	187	PK	Horizontal	PASS
2	1843.4000	39.75	41.07	1.32	74.00	32.93	150	59	PK	Horizontal	PASS
3	3639.0000	56.95	37.59	-19.36	74.00	36.41	150	119	PK	Horizontal	PASS
4	4960.5000	61.25	46.48	-14.77	74.00	27.52	150	150	PK	Horizontal	PASS
5	6350.5000	53.60	43.43	-10.17	74.00	30.57	150	42	PK	Horizontal	PASS
6	8383.5000	53.43	46.11	-7.32	74.00	27.89	150	266	PK	Horizontal	PASS

Note:


Level=Reading+Factor

Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1161.4000	40.87	40.57	-0.30	74.00	33.43	150	275	PK	Vertical	PASS
2	1994.8000	39.82	41.55	1.73	74.00	32.45	150	222	PK	Vertical	PASS
3	3988.5000	56.49	38.99	-17.50	74.00	35.01	150	197	PK	Vertical	PASS
4	4802.5000	56.13	41.52	-14.61	74.00	32.48	150	38	PK	Vertical	PASS
5	6656.5000	55.26	45.09	-10.17	74.00	28.91	150	273	PK	Vertical	PASS
6	7994.0000	53.58	46.07	-7.51	74.00	27.93	150	191	PK	Vertical	PASS


Note:

Level=Reading+Factor

Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph


★ PK Detector ★ AV Detector


Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1162.4000	39.00	38.72	-0.28	74.00	35.28	150	154	PK	Horizontal	PASS
2	1728.6000	43.32	43.97	0.65	74.00	30.03	150	63	PK	Horizontal	PASS
3	3319.0000	58.43	38.21	-20.22	74.00	35.79	150	26	PK	Horizontal	PASS
4	4803.0000	56.77	42.19	-14.58	74.00	31.81	150	84	PK	Horizontal	PASS
5	6284.5000	54.02	43.13	-10.89	74.00	30.87	150	97	PK	Horizontal	PASS
6	8296.0000	52.39	44.73	-7.66	74.00	29.27	150	14	PK	Horizontal	PASS

Note:

Level=Reading+Factor

Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1164.0000	41.04	40.80	-0.24	74.00	33.20	150	292	PK	Vertical	PASS
2	1666.4000	40.83	41.23	0.40	74.00	32.77	150	235	PK	Vertical	PASS
3	3690.5000	57.49	38.04	-19.45	74.00	35.96	150	248	PK	Vertical	PASS
4	4880.5000	57.30	43.25	-14.05	74.00	30.75	150	282	PK	Vertical	PASS
5	6711.5000	52.61	42.78	-9.83	74.00	31.22	150	337	PK	Vertical	PASS
6	8354.5000	52.82	45.65	-7.17	74.00	28.35	150	110	PK	Vertical	PASS


Note:

Level=Reading+Factor

Margin=Limit-Level

Mode: 2M

Channel: 2440MHz

Test Graph


★ PK Detector ★ AV Detector


Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1247.6000	38.91	38.39	-0.52	74.00	35.61	150	111	PK	Horizontal	PASS
2	1986.0000	38.91	40.74	1.83	74.00	33.26	150	303	PK	Horizontal	PASS
3	3746.5000	56.65	37.60	-19.05	74.00	36.40	150	98	PK	Horizontal	PASS
4	4881.0000	58.11	44.07	-14.04	74.00	29.93	150	168	PK	Horizontal	PASS
5	6989.0000	53.05	43.62	-9.43	74.00	30.38	150	22	PK	Horizontal	PASS
6	9447.5000	50.30	45.13	-5.17	74.00	28.87	150	123	PK	Horizontal	PASS

Note:

Level=Reading+Factor

Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1164.8000	42.14	41.92	-0.22	74.00	32.08	150	293	PK	Vertical	PASS
2	1863.8000	39.29	40.59	1.30	74.00	33.41	150	297	PK	Vertical	PASS
3	3597.5000	59.54	40.34	-19.20	74.00	33.66	150	255	PK	Vertical	PASS
4	5314.0000	56.57	43.51	-13.06	74.00	30.49	150	70	PK	Vertical	PASS
5	7084.5000	53.17	43.52	-9.65	74.00	30.48	150	337	PK	Vertical	PASS
6	9257.0000	49.97	45.43	-4.54	74.00	28.57	150	120	PK	Vertical	PASS


Note:

Level=Reading+Factor

Margin=Limit-Level

Mode: 2M

Channel: 2480MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1302.8000	39.09	38.66	-0.43	74.00	35.34	150	90	PK	Horizontal	PASS
2	1939.0000	38.78	40.28	1.50	74.00	33.72	150	208	PK	Horizontal	PASS
3	3759.5000	56.23	37.54	-18.69	74.00	36.46	150	206	PK	Horizontal	PASS
4	4958.5000	60.23	45.54	-14.69	74.00	28.46	150	174	PK	Horizontal	PASS
5	6798.0000	52.98	42.86	-10.12	74.00	31.14	150	1	PK	Horizontal	PASS
6	9576.0000	51.16	46.38	-4.78	74.00	27.62	150	150	PK	Horizontal	PASS

Note:


Level=Reading+Factor

Margin=Limit-Level


Appendix J: Conducted emission AC power port

Test Result

During the test, the Conducted emission was performed in all modes with all channels. The test data of the worst-case (1M-2402MHz) condition was recorded in this report.



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.198	10.35	40.64	63.69	23.05	22.93	53.69	30.76	L1	PASS
2	0.87	10.26	37.25	56.00	18.75	25.41	46.00	20.59	L1	PASS
3	2.181	10.28	33.52	56.00	22.48	20.70	46.00	25.30	L1	PASS
4	3.723	10.30	35.44	56.00	20.56	23.80	46.00	22.20	L1	PASS
5	9.255	10.54	35.69	60.00	24.31	23.04	50.00	26.96	L1	PASS
6	23.2	10.82	36.15	60.00	23.85	22.53	50.00	27.47	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.225	10.35	38.74	62.63	23.89	24.35	52.63	28.28	N	PASS
2	0.852	10.36	38.42	56.00	17.58	26.81	46.00	19.19	N	PASS
3	2.373	10.48	34.78	56.00	21.22	22.66	46.00	23.34	N	PASS
4	4.665	10.50	36.85	56.00	19.15	23.52	46.00	22.48	N	PASS
5	8.877	10.47	35.64	60.00	24.36	24.00	50.00	26.00	N	PASS
6	21.151	10.70	34.74	60.00	25.26	23.88	50.00	26.12	N	PASS