Appendix Test Data for BT(BDR/EDR) (Conducted Measurement)

Product Name: Smart Speaker
Trade Mark: N/A
Test Model: TF26PRO
FCC ID: 2BD94-TF26PRO

Environmental Conditions

Temperature:	24.6℃
Relative Humidity:	50%
ATM Pressure:	100.0 kPa
Test Engineer:	Tony luo
Supervised by:	Max zhang
NOTE	N/A

1. Bandwidth

1.1 Test Result

1.1.1 OBW

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	99% Occupied Bandwidth (MHz)		Verdict
					Result	Limit	
GFSK	SISO	2402	DH5	1	0.823	/	Pass
		2441	DH5	1	0.826	/	Pass
		2480	DH5	1	0.834	/	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.162	/	Pass
		2441	2DH5	1	1.177	/	Pass
		2480	2DH5	1	1.183	/	Pass
8DPSK	SISO	2402	3DH5	1	1.159	/	Pass
		2441	3DH5	1	1.163	/	Pass
		2480	3DH5	1	1.168	/	Pass

1.1.2 20dB BW

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	20dB Bandwidth (MHz)		Verdict
					Result	Limit	
GFSK	SISO	2402	DH5	1	0.930	/	Pass
		2441	DH5	1	0.931	/	Pass
		2480	DH5	1	0.932	/	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.288	/	Pass
		2441	2DH5	1	1.289	/	Pass
		2480	2DH5	1	1.288	/	Pass
8DPSK	SISO	2402	3DH5	1	1.261	/	Pass
		2441	3DH5	1	1.244	/	Pass

		2480	3DH5	1	1.243	/	Pass

1.2 Test Graph

1.2.1 OBW

GFSK_DH5_LCH_2402MHz_Ant1_NTNV



GFSK_DH5_MCH_2441MHz_Ant1_NTNV



GFSK_DH5_HCH_2480MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV



8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV



8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV



1.2.2 20dB BW

GFSK_DH5_LCH_2402MHz_Ant1_NTNV


GFSK_DH5_MCH_2441MHz_Ant1_NTNV


GFSK_DH5_HCH_2480MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV



8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV



8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV



2. Maximum Conducted Output Power

2.1 Test Result

2.1.1 Power

Mode	TX Type	Frequency (MHz)	Packet Type	Maximum Peak Conducted Output Power (dBm)		Verdict
				ANT1	Limit	
GFSK	SISO	2402	DH5	0.28	<=30	Pass
		2441	DH5	2.72	<=30	Pass
		2480	DH5	4.56	<=30	Pass
Pi/4DQPSK	SISO	2402	2DH5	1.37	<=20.97	Pass
		2441	2DH5	4.00	<=20.97	Pass
		2480	2DH5	5.60	<=20.97	Pass
8DPSK	SISO	2402	3DH5	2.23	<=20.97	Pass
		2441	3DH5	4.90	<=20.97	Pass
		2480	3DH5	6.36	<=20.97	Pass
Note1: Antenna Gain: Ant1: 1.00dBi;						

2.2 Test Graph

2.2.1 Power

GFSK_DH5_LCH_2402MHz_Ant1_NTNV



GFSK_DH5_MCH_2441MHz_Ant1_NTNV



GFSK_DH5_HCH_2480MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV



8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV



8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV


3. Carrier Frequency Separation

3.1 Test Result

3.1.1 Ant1

Ant1							
Mode	TX Type	Frequency (MHz)	Packet Type	Channel Separation (MHz)	20dB Bandwidth (MHz)	Limit (MHz)	Verdict
GFSK	SISO	HOPP	DH5	1.000	0.932	>=0.932	Pass
Pi/4DQPSK	SISO	HOPP	2DH5	0.998	1.289	>=0.859	Pass
8DPSK	SISO	HOPP	3DH5	1.003	1.261	>=0.841	Pass

3.2 Test Graph

3.2.1 Ant1

GFSK_DH5_HOPP_Ant1_NTNV


Pi/4DQPSK_2DH5_HOPP_Ant1_NTNV


8DPSK_3DH5_HOPP_Ant1_NTNV


4. Number of Hopping Frequencies

4.1 Test Result

4.1.1 HoppNum

Mode	TX Type	Frequency (MHz)	Packet Type	Num of Hopping Frequencies		Verdict
				ANT1	Limit	
GFSK	SISO	HOPP	DH5	79	>=15	Pass
Pi/4DQPSK	SISO	HOPP	2DH5	79	>=15	Pass
8DPSK	SISO	HOPP	3DH5	79	>=15	Pass

4.2 Test Graph

4.2.1 HoppNum

GFSK_DH5_HOPP_Ant1_NTNV


Pi/4DQPSK_2DH5_HOPP_Ant1_NTNV


8DPSK_3DH5_HOPP_Ant1_NTNV


5. Time of Occupancy (Dwell Time)

5.1 Test Result

5.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	Packet Type	Duration of Single Pulse (ms)	Observation Period (s)	Num of Pulse in Observation Period	Dwell Time (ms)	Limit (ms)	Verdict
GFSK	SISO	HOPP	DH1	0.402	31.600	320	128.640	<=400	Pass
			DH3	1.658	31.600	160	265.280	<=400	Pass
			DH5	2.906	31.600	113	328.378	<=400	Pass
Pi/4DQPSK	SISO	HOPP	2DH1	0.412	31.600	320	131.840	<=400	Pass
			2DH3	1.666	31.600	160	266.560	<=400	Pass
			2DH5	2.912	31.600	102	297.024	<=400	Pass
8DPSK	SISO	HOPP	3DH1	0.408	31.600	320	130.560	<=400	Pass
			3DH3	1.664	31.600	157	261.248	<=400	Pass
			3DH5	2.914	31.600	107	311.798	<=400	Pass

5.2 Test Graph

5.2.1 Ant1

GFSK_DH1_HOPP_Ant1_NTNV



GFSK_DH1_HOPP_Ant1_NTNV



GFSK_DH3_HOPP_Ant1_NTNV


GFSK_DH3_HOPP_Ant1_NTNV


GFSK_DH5_HOPP_Ant1_NTNV


GFSK_DH5_HOPP_Ant1_NTNV


Pi/4DQPSK_2DH1_HOPP_Ant1_NTNV


Pi/4DQPSK_2DH1_HOPP_Ant1_NTNV


Pi/4DQPSK_2DH3_HOPP_Ant1_NTNV


Pi/4DQPSK_2DH3_HOPP_Ant1_NTNV


Pi/4DQPSK_2DH5_HOPP_Ant1_NTNV


Pi/4DQPSK_2DH5_HOPP_Ant1_NTNV


8DPSK_3DH1_HOPP_Ant1_NTNV



8DPSK_3DH1_HOPP_Ant1_NTNV



8DPSK_3DH3_HOPP_Ant1_NTNV



8DPSK_3DH3_HOPP_Ant1_NTNV



8DPSK_3DH5_HOPP_Ant1_NTNV


8DPSK_3DH5_HOPP_Ant1_NTNV


6. Unwanted Emissions In Non-restricted Frequency Bands

6.1 Test Result

6.1.1 Ref

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)
GFSK	SISO	2402	DH5	1	-0.11
		2441	DH5	1	2.28
		2480	DH5	1	4.21
Pi/4DQPSK	SISO	2402	2DH5	1	-0.14
		2441	2DH5	1	2.30
		2480	2DH5	1	4.28
8DPSK	SISO	2402	3DH5	1	-0.08
		2441	3DH5	1	2.33
		2480	3DH5	1	4.44
Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.					

6.1.2 CSE

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
GFSK	SISO	2402	DH5	1	4.21	-15.79	Pass
		2441	DH5	1	4.21	-15.79	Pass
		2480	DH5	1	4.21	-15.79	Pass
		HOPP	DH5	1	4.21	-15.79	Pass
					4.21	-15.79	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	4.28	-15.72	Pass
		2441	2DH5	1	4.28	-15.72	Pass
		2480	2DH5	1	4.28	-15.72	Pass
		HOPP	2DH5	1	4.28	-15.72	Pass
					4.28	-15.72	Pass
8DPSK	SISO	2402	3DH5	1	4.44	-15.56	Pass
		2441	3DH5	1	4.44	-15.56	Pass
		2480	3DH5	1	4.44	-15.56	Pass
		HOPP	3DH5	1	4.44	-15.56	Pass
					4.44	-15.56	Pass
Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.							

6.2 Test Graph

6.2.1 Ref

GFSK_DH5_LCH_2402MHz_Ant1_NTNV


GFSK_DH5_MCH_2441MHz_Ant1_NTNV


GFSK_DH5_HCH_2480MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV



8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV



8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV


6.2.2 CSE

GFSK_DH5_LCH_2402MHz_Ant1_NTNV


GFSK_DH5_LCH_2402MHz_Ant1_NTNV


GFSK_DH5_LCH_2402MHz_Ant1_NTNV



GFSK_DH5_LCH_2402MHz_Ant1_NTNV



GFSK_DH5_LCH_2402MHz_Ant1_NTNV



GFSK_DH5_MCH_2441MHz_Ant1_NTNV



GFSK_DH5_MCH_2441MHz_Ant1_NTNV



GFSK_DH5_MCH_2441MHz_Ant1_NTNV



GFSK_DH5_MCH_2441MHz_Ant1_NTNV



GFSK_DH5_HCH_2480MHz_Ant1_NTNV



GFSK_DH5_HCH_2480MHz_Ant1_NTNV



GFSK_DH5_HCH_2480MHz_Ant1_NTNV



GFSK_DH5_HCH_2480MHz_Ant1_NTNV



GFSK_DH5_HCH_2480MHz_Ant1_NTNV



GFSK_DH5_HOPP_Ant1_NTNV



GFSK_DH5_HOPP_Ant1_NTNV



Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_HOPP_Ant1_NTNV


Pi/4DQPSK_2DH5_HOPP_Ant1_NTNV


8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV



8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV



8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV



8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV



8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV



8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV



8DPSK_3DH5_HOPP_Ant1_NTNV



8DPSK_3DH5_HOPP_Ant1_NTNV