

				Peak	5925.000	-38.78	≤10.00	PASS
11N40SISO	Ant1	Low	5190	AV	4500.000	-59.8	≤-41.20	PASS
				AV	5149.275	-41.48	≤-41.20	PASS
				AV	5150.000	-41.49	≤-41.20	PASS
				Peak	4500.000	-45.27	≤-21.20	PASS
				Peak	5146.232	-24.19	≤-21.20	PASS
				Peak	5150.000	-24.71	≤-21.20	PASS
		High	5230	AV	5350.000	-55.48	≤-41.20	PASS
				AV	5351.101	-54.96	≤-41.20	PASS
				AV	5460.000	-56.71	≤-41.20	PASS
				Peak	5350.000	-45.47	≤-21.20	PASS
				Peak	5351.101	-42.68	≤-21.20	PASS
				Peak	5460.000	-47.18	≤-21.20	PASS
		Low	5755	Peak	5650.000	-40.37	≤-27.00	PASS
				Peak	5700.000	-29.07	≤10.00	PASS
				Peak	5720.000	-16.73	≤15.60	PASS
				Peak	5725.000	-17.57	≤27.00	PASS
		High	5795	Peak	5850.000	-34.27	≤15.60	PASS
				Peak	5855.000	-34.24	≤27.00	PASS
				Peak	5875.000	-41.64	≤15.60	PASS
				Peak	5925.000	-46.21	≤10.00	PASS
11AC20SISO	Ant1	Low	5180	AV	4500.000	-53.36	≤-41.20	PASS
				AV	5149.275	-47.23	≤-41.20	PASS
				AV	5150.000	-46.75	≤-41.20	PASS
				Peak	4500.000	-37.25	≤-21.20	PASS
				Peak	5146.232	-24.09	≤-21.20	PASS
				Peak	5150.000	-25.64	≤-21.20	PASS
		High	5240	AV	5350.000	-51.86	≤-41.20	PASS
				AV	5448.174	-50.45	≤-41.20	PASS
				AV	5460.000	-52.43	≤-41.20	PASS
				Peak	5350.000	-42.06	≤-21.20	PASS
				Peak	5448.174	-37.98	≤-21.20	PASS
				Peak	5460.000	-41.17	≤-21.20	PASS
		Low	5745	Peak	5650.000	-41.05	≤-27.00	PASS
				Peak	5700.000	-34.56	≤10.00	PASS
				Peak	5720.000	-21.04	≤15.60	PASS
				Peak	5725.000	-13.99	≤27.00	PASS
		High	5825	Peak	5850.000	-23.22	≤15.60	PASS
				Peak	5855.000	-28.5	≤27.00	PASS
				Peak	5875.000	-36.85	≤15.60	PASS
				Peak	5925.000	-40.77	≤10.00	PASS
11AC40SISO	Ant1	Low	5190	AV	4500.000	-53.11	≤-41.20	PASS
				AV	5149.275	-48.56	≤-41.20	PASS
				AV	5150.000	-48.52	≤-41.20	PASS
				Peak	4500.000	-38.1	≤-21.20	PASS


		High	5230	Peak	5149.275	-26.76	≤-21.20	PASS
				Peak	5150.000	-28.7	≤-21.20	PASS
				AV	5350.000	-51.69	≤-41.20	PASS
				AV	5448.696	-49.95	≤-41.20	PASS
				AV	5460.000	-51.69	≤-41.20	PASS
				Peak	5350.000	-41.78	≤-21.20	PASS
				Peak	5406.493	-39.22	≤-21.20	PASS
				Peak	5460.000	-42.7	≤-21.20	PASS
		Low	5755	Peak	5650.000	-41.21	≤-27.00	PASS
				Peak	5700.000	-30.61	≤10.00	PASS
				Peak	5720.000	-19.19	≤15.60	PASS
				Peak	5725.000	-18.87	≤27.00	PASS
		High	5795	Peak	5850.000	-36.51	≤15.60	PASS
				Peak	5855.000	-38.07	≤27.00	PASS
				Peak	5875.000	-39.82	≤15.60	PASS
				Peak	5925.000	-42.18	≤10.00	PASS
11AC80SIS O	Ant1	Low	5210	AV	4500.000	-58.89	≤-41.20	PASS
				AV	5150.000	-46.8	≤-41.20	PASS
				Peak	4500.000	-44.19	≤-21.20	PASS
				Peak	5145.652	-26.07	≤-21.20	PASS
				Peak	5150.000	-27.56	≤-21.20	PASS
		High	5210	AV	5350.000	-44.87	≤-41.20	PASS
				AV	5350.435	-44.65	≤-41.20	PASS
				AV	5460.000	-54.55	≤-41.20	PASS
				Peak	5350.000	-34.74	≤-21.20	PASS
				Peak	5358.957	-33.01	≤-21.20	PASS
				Peak	5460.000	-41.45	≤-21.20	PASS
		Low	5775	Peak	5650.000	-34.7	≤-27.00	PASS
				Peak	5700.000	-22.58	≤10.00	PASS
				Peak	5720.000	-18.7	≤15.60	PASS
				Peak	5725.000	-19.66	≤27.00	PASS
		High	5775	Peak	5850.000	-27.77	≤15.60	PASS
				Peak	5855.000	-27.43	≤27.00	PASS
				Peak	5875.000	-34.08	≤15.60	PASS
				Peak	5925.000	-44.05	≤10.00	PASS

Note:


1. The Antenna Gain is compensated in the graph.
2. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

7.2. Test Graphs







11A_Ant1_High_5240_Peak




11A_Ant1_Low_5745_Peak




11A_Ant1_High_5825_Peak




11N20SISO_Ant1_Low_5180_AV




11N20SISO_Ant1_Low_5180_Peak



11N20SISO_Ant1_High_5240_AV




11N20SISO_Ant1_High_5240_Peak




11N20SISO_Ant1_Low_5745_Peak




11N20SISO_Ant1_High_5825_Peak




11N40SISO_Ant1_Low_5190_AV




11N40SISO_Ant1_Low_5190_Peak




11N40SISO_Ant1_High_5230_AV




11N40SISO_Ant1_High_5230_Peak




11N40SISO_Ant1_Low_5755_Peak




11N40SISO_Ant1_High_5795_Peak




11AC20SISO_Ant1_Low_5180_AV




11AC20SISO_Ant1_Low_5180_Peak



11AC20SISO_Ant1_High_5240_AV




11AC20SISO_Ant1_High_5240_Peak




11AC20SISO_Ant1_Low_5745_Peak




11AC20SISO_Ant1_High_5825_Peak




11AC40SISO_Ant1_Low_5190_AV



11AC40SISO_Ant1_Low_5190_Peak




11AC40SISO_Ant1_High_5230_AV



11AC40SISO_Ant1_High_5230_Peak




11AC40SISO_Ant1_Low_5755_Peak




11AC40SISO_Ant1_High_5795_Peak




11AC80SISO_Ant1_Low_5210_AV




11AC80SISO_Ant1_Low_5210_Peak




11AC80SISO_Ant1_High_5210_AV



11AC80SISO_Ant1_High_5210_Peak



11AC80SISO_Ant1_Low_5775_Peak



11AC80SISO_Ant1_High_5775_Peak




8. Conducted Spurious Emission


8.1. Test Result

TestMode	Antenna	Channel	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	30~1000	956.04	-47.69	≤-27	PASS
			1000~40000	2413.1	-33.37	≤-27	PASS
		5200	30~1000	715.33	-47.68	≤-27	PASS
			1000~40000	39320.1	-36.02	≤-27	PASS
		5240	30~1000	354.96	-46.68	≤-27	PASS
			1000~40000	39989.6	-36.18	≤-27	PASS
		5745	30~1000	889.38	-47.19	≤-27	PASS
			1000~40000	39338.3	-35.64	≤-27	PASS
		5785	30~1000	705.7	-46.14	≤-27	PASS
			1000~40000	39075.7	-36.35	≤-27	PASS
11N20SISO	Ant1	5180	30~1000	976.06	-47.26	≤-27	PASS
			1000~40000	39604.8	-35.67	≤-27	PASS
		5200	30~1000	874.86	-47.02	≤-27	PASS
			1000~40000	2413.1	-32.67	≤-27	PASS
		5240	30~1000	825.23	-46.16	≤-27	PASS
			1000~40000	2410.5	-32.81	≤-27	PASS
		5745	30~1000	666.38	-47.16	≤-27	PASS
			1000~40000	2413.1	-32.04	≤-27	PASS
		5785	30~1000	959.47	-47.33	≤-27	PASS
			1000~40000	39451.4	-36.08	≤-27	PASS
11N40SISO	Ant1	5190	30~1000	890.12	-47.63	≤-27	PASS
			1000~40000	39734.8	-36.21	≤-27	PASS
		5230	30~1000	959.47	-47.17	≤-27	PASS
			1000~40000	39951.9	-34.95	≤-27	PASS
		5755	30~1000	509.21	-47.15	≤-27	PASS
			1000~40000	39359.1	-36.31	≤-27	PASS
11AC20SISO	Ant1	5180	30~1000	961.25	-47.18	≤-27	PASS
			1000~40000	2413.1	-32.62	≤-27	PASS
		5200	30~1000	862.15	-46.9	≤-27	PASS
			1000~40000	39363	-36.33	≤-27	PASS
		5240	30~1000	713.49	-46.72	≤-27	PASS
			1000~40000	39403.3	-35.92	≤-27	PASS
		5745	30~1000	937.71	-47.64	≤-27	PASS
			1000~40000	39353.9	-35.92	≤-27	PASS
		5795	30~1000	889.93	-47.58	≤-27	PASS
			1000~40000	39353.9	-35.92	≤-27	PASS


		5785	1000~40000	39976.6	-35.83	≤-27	PASS
			30~1000	963.68	-47.54	≤-27	PASS
		5825	1000~40000	39749.1	-35.73	≤-27	PASS
			30~1000	895.26	-46.43	≤-27	PASS
11AC40SISO	Ant1	5190	1000~40000	39395.5	-35.07	≤-27	PASS
			30~1000	867.65	-47.57	≤-27	PASS
		5230	1000~40000	40000	-35.87	≤-27	PASS
			30~1000	961.64	-46.9	≤-27	PASS
		5755	1000~40000	39983.1	-35.6	≤-27	PASS
			30~1000	863.22	-45.92	≤-27	PASS
		5795	1000~40000	39981.8	-35.45	≤-27	PASS
			30~1000	863.48	-45.92	≤-27	PASS
		5775	1000~40000	6985.2	-36.55	≤-27	PASS
			30~1000	6896.8	-35.79	≤-27	PASS
11AC80SISO	Ant1	5210	1000~40000	6929.3	-35.5	≤-27	PASS
			30~1000	887.86	-46.74	≤-27	PASS
		5775	1000~40000	6896.8	-35.79	≤-27	PASS
			30~1000	861.44	-45.6	≤-27	PASS

8.2. Test Graphs







11A_Ant1_5200_1000~40000




11A_Ant1_5240_30~1000




11A_Ant1_5240_1000~40000




11A_Ant1_5745_30~1000




11A_Ant1_5745_1000~40000




11A_Ant1_5785_30~1000




11A_Ant1_5785_1000~40000




11A_Ant1_5825_30~1000




11A_Ant1_5825_1000~40000




11N20SISO_Ant1_5180_30~1000




11N20SISO_Ant1_5180_1000~40000




11N20SISO_Ant1_5200_30~1000




11N20SISO_Ant1_5200_1000~40000




11N20SISO_Ant1_5240_30~1000




11N20SISO_Ant1_5240_1000~40000




11N20SISO_Ant1_5745_30~1000




11N20SISO_Ant1_5745_1000~40000




11N20SISO_Ant1_5785_30~1000




11N20SISO_Ant1_5785_1000~40000




11N20SISO_Ant1_5825_30~1000




11N20SISO_Ant1_5825_1000~40000




11N40SISO_Ant1_5190_30~1000




11N40SISO_Ant1_5190_1000~40000




11N40SISO_Ant1_5230_30~1000




11N40SISO_Ant1_5230_1000~40000




11N40SISO_Ant1_5755_30~1000




11N40SISO_Ant1_5755_1000~40000




11N40SISO_Ant1_5795_30~1000




11N40SISO_Ant1_5795_1000~40000




11AC20SISO_Ant1_5180_30~1000




11AC20SISO_Ant1_5180_1000~40000




11AC20SISO_Ant1_5200_30~1000




11AC20SISO_Ant1_5200_1000~40000




11AC20SISO_Ant1_5240_30~1000




11AC20SISO_Ant1_5240_1000~40000




11AC20SISO_Ant1_5745_30~1000




11AC20SISO_Ant1_5745_1000~40000




11AC20SISO_Ant1_5785_30~1000




11AC20SISO_Ant1_5785_1000~40000




11AC20SISO_Ant1_5825_30~1000




11AC20SISO_Ant1_5825_1000~40000




11AC40SISO_Ant1_5190_30~1000




11AC40SISO_Ant1_5190_1000~40000




11AC40SISO_Ant1_5230_30~1000




11AC40SISO_Ant1_5230_1000~40000




11AC40SISO_Ant1_5755_30~1000




11AC40SISO_Ant1_5755_1000~40000




11AC40SISO_Ant1_5795_30~1000




11AC40SISO_Ant1_5795_1000~40000




11AC80SISO_Ant1_5210_30~1000




11AC80SISO_Ant1_5210_1000~40000



11AC80SISO_Ant1_5775_30~1000



11AC80SISO_Ant1_5775_1000~40000



9. Frequency Stability

9.1. Test Result

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	-20000.00	-3.861004	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5200	NV	NT	-20000.00	-3.846154	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.846154	20	PASS
		5240	NV	NT	-20000.00	-3.816794	20	PASS
			LV	NT	-20000.00	-3.816794	20	PASS
			HV	NT	-20000.00	-3.816794	20	PASS
		5745	NV	NT	-20000.00	-3.481288	20	PASS
			LV	NT	-20000.00	-3.481288	20	PASS
			HV	NT	-20000.00	-3.481288	20	PASS
		5785	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	-20000.00	-3.457217	20	PASS
11N20SISO	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	-40000.00	-7.722008	20	PASS
			HV	NT	-20000.00	-3.861004	20	PASS
		5200	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.846154	20	PASS
		5240	NV	NT	-20000.00	-3.816794	20	PASS
			LV	NT	-20000.00	-3.816794	20	PASS
			HV	NT	-40000.00	-7.633588	20	PASS
		5745	NV	NT	-40000.00	-6.962576	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.481288	20	PASS
		5785	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	-40000.00	-6.914434	20	PASS
11N40SISO	Ant1	5190	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.707129	20	PASS

		5230	HV	NT	-40000.00	-7.707129	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.648184	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5755	NV	NT	-40000.00	-6.950478	20	PASS
			LV	NT	-40000.00	-6.950478	20	PASS
			HV	NT	-40000.00	-6.950478	20	PASS
		5795	NV	NT	-40000.00	-6.902502	20	PASS
			LV	NT	-40000.00	-6.902502	20	PASS
			HV	NT	-40000.00	-6.902502	20	PASS
11AC20SIS O	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5200	NV	NT	-20000.00	-3.846154	20	PASS
			LV	NT	-20000.00	-3.846154	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5240	NV	NT	-20000.00	-3.816794	20	PASS
			LV	NT	-20000.00	-3.816794	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5745	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.481288	20	PASS
		5785	NV	NT	-40000.00	-6.914434	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5825	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.433476	20	PASS
			HV	NT	-20000.00	-3.433476	20	PASS
11AC40SIS O	Ant1	5190	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5230	NV	NT	-40000.00	-7.648184	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5755	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
5795	NV	NT	-40000.00	-6.902502	20	PASS		
	LV	NT	-40000.00	-6.902502	20	PASS		
	HV	NT	0.00	0.000000	20	PASS		
11AC80SIS O	Ant1	5210	NV	NT	0.00	0.000000	20	PASS
			LV	NT	80000.00	15.355086	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5775	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS

			HV	NT	0.00	0.000000	20	PASS
--	--	--	----	----	------	----------	----	------

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	0	-40000.00	-7.722008	20	PASS
			NV	10	-20000.00	-3.861004	20	PASS
			NV	20	-40000.00	-7.722008	20	PASS
			NV	30	-20000.00	-3.861004	20	PASS
			NV	45	-20000.00	-3.861004	20	PASS
		5200	NV	0	-20000.00	-3.846154	20	PASS
			NV	10	-20000.00	-3.846154	20	PASS
			NV	20	-20000.00	-3.846154	20	PASS
			NV	30	-20000.00	-3.846154	20	PASS
			NV	45	-20000.00	-3.846154	20	PASS
		5240	NV	0	-20000.00	-3.816794	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.816794	20	PASS
			NV	45	-20000.00	-3.816794	20	PASS
		5745	NV	0	-20000.00	-3.481288	20	PASS
			NV	10	-40000.00	-6.962576	20	PASS
			NV	20	-40000.00	-6.962576	20	PASS
			NV	30	-20000.00	-3.481288	20	PASS
			NV	45	-20000.00	-3.481288	20	PASS
		5785	NV	0	-40000.00	-6.914434	20	PASS
			NV	10	-20000.00	-3.457217	20	PASS
			NV	20	-20000.00	-3.457217	20	PASS
			NV	30	-60000.00	-10.371651	20	PASS
			NV	45	-20000.00	-3.457217	20	PASS
		5825	NV	0	0.00	0.000000	20	PASS
			NV	10	-40000.00	-6.866953	20	PASS
			NV	20	-20000.00	-3.433476	20	PASS
			NV	30	-40000.00	-6.866953	20	PASS
			NV	45	0.00	0.000000	20	PASS
11N20SISO	Ant1	5180	NV	0	-20000.00	-3.861004	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.861004	20	PASS
			NV	30	-20000.00	-3.861004	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5200	NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.846154	20	PASS
			NV	20	-40000.00	-7.692308	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	-40000.00	-7.692308	20	PASS

		5240	NV	0	-40000.00	-7.633588	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.816794	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5745	NV	0	-40000.00	-6.962576	20	PASS
			NV	10	-20000.00	-3.481288	20	PASS
			NV	20	-40000.00	-6.962576	20	PASS
			NV	30	-20000.00	-3.481288	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5785	NV	0	-20000.00	-3.457217	20	PASS
			NV	10	-20000.00	-3.457217	20	PASS
			NV	20	-20000.00	-3.457217	20	PASS
			NV	30	-20000.00	-3.457217	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5825	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.433476	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	-20000.00	-3.433476	20	PASS
11N40SISO	Ant1	5190	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-40000.00	-7.707129	20	PASS
			NV	45	-40000.00	-7.707129	20	PASS
		5230	NV	0	-40000.00	-7.648184	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.648184	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	-40000.00	-7.648184	20	PASS
		5755	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	-40000.00	-6.950478	20	PASS
		5795	NV	0	-40000.00	-6.902502	20	PASS
			NV	10	-40000.00	-6.902502	20	PASS
			NV	20	-40000.00	-6.902502	20	PASS
			NV	30	-40000.00	-6.902502	20	PASS
			NV	45	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5180	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.861004	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	-20000.00	-3.861004	20	PASS

		5200	NV	0	-20000.00	-3.846154	20	PASS
			NV	10	-20000.00	-3.846154	20	PASS
			NV	20	-20000.00	-3.846154	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5240	NV	0	-20000.00	-3.816794	20	PASS
			NV	10	-20000.00	-3.816794	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.816794	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5745	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.481288	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5785	NV	0	-20000.00	-3.457217	20	PASS
			NV	10	-20000.00	-3.457217	20	PASS
			NV	20	-20000.00	-3.457217	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5825	NV	0	20000.00	3.433476	20	PASS
			NV	10	-20000.00	-3.433476	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	-20000.00	-3.433476	20	PASS
11AC40SIS O	Ant1	5190	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.707129	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5230	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-40000.00	-7.648184	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5755	NV	0	-40000.00	-6.950478	20	PASS
			NV	10	-80000.00	-13.900956	20	PASS
			NV	20	-40000.00	-6.950478	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	-80000.00	-13.900956	20	PASS
		5795	NV	0	40000.00	6.902502	20	PASS
			NV	10	-80000.00	-13.805004	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS

11AC80SIS O	Ant1	5210	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5775	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-80000.00	-13.852814	20	PASS
			NV	45	0.00	0.000000	20	PASS


10. Duty Cycle

10.1. Test Result


TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
11A	Ant1	5180	1.39	1.44	96.53	---	---
		5200	1.39	1.44	96.53	---	---
		5240	1.39	1.44	96.53	---	---
		5745	1.39	1.44	96.53	---	---
		5785	1.39	1.44	96.53	---	---
		5825	1.39	1.44	96.53	---	---
11N20SISO	Ant1	5180	1.30	1.35	96.30	---	---
		5200	1.30	1.35	96.30	---	---
		5240	1.30	1.35	96.30	---	---
		5745	1.30	1.35	96.30	---	---
		5785	1.30	1.35	96.30	---	---
		5825	1.30	1.35	96.30	---	---
11N40SISO	Ant1	5190	0.65	0.70	92.86	---	---
		5230	0.64	0.69	92.75	---	---
		5755	0.64	0.69	92.75	---	---
		5795	0.64	0.69	92.75	---	---
11AC20SISO	Ant1	5180	1.31	1.36	96.32	---	---
		5200	1.31	1.36	96.32	---	---
		5240	1.31	1.36	96.32	---	---
		5745	1.31	1.36	96.32	---	---
		5785	1.31	1.36	96.32	---	---
		5825	1.31	1.36	96.32	---	---
11AC40SISO	Ant1	5190	0.65	0.70	92.86	---	---
		5230	0.65	0.70	92.86	---	---
		5755	0.65	0.70	92.86	---	---
		5795	0.65	0.70	92.86	---	---
11AC80SISO	Ant1	5210	0.32	0.37	86.49	---	---
		5775	0.32	0.37	86.49	---	---

10.2. Test Graphs







11A_Ant1_5745




11A_Ant1_5785




11A_Ant1_5825




11N20SISO_Ant1_5180




11N20SISO_Ant1_5200




11N20SISO_Ant1_5240




11N20SISO_Ant1_5745




11N20SISO_Ant1_5785




11N20SISO_Ant1_5825




11N40SISO_Ant1_5190




11N40SISO_Ant1_5230




11N40SISO_Ant1_5755




11N40SISO_Ant1_5795




11AC20SISO_Ant1_5180




11AC20SISO_Ant1_5200




11AC20SISO_Ant1_5240




11AC20SISO_Ant1_5745




11AC20SISO_Ant1_5785




11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230




11AC40SISO_Ant1_5755



11AC40SISO_Ant1_5795



11AC80SISO_Ant1_5210



11AC80SISO Ant1 5775



-----END OF THE REPORT-----