

客户名称:(CUSTOMER)

产 品 规 格 书

PRODUCT SPECIFICATION SHEET

物料名称

APPELLATION: A11 Wireless Transmission Single-Coil Module.

产品型号

MODE: YX-A11-R501053-G0807.

客户料号

No.: _____.

生 产 方	工艺审核 TECHNICAL	品质审核 QUALITY	项目审核 PROJECT	开发审核 DEVELOPING

客 户 方	材料工程师 Materials Engineer	设计工程师 Engineer	主管审批 Approval	研发体系 R & D System

供应商名称: Shenzhen Cilanda Electronics
Co., Ltd.

供应商地址: 深圳市南山区西丽镇牛城村 221 号5 楼

Tel: 0755-27652992 29016433

Mail: cd001@cd-tek.com


Http: //www.cd-tek.com



变更履历表

[illegible]

1. DIMENSIONS & MARKING:



Symbol	A	B	C	D	E	F
Value(mm)	50.00MAX	43.0 ± 2.00	21.50 ± 1.50	5.30	4.50 ± 1.00	7.0-9.0

2. ELECTRICAL SPECIFICATIONS @25°C


- 2.1 Operating Temperature range: -40°C~+85°C
- 2.2 Storage temperature range: -25°C TO +125°C
- 2.3 The test frequency: 100 KHz, 100mV @ 25°C,65%
- 2.4 OCL : $6.30 \pm 5\%$ μ H .
- 2.5 Diameter : 0.08mm*105P
- 2.5 Turns Ratio: 10T

DRAWN BY:	CHECKED BY:	APPROVED BY:	CUSTOMER:
jiuguijiang	jiuguijiang	wangchunxia	PART NO. : YX-A11-R501053-G0807

3、 Bill of materials:

Serial Number	Material Name	Material Specification	Use of Materials	Remark
1	Silk-covered Wire	0.08mm*105P	√	
2	Self-adhesive Wire	0.08mm*105P		
3	Magnetic Sheet	G 50.0*5.3*1.0mm	√	
4	High-Temperature Tape	8.00*0.05mm	√	
5	Adhesive-backed Tape	T 48.50*2mm	√	Hardness: 38
6	Glue	Environmentally Friendly Water-Based Adhesive	√	
7	Tin Bar	Sn97.3-0.7Cu	√	

4、 Packaging:



- 4.1 Quantity per grid: 6 PCS
- 4.2 Quantity per carton: 6*50 = 300PCS
- 4.3 Quantity per carton: 300*3 = 900PCS
- 4.4 Carton size: 350*350*180mm.

DRAWN BY:	CHECKED BY:	APPROVED BY:	CUSTOMER:
jiuguijiang	jiuguijiang	wangchunxia	PART NO. : YX-A11-R501053-G0807
CND-TEK Shenzhen Cilanda Electronics Co., Ltd.			REV.: A
			PAGE: 4 Of 4