








-26dB Bandwidth NVNT a 5260MHz




-26dB Bandwidth NVNT a 5300MHz




-26dB Bandwidth NVNT a 5320MHz




-26dB Bandwidth NVNT n20 5260MHz




-26dB Bandwidth NVNT n20 5300MHz




-26dB Bandwidth NVNT n20 5320MHz







-26dB Bandwidth NVNT n40 5270MHz




-26dB Bandwidth NVNT n40 5310MHz










-26dB Bandwidth NVNT ac40 5310MHz




-26dB Bandwidth NVNT ax20 5260MHz







-26dB Bandwidth NVNT ax40 5270MHz




-26dB Bandwidth NVNT ax40 5310MHz




-26dB Bandwidth NVNT a 5500MHz




-26dB Bandwidth NVNT a 5600MHz





-26dB Bandwidth NVNT a 5700MHz




-26dB Bandwidth NVNT n20 5500MHz










-26dB Bandwidth NVNT n40 5510MHz





-26dB Bandwidth NVNT n40 5590MHz












-26dB Bandwidth NVNT ac40 5670MHz




-26dB Bandwidth NVNT ax20 5500MHz




-26dB Bandwidth NVNT ax20 5600MHz




-26dB Bandwidth NVNT ax20 5700MHz




-26dB Bandwidth NVNT ax40 5510MHz



-26dB Bandwidth NVNT ax40 5590MHz






-6dB Bandwidth


Condition	Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	16.469	0.5	Pass
NVNT	a	5785	16.433	0.5	Pass
NVNT	a	5825	16.474	0.5	Pass
NVNT	n20	5745	17.615	0.5	Pass
NVNT	n20	5785	17.604	0.5	Pass
NVNT	n20	5825	17.617	0.5	Pass
NVNT	n40	5755	36.394	0.5	Pass
NVNT	n40	5795	36.368	0.5	Pass
NVNT	ac20	5745	17.605	0.5	Pass
NVNT	ac20	5785	17.621	0.5	Pass
NVNT	ac20	5825	17.613	0.5	Pass
NVNT	ac40	5755	36.369	0.5	Pass
NVNT	ac40	5795	36.388	0.5	Pass
NVNT	ax20	5745	19.035	0.5	Pass
NVNT	ax20	5785	18.918	0.5	Pass
NVNT	ax20	5825	18.958	0.5	Pass
NVNT	ax40	5755	38.000	0.5	Pass
NVNT	ax40	5795	37.894	0.5	Pass

Test Graphs


-6dB Bandwidth NVNT a 5745MHz




-6dB Bandwidth NVNT a 5785MHz




-6dB Bandwidth NVNT a 5825MHz




-6dB Bandwidth NVNT n20 5745MHz





-6dB Bandwidth NVNT n20 5785MHz




-6dB Bandwidth NVNT n20 5825MHz







-6dB Bandwidth NVNT ac20 5745MHz




-6dB Bandwidth NVNT ac20 5785MHz




-6dB Bandwidth NVNT ac20 5825MHz




-6dB Bandwidth NVNT ac40 5755MHz




-6dB Bandwidth NVNT ac40 5795MHz




-6dB Bandwidth NVNT ax20 5745MHz




-6dB Bandwidth NVNT ax20 5785MHz




-6dB Bandwidth NVNT ax20 5825MHz



-6dB Bandwidth NVNT ax40 5755MHz



-6dB Bandwidth NVNT ax40 5795MHz




Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	99% OBW (MHz)
NVNT	a	5180	16.659
NVNT	a	5200	16.669
NVNT	a	5240	16.627
NVNT	n20	5180	17.933
NVNT	n20	5200	18.018
NVNT	n20	5240	17.951
NVNT	n40	5190	36.499
NVNT	n40	5230	36.530
NVNT	ac20	5180	17.928
NVNT	ac20	5200	18.003
NVNT	ac20	5240	17.955
NVNT	ac40	5190	36.485
NVNT	ac40	5230	36.539
NVNT	ax20	5180	19.039
NVNT	ax20	5200	19.109
NVNT	ax20	5240	19.059
NVNT	ax40	5190	37.858
NVNT	ax40	5230	37.893
NVNT	a	5260	16.632
NVNT	a	5300	16.666
NVNT	a	5320	16.678
NVNT	n20	5260	17.932
NVNT	n20	5300	17.975
NVNT	n20	5320	17.957
NVNT	n40	5270	36.531
NVNT	n40	5310	36.621
NVNT	ac20	5260	17.932
NVNT	ac20	5300	17.962
NVNT	ac20	5320	17.977
NVNT	ac40	5270	36.479
NVNT	ac40	5310	36.607
NVNT	ax20	5260	19.026
NVNT	ax20	5300	19.018
NVNT	ax20	5320	19.068
NVNT	ax40	5270	37.911
NVNT	ax40	5310	37.970
NVNT	a	5500	16.796
NVNT	a	5600	16.771
NVNT	a	5700	16.716
NVNT	n20	5500	18.080
NVNT	n20	5600	18.101
NVNT	n20	5700	18.021
NVNT	n40	5510	36.784
NVNT	n40	5590	36.781
NVNT	n40	5670	36.780
NVNT	ac20	5500	18.094

NVNT	ac20	5600	18.092
NVNT	ac20	5700	18.054
NVNT	ac40	5510	36.737
NVNT	ac40	5590	36.784
NVNT	ac40	5670	36.741
NVNT	ax20	5500	19.100
NVNT	ax20	5600	19.135
NVNT	ax20	5700	19.103
NVNT	ax40	5510	38.028
NVNT	ax40	5590	38.034
NVNT	ax40	5670	37.983
NVNT	a	5745	16.791
NVNT	a	5785	16.719
NVNT	a	5825	16.752
NVNT	n20	5745	18.109
NVNT	n20	5785	18.063
NVNT	n20	5825	18.101
NVNT	n40	5755	36.769
NVNT	n40	5795	36.838
NVNT	ac20	5745	18.108
NVNT	ac20	5785	17.994
NVNT	ac20	5825	18.095
NVNT	ac40	5755	36.734
NVNT	ac40	5795	36.861
NVNT	ax20	5745	19.173
NVNT	ax20	5785	19.150
NVNT	ax20	5825	19.171
NVNT	ax40	5755	38.033
NVNT	ax40	5795	38.171


Test Graphs OBW NVNT a 5180MHz




OBW NVNT a 5200MHz




OBW NVNT a 5240MHz




OBW NVNT n20 5180MHz





OBW NVNT n20 5200MHz




OBW NVNT n20 5240MHz







OBW NVNT ac20 5180MHz




OBW NVNT ac20 5200MHz




OBW NVNT ac20 5240MHz




OBW NVNT ac40 5190MHz




OBW NVNT ac40 5230MHz




OBW NVNT ax20 5180MHz




OBW NVNT ax20 5200MHz




OBW NVNT ax20 5240MHz




OBW NVNT ax40 5190MHz




OBW NVNT ax40 5230MHz




OBW NVNT a 5260MHz




OBW NVNT a 5300MHz





OBW NVNT a 5320MHz




OBW NVNT n20 5260MHz







OBW NVNT n40 5270MHz




OBW NVNT n40 5310MHz




OBW NVNT ac20 5260MHz




OBW NVNT ac20 5300MHz




OBW NVNT ac20 5320MHz




OBW NVNT ac40 5270MHz




OBW NVNT ac40 5310MHz




OBW NVNT ax20 5260MHz




OBW NVNT ax20 5300MHz




OBW NVNT ax20 5320MHz




OBW NVNT ax40 5270MHz




OBW NVNT ax40 5310MHz




OBW NVNT a 5500MHz




OBW NVNT a 5600MHz







OBW NVNT a 5700MHz




OBW NVNT n20 5500MHz









OBW NVNT n40 5670MHz




OBW NVNT ac20 5500MHz




OBW NVNT ac20 5600MHz




OBW NVNT ac20 5700MHz




OBW NVNT ac40 5510MHz




OBW NVNT ac40 5590MHz




OBW NVNT ac40 5670MHz




OBW NVNT ax20 5500MHz




OBW NVNT ax20 5600MHz




OBW NVNT ax20 5700MHz




OBW NVNT ax40 5510MHz




OBW NVNT ax40 5590MHz







OBW NVNT a 5745MHz




OBW NVNT a 5785MHz




OBW NVNT a 5825MHz




OBW NVNT n20 5745MHz




OBW NVNT n20 5785MHz




OBW NVNT n20 5825MHz




OBW NVNT n40 5755MHz




OBW NVNT n40 5795MHz




OBW NVNT ac20 5745MHz




OBW NVNT ac20 5785MHz




OBW NVNT ac20 5825MHz




OBW NVNT ac40 5755MHz




OBW NVNT ac40 5795MHz




OBW NVNT ax20 5745MHz




OBW NVNT ax20 5785MHz




OBW NVNT ax20 5825MHz



OBW NVNT ax40 5755MHz



OBW NVNT ax40 5795MHz



Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	3.82	0.14	3.96	11	Pass
NVNT	a	5200	2.62	0.14	2.76	11	Pass
NVNT	a	5240	4.14	0.13	4.27	11	Pass
NVNT	n20	5180	1.63	0	1.63	11	Pass
NVNT	n20	5200	0.34	0	0.34	11	Pass
NVNT	n20	5240	1.68	0	1.68	11	Pass
NVNT	n40	5190	-2.87	0	-2.87	11	Pass
NVNT	n40	5230	-2.80	0	-2.80	11	Pass
NVNT	ac20	5180	0.50	0	0.50	11	Pass
NVNT	ac20	5200	-0.71	0	-0.71	11	Pass
NVNT	ac20	5240	0.65	0	0.65	11	Pass
NVNT	ac40	5190	-3.04	0.17	-2.87	11	Pass
NVNT	ac40	5230	-3.10	0.52	-2.58	11	Pass
NVNT	ax20	5180	0.69	0	0.69	11	Pass
NVNT	ax20	5200	-0.58	0	-0.58	11	Pass
NVNT	ax20	5240	0.89	0	0.89	11	Pass
NVNT	ax40	5190	-2.44	0	-2.44	11	Pass
NVNT	ax40	5230	-2.34	0	-2.34	11	Pass
NVNT	a	5260	4.69	0.62	5.31	11	Pass
NVNT	a	5300	3.91	0.63	4.54	11	Pass
NVNT	a	5320	4.54	0.27	4.81	11	Pass
NVNT	n20	5260	1.10	0.34	1.44	11	Pass
NVNT	n20	5300	0.46	0.15	0.61	11	Pass
NVNT	n20	5320	1.27	0.10	1.37	11	Pass
NVNT	n40	5270	-2.09	0.69	-1.40	11	Pass
NVNT	n40	5310	-2.13	0.17	-1.96	11	Pass
NVNT	ac20	5260	1.09	0.14	1.23	11	Pass
NVNT	ac20	5300	0.51	0.11	0.62	11	Pass
NVNT	ac20	5320	1.21	0.34	1.55	11	Pass
NVNT	ac40	5270	-2.11	0.68	-1.43	11	Pass
NVNT	ac40	5310	-2.08	0.19	-1.89	11	Pass
NVNT	ax20	5260	1.04	0.17	1.21	11	Pass
NVNT	ax20	5300	0.19	0.18	0.37	11	Pass
NVNT	ax20	5320	1.05	0.11	1.16	11	Pass
NVNT	ax40	5270	-2.20	0.26	-1.94	11	Pass
NVNT	ax40	5310	-2.43	0.87	-1.56	11	Pass
NVNT	a	5500	2.82	0.26	3.08	11	Pass
NVNT	a	5600	2.59	0.27	2.86	11	Pass
NVNT	a	5700	1.44	0.22	1.66	11	Pass
NVNT	n20	5500	2.54	0.15	2.69	11	Pass
NVNT	n20	5600	2.46	0.13	2.59	11	Pass
NVNT	n20	5700	1.23	0.09	1.32	11	Pass
NVNT	n40	5510	-2.31	0.30	-2.01	11	Pass
NVNT	n40	5590	-2.42	0.18	-2.24	11	Pass


NVNT	n40	5670	-3.25	0.18	-3.07	11	Pass
NVNT	ac20	5500	2.62	0.15	2.77	11	Pass
NVNT	ac20	5600	2.45	0.14	2.59	11	Pass
NVNT	ac20	5700	1.25	0.09	1.34	11	Pass
NVNT	ac40	5510	-1.27	0.69	-0.58	11	Pass
NVNT	ac40	5590	-1.32	0.17	-1.15	11	Pass
NVNT	ac40	5670	-2.33	0.15	-2.18	11	Pass
NVNT	ax20	5500	3.57	0.19	3.76	11	Pass
NVNT	ax20	5600	2.26	0.16	2.42	11	Pass
NVNT	ax20	5700	1.81	0.18	1.99	11	Pass
NVNT	ax40	5510	-0.52	0.20	-0.32	11	Pass
NVNT	ax40	5590	-0.72	0.22	-0.50	11	Pass
NVNT	ax40	5670	-2.31	0.34	-1.97	11	Pass

Condition	Mode	Frequency (MHz)	Conducted PSD (dBm/510kHz)	Duty Factor (dB)	Total PSD (dBm/510kHz)	Total PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
NVNT	a	5745	1.79	0	1.79	1.70	30	Pass
NVNT	a	5785	1.44	0	1.44	1.35	30	Pass
NVNT	a	5825	0.49	0.13	0.62	0.53	30	Pass
NVNT	n20	5745	-1.51	0	-1.51	-1.60	30	Pass
NVNT	n20	5785	-1.80	0	-1.80	-1.89	30	Pass
NVNT	n20	5825	-2.69	0	-2.69	-2.78	30	Pass
NVNT	n40	5755	-4.70	0	-4.70	-4.79	30	Pass
NVNT	n40	5795	-4.92	0.15	-4.77	-4.86	30	Pass
NVNT	ac20	5745	-1.71	0	-1.71	-1.80	30	Pass
NVNT	ac20	5785	-1.92	0	-1.92	-2.01	30	Pass
NVNT	ac20	5825	-2.86	0	-2.86	-2.95	30	Pass
NVNT	ac40	5755	-4.80	0.09	-4.71	-4.80	30	Pass
NVNT	ac40	5795	-4.84	0	-4.84	-4.93	30	Pass
NVNT	ax20	5745	-1.16	0.10	-1.06	-1.15	30	Pass
NVNT	ax20	5785	-1.42	0	-1.42	-1.51	30	Pass
NVNT	ax20	5825	-2.30	0	-2.30	-2.39	30	Pass
NVNT	ax40	5755	-4.16	0.12	-4.04	-4.13	30	Pass
NVNT	ax40	5795	-4.17	0.16	-4.01	-4.10	30	Pass


Note: Total PSD (dBm/500kHz) = Total PSD (dBm/510kHz) + 10log(500kHz/510kHz)

Test Graphs


PSD NVNT a 5180MHz




PSD NVNT a 5200MHz





PSD NVNT a 5240MHz




PSD NVNT n20 5180MHz







PSD NVNT n40 5190MHz




PSD NVNT n40 5230MHz




PSD NVNT ac20 5180MHz



PSD NVNT ac20 5200MHz




PSD NVNT ac20 5240MHz




PSD NVNT ac40 5190MHz




PSD NVNT ac40 5230MHz



PSD NVNT ax20 5180MHz



PSD NVNT ax20 5200MHz



PSD NVNT ax20 5240MHz

