






11AC20SISO_Ant1_5700




11AC20SISO_Ant1_5745




11AC20SISO_Ant1_5785




11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230




11AC40SISO_Ant1_5270




11AC40SISO_Ant1_5310




11AC40SISO_Ant1_5510




11AC40SISO_Ant1_5550




11AC40SISO_Ant1_5670




11AC40SISO_Ant1_5755




11AC40SISO_Ant1_5795




11AC80SISO_Ant1_5210




11AC80SISO_Ant1_5290



11AC80SISO_Ant1_5530



11AC80SISO_Ant1_5775



Appendix D: Maximum power spectral density


Test Result

TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11AC20SISO	Ant1	5180	4.14	≤11.00	PASS
		5220	3.11	≤11.00	PASS
		5240	3.37	≤11.00	PASS
		5260	3.98	≤11.00	PASS
		5300	3.73	≤11.00	PASS
		5320	3.78	≤11.00	PASS
		5500	3.9	≤11.00	PASS
		5580	4.23	≤11.00	PASS
		5700	3.8	≤11.00	PASS
		5745	0.15	≤30.00	PASS
		5785	0.95	≤30.00	PASS
		5825	0.93	≤30.00	PASS
11AC40SISO	Ant1	5190	1.22	≤11.00	PASS
		5230	0.43	≤11.00	PASS
		5270	0.26	≤11.00	PASS
		5310	0.22	≤11.00	PASS
		5510	0.82	≤11.00	PASS
		5550	0.87	≤11.00	PASS
		5670	1.28	≤11.00	PASS
		5755	-3.77	≤30.00	PASS
		5795	-2.61	≤30.00	PASS
11AC80SISO	Ant1	5210	-1.56	≤11.00	PASS
		5290	-2.45	≤11.00	PASS
		5530	-1.29	≤11.00	PASS
		5775	-3.85	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

Test Graphs






11AC20SISO_Ant1_5260




11AC20SISO_Ant1_5300




11AC20SISO_Ant1_5320



11AC20SISO_Ant1_5500



11AC20SISO_Ant1_5580




11AC20SISO_Ant1_5700



11AC20SISO_Ant1_5745



11AC20SISO_Ant1_5785



11AC20SISO_Ant1_5825



11AC40SISO_Ant1_5190



11AC40SISO_Ant1_5230



11AC40SISO_Ant1_5270

