

Instruction manual

1. Appearance view

HDMI

GAME STICK LITE

UPGRADE

Upgrade button

TF card slot

MICRO USB

GAME STICK LITE

UPGRADE

USB

Direction

Start

Div/set up

Function

Left rocker

Right rocker

Switch right

Collect

Cancel/collect

Switch left

Function

2. Hardware description:

1. HDMI: HD output

2. Mic power support: 5V / 2a, 5V / 1a, 5V / 0.5A

3. Handle interface: wired handle, wireless handle, one second-hand handle; USB2.0 interface

4. Indicator light: blue indicator light is on when

connecting to the power supply

5. Support maximum 128g expansion TF Card

3. Function description

1. Supporting languages: Simplified Chinese, traditional Chinese, English and other 23 languages

2. Support functions: collection, history, search

3. Support simulator: CPS; GB; GBC; GBA; MD; SFC; FC; PS1; Atari

4. Main menu function

1. List: all the Games in the folder will be displayed on this page, with up and down selection and left and right page turning (in what simulator the game is in, there will be prompts on the screen)

GAME STICK LITE

4K

STICK LITE

Game 1

Game 2

Game 3

Game 4

Game 5

Game 6

Game 7

Game 8

Game 9

Game 10

2. Classification: identify all simulators contained in the machine

GAME STICK LITE

4K

STICK LITE

Game 1

Game 2

Game 3

Game 4

Game 5

Game 6

Game 7

Game 8

Game 9

Game 10

3. History: after playing, the game record will be in this interface

GAME STICK LITE

4K

STICK LITE

Game 1

Game 2

Game 3

Game 4

Game 5

Game 6

Game 7

Game 8

Game 9

Game 10

4. Collection: your favorite games can be added to the collection list

GAME STICK LITE

4K

STICK LITE

Game 1

Game 2

Game 3

Game 4

Game 5

Game 6

Game 7

Game 8

Game 9

Game 10

5. Search: filter the game according to the game name uppercase letters (Note: case insensitive)

GAME STICK LITE

4K

STICK LITE

Game 1

Game 2

Game 3

Game 4

Game 5

Game 6

Game 7

Game 8

Game 9

Game 10

4. game

1. Press the direction key to select the game menu and press the start / a key to enter the game

2. Press B in the game list to return to the home page

3. Holding down the SELECT/START key at the same time in the game brings up a game menu that allows the user to Pause/save/load/exit the game

b. Settings

Settings

Keyboard Setting

Video Card Files

Language Setting

System Information

Exit Settings

OK

Cancel

5. Hardware function definition

5.1Detailed parameters

game	Support: CPS, PC, GB, GBA, GBC, MD, SFC, PS1; Atari arcade game
Power supply	5V/1A, 5V/2A, 5V/0.5A
extend	Support TF card expansion, maximum 128GB
Video output	HDMI HD output

remarks:

1. The picture of the machine is for reference. The shell of the machine is subject to the material object. The instructions are only for reference. The software upgrade of the machine is subject to the material object.

2. If there is any change in the product content or parameters, please refer to the current product without notice.

3. The machine is stored in zero files at the factory. All external files (audio, video, game, pictures, etc.) must be deleted immediately after the demonstration. The company will not take any responsibility for this.

4. Charging method: please use the output 5v-in charger, connect the data cable to the USB port of the machine for power on

5. Executive standard: gb17926.1-2012, gb6998-2011, GB / t12827-2012

6. Children between 6.0 and 14 years old need to be accompanied by an adult to use this product.

7. Download instructions: please download the game according to the format supported by the machine, and put it in the corresponding folder of the machine

Warranty

1. Within seven days from the date of sale, in case of performance failure, the body and package of the goods must be intact, and the game type of goods can be replaced (subject to inspection), but not including artificial damage

2. The goods are guaranteed for one year from the date of sale, with lifelong maintenance, and the accessories are not covered by the warranty

3. The warranty service is only valid under normal use, and all artificial damage (including self disassembly and improper use) are not covered by the warranty.

4. This card shall be provided during warranty. If this card is not provided or altered without permission, the company has the right to scrap it

Product warranty card

Color box

machine

GB line

serial number

wireless remote

receiver

HDMI extension cable

*)

*)

*)

*)

*)

*)

*)

*)

User name

Gender

Age

mailing address

contact number

Zip code

Place of purchase

date of purchase

Sales Order No

Product name and specification

Serial No

Dealer signature

User signature

WARNING

Asphyxiation hazard-all packaging materials(such as duct tape, plastic bags, plastic film, binding wires, labels) and small accessories in the machine should not be exposed to children under 3 years of age to avoid suffocation hazards and should be used under adult supervision

When the ambient temperature is less than or equal to 0 °C, the machine shall be moved indoors and placed at room temperature for 2 hours before use

1、外观视图



2、硬件说明：

1. HDMI：高清输出
2. 宽频电源支持：6V/2A, 6V/1A, 6V/0.5A
3. 手柄接口：有线手柄，无线手柄，一拖二手柄，USB2.0接口

4. 指示灯：插入电源有蓝色指示灯亮
 5. 支持最大128G扩展TP卡
- 3、功能描述
1. 支持语言：中文简体、中文繁体、英文等20国语言
 2. 支持功能：收藏、历史、搜索
 3. 支持模拟：PS1, ATARI, CPS, GB, GBA, MD, SFC, PC, PS1, ATARI



1. 列表：文件夹所有游戏会在此页面显示，上下选择，左右翻页（游戏在什么模式下，屏幕中上会有提示）

2. 分类：识别设备包含的所有游戏



3. 历史：玩过以后的游戏已会在此页面



4. 收藏：自己需求的游戏即可添加到收藏夹



5. 设置：按照游戏名称大写字母来对游戏进行筛选（注：不区分大小写）



- a. 游戏
1. 方向键选中游戏后，按 START/A 键进入游戏

2. 游戏列表中按 B 键返回主页
 3. 在游戏中同时按 SELECT/START 键会进入游戏菜单，用户可对游戏进行暂停/保存/载入/退出等操作
- b. 设置



1. 手柄按 SELECT 键进入设置列表，语言、按键、查找本机文件、恢复默认值等选项，鼠标单击，单击设置。

5、硬件功能定义

游戏	支持：CPS, PC, GB, GBA, GBC, MD, SFC, PS1, ATARI 街机游戏
电源供电	6V/1A, 6V/2A, 6V/0.5A
扩展	支持 TP 卡扩充，最大 128GB
视频输出	HDMI 高清输出

- 备注：
1. 此机器图片供参考机壳外观以实物为准，使用说明只提供参考。

- 机器软件升级 按实物为准。
2. 如产品内容或参数有变更时，请以当前产品为准，恕不另行通知。
 3. 本机器出厂为带文件操作，所有显示时外表所有文件（音频、视频、游戏、照片等）必须在显示时立即删除，本公司对此不承担任何责任。
 4. 充电方法：请使用输出 6V-1A 充电器，连接数据线连接机器 USB 口进行充电
 5. 执行标准：GB17625.1-2012, GB4943.1-2011, GB/T13837-2012
 6. 0 到 14 岁以下儿童需成人陪同下使用本产品。
 7. 下载说明：请按机器所支持的文件格式下载游戏。在放到机器时此文件会丢失不可保修条款
 1. 商品自售出之日起七日内，如发生性能故障，商品机身及包装必须保持完整，可换同型号商品（须经检查），但不包括人为损坏。
 2. 商品自售出之日起保修一年，终身维护，配件不在保修范围内。
 3. 保修服务只在正常使用下有效，一切人为损坏（包括自行拆机、使用不当）不在保修范围内。
 4. 保修时需提供本卡，未能提供本卡或私自篡改本卡，本公司有权作报废处理。

包装配件							
彩盒	机器	USB 线	说明书	合格证	无线手柄	接收器	HDMI 延长线
×1	×1	×1	×1	×1	×2	×1	×1

产品保修卡		
用户姓名	性别	年龄
通信地址		
联系电话		
购买地点		
购买日期	销售单号	
品名及规格	机身编号	
经销商签名	用户签名	

警告：窒息危险—所有包装材料（如胶带、塑料袋、泡沫片、捆绑线、标签）以及机内细小配件，勿让3岁以下儿童接触，以免发生窒息危险，并在成人监护下使用。

当将机器置于火中时，请立刻将机器从火中取出并置于干燥处使用。

This device complies with part 15 of the FCC Rules, Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction