









11AC40SISO_Ant1_High_5795_Peak



11AC80SISO_Ant1_Low_5775_Peak




Test Result


TestMode	Antenna	ChName	Freq (MHz)	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Gain [dBi]	Verdict
11A	Ant2	Low	5745	Peak	5650.000	-54.446	≤-30.46	3.46	PASS
				Peak	5700.000	-52.29	≤6.54	3.46	PASS
				Peak	5720.000	-50.68	≤12.14	3.46	PASS
				Peak	5725.000	-45.51	≤23.54	3.46	PASS
		High	5825	Peak	5850.000	-52.063	≤23.54	3.46	PASS
				Peak	5855.000	-51.79	≤12.14	3.46	PASS
				Peak	5875.000	-53.6	≤6.54	3.46	PASS
				Peak	5925.000	-54.66	≤-30.46	3.46	PASS
11N20SISO	Ant2	Low	5745	Peak	5650.000	-54.356	≤-30.46	3.46	PASS
				Peak	5700.000	-51.74	≤6.54	3.46	PASS
				Peak	5720.000	-49.33	≤12.14	3.46	PASS
				Peak	5725.000	-46.42	≤23.54	3.46	PASS
		High	5825	Peak	5850.000	-50.129	≤23.54	3.46	PASS
				Peak	5855.000	-53.55	≤12.14	3.46	PASS
				Peak	5875.000	-54.81	≤6.54	3.46	PASS
				Peak	5925.000	-55.15	≤-30.46	3.46	PASS
11N40SISO	Ant2	Low	5755	Peak	5650.000	-54.201	≤-30.46	3.46	PASS
				Peak	5700.000	-50.88	≤6.54	3.46	PASS
				Peak	5720.000	-42.92	≤12.14	3.46	PASS
				Peak	5725.000	-43.54	≤23.54	3.46	PASS
		High	5795	Peak	5850.000	-51.889	≤23.54	3.46	PASS
				Peak	5855.000	-51.83	≤12.14	3.46	PASS
				Peak	5875.000	-54.54	≤6.54	3.46	PASS
				Peak	5925.000	-52.31	≤-30.46	3.46	PASS
11AC20SISO	Ant2	Low	5745	Peak	5650.000	-52.611	≤-30.46	3.46	PASS
				Peak	5700.000	-52.97	≤6.54	3.46	PASS
				Peak	5720.000	-51.04	≤12.14	3.46	PASS
				Peak	5725.000	-47.19	≤23.54	3.46	PASS
		High	5825	Peak	5850.000	-52.618	≤23.54	3.46	PASS
				Peak	5855.000	-52.77	≤12.14	3.46	PASS
				Peak	5875.000	-53.42	≤6.54	3.46	PASS
				Peak	5925.000	-54.61	≤-30.46	3.46	PASS
11AC40SISO	Ant2	Low	5755	Peak	5650.000	-53.501	≤-30.46	3.46	PASS
				Peak	5700.000	-51.42	≤6.54	3.46	PASS
				Peak	5720.000	-45.76	≤12.14	3.46	PASS
				Peak	5725.000	-41.24	≤23.54	3.46	PASS
		High	5795	Peak	5850.000	-53.106	≤23.54	3.46	PASS


11AC80SISO	Ant2			Peak	5855.000	-51.7	≤12.14	3.46	PASS
				Peak	5875.000	-54.18	≤6.54	3.46	PASS
				Peak	5925.000	-55.74	≤-30.46	3.46	PASS
		Low	5775	Peak	5650.000	-54.304	≤-30.46	3.46	PASS
				Peak	5700.000	-49.77	≤6.54	3.46	PASS
				Peak	5720.000	-45.66	≤12.14	3.46	PASS
				Peak	5725.000	-39.82	≤23.54	3.46	PASS
		High	5775	Peak	5850.000	-50.59	≤23.54	3.46	PASS
				Peak	5855.000	-51.08	≤12.14	3.46	PASS
				Peak	5875.000	-52.37	≤6.54	3.46	PASS
				Peak	5925.000	-54.41	≤-30.46	3.46	PASS

1. Note: offset=System attenuation +cabal loss


Test Graphs









11N40SISO_Ant2_High_5795_Peak




11AC20SISO_Ant2_Low_5745_Peak




11AC20SISO_Ant2_High_5825_Peak



11AC40SISO_Ant2_Low_5755_Peak





MIMO

TestMode	Antenna	ChName	Freq (MHz)	Detector	Ant1 Power (dBm)	Ant2 Power (dBm)	SUM	Gain [dBi]	EIRP Power (dBm)	Limit [dBm]	Verdict
11N20SISO	Ant1	Low	5745	Peak	-49.962	-54.356	-48.62	6.47	-42.15	-27	PASS
				Peak	-49.91	-51.74	-47.72	6.47	-41.25	10	PASS
				Peak	-48.65	-49.33	-45.97	6.47	-39.50	15.6	PASS
				Peak	-47.8	-46.42	-44.05	6.47	-37.58	27	PASS
		High	5825	Peak	-45.233	-50.129	-44.01	6.47	-37.54	27	PASS
				Peak	-48.22	-53.55	-47.10	6.47	-40.63	15.6	PASS
				Peak	-50.35	-54.81	-49.02	6.47	-42.55	10	PASS
				Peak	-49.5	-55.15	-48.45	6.47	-41.98	-27	PASS
11N40SISO	Ant1	Low	5755	Peak	-49.711	-54.201	-48.39	6.47	-41.92	-27	PASS
				Peak	-47.74	-50.88	-46.02	6.47	-39.55	10	PASS
				Peak	-42.65	-42.92	-39.77	6.47	-33.30	15.6	PASS
				Peak	-44.08	-43.54	-40.79	6.47	-34.32	27	PASS
		High	5795	Peak	-45.099	-51.889	-44.27	6.47	-37.80	27	PASS
				Peak	-47.48	-51.83	-46.12	6.47	-39.65	15.6	PASS
				Peak	-48.59	-54.54	-47.61	6.47	-41.14	10	PASS
				Peak	-50.44	-52.31	-48.26	6.47	-41.79	-27	PASS
11AC20SISO	Ant1	Low	5745	Peak	-49.485	-52.611	-47.76	6.47	-41.29	-27	PASS
				Peak	-49.9	-52.97	-48.16	6.47	-41.69	10	PASS
				Peak	-47.05	-51.04	-45.59	6.47	-39.12	15.6	PASS
				Peak	-45.81	-47.19	-43.44	6.47	-36.97	27	PASS
		High	5825	Peak	-46.729	-52.618	-45.73	6.47	-39.26	27	PASS
				Peak	-48.31	-52.77	-46.98	6.47	-40.51	15.6	PASS
				Peak	-50.95	-53.42	-49.00	6.47	-42.53	10	PASS
				Peak	-50.33	-54.61	-48.95	6.47	-42.48	-27	PASS
11AC40SISO	Ant1	Low	5755	Peak	-50.485	-53.501	-48.73	6.47	-42.26	-27	PASS
				Peak	-48.73	-51.42	-46.86	6.47	-40.39	10	PASS
				Peak	-44.28	-45.76	-41.95	6.47	-35.48	15.6	PASS
				Peak	-43.59	-41.24	-39.25	6.47	-32.78	27	PASS
		High	5795	Peak	-46.722	-53.106	-45.82	6.47	-39.35	27	PASS
				Peak	-49.27	-51.7	-47.31	6.47	-40.84	15.6	PASS
				Peak	-47.93	-54.18	-47.01	6.47	-40.54	10	PASS
				Peak	-48.63	-55.74	-47.86	6.47	-41.39	-27	PASS
11AC80SISO	Ant1	Low	5775	Peak	-48.947	-54.304	-47.84	6.47	-41.37	-27	PASS
				Peak	-47.12	-49.77	-45.24	6.47	-38.77	10	PASS
				Peak	-46.71	-45.66	-43.14	6.47	-36.67	15.6	PASS
				Peak	-36.47	-39.82	-34.82	6.47	-28.35	27	PASS
		High	5775	Peak	-44.983	-50.59	-43.93	6.47	-37.46	27	PASS

				Peak	-47.76	-51.08	-46.10	6.47	-39.63	15.6	PASS
				Peak	-48.2	-52.37	-46.79	6.47	-40.32	10	PASS
				Peak	-49.08	-54.41	-47.96	6.47	-41.49	-27	PASS

E.5 Frequency Stability

Test Result

Voltage								
TestMode	Antenna	Freq(M Hz)	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5745	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.481288	20	PASS
			HV	NT	-20000.00	-3.481288	20	PASS
		5785	NV	NT	-20000.00	-3.457217	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5825	NV	NT	-40000.00	-6.866953	20	PASS
			LV	NT	-40000.00	-6.866953	20	PASS
			HV	NT	-40000.00	-6.866953	20	PASS
11N20SI SO	Ant1	5745	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.481288	20	PASS
			HV	NT	-20000.00	-3.481288	20	PASS
		5785	NV	NT	-40000.00	-6.914434	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	-40000.00	-6.914434	20	PASS
		5825	NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	-40000.00	-6.866953	20	PASS
			HV	NT	-40000.00	-6.866953	20	PASS
11N40SI SO	Ant1	5755	NV	NT	-40000.00	-6.950478	20	PASS
			LV	NT	-40000.00	-6.950478	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5795	NV	NT	-40000.00	-6.902502	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11AC20S ISO	Ant1	5745	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.481288	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5785	NV	NT	-20000.00	-3.457217	20	PASS
			LV	NT	-40000.00	-6.914434	20	PASS
			HV	NT	-20000.00	-3.457217	20	PASS
		5825	NV	NT	-40000.00	-6.866953	20	PASS
			LV	NT	-20000.00	-3.433476	20	PASS
			HV	NT	-40000.00	-6.866953	20	PASS
11AC40S	Ant1	5755	NV	NT	-40000.00	-6.950478	20	PASS

ISO			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-6.950478	20	PASS
		5795	NV	NT	-40000.00	-6.902502	20	PASS
			LV	NT	-40000.00	-6.902502	20	PASS
			HV	NT	-80000.00	-13.805004	20	PASS
11AC80S ISO	Ant1	5775	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-80000.00	-13.852814	20	PASS
			HV	NT	-80000.00	-13.852814	20	PASS

Temperature								
TestMode	Antenna	Freq(M Hz)	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5745	NV	-30	-20000.00	-3.481288	20	PASS
			NV	-20	-20000.00	-3.481288	20	PASS
			NV	-10	-20000.00	-3.481288	20	PASS
			NV	0	-20000.00	-3.481288	20	PASS
			NV	10	-40000.00	-6.962576	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.481288	20	PASS
			NV	40	-20000.00	-3.481288	20	PASS
			NV	50	-40000.00	-6.962576	20	PASS
		5785	NV	-30	-20000.00	-3.457217	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-20000.00	-3.457217	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.457217	20	PASS
			NV	20	-20000.00	-3.457217	20	PASS
			NV	30	-20000.00	-3.457217	20	PASS
			NV	40	-20000.00	-3.457217	20	PASS
			NV	50	-20000.00	-3.457217	20	PASS
		5825	NV	-30	-20000.00	-3.433476	20	PASS
			NV	-20	-20000.00	-3.433476	20	PASS
			NV	-10	-20000.00	-3.433476	20	PASS
			NV	0	-20000.00	-3.433476	20	PASS
			NV	10	-20000.00	-3.433476	20	PASS
			NV	20	-20000.00	-3.433476	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.433476	20	PASS
			NV	50	-20000.00	-3.433476	20	PASS
11N20SI SO	Ant1	5745	NV	-30	-40000.00	-6.962576	20	PASS
			NV	-20	-20000.00	-3.481288	20	PASS

			NV	-10	-20000.00	-3.481288	20	PASS
			NV	0	-20000.00	-3.481288	20	PASS
			NV	10	-40000.00	-6.962576	20	PASS
			NV	20	-20000.00	-3.481288	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.481288	20	PASS
			NV	50	-20000.00	-3.481288	20	PASS
		5785	NV	-30	-20000.00	-3.457217	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-20000.00	-3.457217	20	PASS
			NV	0	-20000.00	-3.457217	20	PASS
			NV	10	-20000.00	-3.457217	20	PASS
			NV	20	-40000.00	-6.914434	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.457217	20	PASS
			NV	50	-40000.00	-6.914434	20	PASS
		5825	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-20000.00	-3.433476	20	PASS
			NV	0	-20000.00	-3.433476	20	PASS
			NV	10	-20000.00	-3.433476	20	PASS
			NV	20	-20000.00	-3.433476	20	PASS
			NV	30	-20000.00	-3.433476	20	PASS
			NV	40	-20000.00	-3.433476	20	PASS
			NV	50	-20000.00	-3.433476	20	PASS
11N40SI SO	Ant1	5755	NV	-30	-40000.00	-6.950478	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-6.950478	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5795	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-6.902502	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS

			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-6.902502	20	PASS
11AC20S ISO	Ant1	5745	NV	-30	-20000.00	-3.481288	20	PASS
			NV	-20	-20000.00	-3.481288	20	PASS
			NV	-10	-20000.00	-3.481288	20	PASS
			NV	0	-40000.00	-6.962576	20	PASS
			NV	10	-20000.00	-3.481288	20	PASS
			NV	20	-20000.00	-3.481288	20	PASS
			NV	30	-20000.00	-3.481288	20	PASS
			NV	40	-20000.00	-3.481288	20	PASS
			NV	50	-20000.00	-3.481288	20	PASS
		5785	NV	-30	-20000.00	-3.457217	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-20000.00	-3.457217	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.457217	20	PASS
			NV	20	-40000.00	-6.914434	20	PASS
			NV	30	-20000.00	-3.457217	20	PASS
			NV	40	-20000.00	-3.457217	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5825	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-6.866953	20	PASS
			NV	-10	-20000.00	-3.433476	20	PASS
			NV	0	-20000.00	-3.433476	20	PASS
			NV	10	-40000.00	-6.866953	20	PASS
			NV	20	-20000.00	-3.433476	20	PASS
			NV	30	-40000.00	-6.866953	20	PASS
			NV	40	-20000.00	-3.433476	20	PASS
			NV	50	-40000.00	-6.866953	20	PASS
11AC40S ISO	Ant1	5755	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-6.950478	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-80000.00	-13.900956	20	PASS
			NV	30	-40000.00	-6.950478	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-6.950478	20	PASS
		5795	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-40000.00	-6.902502	20	PASS

			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-6.902502	20	PASS
			NV	50	-40000.00	-6.902502	20	PASS
11AC80S ISO	Ant1	5775	NV	-30	-80000.00	-13.852814	20	PASS
			NV	-20	-80000.00	-13.852814	20	PASS
			NV	-10	-80000.00	-13.852814	20	PASS
			NV	0	-80000.00	-13.852814	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS

Test Result

Voltage								
TestMode	Antenna	Freq(M Hz)	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant2	5745	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.481288	20	PASS
			HV	NT	-20000.00	-3.481288	20	PASS
		5785	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-6.914434	20	PASS
			HV	NT	-20000.00	-3.457217	20	PASS
		5825	NV	NT	-40000.00	-6.866953	20	PASS
			LV	NT	-40000.00	-6.866953	20	PASS
			HV	NT	-40000.00	-6.866953	20	PASS
11N20SI SO	Ant2	5745	NV	NT	-40000.00	-6.962576	20	PASS
			LV	NT	-40000.00	-6.962576	20	PASS
			HV	NT	-40000.00	-6.962576	20	PASS
		5785	NV	NT	-20000.00	-3.457217	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	-40000.00	-6.914434	20	PASS
		5825	NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	-20000.00	-3.433476	20	PASS
			HV	NT	-20000.00	-3.433476	20	PASS
11N40SI SO	Ant2	5755	NV	NT	-40000.00	-6.950478	20	PASS
			LV	NT	-40000.00	-6.950478	20	PASS
			HV	NT	-40000.00	-6.950478	20	PASS
		5795	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11AC20S ISO	Ant2	5745	NV	NT	-20000.00	-3.481288	20	PASS
			LV	NT	-40000.00	-6.962576	20	PASS
			HV	NT	-20000.00	-3.481288	20	PASS
		5785	NV	NT	-40000.00	-6.914434	20	PASS
			LV	NT	-40000.00	-6.914434	20	PASS
			HV	NT	-20000.00	-3.457217	20	PASS
		5825	NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	-20000.00	-3.433476	20	PASS
			HV	NT	-20000.00	-3.433476	20	PASS
11AC40S ISO	Ant2	5755	NV	NT	-40000.00	-6.950478	20	PASS
			LV	NT	-40000.00	-6.950478	20	PASS
			HV	NT	-40000.00	-6.950478	20	PASS

		5795	NV	NT	-40000.00	-6.902502	20	PASS
			LV	NT	-40000.00	-6.902502	20	PASS
			HV	NT	-40000.00	-6.902502	20	PASS
11AC80S ISO	Ant2	5775	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-80000.00	-13.852814	20	PASS

Temperature								
TestMode	Antenna	Freq(M Hz)	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant2	5745	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-20000.00	-3.481288	20	PASS
			NV	-10	-20000.00	-3.481288	20	PASS
			NV	0	-20000.00	-3.481288	20	PASS
			NV	10	-20000.00	-3.481288	20	PASS
			NV	20	-40000.00	-6.962576	20	PASS
			NV	30	-20000.00	-3.481288	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-20000.00	-3.481288	20	PASS
		5785	NV	-30	-20000.00	-3.457217	20	PASS
			NV	-20	-20000.00	-3.457217	20	PASS
			NV	-10	-20000.00	-3.457217	20	PASS
			NV	0	-40000.00	-6.914434	20	PASS
			NV	10	-40000.00	-6.914434	20	PASS
			NV	20	-40000.00	-6.914434	20	PASS
			NV	30	-20000.00	-3.457217	20	PASS
			NV	40	-20000.00	-3.457217	20	PASS
			NV	50	-20000.00	-3.457217	20	PASS
		5825	NV	-30	-40000.00	-6.866953	20	PASS
			NV	-20	-20000.00	-3.433476	20	PASS
			NV	-10	-20000.00	-3.433476	20	PASS
			NV	0	-20000.00	-3.433476	20	PASS
			NV	10	-40000.00	-6.866953	20	PASS
			NV	20	-20000.00	-3.433476	20	PASS
			NV	30	-20000.00	-3.433476	20	PASS
			NV	40	-20000.00	-3.433476	20	PASS
			NV	50	-40000.00	-6.866953	20	PASS
11N20SI SO	Ant2	5745	NV	-30	-40000.00	-6.962576	20	PASS
			NV	-20	-40000.00	-6.962576	20	PASS
			NV	-10	-40000.00	-6.962576	20	PASS
			NV	0	-40000.00	-6.962576	20	PASS

			NV	10	-40000.00	-6.962576	20	PASS
			NV	20	-40000.00	-6.962576	20	PASS
			NV	30	-40000.00	-6.962576	20	PASS
			NV	40	-40000.00	-6.962576	20	PASS
			NV	50	-20000.00	-3.481288	20	PASS
		5785	NV	-30	-40000.00	-6.914434	20	PASS
			NV	-20	-20000.00	-3.457217	20	PASS
			NV	-10	-20000.00	-3.457217	20	PASS
			NV	0	-20000.00	-3.457217	20	PASS
			NV	10	-40000.00	-6.914434	20	PASS
			NV	20	-20000.00	-3.457217	20	PASS
			NV	30	-40000.00	-6.914434	20	PASS
			NV	40	-20000.00	-3.457217	20	PASS
			NV	50	-40000.00	-6.914434	20	PASS
		5825	NV	-30	-20000.00	-3.433476	20	PASS
			NV	-20	-20000.00	-3.433476	20	PASS
			NV	-10	-20000.00	-3.433476	20	PASS
			NV	0	-20000.00	-3.433476	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-6.866953	20	PASS
			NV	30	-40000.00	-6.866953	20	PASS
			NV	40	-60000.00	-10.300429	20	PASS
			NV	50	-40000.00	-6.866953	20	PASS
11N40SI SO	Ant2	5755	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-6.950478	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-6.950478	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-6.950478	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-6.950478	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5795	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-6.902502	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-6.902502	20	PASS
			NV	10	-40000.00	-6.902502	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-40000.00	-6.902502	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS

11AC20S ISO	Ant2	5745	NV	-30	-20000.00	-3.481288	20	PASS
			NV	-20	-20000.00	-3.481288	20	PASS
			NV	-10	-20000.00	-3.481288	20	PASS
			NV	0	-20000.00	-3.481288	20	PASS
			NV	10	-40000.00	-6.962576	20	PASS
			NV	20	-40000.00	-6.962576	20	PASS
			NV	30	-20000.00	-3.481288	20	PASS
			NV	40	-20000.00	-3.481288	20	PASS
			NV	50	-40000.00	-6.962576	20	PASS
		5785	NV	-30	-40000.00	-6.914434	20	PASS
			NV	-20	-20000.00	-3.457217	20	PASS
			NV	-10	-40000.00	-6.914434	20	PASS
			NV	0	-20000.00	-3.457217	20	PASS
			NV	10	-20000.00	-3.457217	20	PASS
			NV	20	-20000.00	-3.457217	20	PASS
			NV	30	-20000.00	-3.457217	20	PASS
			NV	40	-20000.00	-3.457217	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5825	NV	-30	-20000.00	-3.433476	20	PASS
			NV	-20	-20000.00	-3.433476	20	PASS
			NV	-10	-40000.00	-6.866953	20	PASS
			NV	0	-40000.00	-6.866953	20	PASS
			NV	10	-40000.00	-6.866953	20	PASS
			NV	20	-40000.00	-6.866953	20	PASS
			NV	30	-20000.00	-3.433476	20	PASS
			NV	40	-20000.00	-3.433476	20	PASS
			NV	50	-40000.00	-6.866953	20	PASS
11AC40S ISO	Ant2	5755	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-6.950478	20	PASS
			NV	-10	-40000.00	-6.950478	20	PASS
			NV	0	-80000.00	-13.900956	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-6.950478	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-6.950478	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5795	NV	-30	-40000.00	-6.902502	20	PASS
			NV	-20	-40000.00	-6.902502	20	PASS
			NV	-10	-40000.00	-6.902502	20	PASS
			NV	0	-40000.00	-6.902502	20	PASS
			NV	10	-40000.00	-6.902502	20	PASS
			NV	20	-40000.00	-6.902502	20	PASS


			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-6.902502	20	PASS
			NV	50	0.00	0.000000	20	PASS
11AC80S ISO	Ant2	5775	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-80000.00	-13.852814	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-80000.00	-13.852814	20	PASS
			NV	40	-80000.00	-13.852814	20	PASS
			NV	50	0.00	0.000000	20	PASS


E.6 Duty Cycle


Test Result


TestMode	Antenna	Freq(MHz)	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	DC Factor	Limit	Verdict
11A	Ant1	5745	2.11	2.22	95.05	0.22	---	---
		5785	2.10	2.22	94.59	0.24	---	---
		5825	2.10	2.22	94.59	0.24	---	---
11N20SISO	Ant1	5745	1.96	2.02	97.03	0.13	---	---
		5785	1.96	2.01	97.51	0.11	---	---
		5825	1.96	2.03	96.55	0.15	---	---
11N40SISO	Ant1	5755	0.97	1.04	93.27	0.30	---	---
		5795	0.97	1.01	96.04	0.18	---	---
11AC20SISO	Ant1	5745	1.97	2.05	96.10	0.17	---	---
		5785	1.97	2.04	96.57	0.15	---	---
		5825	1.97	2.08	94.71	0.24	---	---
11AC40SISO	Ant1	5755	0.97	1.02	95.10	0.22	---	---
		5795	0.97	1.03	94.17	0.26	---	---
11AC80SISO	Ant1	5775	0.47	0.53	88.68	0.52	---	---


Test Graphs

















Test Result

TestMode	Antenna	Freq(MHz)	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	DC Factor	Limit	Verdict
11A	Ant2	5745	2.11	2.62	80.53	0.94	---	---
		5785	2.11	2.63	80.23	0.96	---	---
		5825	2.10	2.61	80.46	0.94	---	---
11N20SISO	Ant2	5745	1.96	2.02	97.03	0.13	---	---
		5785	1.96	2.50	78.40	1.06	---	---
		5825	1.96	2.01	97.51	0.11	---	---
11N40SISO	Ant2	5755	0.96	1.02	94.12	0.26	---	---
		5795	0.97	1.01	96.04	0.18	---	---
11AC20SISO	Ant2	5745	1.97	2.04	96.57	0.15	---	---
		5785	1.97	2.05	96.10	0.17	---	---
		5825	1.96	2.05	95.61	0.19	---	---
11AC40SISO	Ant2	5755	0.97	1.03	94.17	0.26	---	---
		5795	0.96	1.02	94.12	0.26	---	---
11AC80SISO	Ant2	5775	0.47	0.52	90.38	0.44	---	---

Test Graphs

