

深圳市华讯视通科技有限公司

Shenzhen Huaxunshitong Technology Co.,Ltd.

Address: Building 43, Zhongwu Industrial Zone, Bao'an
District, Shenzhen City


Antenna Specification Document

1. Testing items and equipment

	Testing items	Equipment
1. S 参 数 (S-parameter)	1. 回波损耗 (Return Loss) 2. 电压驻波比 (VSWR)	网络分析仪: Agilent E5071B HP 8753D
2. 有源测试 (Active)	1. 发射功率 (TRP) 2. 接收灵敏度 (TIS)	1. 暗室: ETS 7x4x3 m (3D) Chamber ETS 5x3x3 m (3D) Chamber 2. 综合测试仪: Agilent 8960 E5515B ×2 StarPoint SP6011
3. 无源测试 (Passive)	1. 天线增益 (Gain) 2. 天线效率 (Efficiency)	1. 暗室: ETS 7x4x3 m (3D) Chamber ETS 5x3x3 m (3D) Chamber 2. 网络分析仪: Agilent E5071B HP 8753D




2. 匹配电路-BT 天线:



我司未对匹配电路做任何修

3 Efficiency and Gain

Passive Test For WIFI2.4										
Freq (MHz)	Effi (%)	Effi (dB)	Gain (dBi)	Gain (dBd)	UHS (%)	DHIS (%)	Max (dB)	Min (dB)	Attenut Hor	Attenut Ver
2400	16.58	-7.8	-3.59	-5.74	8.505	8.079	-3.59	-17.89	55.76	57.21
2410	18.06	-7.43	-4.08	-6.23	10.078	7.981	-4.08	-19.83	55.83	58.53
2420	18.11	-7.42	-3.53	-5.68	9.534	8.578	-3.53	-15.99	56.07	58.09
2430	20.43	-6.9	-4.03	-6.18	11.073	9.357	-4.03	-16.34	56.25	58.05
2440	20.51	-6.88	-3.68	-5.83	11.024	9.489	-3.68	-22.22	56.61	58.56
2450	21.7	-6.64	-3.61	-5.76	11.534	10.168	-3.61	-17.94	56.87	58.64
2460	20.77	-6.82	-3.84	-5.99	11.417	9.357	-3.84	-16.42	56.54	57.97
2470	20.35	-6.92	-3.15	-5.3	11.26	9.087	-3.15	-15.42	56.17	58.01
2480	19.98	-6.99	-3.86	-6.01	11.332	8.645	-3.86	-20.29	56.4	57.83
2490	20.57	-6.87	-3.29	-5.44	11.469	9.1	-3.29	-15.71	56.48	57.83
2500	20.8	-6.82	-3.37	-5.52	11.886	8.919	-3.37	-14.87	56.61	58.07



5 Structural drawing




Figure 3: Antenna Dimensions

L1	3.94 mm
L2	2.70 mm
L3	5.00 mm
L4	2.64 mm
L5	2.00 mm
L6	4.90 mm
W1	0.90 mm
W2	0.50 mm
D1	0.50 mm
D2	0.30 mm
D3	0.30 mm
D4	0.50 mm
D5	1.40mm
D6	1.70 mm

Table 1: Antenna Dimensions