Report No.:MAX250513110P02-R02
FCC ID:2BDTM-P01

Table of Contents

1. -6dB Bandwidth 2
2. 99% Occupied Bandwidth 9
3. Duty Cycle 16
4. MAX. Output Power 23
5. Power Spectral Density 24
6. Bandedge 31
7. Spurious Emission 39

FCC_2.4G_WIFI (Part15.247) Test Data

1. -6dB Bandwidth

Condition	Antenna	Modulation	Frequency (MHz)	-6dB BW(MHz)	limit(kHz)	Result
NVNT	ANT1	802.11b	2412.00	9.15	500	Pass
NVNT	ANT1	802.11b	2437.00	9.19	500	Pass
NVNT	ANT1	802.11b	2462.00	9.22	500	Pass
NVNT	ANT1	802.11g	2412.00	16.48	500	Pass
NVNT	ANT1	802.11g	2437.00	16.54	500	Pass
NVNT	ANT1	802.11g	2462.00	16.35	500	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	17.29	500	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	17.44	500	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	17.22	500	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	36.09	500	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	35.89	500	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	36.07	500	Pass

-6dB_Bandwidth_NVNT_ANT1_802_11b_2412

-6dB_Bandwidth_NVNT_ANT1_802_11b_2437

-6dB_Bandwidth_NVNT_ANT1_802_11b_2462

-6dB_Bandwidth_NVNT_ANT1_802_11g_2412

-6dB_Bandwidth_NVNT_ANT1_802_11g_2437

-6dB_Bandwidth_NVNT_ANT1_802_11g_2462

-6dB_Bandwidth_NVNT_ANT1_802_11n(HT20)_2412

-6dB_Bandwidth_NVNT_ANT1_802_11n(HT20)_2437

-6dB_Bandwidth_NVNT_ANT1_802_11n(HT20)_2462

-6dB_Bandwidth_NVNT_ANT1_802_11n(HT40)_2422

-6dB_Bandwidth_NVNT_ANT1_802_11n(HT40)_2437

-6dB_Bandwidth_NVNT_ANT1_802_11n(HT40)_2452

Keysight Spectrum Analyzer - Occupied BW
Center Freq 2.452000000 GHz
Center Freq: 2.452000000 GHz
Trig: Free Run
Avg|Hold: 10/10
#Atten: 40 dB
Radio Std: None
Radio Device: BTS
08:05:11 PM Jun 04, 2025
Frequency
Ref Offset 4.64 dB
10 dB/div
Ref 16.28 dBm
Log
Center 2.452 GHz
#Res BW 910 kHz
#VBW 3 MHz
Span 60 MHz
Sweep 1 ms
Center Freq
2.452000000 GHz
CF Step
6.000000 MHz
Auto
Man
Freq Offset
0 Hz
Occupied Bandwidth
36.598 MHz
Total Power 18.9 dBm
Transmit Freq Error 248.58 kHz
% of OBW Power 99.00 %
x dB Bandwidth 36.07 MHz
x dB -6.00 dB
MSG
STATUS

2. 99% Occupied Bandwidth

Condition	Antenna	Modulation	Frequency (MHz)	99%%BW(MHz)
NVNT	ANT1	802.11b	2412.00	11.951
NVNT	ANT1	802.11b	2437.00	12.305
NVNT	ANT1	802.11b	2462.00	12.414
NVNT	ANT1	802.11g	2412.00	17.147
NVNT	ANT1	802.11g	2437.00	17.177
NVNT	ANT1	802.11g	2462.00	17.289
NVNT	ANT1	802.11n(HT20)	2412.00	17.845
NVNT	ANT1	802.11n(HT20)	2437.00	17.897
NVNT	ANT1	802.11n(HT20)	2462.00	17.855
NVNT	ANT1	802.11n(HT40)	2422.00	36.511
NVNT	ANT1	802.11n(HT40)	2437.00	36.407
NVNT	ANT1	802.11n(HT40)	2452.00	36.630

99%_Occupied_Bandwidth_NVNT_ANT1_802_11b_2412



99%_Occupied_Bandwidth_NVNT_ANT1_802_11b_2437

99%_Occupied_Bandwidth_NVNT_ANT1_802_11b_2462



99%_Occupied_Bandwidth_NVNT_ANT1_802_11g_2412

99%_Occupied_Bandwidth_NVNT_ANT1_802_11g_2437



99%_Occupied_Bandwidth_NVNT_ANT1_802_11g_2462

99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT20)_2412

99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT20)_2437

99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT20)_2462

99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT40)_2422

99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT40)_2437

99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT40)_2452

Keysight Spectrum Analyzer - Occupied BW
Center Freq 2.452000000 GHz
Center Freq: 2.452000000 GHz
Trig: Free Run
Avg|Hold: 10/10
#Atten: 40 dB
Radio Std: None
Radio Device: BTS
08:05:33 PM Jun 04, 2025
#IFGain:Low
Ref Offset 4.64 dB
10 dB/div
Ref 16.28 dBm
Log
Center 2.452 GHz
#Res BW 1 MHz
#VBW 3 MHz
Span 60 MHz
Sweep 1 ms
Occupied Bandwidth
36.630 MHz
Total Power 19.0 dBm
Transmit Freq Error 248.09 kHz
% of OBW Power 99.00 %
x dB Bandwidth 58.68 MHz
x dB -26.00 dB
Frequency
Center Freq
2.452000000 GHz
CF Step
6.000000 MHz
Auto
Man
Freq Offset
0 Hz
MSG
STATUS

3. Duty Cycle

Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty factor(dB)
NVNT	ANT1	802.11b	2412.00	99.76	0.00
NVNT	ANT1	802.11b	2437.00	99.53	0.00
NVNT	ANT1	802.11b	2462.00	99.53	0.00
NVNT	ANT1	802.11g	2412.00	97.26	0.12
NVNT	ANT1	802.11g	2437.00	97.26	0.12
NVNT	ANT1	802.11g	2462.00	97.26	0.12
NVNT	ANT1	802.11n(HT20)	2412.00	96.77	0.14
NVNT	ANT1	802.11n(HT20)	2437.00	96.77	0.14
NVNT	ANT1	802.11n(HT20)	2462.00	96.77	0.14
NVNT	ANT1	802.11n(HT40)	2422.00	93.75	0.28
NVNT	ANT1	802.11n(HT40)	2437.00	93.75	0.28
NVNT	ANT1	802.11n(HT40)	2452.00	93.75	0.28

Duty_Cycle_NVNT_ANT1_802_11b_2412



Duty_Cycle_NVNT_ANT1_802_11b_2437



Duty_Cycle_NVNT_ANT1_802_11b_2462



Duty_Cycle_NVNT_ANT1_802_11g_2412



Duty_Cycle_NVNT_ANT1_802_11g_2437



Duty_Cycle_NVNT_ANT1_802_11g_2462



Duty_Cycle_NVNT_ANT1_802_11n(HT20)_2412



Duty_Cycle_NVNT_ANT1_802_11n(HT20)_2437



Duty_Cycle_NVNT_ANT1_802_11n(HT20)_2462



Duty_Cycle_NVNT_ANT1_802_11n(HT40)_2422



Duty_Cycle_NVNT_ANT1_802_11n(HT40)_2437



Duty_Cycle_NVNT_ANT1_802_11n(HT40)_2452


Keysight Spectrum Analyzer - Swept SA
Center Freq 2.452000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
Atten: 40 dB
#Avg Type: Log-Pwr
08:05:50 PM Jun 04, 2025
Ref Offset 4.64 dB
10 dB/div
Ref 34.64 dBm
Mkr3 900.0 µs
4.99 dBm
Center 2.452000000 GHz
Res BW 8 MHz
#VBW 8.0 MHz
Span 0 Hz
Sweep 20.00 ms (1001 pts)
1 N 1 t 260.0 µs 4.97 dBm
2 N 1 t 840.0 µs 11.80 dBm
3 N 1 t 900.0 µs 4.99 dBm
Frequency
Auto Tune
Center Freq
2.452000000 GHz
Start Freq
2.452000000 GHz
Stop Freq
2.452000000 GHz
CF Step
8.000000 MHz
Auto
Man
Freq Offset
0 Hz
Scale Type
Log
Lin

4. MAX. Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Detector	Conducted Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11b	2412.00	Peak	18.91	30	Pass
NVNT	ANT1	802.11b	2437.00	Peak	18.48	30	Pass
NVNT	ANT1	802.11b	2462.00	Peak	18.22	30	Pass
NVNT	ANT1	802.11g	2412.00	Peak	18.17	30	Pass
NVNT	ANT1	802.11g	2437.00	Peak	17.82	30	Pass
NVNT	ANT1	802.11g	2462.00	Peak	17.34	30	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	Peak	17.68	30	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	Peak	17.25	30	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	Peak	17.07	30	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	Peak	16.56	30	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	Peak	16.39	30	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	Peak	16.28	30	Pass

5. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	SA_PSD(dBm/30kHz)	RB factor(dB)	PSD(dBm/3kHz)	limit(dBm/3kHz)	Result
NVNT	ANT1	802.11b	2412.00	1.97	-10.00	-8.03	8	Pass
NVNT	ANT1	802.11b	2437.00	3.08	-10.00	-6.92	8	Pass
NVNT	ANT1	802.11b	2462.00	3.93	-10.00	-6.07	8	Pass
NVNT	ANT1	802.11g	2412.00	-5.04	-10.00	-15.04	8	Pass
NVNT	ANT1	802.11g	2437.00	-5.14	-10.00	-15.14	8	Pass
NVNT	ANT1	802.11g	2462.00	-4.41	-10.00	-14.41	8	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	-5.32	-10.00	-15.32	8	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	-5.62	-10.00	-15.62	8	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	-4.13	-10.00	-14.13	8	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	-8.01	-10.00	-18.01	8	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	-7.91	-10.00	-17.91	8	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	-8.46	-10.00	-18.46	8	Pass

Power_Spectral_Density_NVNT_ANT1_802_11b_2412

Power_Spectral_Density_NVNT_ANT1_802_11b_2437

Power_Spectral_Density_NVNT_ANT1_802_11b_2462



Power_Spectral_Density_NVNT_ANT1_802_11g_2412

Power_Spectral_Density_NVNT_ANT1_802_11g_2437



Power_Spectral_Density_NVNT_ANT1_802_11g_2462

Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_2412



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_2437



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_2462



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_2422

Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_2437



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_2452

Keysight Spectrum Analyzer - Swept SA
Center Freq 2.452000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
Atten: 16 dB
#Avg Type: Log-Pwr
Avg|Hold: 100/100
Ref Offset 4.64 dB
10 dB/div
Ref 10.28 dBm
Log
Mkr1 2.457 554 GHz
-8.464 dBm
Center 2.45200 GHz
#Res BW 30 kHz
#VBW 100 kHz
Span 60.00 MHz
Sweep 63.46 ms (8351 pts)
Frequency
Auto Tune
Center Freq
2.452000000 GHz
Start Freq
2.422000000 GHz
Stop Freq
2.482000000 GHz
CF Step
6.000000 MHz
Auto
Man
Freq Offset
0 Hz
Scale Type
Log
Lin

6. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark_freq(MHz)	Ref_level(dBm)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11b	2412.00	2399.936	4.814	-38.117	-15.186	Pass
NVNT	ANT1	802.11b	2462.00	2484.352	6.552	-50.856	-13.448	Pass
NVNT	ANT1	802.11g	2412.00	2399.152	-1.413	-33.058	-21.413	Pass
NVNT	ANT1	802.11g	2462.00	2483.536	0.136	-40.041	-19.864	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	2399.152	-0.839	-31.906	-20.839	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	2483.824	0.529	-38.543	-19.471	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	2399.760	-3.021	-34.594	-23.021	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	2484.428	-3.804	-38.363	-23.804	Pass

1_Reference_Level_NVNT_ANT1_802_11b_2412

2_Bandedge_NVNT_ANT1_802_11b_2412



1_Reference_Level_NVNT_ANT1_802_11b_2462

2_Bandedge_NVNT_ANT1_802_11b_2462

1_Reference_Level_NVNT_ANT1_802_11g_2412

2_Bandedge_NVNT_ANT1_802_11g_2412

1_Reference_Level_NVNT_ANT1_802_11g_2462

2_Bandedge_NVNT_ANT1_802_11g_2462

1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2412

2_Bandedge_NVNT_ANT1_802_11n(HT20)_2412

1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2462

2_Bandedge_NVNT_ANT1_802_11n(HT20)_2462

1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2422

2_Bandedge_NVNT_ANT1_802_11n(HT40)_2422



1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2452

2_Bandedge_NVNT_ANT1_802_11n(HT40)_2452

7. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark_freq(MHz)	Ref_level(dBm)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11b	2412.00	704.190	4.814	-41.331	-15.186	Pass
NVNT	ANT1	802.11b	2437.00	24970.036	5.603	-42.492	-14.397	Pass
NVNT	ANT1	802.11b	2462.00	24970.036	6.552	-42.256	-13.448	Pass
NVNT	ANT1	802.11g	2412.00	24965.042	-1.413	-51.291	-21.413	Pass
NVNT	ANT1	802.11g	2437.00	724.166	-1.284	-30.967	-21.284	Pass
NVNT	ANT1	802.11g	2462.00	724.166	0.136	-42.609	-19.864	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	24915.102	-0.839	-50.784	-20.839	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	716.675	-0.747	-31.616	-20.747	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	24955.054	0.529	-49.660	-19.471	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	24997.503	-3.021	-53.442	-23.021	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	24927.587	-3.448	-52.781	-23.448	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	903.950	-3.804	-45.538	-23.804	Pass

1_Reference_Level_NVNT_ANT1_802_11b_2412

2_Spurious_Emission_NVNT_ANT1_802_11b_2412



1_Reference_Level_NVNT_ANT1_802_11b_2437

2_Spurious_Emission_NVNT_ANT1_802_11b_2437



1_Reference_Level_NVNT_ANT1_802_11b_2462

2_Spurious_Emission_NVNT_ANT1_802_11b_2462



1_Reference_Level_NVNT_ANT1_802_11g_2412

2_Spurious_Emission_NVNT_ANT1_802_11g_2412



1_Reference_Level_NVNT_ANT1_802_11g_2437



2_Spurious_Emission_NVNT_ANT1_802_11g_2437



1_Reference_Level_NVNT_ANT1_802_11g_2462

2_Spurious_Emission_NVNT_ANT1_802_11g_2462



1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2412

2_Spurious_Emission_NVNT_ANT1_802_11n(HT20)_2412



1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2437

2_Spurious_Emission_NVNT_ANT1_802_11n(HT20)_2437



1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2462

2_Spurious_Emission_NVNT_ANT1_802_11n(HT20)_2462



1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2422

2_Spurious_Emission_NVNT_ANT1_802_11n(HT40)_2422



1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2437

2_Spurious_Emission_NVNT_ANT1_802_11n(HT40)_2437

1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2452

2_Spurious_Emission_NVNT_ANT1_802_11n(HT40)_2452


Keysight Spectrum Analyzer - Swept SA
Center Freq 12.515000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
Atten: 18 dB
#Avg Type: Log-Pwr
Avg|Hold: 10/10
08:07:22 PM Jun 04, 2025
Ref Offset 4.64 dB
10 dB/div
Ref 11.64 dBm
Mkr2 904.0 MHz
-45.538 dBm
Start 30 MHz
#Res BW 100 kHz
#VBW 300 kHz
Stop 25.00 GHz
Sweep 2.387 s (10001 pts)
1 N 1 f 2.454 6 GHz -3.666 dBm
2 N 1 f 904.0 MHz -45.538 dBm
Frequency
Auto Tune
Center Freq
12.515000000 GHz
Start Freq
30.000000 MHz
Stop Freq
25.000000000 GHz
CF Step
2.497000000 GHz
Auto Man
Freq Offset
0 Hz
Scale Type
Log Lin