

1_GSM850_GSM Voice_AMR NB 12.2Kbps_Ch189

Measurement performed on June 12, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
GSM 850	GSM-FDD (TDMA, GMSK)	189	836.4

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.62	1.46



T-Coil Coupling Mode Test Report

Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
93	127	13	17



2_GSM1900_GSM Voice_AMR NB 12.2Kbps_Ch661

Measurement performed on June 11, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
PCS 1900	GSM-FDD (TDMA, GMSK)	661	1880.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.48	1.38



T-Coil Coupling Mode Test Report

Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
146	211	13	26



3_WCDMA II_AMR Voice_WB AMR 6.60Kbps_Ch9400

Measurement performed on June 13, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 2	UMTS-FDD (WCDMA, AMR)	9400	1880.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.66	1.45



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
303	392	26	26



4_WCDMA IV_AMR Voice_WB AMR 6.60Kbps_Ch1413

Measurement performed on June 20, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 4	UMTS-FDD (WCDMA, AMR)	1413	1732.6

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.23



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
317	404	26	26



5_WCDMA V_AMR Voice_WB AMR 6.60Kbps_Ch4182

Measurement performed on June 21, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 5	UMTS-FDD (WCDMA, AMR)	4182	836.4

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.91	1.52



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
309	390	26	26



6_LTE Band 2_20M_QPSK_1RB_0Offset_EVS NB 5.9Kbps_Ch18900

Measurement performed on June 20, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 2	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	18900	1880.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.82	1.07



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
323	480	22	26



7_LTE Band 4_20M_QPSK_1RB_0Offset_EVS NB 5.9Kbps_Ch20175

Measurement performed on June 20, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 4	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	20175	1732.5

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.49	0.71



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
239	381	26	26



8_LTE Band 5_10M_QPSK_1RB_0Offset_EVS NB 5.9Kbps_Ch20525

Measurement performed on June 21, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 5	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	20525	836.5

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.15	0.86



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
242	389	26	26



9_LTE Band 7_20M_QPSK_1RB_0Offset_EVS NB 5.9Kbps_Ch21100

Measurement performed on June 21, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 7	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	21100	2535.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.16	1.42



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
241	389	26	26



10_LTE Band 12_10M_QPSK_1RB_0Offset_EVS NB 5.9Kbps_Ch23095

Measurement performed on June 21, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 12	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23095	707.5

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.43	0.55



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
241	390	26	26



11_LTE Band 13_10M_QPSK_1RB_0Offset_EVS NB 5.9Kbps_Ch23230

Measurement performed on June 21, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 13	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23230	782.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.8	1.34



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
237	391	26	26



12_LTE Band 17_10M_QPSK_1RB_0Offset_EVS NB 5.9Kbps_Ch23790

Measurement performed on June 21, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 17	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	23790	710.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.58	1.0



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
239	389	26	26



13_LTE Band 25_20M_QPSK_1RB_0Offset_EVS NB 5.9Kbps_Ch26340

Measurement performed on June 18, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 25	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	26340	1880.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.38	1.25



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
222	383	26	26



14_LTE Band 26_15M_QPSK_1RB_0Offset_EVS NB 5.9Kbps_Ch26865

Measurement performed on June 21, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 26	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	26865	831.5

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.63	0.66



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
248	388	26	26



15_LTE Band 30_10M_QPSK_1RB_0Offset_EVS NB 5.9Kbps_Ch27710

Measurement performed on June 21, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 30	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	27710	2310.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	-0.0	1.19



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
336	390	26	26



16_LTE Band 66_20M_QPSK_1RB_0Offset_EVS NB 5.9Kbps_Ch132322

Measurement performed on June 20, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 66	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	132322	1745.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.6	0.71



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
250	393	26	26



17_LTE Band 71_20M_QPSK_1RB_0Offset_EVS NB 5.9Kbps_Ch133297

Measurement performed on June 21, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 71	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	133297	680.5

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.19	0.81



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
237	387	26	26



18_LTE Band 38_20M_QPSK_1RB_0Offset_EVS WB 5.9Kbps_Ch38000

Measurement performed on June 20, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 38	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	38000	2595.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.13	0.67



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
184	338	16	26



19_LTE B41_20M_QPSK_1RB_0Offset_EVS WB 5.9Kbps_Ch40620

Measurement performed on July 14, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 41	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	40620	2593.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.39	2.0



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
293	306	14	26



20_LTE Band 42_20M_QPSK_1RB_0Offset_EVS WB 5.9Kbps_Ch42590

Measurement performed on June 20, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 42	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	42590	3500.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.89	0.87



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
183	340	16	26



21_LTE Band 43_20M_QPSK_1RB_0Offset_EVS WB 5.9Kbps_Ch44590

Measurement performed on June 21, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 43	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	44590	3700.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.06	1.13



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
184	326	16	26



22_LTE Band 48_20M_QPSK_1RB_0Offset_EVS WB 5.9Kbps_Ch55830

Measurement performed on July 18, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band 48	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	55830	3609.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.72	2.0



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
202	377	16	26



23_FR1 n2_40M_QPSK_1RB_1Offset_EVS NB 5.9Kbps_Ch376000

Measurement performed on June 25, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n2	5G NR (DFT-s-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	376000	1880.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.52	0.28



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
231	379	26	26



24_FR1 n5_20M_QPSK_1RB_1Offset_EVS NB 5.9Kbps_Ch167300

Measurement performed on July 15, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n5	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	167300	836.5

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.82	1.72



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
353	595	26	26



25_FR1 n7_20M_QPSK_1RB_1Offset_EVS NB 5.9Kbps_Ch507000

Measurement performed on June 25, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n7	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	507000	2535.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.27	1.23



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
234	381	26	26



26_FR1 n12_15M_QPSK_1RB_1Offset_EVS NB 5.9Kbps_Ch141500

Measurement performed on July 15, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n12	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	141500	707.5

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.82	1.35



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
333	579	26	26



27_FR1 n25_45M_QPSK_1RB_1Offset_EVS NB 5.9Kbps_Ch376500

Measurement performed on June 18, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n25	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	376500	1882.5

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.66	1.23



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
247	395	26	26



28_FR1 n26_20M_QPSK_1RB_1Offset_EVS NB 5.9Kbps_Ch166300

Measurement performed on July 17, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n26	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	166300	831.5

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.99	1.93



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
343	589	26	26



29_FR1 n66_45M_QPSK_1RB_1Offset_EVS NB 5.9Kbps_Ch349000

Measurement performed on June 25, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n66	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	349000	1745.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.22	0.95



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
241	380	26	26



30_FR1 n71_35M_QPSK_1RB_1Offset_EVS NB 5.9Kbps_Ch136100

Measurement performed on July 15, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n71	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	136100	680.5

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.98



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
344	589	26	26



31_FR1 n38_20M_QPSK_1RB_1Offset_EVS WB 5.9Kbps_Ch519000

Measurement performed on July 14, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n38	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	519000	2595.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.76	1.59



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
132	333	16	26



32_FR1 n41_100M_QPSK_1RB_1Offset_EVS WB 5.9Kbps_Ch518598

Measurement performed on July 13, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n41	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	518598	2592.99

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	2.0	1.47



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
109	307	13	26



33_FR1 n77_100M_QPSK_1RB_1Offset_EVS WB 5.9Kbps_Ch656000

Measurement performed on July 14, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n77	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	656000	3840.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.65	2.0



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
286	302	15	26



34_FR1 n78_100M_QPSK_1RB_1Offset_EVS WB 5.9Kbps_Ch636666

Measurement performed on July 15, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
Band n78	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	636666	3549.99

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.62	2.0



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
328	342	16	26



35_WLAN2.4GHz_802.11b 1Mbps_EVS WB 5.9Kbps_Ch6

Measurement performed on June 12, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
WLAN 2.4GHz	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps)	6	2437.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.08	1.19



T-Coil Coupling Mode Test Report

Results

Primary Group Contiguous Point Count	Secondary Group Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
193	368	26	26



36_WLAN5GHz_802.11n-HT20 MSC0_EVS WB 5.9Kbps_Ch40

Measurement performed on June 18, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle)	40	5200.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.76	1.2



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
195	355	24	26



37_WLAN5GHz_802.11n-HT20 MSC0_EVS WB 5.9Kbps_Ch52

Measurement performed on June 20, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle)	52	5260.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	1.59	1.08



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
222	372	26	26



38_WLAN5GHz_802.11n-HT20 MSC0_EVS WB 5.9Kbps_Ch116

Measurement performed on June 20, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle)	116	5580.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results


Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.85	1.07



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
244	382	26	26



39_WLAN5GHz_802.11n-HT20 MSC0_EVS WB 5.9Kbps_Ch157

Measurement performed on June 20, 2026

Device Under Test

Manufacturer	Model	Dimensions [mm]	Speaker Position [mm]
		171 x 79 x 11	168

Hardware Setup

Probe Name	Probe Calibration Date	DAE Name	DAE Calibration Date
AM1DV3 - 3106	February 18, 2026	DAE4 Sn715	November 28, 2025

Communication Systems


Band Name	Communication Systems Name	Channel	Frequency [MHz]
WLAN 5GHz	IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle)	157	5785.0

Grid Settings

Extent X [mm]	Extent Y [mm]	Step X [mm]	Step Y [mm]	Distance [mm]
52.0	52.0	4.0	4.0	10.0

Results

Audio File	Measurement Duration [s]	Margin Upper Bound [dB]	Margin Lower Bound [dB]
48k_voice_300-3000_2s.wav	2.0	0.67	1.43



T-Coil Coupling Mode Test Report

Results

Primary Group Point Count	Secondary Group Contiguous Point Count	Secondary Group Max Longitudinal	Secondary Group Max Transverse
233	379	26	26

