




4.4 Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)(NTNV)




4.5 Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




4.6 Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)(NTNV)




4.7 Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)




4.8 Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)(NTNV)



4.9 Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)




4.10 Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)(NTNV)




5. n41


5.1 Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)




5.2 Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)(NTNV)




5.3 Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




5.4 Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)(NTNV)




5.5 Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




5.6 Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)(NTNV)




5.7 Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)




5.8 Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)(NTNV)




5.9 Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)




5.10 Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)(NTNV)




5.11 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)




5.12 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)(NTNV)




5.13 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




5.14 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)(NTNV)




5.15 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




5.16 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)(NTNV)




5.17 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)




5.18 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)(NTNV)




5.19 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)




5.20 Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)(NTNV)




5.21 Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)




5.22 Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)(NTNV)




5.23 Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




5.24 Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)(NTNV)




5.25 Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




5.26 Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)(NTNV)




5.27 Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)



5.28 Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)(NTNV)



5.29 Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)



5.30 Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)(NTNV)

