



16.11 LTE Peak to Average Ratio_Part22-24-27(Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




16.12 LTE Peak to Average Ratio_Part22-24-27(Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)




1. LTE_Band26(part90)


1.1 LTE Peak to Average Ratio_Part90(Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




1.2 LTE Peak to Average Ratio_Part90(Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)



1.3 LTE Peak to Average Ratio_Part90(Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




1.4 LTE Peak to Average Ratio_Part90(Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)




1. n2 15kHz


1.1 Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)




1.2 Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)




1.3 Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




1.4 Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)




1.5 Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




1.6 Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)




1.7 Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)




1.8 Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)(NTNV)




1.9 Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)




1.10 Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)(NTNV)




1.11 Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)




1.12 Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)




1.13 Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




1.14 Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)




1.15 Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




1.16 Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)




1.17 Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)




1.18 Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)(NTNV)




1.19 Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)




1.20 Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)(NTNV)




1.21 Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)(NTNV)




1.22 Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)




1.23 Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)




1.24 Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)




1.25 Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)




1.26 Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)




1.27 Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)(NTNV)




1.28 Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)(NTNV)



1.29 Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)(NTNV)




1.30 Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)(NTNV)




3. n7

3.1 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




3.2 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	3.61	13	Pass



3.3 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




3.4 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




3.5 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	4.41	13	Pass




3.6 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




3.7 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




3.8 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)




3.9 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)



3.10 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)




3.11 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




3.12 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	4.03	13	Pass



3.13 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)



3.14 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	4.97	13	Pass

