



2.22 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)(NTNV)




2.23 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)(NTNV)




2.24 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)(NTNV)




2.25 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)(NTNV)




2.26 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)(NTNV)




2.27 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)(NTNV)




2.28 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)(NTNV)




2.29 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)(NTNV)




2.30 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)(NTNV)




2.31 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)(NTNV)




2.32 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)(NTNV)




2.33 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)(NTNV)




2.34 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)




2.35 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)




2.36 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)




2.37 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)(NTNV)




2.38 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)(NTNV)




2.39 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)(NTNV)




2.40 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)(NTNV)




2.41 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)(NTNV)




2.42 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)(NTNV)




2.43 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)(NTNV)




2.44 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)(NTNV)




2.45 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)(NTNV)




2.46 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)




2.47 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)




2.48 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)




2.49 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)




2.50 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)




2.51 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)




2.52 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)(NTNV)




2.53 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)(NTNV)




2.54 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)(NTNV)




2.55 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)(NTNV)




2.56 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)(NTNV)




2.57 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)(NTNV)




2.58 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)(NTNV)




2.59 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)(NTNV)




2.60 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)(NTNV)




3. n71 15kHz


3.1 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:133100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)(NTNV)




3.2 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:136100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)(NTNV)




3.3 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:139100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)(NTNV)




3.4 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)




3.5 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)




3.6 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)




3.7 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)



3.8 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)




3.9 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)




3.10 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)(NTNV)




3.11 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)(NTNV)




3.12 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)(NTNV)




3.13 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)(NTNV)




3.14 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)(NTNV)




3.15 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)(NTNV)




3.16 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:133600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)




3.17 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:136100, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)




3.18 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:138600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)




3.19 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)




3.20 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)




3.21 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)




3.22 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)(NTNV)




3.23 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)(NTNV)




3.24 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)(NTNV)




3.25 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)(NTNV)




3.26 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)(NTNV)




3.27 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)(NTNV)




3.28 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)(NTNV)




3.29 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)(NTNV)



3.30 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)(NTNV)



3.31 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:134100, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)(NTNV)

