



5.42 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)(NTNV)




5.43 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)(NTNV)




5.44 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)(NTNV)




5.45 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)(NTNV)




5.46 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)




5.47 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)




5.48 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)




5.49 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)




5.50 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)




5.51 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)




5.52 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)(NTNV)




5.53 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)(NTNV)




5.54 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)(NTNV)




5.55 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)(NTNV)




5.56 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)(NTNV)




5.57 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)(NTNV)




5.58 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)(NTNV)




5.59 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)(NTNV)




5.60 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)(NTNV)




6. n25 15kHz


6.1 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)(NTNV)




6.2 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)(NTNV)




6.3 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)(NTNV)




6.4 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)




6.5 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)




6.6 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)




6.7 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)



6.8 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)




6.9 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)




6.10 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)(NTNV)




6.11 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)(NTNV)




6.12 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)(NTNV)




6.13 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)(NTNV)




6.14 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)(NTNV)




6.15 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)(NTNV)




6.16 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:371000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)




6.17 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:376500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)




6.18 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:382000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)




6.19 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)




6.20 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:376500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)




6.21 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:382000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)




6.22 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)(NTNV)




6.23 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:376500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)(NTNV)




6.24 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:382000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)(NTNV)




6.25 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)(NTNV)




6.26 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:376500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)(NTNV)




6.27 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:382000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)(NTNV)




6.28 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)(NTNV)




6.29 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:376500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)(NTNV)




6.30 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:382000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)(NTNV)




6.31 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)(NTNV)




6.32 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)(NTNV)




6.33 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)(NTNV)




6.34 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)




6.35 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)




6.36 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)




6.37 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)(NTNV)




6.38 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)(NTNV)




6.39 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)(NTNV)




6.40 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)(NTNV)




6.41 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)(NTNV)




6.42 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)(NTNV)




6.43 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)(NTNV)




6.44 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)(NTNV)




6.45 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)(NTNV)




6.46 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)




6.47 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)




6.48 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)




6.49 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)



6.50 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)



6.51 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

