



6.52 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)(NTNV)




6.53 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)(NTNV)




6.54 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)(NTNV)




6.55 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)(NTNV)




6.56 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)(NTNV)




6.57 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)(NTNV)




6.58 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)(NTNV)




6.59 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)(NTNV)




6.60 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)(NTNV)




7. n66 15kHz


7.1 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)(NTNV)




7.2 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)(NTNV)




7.3 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)(NTNV)




7.4 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)




7.5 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)




7.6 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)




7.7 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)



7.8 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)




7.9 Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)




7.10 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)(NTNV)




7.11 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)(NTNV)




7.12 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)(NTNV)




7.13 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)(NTNV)




7.14 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)(NTNV)




7.15 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)(NTNV)




7.16 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:343000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)




7.17 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:349000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)




7.18 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:355000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)




7.19 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:343000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)




7.20 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:349000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)




7.21 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:355000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)




7.22 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:343000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)(NTNV)




7.23 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:349000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)(NTNV)




7.24 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:355000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)(NTNV)




7.25 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:343000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)(NTNV)




7.26 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:349000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)(NTNV)




7.27 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:355000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)(NTNV)




7.28 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:343000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)(NTNV)




7.29 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:349000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)(NTNV)




7.30 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:355000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)(NTNV)




7.31 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)(NTNV)




7.32 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)(NTNV)




7.33 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)(NTNV)




7.34 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)




7.35 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)




7.36 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)




7.37 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)(NTNV)




7.38 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)(NTNV)




7.39 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)(NTNV)




7.40 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)(NTNV)




7.41 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)(NTNV)




7.42 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)(NTNV)




7.43 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)(NTNV)




7.44 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)(NTNV)




7.45 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)(NTNV)




7.46 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)




7.47 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)




7.48 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)




7.49 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)




7.50 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)




7.51 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)




7.52 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)(NTNV)




7.53 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)(NTNV)




7.54 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)(NTNV)




7.55 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)(NTNV)




7.56 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)(NTNV)




7.57 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)(NTNV)




7.58 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)(NTNV)




7.59 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)(NTNV)



7.60 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)(NTNV)



7.61 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)(NTNV)

