



9.57 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)(NTNV)




9.58 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)(NTNV)




9.59 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)(NTNV)




9.60 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)(NTNV)




9.61 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)(NTNV)




9.62 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)(NTNV)




9.63 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)(NTNV)




9.64 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)




9.65 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)




9.66 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)




9.67 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)(NTNV)




9.68 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)(NTNV)




9.69 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)(NTNV)




9.70 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)(NTNV)




9.71 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)(NTNV)




9.72 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)(NTNV)




9.73 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)(NTNV)




9.74 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)(NTNV)




9.75 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)(NTNV)




9.76 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:162, RB Position:0)(NTNV)




9.77 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:162, RB Position:0)(NTNV)




9.78 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:162, RB Position:0)(NTNV)




9.79 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)




9.80 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)




9.81 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)




9.82 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)(NTNV)




9.83 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)(NTNV)




9.84 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)(NTNV)




9.85 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)(NTNV)




9.86 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)(NTNV)




9.87 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)(NTNV)




9.88 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)(NTNV)




9.89 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)(NTNV)




9.90 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)(NTNV)




9.91 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:632334, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:180, RB Position:0)(NTNV)




9.92 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:180, RB Position:0)(NTNV)




9.93 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:634332, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:180, RB Position:0)(NTNV)




9.94 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:632334, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)(NTNV)




9.95 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)(NTNV)




9.96 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:634332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)(NTNV)




9.97 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:632334, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)(NTNV)




9.98 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)(NTNV)




9.99 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:634332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)(NTNV)




9.100 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:632334, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)(NTNV)




9.101 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)(NTNV)




9.102 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:634332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)(NTNV)




9.103 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:632334, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)(NTNV)




9.104 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)(NTNV)




9.105 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:634332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)(NTNV)




9.106 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:632668, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)(NTNV)




9.107 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)(NTNV)




9.108 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:634000, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)(NTNV)




9.109 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)(NTNV)




9.110 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)(NTNV)




9.111 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)(NTNV)




9.112 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)(NTNV)




9.113 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)(NTNV)




9.114 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)(NTNV)




9.115 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)(NTNV)




9.116 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)(NTNV)




9.117 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)(NTNV)




9.118 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)(NTNV)




9.119 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)(NTNV)




9.120 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)(NTNV)




9.121 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633000, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:243, RB Position:0)(NTNV)




9.122 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:243, RB Position:0)(NTNV)




9.123 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633666, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:243, RB Position:0)(NTNV)




9.124 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)(NTNV)



9.125 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)(NTNV)



9.126 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:633666, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)(NTNV)

