



14.47 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)




14.48 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)




14.49 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)




14.50 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)




14.51 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)




14.52 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)(NTNV)




14.53 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)(NTNV)




14.54 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)(NTNV)




14.55 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)(NTNV)




14.56 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)(NTNV)




14.57 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)(NTNV)




14.58 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)(NTNV)




14.59 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)(NTNV)



14.60 Occupied Bandwidth for SA support PI2


BPSK_Part22_24_27(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)(NTNV)



15.n38


15.1 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)(NTNV)




15.2 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:519000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)(NTNV)




15.3 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:24, RB Position:0)(NTNV)




15.4 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)




15.5 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)




15.6 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)




15.7 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)(NTNV)




15.8 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)(NTNV)




15.9 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)(NTNV)




15.10 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)(NTNV)




15.11 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)(NTNV)




15.12 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)(NTNV)




15.13 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)(NTNV)




15.14 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)(NTNV)




15.15 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)(NTNV)




15.16 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:515500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:36, RB Position:0)(NTNV)




15.17 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:519000, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:36, RB Position:0)(NTNV)




15.18 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:522500, Bandwidth:15, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:36, RB Position:0)(NTNV)




15.19 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:515500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)(NTNV)




15.20 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:519000, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)(NTNV)




15.21 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:522500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)(NTNV)




15.22 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:515500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:38, RB Position:0)(NTNV)




15.23 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:519000, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:38, RB Position:0)(NTNV)




15.24 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:522500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:38, RB Position:0)(NTNV)




15.25 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:515500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:38, RB Position:0)(NTNV)




15.26 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:519000, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:38, RB Position:0)(NTNV)




15.27 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:522500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:38, RB Position:0)(NTNV)




15.28 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:515500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:38, RB Position:0)(NTNV)




15.29 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:519000, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:38, RB Position:0)(NTNV)




15.30 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:522500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:38, RB Position:0)(NTNV)




15.31 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)




15.32 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)




15.33 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)(NTNV)




15.34 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)




15.35 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)




15.36 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)




15.37 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)(NTNV)



15.38 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)(NTNV)




15.39 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)(NTNV)




15.40 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)(NTNV)




15.41 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)(NTNV)




15.42 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)(NTNV)




15.43 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)(NTNV)




15.44 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)(NTNV)




15.45 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)(NTNV)




15.46 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)




15.47 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)




15.48 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)(NTNV)




15.49 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)




15.50 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)




15.51 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)




15.52 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)(NTNV)




15.53 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)(NTNV)




15.54 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)(NTNV)



15.55 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)(NTNV)



15.56 Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)(NTNV)

