



3.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.09	-13	64.09	Pass	401
0.15	30	0.01	RMS	0.15	-78.27	-13	65.27	Pass	2986
30	814	0.1	RMS	813.2	-67.56	-13	54.56	Pass	7841
814	859	0.1	RMS	843.5	10.54	60	49.46	Pass	451
859	1000	0.1	RMS	876.8	-73.59	-13	60.59	Pass	1411
1000	3000	1	RMS	1687	-59.28	-13	46.28	Pass	2001
3000	10000	1	RMS	6984	-78.37	-13	65.37	Pass	7001




3.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.94	-13	64.94	Pass	401
0.15	30	0.01	RMS	0.16	-78.25	-13	65.25	Pass	2986
30	814	0.1	RMS	813.4	-56.48	-13	43.48	Pass	7841
814	859	0.1	RMS	840	-7.56	60	67.56	Pass	451
859	1000	0.1	RMS	860.1	-73.59	-13	60.59	Pass	1411
1000	3000	1	RMS	2995	-61.27	-13	48.27	Pass	2001
3000	10000	1	RMS	6982	-78.42	-13	65.42	Pass	7001




3.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.66	-13	64.66	Pass	401
0.15	30	0.01	RMS	0.16	-78.31	-13	65.31	Pass	2986
30	814	0.1	RMS	814	-70.19	-13	57.19	Pass	7841
814	859	0.1	RMS	834.5	10.36	60	49.64	Pass	451
859	1000	0.1	RMS	869.8	-73.55	-13	60.55	Pass	1411
1000	3000	1	RMS	1668	-59.06	-13	46.06	Pass	2001
3000	10000	1	RMS	6976	-78.37	-13	65.37	Pass	7001




3.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.34	-13	64.34	Pass	401
0.15	30	0.01	RMS	0.15	-77.98	-13	64.98	Pass	2986
30	814	0.1	RMS	813.9	-70.52	-13	57.52	Pass	7841
814	859	0.1	RMS	848.5	10.48	60	49.52	Pass	451
859	1000	0.1	RMS	888.4	-73.58	-13	60.58	Pass	1411
1000	3000	1	RMS	1697	-59.6	-13	46.6	Pass	2001
3000	10000	1	RMS	6986	-78.39	-13	65.39	Pass	7001




3.28 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.89	-13	63.89	Pass	401
0.15	30	0.01	RMS	0.15	-78.08	-13	65.08	Pass	2986
30	814	0.1	RMS	813.8	-38.6	-13	25.6	Pass	7841
814	859	0.1	RMS	826.1	-8.73	60	68.73	Pass	451
859	1000	0.1	RMS	864.6	-73.64	-13	60.64	Pass	1411
1000	3000	1	RMS	2845	-61.28	-13	48.28	Pass	2001
3000	10000	1	RMS	6981	-78.39	-13	65.39	Pass	7001




3.29 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.07	-13	63.07	Pass	401
0.15	30	0.01	RMS	0.15	-77.72	-13	64.72	Pass	2986
30	814	0.1	RMS	813	-66.23	-13	53.23	Pass	7841
814	859	0.1	RMS	824.5	10.2	60	49.8	Pass	451
859	1000	0.1	RMS	962.8	-73.66	-13	60.66	Pass	1411
1000	3000	1	RMS	1649	-59.21	-13	46.21	Pass	2001
3000	10000	1	RMS	6997	-78.43	-13	65.43	Pass	7001




3.30 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.12	-13	63.12	Pass	401
0.15	30	0.01	RMS	0.15	-78.01	-13	65.01	Pass	2986
30	814	0.1	RMS	812.7	-53.57	-13	40.57	Pass	7841
814	859	0.1	RMS	843.4	10.15	60	49.85	Pass	451
859	1000	0.1	RMS	867.9	-73.65	-13	60.65	Pass	1411
1000	3000	1	RMS	1686	-58.83	-13	45.83	Pass	2001
3000	10000	1	RMS	7025	-78.42	-13	65.42	Pass	7001




3.31 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-78.07	-13	65.07	Pass	401
0.15	30	0.01	RMS	0.15	-78.35	-13	65.35	Pass	2986
30	814	0.1	RMS	813.8	-41.1	-13	28.1	Pass	7841
814	859	0.1	RMS	842.2	-8.79	60	68.79	Pass	451
859	1000	0.1	RMS	888.7	-73.66	-13	60.66	Pass	1411
1000	3000	1	RMS	2988	-61.29	-13	48.29	Pass	2001
3000	10000	1	RMS	6981	-78.43	-13	65.43	Pass	7001




3.32 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.75	-13	63.75	Pass	401
0.15	30	0.01	RMS	0.15	-77.95	-13	64.95	Pass	2986
30	814	0.1	RMS	808.1	-64.89	-13	51.89	Pass	7841
814	859	0.1	RMS	827	10.11	60	49.89	Pass	451
859	1000	0.1	RMS	873.3	-73.53	-13	60.53	Pass	1411
1000	3000	1	RMS	1654	-59.39	-13	46.39	Pass	2001
3000	10000	1	RMS	6980	-78.39	-13	65.39	Pass	7001




3.33 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.53	-13	64.53	Pass	401
0.15	30	0.01	RMS	0.17	-78.23	-13	65.23	Pass	2986
30	814	0.1	RMS	812.3	-59.7	-13	46.7	Pass	7841
814	859	0.1	RMS	845.9	10.16	60	49.84	Pass	451
859	1000	0.1	RMS	922.7	-73.64	-13	60.64	Pass	1411
1000	3000	1	RMS	1691	-58.85	-13	45.85	Pass	2001
3000	10000	1	RMS	6979	-78.4	-13	65.4	Pass	7001




3.34 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.69	-13	63.69	Pass	401
0.15	30	0.01	RMS	0.16	-77.82	-13	64.82	Pass	2986
30	814	0.1	RMS	813.5	-45.79	-13	32.79	Pass	7841
814	859	0.1	RMS	841.1	-8.85	60	68.85	Pass	451
859	1000	0.1	RMS	859.1	-73.36	-13	60.36	Pass	1411
1000	3000	1	RMS	2995	-61.22	-13	48.22	Pass	2001
3000	10000	1	RMS	6989	-78.38	-13	65.38	Pass	7001




3.35 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.86	-13	63.86	Pass	401
0.15	30	0.01	RMS	0.16	-77.63	-13	64.63	Pass	2986
30	814	0.1	RMS	810.6	-61.47	-13	48.47	Pass	7841
814	859	0.1	RMS	829.5	10.19	60	49.81	Pass	451
859	1000	0.1	RMS	912.7	-73.5	-13	60.5	Pass	1411
1000	3000	1	RMS	1659	-59.18	-13	46.18	Pass	2001
3000	10000	1	RMS	6979	-78.35	-13	65.35	Pass	7001



3.36 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.58	-13	64.58	Pass	401
0.15	30	0.01	RMS	0.16	-77.66	-13	64.66	Pass	2986
30	814	0.1	RMS	810.7	-60.94	-13	47.94	Pass	7841
814	859	0.1	RMS	848.4	10.08	60	49.92	Pass	451
859	1000	0.1	RMS	965.7	-73.64	-13	60.64	Pass	1411
1000	3000	1	RMS	1696	-59.12	-13	46.12	Pass	2001
3000	10000	1	RMS	6996	-78.34	-13	65.34	Pass	7001



4. n71 15kHz


4.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.99	-13	64.99	Pass	401
0.15	30	0.01	RMS	0.15	-77.66	-13	64.66	Pass	2986
30	653	0.1	RMS	498.3	-73.63	-13	60.63	Pass	6231
653	708	0.1	RMS	665.5	-2.22	60	62.22	Pass	551
708	1000	0.1	RMS	919.7	-73.37	-13	60.37	Pass	2921
1000	3000	1	RMS	1330	-61.09	-13	48.09	Pass	2001
3000	10000	1	RMS	6990	-78.47	-13	65.47	Pass	7001




4.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.38	-13	63.38	Pass	401
0.15	30	0.01	RMS	0.21	-78.19	-13	65.19	Pass	2986
30	653	0.1	RMS	491.2	-73.51	-13	60.51	Pass	6231
653	708	0.1	RMS	663.3	10.59	60	49.41	Pass	551
708	1000	0.1	RMS	899.4	-73.24	-13	60.24	Pass	2921
1000	3000	1	RMS	1326	-56.96	-13	43.96	Pass	2001
3000	10000	1	RMS	6983	-78.45	-13	65.45	Pass	7001




4.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.3	-13	63.3	Pass	401
0.15	30	0.01	RMS	0.16	-78.5	-13	65.5	Pass	2986
30	653	0.1	RMS	480.5	-73.63	-13	60.63	Pass	6231
653	708	0.1	RMS	667.6	10.3	60	49.7	Pass	551
708	1000	0.1	RMS	959.4	-73.39	-13	60.39	Pass	2921
1000	3000	1	RMS	1335	-59.58	-13	46.58	Pass	2001
3000	10000	1	RMS	6981	-78.42	-13	65.42	Pass	7001




4.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.6	-13	64.6	Pass	401
0.15	30	0.01	RMS	0.19	-77.87	-13	64.87	Pass	2986
30	653	0.1	RMS	506.3	-73.63	-13	60.63	Pass	6231
653	708	0.1	RMS	680.4	-2.3	60	62.3	Pass	551
708	1000	0.1	RMS	924.1	-73.33	-13	60.33	Pass	2921
1000	3000	1	RMS	1360	-61.19	-13	48.19	Pass	2001
3000	10000	1	RMS	6995	-78.44	-13	65.44	Pass	7001




4.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.86	-13	64.86	Pass	401
0.15	30	0.01	RMS	0.15	-77.59	-13	64.59	Pass	2986
30	653	0.1	RMS	488.5	-73.71	-13	60.71	Pass	6231
653	708	0.1	RMS	678.3	10.62	60	49.38	Pass	551
708	1000	0.1	RMS	740.4	-73.41	-13	60.41	Pass	2921
1000	3000	1	RMS	1356	-58.31	-13	45.31	Pass	2001
3000	10000	1	RMS	6987	-78.45	-13	65.45	Pass	7001




4.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.26	-13	63.26	Pass	401
0.15	30	0.01	RMS	0.16	-77.98	-13	64.98	Pass	2986
30	653	0.1	RMS	478.5	-73.59	-13	60.59	Pass	6231
653	708	0.1	RMS	682.7	10.19	60	49.81	Pass	551
708	1000	0.1	RMS	850.4	-73.18	-13	60.18	Pass	2921
1000	3000	1	RMS	1365	-58.01	-13	45.01	Pass	2001
3000	10000	1	RMS	6983	-78.42	-13	65.42	Pass	7001




4.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.41	-13	64.41	Pass	401
0.15	30	0.01	RMS	0.17	-78.1	-13	65.1	Pass	2986
30	653	0.1	RMS	491.4	-73.54	-13	60.54	Pass	6231
653	708	0.1	RMS	694.2	-2.23	60	62.23	Pass	551
708	1000	0.1	RMS	708	-62.17	-13	49.17	Pass	2921
1000	3000	1	RMS	2837	-61.25	-13	48.25	Pass	2001
3000	10000	1	RMS	6980	-78.41	-13	65.41	Pass	7001




4.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.03	-13	64.03	Pass	401
0.15	30	0.01	RMS	0.17	-78.1	-13	65.1	Pass	2986
30	653	0.1	RMS	522	-73.67	-13	60.67	Pass	6231
653	708	0.1	RMS	693.3	10.72	60	49.28	Pass	551
708	1000	0.1	RMS	709.6	-73.38	-13	60.38	Pass	2921
1000	3000	1	RMS	1386	-58.6	-13	45.6	Pass	2001
3000	10000	1	RMS	6989	-78.38	-13	65.38	Pass	7001




4.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.2	-13	64.2	Pass	401
0.15	30	0.01	RMS	0.16	-78.26	-13	65.26	Pass	2986
30	653	0.1	RMS	492.2	-73.71	-13	60.71	Pass	6231
653	708	0.1	RMS	697.6	10.28	60	49.72	Pass	551
708	1000	0.1	RMS	833.3	-73.1	-13	60.1	Pass	2921
1000	3000	1	RMS	1395	-58.59	-13	45.59	Pass	2001
3000	10000	1	RMS	6979	-78.3	-13	65.3	Pass	7001




4.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.95	-13	63.95	Pass	401
0.15	30	0.01	RMS	0.15	-77.71	-13	64.71	Pass	2986
30	653	0.1	RMS	652.8	-73.69	-13	60.69	Pass	6231
653	708	0.1	RMS	677.1	-6.85	60	66.85	Pass	551
708	1000	0.1	RMS	708.2	-64.8	-13	51.8	Pass	2921
1000	3000	1	RMS	2834	-61.3	-13	48.3	Pass	2001
3000	10000	1	RMS	6990	-78.49	-13	65.49	Pass	7001




4.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-78.09	-13	65.09	Pass	401
0.15	30	0.01	RMS	0.15	-78.08	-13	65.08	Pass	2986
30	653	0.1	RMS	500.3	-73.68	-13	60.68	Pass	6231
653	708	0.1	RMS	663.5	10.67	60	49.33	Pass	551
708	1000	0.1	RMS	850	-73.36	-13	60.36	Pass	2921
1000	3000	1	RMS	1326	-58.12	-13	45.12	Pass	2001
3000	10000	1	RMS	6979	-78.45	-13	65.45	Pass	7001




4.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.38	-13	64.38	Pass	401
0.15	30	0.01	RMS	0.17	-77.72	-13	64.72	Pass	2986
30	653	0.1	RMS	482.9	-73.6	-13	60.6	Pass	6231
653	708	0.1	RMS	677.5	10.98	60	49.02	Pass	551
708	1000	0.1	RMS	852.6	-73.38	-13	60.38	Pass	2921
1000	3000	1	RMS	1355	-59.34	-13	46.34	Pass	2001
3000	10000	1	RMS	6982	-78.44	-13	65.44	Pass	7001




4.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.4	-13	63.4	Pass	401
0.15	30	0.01	RMS	0.15	-77.99	-13	64.99	Pass	2986
30	653	0.1	RMS	481.1	-73.53	-13	60.53	Pass	6231
653	708	0.1	RMS	685.8	-7.23	60	67.23	Pass	551
708	1000	0.1	RMS	708	-57.39	-13	44.39	Pass	2921
1000	3000	1	RMS	2828	-61.29	-13	48.29	Pass	2001
3000	10000	1	RMS	6994	-78.36	-13	65.36	Pass	7001




4.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.46	-13	64.46	Pass	401
0.15	30	0.01	RMS	0.16	-78.03	-13	65.03	Pass	2986
30	653	0.1	RMS	478.6	-73.54	-13	60.54	Pass	6231
653	708	0.1	RMS	673.5	10.77	60	49.23	Pass	551
708	1000	0.1	RMS	708.1	-72.44	-13	59.44	Pass	2921
1000	3000	1	RMS	1346	-60.51	-13	47.51	Pass	2001
3000	10000	1	RMS	6968	-78.44	-13	65.44	Pass	7001




4.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.24	-13	64.24	Pass	401
0.15	30	0.01	RMS	0.15	-78.15	-13	65.15	Pass	2986
30	653	0.1	RMS	491.8	-73.57	-13	60.57	Pass	6231
653	708	0.1	RMS	687.5	11	60	49	Pass	551
708	1000	0.1	RMS	708	-71.73	-13	58.73	Pass	2921
1000	3000	1	RMS	1375	-59.1	-13	46.1	Pass	2001
3000	10000	1	RMS	6981	-78.33	-13	65.33	Pass	7001




4.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.25	-13	64.25	Pass	401
0.15	30	0.01	RMS	0.17	-77.67	-13	64.67	Pass	2986
30	653	0.1	RMS	504.4	-73.66	-13	60.66	Pass	6231
653	708	0.1	RMS	685.4	-7.16	60	67.16	Pass	551
708	1000	0.1	RMS	708	-47.99	-13	34.99	Pass	2921
1000	3000	1	RMS	2972	-61.27	-13	48.27	Pass	2001
3000	10000	1	RMS	6979	-78.37	-13	65.37	Pass	7001




4.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.98	-13	64.98	Pass	401
0.15	30	0.01	RMS	0.15	-78.23	-13	65.23	Pass	2986
30	653	0.1	RMS	515.9	-73.64	-13	60.64	Pass	6231
653	708	0.1	RMS	683.5	10.74	60	49.26	Pass	551
708	1000	0.1	RMS	711.5	-65.19	-13	52.19	Pass	2921
1000	3000	1	RMS	1366	-58.78	-13	45.78	Pass	2001
3000	10000	1	RMS	6995	-78.41	-13	65.41	Pass	7001




4.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.48	-13	64.48	Pass	401
0.15	30	0.01	RMS	0.21	-77.59	-13	64.59	Pass	2986
30	653	0.1	RMS	482.4	-73.61	-13	60.61	Pass	6231
653	708	0.1	RMS	697.5	11.02	60	48.98	Pass	551
708	1000	0.1	RMS	708.6	-68.68	-13	55.68	Pass	2921
1000	3000	1	RMS	1395	-59.46	-13	46.46	Pass	2001
3000	10000	1	RMS	6979	-78.38	-13	65.38	Pass	7001




4.28 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.13	-13	64.13	Pass	401
0.15	30	0.01	RMS	0.15	-76.94	-13	63.94	Pass	2986
30	653	0.1	RMS	652.8	-73.22	-13	60.22	Pass	6231
653	708	0.1	RMS	681.7	-8.07	60	68.07	Pass	551
708	1000	0.1	RMS	708	-56.03	-13	43.03	Pass	2921
1000	3000	1	RMS	2996	-61.26	-13	48.26	Pass	2001
3000	10000	1	RMS	6979	-78.34	-13	65.34	Pass	7001




4.29 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.78	-13	63.78	Pass	401
0.15	30	0.01	RMS	0.27	-77.86	-13	64.86	Pass	2986
30	653	0.1	RMS	514.2	-73.64	-13	60.64	Pass	6231
653	708	0.1	RMS	663.5	10.51	60	49.49	Pass	551
708	1000	0.1	RMS	869.2	-73.32	-13	60.32	Pass	2921
1000	3000	1	RMS	1327	-58.06	-13	45.06	Pass	2001
3000	10000	1	RMS	6990	-78.4	-13	65.4	Pass	7001




4.30 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.06	-13	63.06	Pass	401
0.15	30	0.01	RMS	0.21	-78.13	-13	65.13	Pass	2986
30	653	0.1	RMS	488.3	-73.71	-13	60.71	Pass	6231
653	708	0.1	RMS	682.4	10.57	60	49.43	Pass	551
708	1000	0.1	RMS	709.8	-73.26	-13	60.26	Pass	2921
1000	3000	1	RMS	1364	-58.43	-13	45.43	Pass	2001
3000	10000	1	RMS	6979	-78.41	-13	65.41	Pass	7001




4.31 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.13	-13	64.13	Pass	401
0.15	30	0.01	RMS	0.18	-78.42	-13	65.42	Pass	2986
30	653	0.1	RMS	493.7	-73.61	-13	60.61	Pass	6231
653	708	0.1	RMS	685.3	-8.38	60	68.38	Pass	551
708	1000	0.1	RMS	708	-52.47	-13	39.47	Pass	2921
1000	3000	1	RMS	2836	-61.28	-13	48.28	Pass	2001
3000	10000	1	RMS	6980	-78.4	-13	65.4	Pass	7001




4.32 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.98	-13	63.98	Pass	401
0.15	30	0.01	RMS	0.22	-78.03	-13	65.03	Pass	2986
30	653	0.1	RMS	506.4	-73.65	-13	60.65	Pass	6231
653	708	0.1	RMS	671	10.62	60	49.38	Pass	551
708	1000	0.1	RMS	708.9	-64.25	-13	51.25	Pass	2921
1000	3000	1	RMS	1342	-61.19	-13	48.19	Pass	2001
3000	10000	1	RMS	6985	-78.43	-13	65.43	Pass	7001




4.33 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.63	-13	64.63	Pass	401
0.15	30	0.01	RMS	0.15	-78.66	-13	65.66	Pass	2986
30	653	0.1	RMS	387.6	-73.71	-13	60.71	Pass	6231
653	708	0.1	RMS	689.9	10.66	60	49.34	Pass	551
708	1000	0.1	RMS	708.3	-67.14	-13	54.14	Pass	2921
1000	3000	1	RMS	1379	-58.81	-13	45.81	Pass	2001
3000	10000	1	RMS	6993	-78.42	-13	65.42	Pass	7001




4.34 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.42	-13	63.42	Pass	401
0.15	30	0.01	RMS	0.23	-78.19	-13	65.19	Pass	2986
30	653	0.1	RMS	505.4	-73.69	-13	60.69	Pass	6231
653	708	0.1	RMS	681.6	-8.41	60	68.41	Pass	551
708	1000	0.1	RMS	708	-46.19	-13	33.19	Pass	2921
1000	3000	1	RMS	2836	-61.26	-13	48.26	Pass	2001
3000	10000	1	RMS	6974	-78.41	-13	65.41	Pass	7001




4.35 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.77	-13	63.77	Pass	401
0.15	30	0.01	RMS	0.16	-78.44	-13	65.44	Pass	2986
30	653	0.1	RMS	479.3	-73.65	-13	60.65	Pass	6231
653	708	0.1	RMS	678.5	10.57	60	49.43	Pass	551
708	1000	0.1	RMS	709.2	-57.95	-13	44.95	Pass	2921
1000	3000	1	RMS	1357	-58.92	-13	45.92	Pass	2001
3000	10000	1	RMS	6980	-78.43	-13	65.43	Pass	7001



4.36 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.58	-13	64.58	Pass	401
0.15	30	0.01	RMS	0.29	-78.64	-13	65.64	Pass	2986
30	653	0.1	RMS	481.3	-73.65	-13	60.65	Pass	6231
653	708	0.1	RMS	697.4	10.61	60	49.39	Pass	551
708	1000	0.1	RMS	708	-68.83	-13	55.83	Pass	2921
1000	3000	1	RMS	1394	-59.04	-13	46.04	Pass	2001
3000	10000	1	RMS	6989	-78.33	-13	65.33	Pass	7001



5. n2 15kHz


5.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.49	-13	58.49	Pass	401
0.15	30	0.01	RMS	0.22	-72.44	-13	59.44	Pass	2986
30	1000	0.1	RMS	893.63	-65.4	-13	52.4	Pass	9701
1000	1840	1	RMS	1840	-50.15	-13	37.15	Pass	841
1840	1920	1	RMS	1852	14.8	60	45.2	Pass	401
1920	3000	1	RMS	2930	-49.95	-13	36.95	Pass	1081
3000	7000	1	RMS	6973	-66.61	-13	53.61	Pass	4001
7000	20000	1	RMS	19472	-53.85	-13	40.85	Pass	13002




5.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.16	-71.85	-13	58.85	Pass	2986
30	1000	0.1	RMS	925.951	-65.4	-13	52.4	Pass	9701
1000	1840	1	RMS	1840	-52.82	-13	39.82	Pass	841
1840	1920	1	RMS	1850.2	20.94	60	39.06	Pass	401
1920	3000	1	RMS	2941	-49.89	-13	36.89	Pass	1081
3000	7000	1	RMS	6979	-66.59	-13	53.59	Pass	4001
7000	20000	1	RMS	19481	-53.88	-13	40.88	Pass	13002




5.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	987.091	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1840	-53.17	-13	40.17	Pass	841
1840	1920	1	RMS	1854.6	20.8	60	39.2	Pass	401
1920	3000	1	RMS	2942	-49.9	-13	36.9	Pass	1081
3000	7000	1	RMS	6980	-66.57	-13	53.57	Pass	4001
7000	20000	1	RMS	19400	-53.81	-13	40.81	Pass	13002




5.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.22	-72.34	-13	59.34	Pass	2986
30	1000	0.1	RMS	989.393	-65.39	-13	52.39	Pass	9701
1000	1840	1	RMS	1828	-53.76	-13	40.76	Pass	841
1840	1920	1	RMS	1879.6	14.87	60	45.13	Pass	401
1920	3000	1	RMS	2939	-49.94	-13	36.94	Pass	1081
3000	7000	1	RMS	6978	-66.54	-13	53.54	Pass	4001
7000	20000	1	RMS	19313	-53.83	-13	40.83	Pass	13002




5.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.97	-13	58.97	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	832.9	-65.36	-13	52.36	Pass	9701
1000	1840	1	RMS	1826	-53.67	-13	40.67	Pass	841
1840	1920	1	RMS	1877.8	20.86	60	39.14	Pass	401
1920	3000	1	RMS	2941	-49.84	-13	36.84	Pass	1081
3000	7000	1	RMS	6979	-66.49	-13	53.49	Pass	4001
7000	20000	1	RMS	19323	-53.78	-13	40.78	Pass	13002




5.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.16	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	850.101	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1830	-53.61	-13	40.61	Pass	841
1840	1920	1	RMS	1882	20.96	60	39.04	Pass	401
1920	3000	1	RMS	2958	-49.89	-13	36.89	Pass	1081
3000	7000	1	RMS	6977	-66.52	-13	53.52	Pass	4001
7000	20000	1	RMS	19304	-53.82	-13	40.82	Pass	13002




5.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.6	-13	58.6	Pass	401
0.15	30	0.01	RMS	0.19	-72.14	-13	59.14	Pass	2986
30	1000	0.1	RMS	960.674	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1840	-53.89	-13	40.89	Pass	841
1840	1920	1	RMS	1906.8	14.84	60	45.16	Pass	401
1920	3000	1	RMS	1920	-46.68	-13	33.68	Pass	1081
3000	7000	1	RMS	6976	-66.47	-13	53.47	Pass	4001
7000	20000	1	RMS	19407	-53.78	-13	40.78	Pass	13002




5.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	860.508	-65.38	-13	52.38	Pass	9701
1000	1840	1	RMS	1836	-53.96	-13	40.96	Pass	841
1840	1920	1	RMS	1905.2	20.88	60	39.12	Pass	401
1920	3000	1	RMS	2930	-49.84	-13	36.84	Pass	1081
3000	7000	1	RMS	6972	-66.59	-13	53.59	Pass	4001
7000	20000	1	RMS	19320	-53.78	-13	40.78	Pass	13002




5.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.25	-13	60.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	58.47	Pass	2986
30	1000	0.1	RMS	975.284	-65.41	-13	52.41	Pass	9701
1000	1840	1	RMS	1840	-53.85	-13	40.85	Pass	841
1840	1920	1	RMS	1909.6	20.84	60	39.16	Pass	401
1920	3000	1	RMS	2941	-49.86	-13	36.86	Pass	1081
3000	7000	1	RMS	6977	-66.57	-13	53.57	Pass	4001
7000	20000	1	RMS	19403	-53.84	-13	40.84	Pass	13002




5.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	59.17	Pass	2986
30	1000	0.1	RMS	848.8	-65.54	-13	52.54	Pass	9701
1000	1840	1	RMS	1840	-36.7	-13	23.7	Pass	841
1840	1920	1	RMS	1852.2	11.47	60	48.53	Pass	401
1920	3000	1	RMS	2937	-49.92	-13	36.92	Pass	1081
3000	7000	1	RMS	6971	-66.57	-13	53.57	Pass	4001
7000	20000	1	RMS	19299	-53.74	-13	40.74	Pass	13002




5.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.37	-13	58.37	Pass	401
0.15	30	0.01	RMS	0.16	-72.14	-13	59.14	Pass	2986
30	1000	0.1	RMS	847.2	-65.51	-13	52.51	Pass	9701
1000	1840	1	RMS	1840	-52.79	-13	39.79	Pass	841
1840	1920	1	RMS	1850.4	20.69	60	39.31	Pass	401
1920	3000	1	RMS	2944	-49.95	-13	36.95	Pass	1081
3000	7000	1	RMS	6979	-66.59	-13	53.59	Pass	4001
7000	20000	1	RMS	19278	-53.86	-13	40.86	Pass	13002




5.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.17	-72.49	-13	59.49	Pass	2986
30	1000	0.1	RMS	861.008	-65.54	-13	52.54	Pass	9701
1000	1840	1	RMS	1840	-53.8	-13	40.8	Pass	841
1840	1920	1	RMS	1859.4	20.57	60	39.43	Pass	401
1920	3000	1	RMS	2939	-50	-13	37	Pass	1081
3000	7000	1	RMS	6970	-66.54	-13	53.54	Pass	4001
7000	20000	1	RMS	19357	-53.84	-13	40.84	Pass	13002




5.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.51	-13	58.51	Pass	401
0.15	30	0.01	RMS	0.16	-73.08	-13	60.08	Pass	2986
30	1000	0.1	RMS	884.023	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1840	-53.97	-13	40.97	Pass	841
1840	1920	1	RMS	1883.2	11.87	60	48.13	Pass	401
1920	3000	1	RMS	2942	-49.98	-13	36.98	Pass	1081
3000	7000	1	RMS	6979	-66.61	-13	53.61	Pass	4001
7000	20000	1	RMS	19334	-53.9	-13	40.9	Pass	13002




5.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	58.95	Pass	2986
30	1000	0.1	RMS	904.637	-65.55	-13	52.55	Pass	9701
1000	1840	1	RMS	1839	-53.99	-13	40.99	Pass	841
1840	1920	1	RMS	1875.2	20.8	60	39.2	Pass	401
1920	3000	1	RMS	2940	-50.01	-13	37.01	Pass	1081
3000	7000	1	RMS	6979	-66.55	-13	53.55	Pass	4001
7000	20000	1	RMS	19365	-53.88	-13	40.88	Pass	13002




5.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.19	-72.67	-13	59.67	Pass	2986
30	1000	0.1	RMS	839.8	-65.63	-13	52.63	Pass	9701
1000	1840	1	RMS	1840	-53.99	-13	40.99	Pass	841
1840	1920	1	RMS	1884.4	20.76	60	39.24	Pass	401
1920	3000	1	RMS	2940	-49.98	-13	36.98	Pass	1081
3000	7000	1	RMS	6978	-66.61	-13	53.61	Pass	4001
7000	20000	1	RMS	19380	-53.92	-13	40.92	Pass	13002




5.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:381000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.24	-72.3	-13	59.3	Pass	2986
30	1000	0.1	RMS	919.246	-65.56	-13	52.56	Pass	9701
1000	1840	1	RMS	1840	-54.02	-13	41.02	Pass	841
1840	1920	1	RMS	1908.6	12.14	60	47.86	Pass	401
1920	3000	1	RMS	1920	-34.61	-13	21.61	Pass	1081
3000	7000	1	RMS	6974	-66.62	-13	53.62	Pass	4001
7000	20000	1	RMS	19303	-53.88	-13	40.88	Pass	13002




5.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:381000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.95	-13	58.95	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	59.2	Pass	2986
30	1000	0.1	RMS	837.9	-65.56	-13	52.56	Pass	9701
1000	1840	1	RMS	1839	-54.04	-13	41.04	Pass	841
1840	1920	1	RMS	1900.4	20.62	60	39.38	Pass	401
1920	3000	1	RMS	2936	-49.99	-13	36.99	Pass	1081
3000	7000	1	RMS	6980	-66.61	-13	53.61	Pass	4001
7000	20000	1	RMS	19324	-53.85	-13	40.85	Pass	13002




5.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:381000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.17	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	900.434	-65.45	-13	52.45	Pass	9701
1000	1840	1	RMS	1840	-54.06	-13	41.06	Pass	841
1840	1920	1	RMS	1909.4	20.57	60	39.43	Pass	401
1920	3000	1	RMS	2931	-49.92	-13	36.92	Pass	1081
3000	7000	1	RMS	6968	-66.62	-13	53.62	Pass	4001
7000	20000	1	RMS	19294	-53.89	-13	40.89	Pass	13002




5.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.18	-72.2	-13	59.2	Pass	2986
30	1000	0.1	RMS	973.082	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1840	-31.15	-13	18.15	Pass	841
1840	1920	1	RMS	1868.2	8.58	60	51.42	Pass	401
1920	3000	1	RMS	2930	-49.89	-13	36.89	Pass	1081
3000	7000	1	RMS	6974	-66.59	-13	53.59	Pass	4001
7000	20000	1	RMS	19434	-53.83	-13	40.83	Pass	13002




5.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.16	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	848.4	-65.39	-13	52.39	Pass	9701
1000	1840	1	RMS	1840	-48.98	-13	35.98	Pass	841
1840	1920	1	RMS	1850.4	21	60	39	Pass	401
1920	3000	1	RMS	2943	-49.92	-13	36.92	Pass	1081
3000	7000	1	RMS	6971	-66.51	-13	53.51	Pass	4001
7000	20000	1	RMS	19407	-53.76	-13	40.76	Pass	13002




5.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.98	-13	58.98	Pass	401
0.15	30	0.01	RMS	0.2	-72.41	-13	59.41	Pass	2986
30	1000	0.1	RMS	848.4	-65.43	-13	52.43	Pass	9701
1000	1840	1	RMS	1839	-45.78	-13	32.78	Pass	841
1840	1920	1	RMS	1869.4	20.9	60	39.1	Pass	401
1920	3000	1	RMS	2937	-49.87	-13	36.87	Pass	1081
3000	7000	1	RMS	6983	-66.55	-13	53.55	Pass	4001
7000	20000	1	RMS	19399	-53.78	-13	40.78	Pass	13002




5.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.99	-13	58.99	Pass	401
0.15	30	0.01	RMS	0.16	-72.53	-13	59.53	Pass	2986
30	1000	0.1	RMS	985.29	-65.45	-13	52.45	Pass	9701
1000	1840	1	RMS	1840	-50.05	-13	37.05	Pass	841
1840	1920	1	RMS	1876.6	8.58	60	51.42	Pass	401
1920	3000	1	RMS	1920	-47.56	-13	34.56	Pass	1081
3000	7000	1	RMS	6975	-66.53	-13	53.53	Pass	4001
7000	20000	1	RMS	19350	-53.8	-13	40.8	Pass	13002




5.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.93	-13	58.93	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	59.38	Pass	2986
30	1000	0.1	RMS	992.995	-65.52	-13	52.52	Pass	9701
1000	1840	1	RMS	1840	-53.58	-13	40.58	Pass	841
1840	1920	1	RMS	1870.4	20.97	60	39.03	Pass	401
1920	3000	1	RMS	2933	-49.89	-13	36.89	Pass	1081
3000	7000	1	RMS	6979	-66.54	-13	53.54	Pass	4001
7000	20000	1	RMS	19416	-53.75	-13	40.75	Pass	13002




5.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.15	-70.95	-13	57.95	Pass	2986
30	1000	0.1	RMS	884.724	-65.49	-13	52.49	Pass	9701
1000	1840	1	RMS	1838	-53.41	-13	40.41	Pass	841
1840	1920	1	RMS	1889.4	21.03	60	38.97	Pass	401
1920	3000	1	RMS	2951	-49.9	-13	36.9	Pass	1081
3000	7000	1	RMS	6976	-66.53	-13	53.53	Pass	4001
7000	20000	1	RMS	19338	-53.78	-13	40.78	Pass	13002




5.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	994.997	-65.44	-13	52.44	Pass	9701
1000	1840	1	RMS	1839	-53.26	-13	40.26	Pass	841
1840	1920	1	RMS	1891.6	8.87	60	51.13	Pass	401
1920	3000	1	RMS	1920	-27.77	-13	14.77	Pass	1081
3000	7000	1	RMS	6977	-66.55	-13	53.55	Pass	4001
7000	20000	1	RMS	19420	-53.8	-13	40.8	Pass	13002




5.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.17	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	854.504	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1839	-53.44	-13	40.44	Pass	841
1840	1920	1	RMS	1890.4	20.97	60	39.03	Pass	401
1920	3000	1	RMS	1921	-45.72	-13	32.72	Pass	1081
3000	7000	1	RMS	6975	-66.54	-13	53.54	Pass	4001
7000	20000	1	RMS	19318	-53.82	-13	40.82	Pass	13002



5.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.2	-72.09	-13	59.09	Pass	2986
30	1000	0.1	RMS	855.604	-65.38	-13	52.38	Pass	9701
1000	1840	1	RMS	1834	-53.42	-13	40.42	Pass	841
1840	1920	1	RMS	1909.4	21.09	60	38.91	Pass	401
1920	3000	1	RMS	1920	-49.35	-13	36.35	Pass	1081
3000	7000	1	RMS	6974	-66.54	-13	53.54	Pass	4001
7000	20000	1	RMS	19411	-53.84	-13	40.84	Pass	13002



6. n66 15kHz


6.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.8	-13	58.8	Pass	401
0.15	30	0.01	RMS	0.16	-71.84	-13	58.84	Pass	2986
30	1000	0.1	RMS	903.436	-65.48	-13	52.48	Pass	9701
1000	1700	1	RMS	1700	-49.97	-13	36.97	Pass	701
1700	1790	1	RMS	1712.375	14.65	60	45.35	Pass	401
1790	3000	1	RMS	2950	-49.93	-13	36.93	Pass	1211
3000	7000	1	RMS	6980	-66.56	-13	53.56	Pass	4001
7000	20000	1	RMS	19305	-53.84	-13	40.84	Pass	13002




6.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.16	-13	59.16	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	58.5	Pass	2986
30	1000	0.1	RMS	881.722	-65.46	-13	52.46	Pass	9701
1000	1700	1	RMS	1700	-52.86	-13	39.86	Pass	701
1700	1790	1	RMS	1710.125	20.78	60	39.22	Pass	401
1790	3000	1	RMS	2940	-49.89	-13	36.89	Pass	1211
3000	7000	1	RMS	6980	-66.64	-13	53.64	Pass	4001
7000	20000	1	RMS	19357	-53.85	-13	40.85	Pass	13002




6.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.75	-13	58.75	Pass	401
0.15	30	0.01	RMS	0.24	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	995.697	-65.45	-13	52.45	Pass	9701
1000	1700	1	RMS	1700	-53.25	-13	40.25	Pass	701
1700	1790	1	RMS	1714.625	20.64	60	39.36	Pass	401
1790	3000	1	RMS	2948	-49.92	-13	36.92	Pass	1211
3000	7000	1	RMS	6974	-66.62	-13	53.62	Pass	4001
7000	20000	1	RMS	19328	-53.79	-13	40.79	Pass	13002




6.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.16	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	983.889	-65.46	-13	52.46	Pass	9701
1000	1700	1	RMS	1693	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1744.55	14.63	60	45.37	Pass	401
1790	3000	1	RMS	2941	-49.97	-13	36.97	Pass	1211
3000	7000	1	RMS	6979	-66.59	-13	53.59	Pass	4001
7000	20000	1	RMS	19328	-53.9	-13	40.9	Pass	13002




6.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.16	-71.72	-13	58.72	Pass	2986
30	1000	0.1	RMS	972.982	-65.56	-13	52.56	Pass	9701
1000	1700	1	RMS	1698	-54.2	-13	41.2	Pass	701
1700	1790	1	RMS	1742.75	20.8	60	39.2	Pass	401
1790	3000	1	RMS	2931	-49.87	-13	36.87	Pass	1211
3000	7000	1	RMS	6975	-66.62	-13	53.62	Pass	4001
7000	20000	1	RMS	19360	-53.9	-13	40.9	Pass	13002




6.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.21	-13	60.21	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	877.219	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1695	-53.8	-13	40.8	Pass	701
1700	1790	1	RMS	1747.025	20.8	60	39.2	Pass	401
1790	3000	1	RMS	2937	-49.91	-13	36.91	Pass	1211
3000	7000	1	RMS	6979	-66.58	-13	53.58	Pass	4001
7000	20000	1	RMS	19338	-53.89	-13	40.89	Pass	13002




6.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.71	-13	58.71	Pass	401
0.15	30	0.01	RMS	0.17	-72.18	-13	59.18	Pass	2986
30	1000	0.1	RMS	886.225	-65.45	-13	52.45	Pass	9701
1000	1700	1	RMS	1671	-54.15	-13	41.15	Pass	701
1700	1790	1	RMS	1776.725	14.81	60	45.19	Pass	401
1790	3000	1	RMS	1790	-49.74	-13	36.74	Pass	1211
3000	7000	1	RMS	6979	-66.62	-13	53.62	Pass	4001
7000	20000	1	RMS	19306	-53.81	-13	40.81	Pass	13002




6.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	59.01	Pass	2986
30	1000	0.1	RMS	900.734	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1700	-54.13	-13	41.13	Pass	701
1700	1790	1	RMS	1775.15	20.79	60	39.21	Pass	401
1790	3000	1	RMS	2943	-49.85	-13	36.85	Pass	1211
3000	7000	1	RMS	6976	-66.53	-13	53.53	Pass	4001
7000	20000	1	RMS	19366	-53.88	-13	40.88	Pass	13002




6.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.56	-13	58.56	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	58.24	Pass	2986
30	1000	0.1	RMS	855.704	-65.44	-13	52.44	Pass	9701
1000	1700	1	RMS	1672	-54.13	-13	41.13	Pass	701
1700	1790	1	RMS	1779.425	20.72	60	39.28	Pass	401
1790	3000	1	RMS	2955	-49.87	-13	36.87	Pass	1211
3000	7000	1	RMS	6978	-66.55	-13	53.55	Pass	4001
7000	20000	1	RMS	19325	-53.78	-13	40.78	Pass	13002



6.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.2	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	992.795	-65.42	-13	52.42	Pass	9701
1000	1700	1	RMS	1700	-30.59	-13	17.59	Pass	701
1700	1790	1	RMS	1718.45	8.44	60	51.56	Pass	401
1790	3000	1	RMS	2939	-49.92	-13	36.92	Pass	1211
3000	7000	1	RMS	6972	-66.51	-13	53.51	Pass	4001
7000	20000	1	RMS	19379	-53.82	-13	40.82	Pass	13002



6.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	59.01	Pass	2986
30	1000	0.1	RMS	973.983	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1700	-48.37	-13	35.37	Pass	701
1700	1790	1	RMS	1710.35	20.74	60	39.26	Pass	401
1790	3000	1	RMS	2952	-49.87	-13	36.87	Pass	1211
3000	7000	1	RMS	6976	-66.56	-13	53.56	Pass	4001
7000	20000	1	RMS	19382	-53.88	-13	40.88	Pass	13002

