



14.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.13	-25	48.13	Pass	401
0.15	30	0.01	RMS	0.16	-71.69	-25	46.69	Pass	2986
30	1000	0.1	RMS	544.4	-64.53	-25	39.53	Pass	9701
1000	2486	1	RMS	2486	-47.54	-25	22.54	Pass	1487
2486	2700	1	RMS	2504.725	21.8	60	38.2	Pass	401
2700	3000	1	RMS	2937.75	-50.1	-25	25.1	Pass	401
3000	7000	1	RMS	6978	-66.71	-25	41.71	Pass	4001
7000	26500	1	RMS	25509	-50.96	-25	25.96	Pass	19503




14.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.17	-25	48.17	Pass	401
0.15	30	0.01	RMS	0.21	-72.57	-25	47.57	Pass	2986
30	1000	0.1	RMS	974.683	-65.49	-25	40.49	Pass	9701
1000	2486	1	RMS	2486	-52.62	-25	27.62	Pass	1487
2486	2700	1	RMS	2590.325	13.83	60	46.17	Pass	401
2700	3000	1	RMS	2936.25	-50.13	-25	25.13	Pass	401
3000	7000	1	RMS	6968	-66.74	-25	41.74	Pass	4001
7000	26500	1	RMS	25499	-50.89	-25	25.89	Pass	19503




14.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.28	-25	47.28	Pass	401
0.15	30	0.01	RMS	0.2	-71.87	-25	46.87	Pass	2986
30	1000	0.1	RMS	979.987	-65.61	-25	40.61	Pass	9701
1000	2486	1	RMS	2485	-52.53	-25	27.53	Pass	1487
2486	2700	1	RMS	2588.72	21.69	60	38.31	Pass	401
2700	3000	1	RMS	2937.75	-50.12	-25	25.12	Pass	401
3000	7000	1	RMS	6973	-66.67	-25	41.67	Pass	4001
7000	26500	1	RMS	25499	-50.83	-25	25.83	Pass	19503




14.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.75	-25	47.75	Pass	401
0.15	30	0.01	RMS	0.22	-71.97	-25	46.97	Pass	2986
30	1000	0.1	RMS	846.7	-65.52	-25	40.52	Pass	9701
1000	2486	1	RMS	2485	-52.6	-25	27.6	Pass	1487
2486	2700	1	RMS	2596.745	22.04	60	37.96	Pass	401
2700	3000	1	RMS	2934.75	-50.11	-25	25.11	Pass	401
3000	7000	1	RMS	6977	-66.65	-25	41.65	Pass	4001
7000	26500	1	RMS	25489	-50.92	-25	25.92	Pass	19503




14.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.01	-25	47.01	Pass	401
0.15	30	0.01	RMS	0.17	-72.14	-25	47.14	Pass	2986
30	1000	0.1	RMS	890.527	-65.57	-25	40.57	Pass	9701
1000	2486	1	RMS	2483	-52.66	-25	27.66	Pass	1487
2486	2700	1	RMS	2682.345	14.06	60	45.94	Pass	401
2700	3000	1	RMS	2700	-34.74	-25	9.74	Pass	401
3000	7000	1	RMS	6971	-66.63	-25	41.63	Pass	4001
7000	26500	1	RMS	25496	-50.93	-25	25.93	Pass	19503




14.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.94	-25	46.94	Pass	401
0.15	30	0.01	RMS	0.18	-71.82	-25	46.82	Pass	2986
30	1000	0.1	RMS	720.1	-63.57	-25	38.57	Pass	9701
1000	2486	1	RMS	2486	-52.61	-25	27.61	Pass	1487
2486	2700	1	RMS	2680.74	21.71	60	38.29	Pass	401
2700	3000	1	RMS	2700	-48.3	-25	23.3	Pass	401
3000	7000	1	RMS	6977	-66.68	-25	41.68	Pass	4001
7000	26500	1	RMS	25498	-50.9	-25	25.9	Pass	19503




14.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.92	-25	47.92	Pass	401
0.15	30	0.01	RMS	0.17	-71.85	-25	46.85	Pass	2986
30	1000	0.1	RMS	728.4	-63.13	-25	38.13	Pass	9701
1000	2486	1	RMS	2484	-52.63	-25	27.63	Pass	1487
2486	2700	1	RMS	2688.765	22.06	60	37.94	Pass	401
2700	3000	1	RMS	2700	-48.44	-25	23.44	Pass	401
3000	7000	1	RMS	6978	-66.69	-25	41.69	Pass	4001
7000	26500	1	RMS	25505	-50.96	-25	25.96	Pass	19503




14.30 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.34	-25	47.34	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-25	46.92	Pass	2986
30	1000	0.1	RMS	826.2	-65.43	-25	40.43	Pass	9701
1000	2446	1	RMS	2428	-52.84	-25	27.84	Pass	1447
2446	2740	1	RMS	2531.995	6.89	60	53.11	Pass	401
2740	3000	1	RMS	2933.7	-49.95	-25	24.95	Pass	401
3000	7000	1	RMS	6981	-66.62	-25	41.62	Pass	4001
7000	26500	1	RMS	25500	-50.83	-25	25.83	Pass	19503




14.31 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.43	-25	47.43	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-25	46.96	Pass	2986
30	1000	0.1	RMS	536.5	-64.26	-25	39.26	Pass	9701
1000	2446	1	RMS	2443	-52.82	-25	27.82	Pass	1447
2446	2740	1	RMS	2496.715	21.66	60	38.34	Pass	401
2740	3000	1	RMS	2933.05	-49.94	-25	24.94	Pass	401
3000	7000	1	RMS	6975	-66.6	-25	41.6	Pass	4001
7000	26500	1	RMS	25497	-50.83	-25	25.83	Pass	19503




14.32 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.58	-25	47.58	Pass	401
0.15	30	0.01	RMS	0.18	-71.96	-25	46.96	Pass	2986
30	1000	0.1	RMS	970.581	-65.35	-25	40.35	Pass	9701
1000	2446	1	RMS	2437	-52.92	-25	27.92	Pass	1447
2446	2740	1	RMS	2544.49	21.63	60	38.37	Pass	401
2740	3000	1	RMS	2932.4	-49.98	-25	24.98	Pass	401
3000	7000	1	RMS	6977	-66.59	-25	41.59	Pass	4001
7000	26500	1	RMS	25502	-50.74	-25	25.74	Pass	19503




14.33 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.73	-25	47.73	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-25	47.05	Pass	2986
30	1000	0.1	RMS	876.318	-65.47	-25	40.47	Pass	9701
1000	2446	1	RMS	2440	-52.89	-25	27.89	Pass	1447
2446	2740	1	RMS	2615.05	6.92	60	53.08	Pass	401
2740	3000	1	RMS	2933.05	-49.92	-25	24.92	Pass	401
3000	7000	1	RMS	6975	-66.56	-25	41.56	Pass	4001
7000	26500	1	RMS	25503	-50.86	-25	25.86	Pass	19503




14.34 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.33	-25	47.33	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-25	47.17	Pass	2986
30	1000	0.1	RMS	608.5	-65.26	-25	40.26	Pass	9701
1000	2446	1	RMS	2425	-52.9	-25	27.9	Pass	1447
2446	2740	1	RMS	2568.745	21.74	60	38.26	Pass	401
2740	3000	1	RMS	2933.05	-49.96	-25	24.96	Pass	401
3000	7000	1	RMS	6980	-66.61	-25	41.61	Pass	4001
7000	26500	1	RMS	25507	-50.84	-25	25.84	Pass	19503




14.35 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.32	-25	47.32	Pass	401
0.15	30	0.01	RMS	0.16	-71.84	-25	46.84	Pass	2986
30	1000	0.1	RMS	973.182	-65.52	-25	40.52	Pass	9701
1000	2446	1	RMS	2437	-52.82	-25	27.82	Pass	1447
2446	2740	1	RMS	2616.52	21.65	60	38.35	Pass	401
2740	3000	1	RMS	2933.05	-49.94	-25	24.94	Pass	401
3000	7000	1	RMS	6975	-66.58	-25	41.58	Pass	4001
7000	26500	1	RMS	25507	-50.69	-25	25.69	Pass	19503




14.36 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.34	-25	47.34	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-25	46.89	Pass	2986
30	1000	0.1	RMS	894.83	-65.4	-25	40.4	Pass	9701
1000	2446	1	RMS	2438	-52.84	-25	27.84	Pass	1447
2446	2740	1	RMS	2644.45	7.26	60	52.74	Pass	401
2740	3000	1	RMS	2740	-44.79	-25	19.79	Pass	401
3000	7000	1	RMS	6974	-66.57	-25	41.57	Pass	4001
7000	26500	1	RMS	25502	-50.78	-25	25.78	Pass	19503




14.37 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.79	-25	47.79	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-25	46.79	Pass	2986
30	1000	0.1	RMS	680.5	-65.38	-25	40.38	Pass	9701
1000	2446	1	RMS	2432	-52.87	-25	27.87	Pass	1447
2446	2740	1	RMS	2640.775	21.98	60	38.02	Pass	401
2740	3000	1	RMS	2941.5	-49.95	-25	24.95	Pass	401
3000	7000	1	RMS	6977	-66.54	-25	41.54	Pass	4001
7000	26500	1	RMS	25491	-50.8	-25	25.8	Pass	19503




14.38 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.37	-25	47.37	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-25	47.16	Pass	2986
30	1000	0.1	RMS	728	-63.22	-25	38.22	Pass	9701
1000	2446	1	RMS	2432	-52.88	-25	27.88	Pass	1447
2446	2740	1	RMS	2688.55	21.73	60	38.27	Pass	401
2740	3000	1	RMS	2933.7	-49.93	-25	24.93	Pass	401
3000	7000	1	RMS	6979	-66.54	-25	41.54	Pass	4001
7000	26500	1	RMS	25501	-50.75	-25	25.75	Pass	19503




14.39 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.25	-25	48.25	Pass	401
0.15	30	0.01	RMS	0.17	-72.16	-25	47.16	Pass	2986
30	1000	0.1	RMS	835.8	-65.34	-25	40.34	Pass	9701
1000	2396	1	RMS	2183	-52.98	-25	27.98	Pass	1397
2396	2790	1	RMS	2532.915	3.89	60	56.11	Pass	401
2790	3000	1	RMS	2941.725	-49.94	-25	24.94	Pass	401
3000	7000	1	RMS	6980	-66.57	-25	41.57	Pass	4001
7000	26500	1	RMS	25504	-50.72	-25	25.72	Pass	19503




14.40 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.43	-25	47.43	Pass	401
0.15	30	0.01	RMS	0.2	-71.79	-25	46.79	Pass	2986
30	1000	0.1	RMS	536.3	-64.02	-25	39.02	Pass	9701
1000	2396	1	RMS	2190	-53.04	-25	28.04	Pass	1397
2396	2790	1	RMS	2496.47	21.22	60	38.78	Pass	401
2790	3000	1	RMS	2930.175	-49.96	-25	24.96	Pass	401
3000	7000	1	RMS	6979	-66.58	-25	41.58	Pass	4001
7000	26500	1	RMS	25503	-50.87	-25	25.87	Pass	19503




14.41 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.35	-25	47.35	Pass	401
0.15	30	0.01	RMS	0.16	-71.6	-25	46.6	Pass	2986
30	1000	0.1	RMS	951.668	-65.5	-25	40.5	Pass	9701
1000	2396	1	RMS	2179	-53.02	-25	28.02	Pass	1397
2396	2790	1	RMS	2593.985	19.54	60	40.46	Pass	401
2790	3000	1	RMS	2937	-49.93	-25	24.93	Pass	401
3000	7000	1	RMS	6979	-66.6	-25	41.6	Pass	4001
7000	26500	1	RMS	25532	-50.84	-25	25.84	Pass	19503




14.42 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.05	-25	47.05	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-25	47.39	Pass	2986
30	1000	0.1	RMS	865.611	-65.49	-25	40.49	Pass	9701
1000	2396	1	RMS	2181	-53.03	-25	28.03	Pass	1397
2396	2790	1	RMS	2636.34	3.91	60	56.09	Pass	401
2790	3000	1	RMS	2934.9	-49.99	-25	24.99	Pass	401
3000	7000	1	RMS	6975	-66.57	-25	41.57	Pass	4001
7000	26500	1	RMS	25511	-50.81	-25	25.81	Pass	19503




14.43 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.01	-25	47.01	Pass	401
0.15	30	0.01	RMS	0.24	-71.26	-25	46.26	Pass	2986
30	1000	0.1	RMS	583.3	-65.29	-25	40.29	Pass	9701
1000	2396	1	RMS	2190	-52.99	-25	27.99	Pass	1397
2396	2790	1	RMS	2543.75	20.77	60	39.23	Pass	401
2790	3000	1	RMS	2937.525	-49.99	-25	24.99	Pass	401
3000	7000	1	RMS	6975	-66.59	-25	41.59	Pass	4001
7000	26500	1	RMS	25501	-50.82	-25	25.82	Pass	19503




14.44 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.51	-25	47.51	Pass	401
0.15	30	0.01	RMS	0.19	-71.58	-25	46.58	Pass	2986
30	1000	0.1	RMS	937.659	-65.5	-25	40.5	Pass	9701
1000	2396	1	RMS	2167	-53.07	-25	28.07	Pass	1397
2396	2790	1	RMS	2641.265	21.32	60	38.68	Pass	401
2790	3000	1	RMS	2935.425	-49.99	-25	24.99	Pass	401
3000	7000	1	RMS	6970	-66.57	-25	41.57	Pass	4001
7000	26500	1	RMS	25504	-50.83	-25	25.83	Pass	19503




14.45 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.57	-25	47.57	Pass	401
0.15	30	0.01	RMS	0.17	-72.76	-25	47.76	Pass	2986
30	1000	0.1	RMS	964.977	-65.62	-25	40.62	Pass	9701
1000	2396	1	RMS	2176	-53.09	-25	28.09	Pass	1397
2396	2790	1	RMS	2638.31	4.02	60	55.98	Pass	401
2790	3000	1	RMS	2940.15	-49.95	-25	24.95	Pass	401
3000	7000	1	RMS	6968	-66.63	-25	41.63	Pass	4001
7000	26500	1	RMS	25501	-50.74	-25	25.74	Pass	19503




14.46 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.21	-25	48.21	Pass	401
0.15	30	0.01	RMS	0.15	-70.68	-25	45.68	Pass	2986
30	1000	0.1	RMS	981.188	-65.53	-25	40.53	Pass	9701
1000	2396	1	RMS	2186	-53.02	-25	28.02	Pass	1397
2396	2790	1	RMS	2590.045	19.55	60	40.45	Pass	401
2790	3000	1	RMS	2931.225	-49.96	-25	24.96	Pass	401
3000	7000	1	RMS	6973	-66.58	-25	41.58	Pass	4001
7000	26500	1	RMS	25506	-50.87	-25	25.87	Pass	19503



14.47 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.21	-25	48.21	Pass	401
0.15	30	0.01	RMS	0.19	-71.54	-25	46.54	Pass	2986
30	1000	0.1	RMS	728.2	-63.57	-25	38.57	Pass	9701
1000	2396	1	RMS	2193	-53.02	-25	28.02	Pass	1397
2396	2790	1	RMS	2688.545	21.4	60	38.6	Pass	401
2790	3000	1	RMS	2935.95	-49.97	-25	24.97	Pass	401
3000	7000	1	RMS	6977	-66.56	-25	41.56	Pass	4001
7000	26500	1	RMS	25508	-50.89	-25	25.89	Pass	19503



1. n26 15kHz_Part90


1.1 Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.74	-13	63.74	Pass	401
0.15	30	0.01	RMS	0.15	-76.73	-13	63.73	Pass	2986
30	804	0.1	RMS	490.5	-73.6	-13	60.6	Pass	7741
804	834	0.1	RMS	815.1	-2.43	60	62.43	Pass	401
834	1000	0.1	RMS	834.3	-68.25	-13	55.25	Pass	1661
1000	3000	1	RMS	2837	-61.28	-13	48.28	Pass	2001
3000	10000	1	RMS	6978	-78.39	-13	65.39	Pass	7001




1.2 Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.11	-13	65.11	Pass	401
0.15	30	0.01	RMS	0.16	-77	-13	64	Pass	2986
30	804	0.1	RMS	803.6	-73.62	-13	60.62	Pass	7741
804	834	0.1	RMS	814.35	10.51	60	49.49	Pass	401
834	1000	0.1	RMS	834.8	-73.38	-13	60.38	Pass	1661
1000	3000	1	RMS	1628	-58.77	-13	45.77	Pass	2001
3000	10000	1	RMS	6981	-78.43	-13	65.43	Pass	7001




1.3 Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.46	-13	63.46	Pass	401
0.15	30	0.01	RMS	0.15	-78.2	-13	65.2	Pass	2986
30	804	0.1	RMS	481.4	-73.63	-13	60.63	Pass	7741
804	834	0.1	RMS	818.625	10.51	60	49.49	Pass	401
834	1000	0.1	RMS	836	-73.33	-13	60.33	Pass	1661
1000	3000	1	RMS	1637	-58.56	-13	45.56	Pass	2001
3000	10000	1	RMS	6990	-78.4	-13	65.4	Pass	7001




1.4 Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.36	-13	63.36	Pass	401
0.15	30	0.01	RMS	0.15	-77.97	-13	64.97	Pass	2986
30	804	0.1	RMS	480.5	-73.62	-13	60.62	Pass	7741
804	834	0.1	RMS	819	-2.6	60	62.6	Pass	401
834	1000	0.1	RMS	834.1	-66.45	-13	53.45	Pass	1661
1000	3000	1	RMS	2840	-61.3	-13	48.3	Pass	2001
3000	10000	1	RMS	6981	-78.38	-13	65.38	Pass	7001




1.5 Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-78.02	-13	65.02	Pass	401
0.15	30	0.01	RMS	0.2	-78.06	-13	65.06	Pass	2986
30	804	0.1	RMS	462.1	-73.68	-13	60.68	Pass	7741
804	834	0.1	RMS	816.825	10.65	60	49.35	Pass	401
834	1000	0.1	RMS	834.2	-72.69	-13	59.69	Pass	1661
1000	3000	1	RMS	1633	-58.57	-13	45.57	Pass	2001
3000	10000	1	RMS	6990	-78.39	-13	65.39	Pass	7001




1.6 Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.91	-13	63.91	Pass	401
0.15	30	0.01	RMS	0.15	-77.89	-13	64.89	Pass	2986
30	804	0.1	RMS	496.6	-73.5	-13	60.5	Pass	7741
804	834	0.1	RMS	821.175	10.55	60	49.45	Pass	401
834	1000	0.1	RMS	837.7	-73.36	-13	60.36	Pass	1661
1000	3000	1	RMS	1642	-58.45	-13	45.45	Pass	2001
3000	10000	1	RMS	6979	-78.43	-13	65.43	Pass	7001




**1.7 Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1,
Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.85	-13	63.85	Pass	401
0.15	30	0.01	RMS	0.22	-78.25	-13	65.25	Pass	2986
30	804	0.1	RMS	741.6	-73.61	-13	60.61	Pass	7741
804	834	0.1	RMS	820.125	-2.55	60	62.55	Pass	401
834	1000	0.1	RMS	834.1	-60.28	-13	47.28	Pass	1661
1000	3000	1	RMS	1642	-61.29	-13	48.29	Pass	2001
3000	10000	1	RMS	6987	-78.42	-13	65.42	Pass	7001




1.8 Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.82	-13	64.82	Pass	401
0.15	30	0.01	RMS	0.19	-78.05	-13	65.05	Pass	2986
30	804	0.1	RMS	488	-73.58	-13	60.58	Pass	7741
804	834	0.1	RMS	819.3	10.45	60	49.55	Pass	401
834	1000	0.1	RMS	836.7	-72.24	-13	59.24	Pass	1661
1000	3000	1	RMS	1638	-58.4	-13	45.4	Pass	2001
3000	10000	1	RMS	6978	-78.43	-13	65.43	Pass	7001




1.9 Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.54	-13	64.54	Pass	401
0.15	30	0.01	RMS	0.15	-78.23	-13	65.23	Pass	2986
30	804	0.1	RMS	488.6	-73.67	-13	60.67	Pass	7741
804	834	0.1	RMS	823.65	10.58	60	49.42	Pass	401
834	1000	0.1	RMS	834.2	-72.7	-13	59.7	Pass	1661
1000	3000	1	RMS	1647	-58.75	-13	45.75	Pass	2001
3000	10000	1	RMS	6977	-78.35	-13	65.35	Pass	7001




1.10 Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-77.66	-13	64.66	Pass	401
0.15	30	0.01	RMS	0.28	-78.71	-13	65.71	Pass	2986
30	804	0.1	RMS	751.8	-73.64	-13	60.64	Pass	7741
804	834	0.1	RMS	817.575	-5.74	60	65.74	Pass	401
834	1000	0.1	RMS	834	-48.86	-13	35.86	Pass	1661
1000	3000	1	RMS	2945	-61.28	-13	48.28	Pass	2001
3000	10000	1	RMS	6986	-78.34	-13	65.34	Pass	7001



1.11 Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-76.84	-13	63.84	Pass	401
0.15	30	0.01	RMS	0.15	-77.96	-13	64.96	Pass	2986
30	804	0.1	RMS	491.5	-73.6	-13	60.6	Pass	7741
804	834	0.1	RMS	814.425	10.5	60	49.5	Pass	401
834	1000	0.1	RMS	834	-69.61	-13	56.61	Pass	1661
1000	3000	1	RMS	1628	-59.04	-13	46.04	Pass	2001
3000	10000	1	RMS	6996	-78.37	-13	65.37	Pass	7001



1.12 Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-77.95	-13	64.95	Pass	401
0.15	30	0.01	RMS	0.16	-78.19	-13	65.19	Pass	2986
30	804	0.1	RMS	490.6	-73.55	-13	60.55	Pass	7741
804	834	0.1	RMS	823.575	10.58	60	49.42	Pass	401
834	1000	0.1	RMS	834.3	-68.44	-13	55.44	Pass	1661
1000	3000	1	RMS	1647	-59.05	-13	46.05	Pass	2001
3000	10000	1	RMS	6991	-78.43	-13	65.43	Pass	7001

