



7.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:133172, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.49	-13	60.49	Pass	401
0.15	30	0.01	RMS	0.3	-72.69	-13	59.69	Pass	2986
30	653	0.1	RMS	652.9	-65.46	-13	52.46	Pass	6231
653	709	0.1	RMS	663.6	19.52	60	40.48	Pass	561
709	1000	0.1	RMS	843.2	-65.1	-13	52.1	Pass	2911
1000	3000	1	RMS	1327	-49.34	-13	36.34	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001




7.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.17	-72.16	-13	59.16	Pass	2986
30	653	0.1	RMS	490.5	-65.99	-13	52.99	Pass	6231
653	709	0.1	RMS	676.1	20.28	60	39.72	Pass	561
709	1000	0.1	RMS	711.3	-64.69	-13	51.69	Pass	2911
1000	3000	1	RMS	1352	-49.79	-13	36.79	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




7.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:133297, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.65	-13	58.65	Pass	401
0.15	30	0.01	RMS	0.15	-72.76	-13	59.76	Pass	2986
30	653	0.1	RMS	596.1	-65.95	-13	52.95	Pass	6231
653	709	0.1	RMS	676.1	19.16	60	40.84	Pass	561
709	1000	0.1	RMS	711.4	-65.04	-13	52.04	Pass	2911
1000	3000	1	RMS	1352	-50.77	-13	37.77	Pass	2001
3000	10000	1	RMS	6799	-45.49	-13	32.49	Pass	7001




7.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.16	-72.72	-13	59.72	Pass	2986
30	653	0.1	RMS	486.1	-65.95	-13	52.95	Pass	6231
653	709	0.1	RMS	688.6	20.27	60	39.73	Pass	561
709	1000	0.1	RMS	709.1	-64.17	-13	51.17	Pass	2911
1000	3000	1	RMS	1377	-48.83	-13	35.83	Pass	2001
3000	10000	1	RMS	6801	-45.44	-13	32.44	Pass	7001




7.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:133422, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.11	-13	60.11	Pass	401
0.15	30	0.01	RMS	0.16	-72.32	-13	59.32	Pass	2986
30	653	0.1	RMS	495.8	-66.02	-13	53.02	Pass	6231
653	709	0.1	RMS	688.6	19.52	60	40.48	Pass	561
709	1000	0.1	RMS	709.1	-64.41	-13	51.41	Pass	2911
1000	3000	1	RMS	1377	-49.71	-13	36.71	Pass	2001
3000	10000	1	RMS	6803	-45.57	-13	32.57	Pass	7001




7.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.95	-13	59.95	Pass	401
0.15	30	0.01	RMS	0.2	-72.54	-13	59.54	Pass	2986
30	653	0.1	RMS	614.4	-65.98	-13	52.98	Pass	6231
653	709	0.1	RMS	663.8	19.91	60	40.09	Pass	561
709	1000	0.1	RMS	852.1	-65.1	-13	52.1	Pass	2911
1000	3000	1	RMS	1327	-47.73	-13	34.73	Pass	2001
3000	10000	1	RMS	6798	-45.58	-13	32.58	Pass	7001




7.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:133197, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	59.29	Pass	2986
30	653	0.1	RMS	627.5	-65.94	-13	52.94	Pass	6231
653	709	0.1	RMS	663.8	19.11	60	40.89	Pass	561
709	1000	0.1	RMS	852.2	-64.88	-13	51.88	Pass	2911
1000	3000	1	RMS	1327	-48.83	-13	35.83	Pass	2001
3000	10000	1	RMS	6799	-45.56	-13	32.56	Pass	7001




7.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.9	-13	59.9	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	653	0.1	RMS	607.3	-66.01	-13	53.01	Pass	6231
653	709	0.1	RMS	673.8	19.83	60	40.17	Pass	561
709	1000	0.1	RMS	709	-64.89	-13	51.89	Pass	2911
1000	3000	1	RMS	1347	-50.16	-13	37.16	Pass	2001
3000	10000	1	RMS	6798	-45.57	-13	32.57	Pass	7001




7.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:133297, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	59.27	Pass	2986
30	653	0.1	RMS	505.9	-66.02	-13	53.02	Pass	6231
653	709	0.1	RMS	673.8	18.97	60	41.03	Pass	561
709	1000	0.1	RMS	985.5	-65.04	-13	52.04	Pass	2911
1000	3000	1	RMS	1347	-51.14	-13	38.14	Pass	2001
3000	10000	1	RMS	6801	-45.58	-13	32.58	Pass	7001




7.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.17	-72.38	-13	59.38	Pass	2986
30	653	0.1	RMS	643.6	-66.02	-13	53.02	Pass	6231
653	709	0.1	RMS	683.8	19.59	60	40.41	Pass	561
709	1000	0.1	RMS	710.4	-58.49	-13	45.49	Pass	2911
1000	3000	1	RMS	1367	-48.28	-13	35.28	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




7.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:133397, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.24	-13	60.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	58.76	Pass	2986
30	653	0.1	RMS	514.8	-65.97	-13	52.97	Pass	6231
653	709	0.1	RMS	683.8	18.83	60	41.17	Pass	561
709	1000	0.1	RMS	710.5	-58.35	-13	45.35	Pass	2911
1000	3000	1	RMS	1367	-49.23	-13	36.23	Pass	2001
3000	10000	1	RMS	6801	-45.54	-13	32.54	Pass	7001




7.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-13	59.11	Pass	2986
30	653	0.1	RMS	479.3	-65.95	-13	52.95	Pass	6231
653	709	0.1	RMS	664.1	20.37	60	39.63	Pass	561
709	1000	0.1	RMS	961.4	-64.93	-13	51.93	Pass	2911
1000	3000	1	RMS	1328	-47.98	-13	34.98	Pass	2001
3000	10000	1	RMS	6800	-45.49	-13	32.49	Pass	7001




7.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:133222, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.5	-13	58.5	Pass	401
0.15	30	0.01	RMS	0.19	-72.55	-13	59.55	Pass	2986
30	653	0.1	RMS	497.2	-65.97	-13	52.97	Pass	6231
653	709	0.1	RMS	664.1	19.5	60	40.5	Pass	561
709	1000	0.1	RMS	966.6	-65.01	-13	52.01	Pass	2911
1000	3000	1	RMS	1328	-49.09	-13	36.09	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001




7.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:133297, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	59.26	Pass	2986
30	653	0.1	RMS	483.6	-66.03	-13	53.03	Pass	6231
653	709	0.1	RMS	671.6	20.25	60	39.75	Pass	561
709	1000	0.1	RMS	710	-64.38	-13	51.38	Pass	2911
1000	3000	1	RMS	1343	-50.91	-13	37.91	Pass	2001
3000	10000	1	RMS	6803	-45.55	-13	32.55	Pass	7001




7.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:133297, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.18	-72.7	-13	59.7	Pass	2986
30	653	0.1	RMS	629.1	-66	-13	53	Pass	6231
653	709	0.1	RMS	671.6	19.41	60	40.59	Pass	561
709	1000	0.1	RMS	709.5	-64.11	-13	51.11	Pass	2911
1000	3000	1	RMS	2985	-51.39	-13	38.39	Pass	2001
3000	10000	1	RMS	6802	-45.6	-13	32.6	Pass	7001




7.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.16	-72.05	-13	59.05	Pass	2986
30	653	0.1	RMS	491.2	-66.06	-13	53.06	Pass	6231
653	709	0.1	RMS	679.1	20.15	60	39.85	Pass	561
709	1000	0.1	RMS	711.9	-62.28	-13	49.28	Pass	2911
1000	3000	1	RMS	1358	-49.13	-13	36.13	Pass	2001
3000	10000	1	RMS	6802	-45.61	-13	32.61	Pass	7001



7.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:133372, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.83	-13	59.83	Pass	401
0.15	30	0.01	RMS	0.2	-72.59	-13	59.59	Pass	2986
30	653	0.1	RMS	487.1	-65.99	-13	52.99	Pass	6231
653	709	0.1	RMS	679.1	19.28	60	40.72	Pass	561
709	1000	0.1	RMS	711.8	-62.02	-13	49.02	Pass	2911
1000	3000	1	RMS	1358	-50.04	-13	37.04	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001



8. LTE_Band43 3700-3800


8.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1,
Channel:44615, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.46	-13	55.46	Pass	401
0.15	30	0.01	RMS	0.24	-68.51	-13	55.51	Pass	2986
30	1000	0.1	RMS	996.798	-61.45	-13	48.45	Pass	9701
1000	3000	1	RMS	2899	-46.33	-13	33.33	Pass	2001
3000	3680	1	RMS	3290	-43.22	-13	30.22	Pass	681
3680	3820	1	RMS	3700.3	23.87	60	36.13	Pass	401
3820	6500	1	RMS	4069	-43.6	-13	30.6	Pass	2681
6500	26500	1	RMS	11100	-50.43	-13	37.43	Pass	20003




8.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:44615, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.19	-13	55.19	Pass	401
0.15	30	0.01	RMS	0.22	-68.1	-13	55.1	Pass	2986
30	1000	0.1	RMS	973.983	-61.49	-13	48.49	Pass	9701
1000	3000	1	RMS	2909	-46.36	-13	33.36	Pass	2001
3000	3680	1	RMS	3562	-43.27	-13	30.27	Pass	681
3680	3820	1	RMS	3699.95	23.49	60	36.51	Pass	401
3820	6500	1	RMS	4061	-43.57	-13	30.57	Pass	2681
6500	26500	1	RMS	11101	-43.53	-13	30.53	Pass	20003




8.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:45090, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.5	-13	55.5	Pass	401
0.15	30	0.01	RMS	0.21	-68.54	-13	55.54	Pass	2986
30	1000	0.1	RMS	896.131	-61.45	-13	48.45	Pass	9701
1000	3000	1	RMS	2899	-46.34	-13	33.34	Pass	2001
3000	3680	1	RMS	3288	-43.25	-13	30.25	Pass	681
3680	3820	1	RMS	3747.55	25.57	60	34.43	Pass	401
3820	6500	1	RMS	4067	-43.54	-13	30.54	Pass	2681
6500	26500	1	RMS	11243	-47.49	-13	34.49	Pass	20003




8.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:45090, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.53	-13	55.53	Pass	401
0.15	30	0.01	RMS	0.17	-68.55	-13	55.55	Pass	2986
30	1000	0.1	RMS	850.501	-61.55	-13	48.55	Pass	9701
1000	3000	1	RMS	2900	-46.32	-13	33.32	Pass	2001
3000	3680	1	RMS	3280	-43.24	-13	30.24	Pass	681
3680	3820	1	RMS	3747.9	24.57	60	35.43	Pass	401
3820	6500	1	RMS	4095	-43.59	-13	30.59	Pass	2681
6500	26500	1	RMS	25498	-51	-13	38	Pass	20003




8.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:45565, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.65	-13	55.65	Pass	401
0.15	30	0.01	RMS	0.17	-67.86	-13	54.86	Pass	2986
30	1000	0.1	RMS	970.18	-61.47	-13	48.47	Pass	9701
1000	3000	1	RMS	2902	-46.31	-13	33.31	Pass	2001
3000	3680	1	RMS	3301	-43.26	-13	30.26	Pass	681
3680	3820	1	RMS	3795.15	25.1	60	34.9	Pass	401
3820	6500	1	RMS	4068	-43.55	-13	30.55	Pass	2681
6500	26500	1	RMS	11386	-48.03	-13	35.03	Pass	20003




8.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:45565, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.2	-13	55.2	Pass	401
0.15	30	0.01	RMS	0.15	-67.87	-13	54.87	Pass	2986
30	1000	0.1	RMS	925.351	-61.47	-13	48.47	Pass	9701
1000	3000	1	RMS	2900	-46.31	-13	33.31	Pass	2001
3000	3680	1	RMS	3290	-43.24	-13	30.24	Pass	681
3680	3820	1	RMS	3795.5	24.01	60	35.99	Pass	401
3820	6500	1	RMS	4054	-43.58	-13	30.58	Pass	2681
6500	26500	1	RMS	11386	-49.6	-13	36.6	Pass	20003




**8.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:44640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.99	-13	54.99	Pass	401
0.15	30	0.01	RMS	0.22	-68.07	-13	55.07	Pass	2986
30	1000	0.1	RMS	845.8	-61.4	-13	48.4	Pass	9701
1000	3000	1	RMS	2896	-46.35	-13	33.35	Pass	2001
3000	3680	1	RMS	3284	-43.22	-13	30.22	Pass	681
3680	3820	1	RMS	3700.3	24.48	60	35.52	Pass	401
3820	6500	1	RMS	4066	-43.56	-13	30.56	Pass	2681
6500	26500	1	RMS	11101	-46.41	-13	33.41	Pass	20003




**8.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:44640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.31	-13	55.31	Pass	401
0.15	30	0.01	RMS	0.21	-68.4	-13	55.4	Pass	2986
30	1000	0.1	RMS	853.303	-61.51	-13	48.51	Pass	9701
1000	3000	1	RMS	2902	-46.31	-13	33.31	Pass	2001
3000	3680	1	RMS	3287	-43.26	-13	30.26	Pass	681
3680	3820	1	RMS	3700.3	23.49	60	36.51	Pass	401
3820	6500	1	RMS	4062	-43.56	-13	30.56	Pass	2681
6500	26500	1	RMS	11102	-44.02	-13	31.02	Pass	20003




8.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:45090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.53	-13	55.53	Pass	401
0.15	30	0.01	RMS	0.16	-68.6	-13	55.6	Pass	2986
30	1000	0.1	RMS	992.395	-61.5	-13	48.5	Pass	9701
1000	3000	1	RMS	2904	-46.32	-13	33.32	Pass	2001
3000	3680	1	RMS	3287	-43.27	-13	30.27	Pass	681
3680	3820	1	RMS	3745.45	25.96	60	34.04	Pass	401
3820	6500	1	RMS	4059	-43.57	-13	30.57	Pass	2681
6500	26500	1	RMS	11236	-47.96	-13	34.96	Pass	20003




8.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:45090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.65	-13	55.65	Pass	401
0.15	30	0.01	RMS	0.15	-67.72	-13	54.72	Pass	2986
30	1000	0.1	RMS	991.795	-61.5	-13	48.5	Pass	9701
1000	3000	1	RMS	2902	-46.36	-13	33.36	Pass	2001
3000	3680	1	RMS	3562	-43.22	-13	30.22	Pass	681
3680	3820	1	RMS	3745.45	24.08	60	35.92	Pass	401
3820	6500	1	RMS	4086	-43.61	-13	30.61	Pass	2681
6500	26500	1	RMS	11237	-45.47	-13	32.47	Pass	20003




8.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:45540, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.24	-13	55.24	Pass	401
0.15	30	0.01	RMS	0.15	-67.53	-13	54.53	Pass	2986
30	1000	0.1	RMS	969.98	-61.36	-13	48.36	Pass	9701
1000	3000	1	RMS	2899	-46.32	-13	33.32	Pass	2001
3000	3680	1	RMS	3561	-43.22	-13	30.22	Pass	681
3680	3820	1	RMS	3790.25	25.28	60	34.72	Pass	401
3820	6500	1	RMS	4061	-43.61	-13	30.61	Pass	2681
6500	26500	1	RMS	25901	-50.99	-13	37.99	Pass	20003




8.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:45540, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.29	-13	55.29	Pass	401
0.15	30	0.01	RMS	0.15	-68.39	-13	55.39	Pass	2986
30	1000	0.1	RMS	873.516	-61.53	-13	48.53	Pass	9701
1000	3000	1	RMS	2901	-46.31	-13	33.31	Pass	2001
3000	3680	1	RMS	3560	-43.23	-13	30.23	Pass	681
3680	3820	1	RMS	3790.25	24.47	60	35.53	Pass	401
3820	6500	1	RMS	4061	-43.54	-13	30.54	Pass	2681
6500	26500	1	RMS	25498	-51.03	-13	38.03	Pass	20003




8.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:44665, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.29	-13	55.29	Pass	401
0.15	30	0.01	RMS	0.33	-68.94	-13	55.94	Pass	2986
30	1000	0.1	RMS	852.602	-61.35	-13	48.35	Pass	9701
1000	3000	1	RMS	2900	-46.26	-13	33.26	Pass	2001
3000	3680	1	RMS	3294	-43.23	-13	30.23	Pass	681
3680	3820	1	RMS	3700.65	23.71	60	36.29	Pass	401
3820	6500	1	RMS	4062	-43.52	-13	30.52	Pass	2681
6500	26500	1	RMS	11102	-50.75	-13	37.75	Pass	20003




8.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:44665, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.29	-13	55.29	Pass	401
0.15	30	0.01	RMS	0.19	-68	-13	55	Pass	2986
30	1000	0.1	RMS	878.519	-61.42	-13	48.42	Pass	9701
1000	3000	1	RMS	2900	-46.35	-13	33.35	Pass	2001
3000	3680	1	RMS	3674	-43.19	-13	30.19	Pass	681
3680	3820	1	RMS	3700.65	23.83	60	36.17	Pass	401
3820	6500	1	RMS	4065	-43.58	-13	30.58	Pass	2681
6500	26500	1	RMS	11103	-44.77	-13	31.77	Pass	20003




8.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:45090, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.2	-13	56.2	Pass	401
0.15	30	0.01	RMS	0.19	-68.07	-13	55.07	Pass	2986
30	1000	0.1	RMS	873.516	-61.42	-13	48.42	Pass	9701
1000	3000	1	RMS	2902	-46.33	-13	33.33	Pass	2001
3000	3680	1	RMS	3290	-43.22	-13	30.22	Pass	681
3680	3820	1	RMS	3743	25.18	60	34.82	Pass	401
3820	6500	1	RMS	4063	-43.48	-13	30.48	Pass	2681
6500	26500	1	RMS	11230	-46.56	-13	33.56	Pass	20003




8.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:45090, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.29	-13	55.29	Pass	401
0.15	30	0.01	RMS	0.21	-68.73	-13	55.73	Pass	2986
30	1000	0.1	RMS	886.725	-61.44	-13	48.44	Pass	9701
1000	3000	1	RMS	2901	-46.34	-13	33.34	Pass	2001
3000	3680	1	RMS	3558	-43.21	-13	30.21	Pass	681
3680	3820	1	RMS	3743	24.23	60	35.77	Pass	401
3820	6500	1	RMS	4059	-43.55	-13	30.55	Pass	2681
6500	26500	1	RMS	11230	-48.69	-13	35.69	Pass	20003




8.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:45515, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.71	-13	55.71	Pass	401
0.15	30	0.01	RMS	0.15	-68.19	-13	55.19	Pass	2986
30	1000	0.1	RMS	982.488	-61.41	-13	48.41	Pass	9701
1000	3000	1	RMS	2903	-46.36	-13	33.36	Pass	2001
3000	3680	1	RMS	3285	-43.21	-13	30.21	Pass	681
3680	3820	1	RMS	3785.7	25.24	60	34.76	Pass	401
3820	6500	1	RMS	3820	-43.45	-13	30.45	Pass	2681
6500	26500	1	RMS	25509	-50.99	-13	37.99	Pass	20003




8.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:45515, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.38	-13	55.38	Pass	401
0.15	30	0.01	RMS	0.15	-68.07	-13	55.07	Pass	2986
30	1000	0.1	RMS	850.001	-61.31	-13	48.31	Pass	9701
1000	3000	1	RMS	2900	-46.3	-13	33.3	Pass	2001
3000	3680	1	RMS	3281	-43.19	-13	30.19	Pass	681
3680	3820	1	RMS	3785.7	24.86	60	35.14	Pass	401
3820	6500	1	RMS	3820	-42.97	-13	29.97	Pass	2681
6500	26500	1	RMS	11357	-50.84	-13	37.84	Pass	20003




8.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:44690, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.83	-13	55.83	Pass	401
0.15	30	0.01	RMS	0.15	-67.97	-13	54.97	Pass	2986
30	1000	0.1	RMS	984.089	-61.34	-13	48.34	Pass	9701
1000	3000	1	RMS	2901	-46.29	-13	33.29	Pass	2001
3000	3680	1	RMS	3297	-43.2	-13	30.2	Pass	681
3680	3820	1	RMS	3701	24.07	60	35.93	Pass	401
3820	6500	1	RMS	4061	-43.54	-13	30.54	Pass	2681
6500	26500	1	RMS	11104	-46.95	-13	33.95	Pass	20003




8.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:44690, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.13	-13	54.13	Pass	401
0.15	30	0.01	RMS	0.23	-68.23	-13	55.23	Pass	2986
30	1000	0.1	RMS	819.9	-61.48	-13	48.48	Pass	9701
1000	3000	1	RMS	2905	-46.31	-13	33.31	Pass	2001
3000	3680	1	RMS	3560	-43.18	-13	30.18	Pass	681
3680	3820	1	RMS	3701	23.74	60	36.26	Pass	401
3820	6500	1	RMS	4064	-43.55	-13	30.55	Pass	2681
6500	26500	1	RMS	11103	-46.2	-13	33.2	Pass	20003




8.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:45090, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.16	-13	55.16	Pass	401
0.15	30	0.01	RMS	0.17	-68.45	-13	55.45	Pass	2986
30	1000	0.1	RMS	928.853	-61.27	-13	48.27	Pass	9701
1000	3000	1	RMS	2900	-46.32	-13	33.32	Pass	2001
3000	3680	1	RMS	3561	-43.21	-13	30.21	Pass	681
3680	3820	1	RMS	3740.9	25.23	60	34.77	Pass	401
3820	6500	1	RMS	4073	-43.54	-13	30.54	Pass	2681
6500	26500	1	RMS	11223	-47.25	-13	34.25	Pass	20003




8.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:45090, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.97	-13	53.97	Pass	401
0.15	30	0.01	RMS	0.16	-68.03	-13	55.03	Pass	2986
30	1000	0.1	RMS	944.463	-61.44	-13	48.44	Pass	9701
1000	3000	1	RMS	2900	-46.28	-13	33.28	Pass	2001
3000	3680	1	RMS	3303	-43.2	-13	30.2	Pass	681
3680	3820	1	RMS	3740.9	24.69	60	35.31	Pass	401
3820	6500	1	RMS	4084	-43.55	-13	30.55	Pass	2681
6500	26500	1	RMS	11223	-47.85	-13	34.85	Pass	20003




8.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:45490, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.14	-13	56.14	Pass	401
0.15	30	0.01	RMS	0.21	-68.54	-13	55.54	Pass	2986
30	1000	0.1	RMS	870.414	-61.43	-13	48.43	Pass	9701
1000	3000	1	RMS	2900	-46.3	-13	33.3	Pass	2001
3000	3680	1	RMS	3560	-43.19	-13	30.19	Pass	681
3680	3820	1	RMS	3780.8	26.14	60	33.86	Pass	401
3820	6500	1	RMS	3822	-43.42	-13	30.42	Pass	2681
6500	26500	1	RMS	11343	-47.84	-13	34.84	Pass	20003



8.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:45490, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.01	-13	56.01	Pass	401
0.15	30	0.01	RMS	0.17	-68.01	-13	55.01	Pass	2986
30	1000	0.1	RMS	971.281	-61.46	-13	48.46	Pass	9701
1000	3000	1	RMS	2900	-46.28	-13	33.28	Pass	2001
3000	3680	1	RMS	3560	-43.23	-13	30.23	Pass	681
3680	3820	1	RMS	3781.15	24.74	60	35.26	Pass	401
3820	6500	1	RMS	3820	-43.04	-13	30.04	Pass	2681
6500	26500	1	RMS	11343	-47.1	-13	34.1	Pass	20003



9. LTE_Band7


9.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.27	-25	48.27	Pass	401
0.15	30	0.01	RMS	0.19	-72.39	-25	47.39	Pass	2986
30	1000	0.1	RMS	539.7	-64.3	-25	39.3	Pass	9701
1000	2490	1	RMS	2490	-51.64	-25	26.64	Pass	1491
2490	2580	1	RMS	2500.125	22.08	60	37.92	Pass	401
2580	3000	1	RMS	2990	-51.46	-25	26.46	Pass	421
3000	12000	1	RMS	11990	-64.03	-25	39.03	Pass	9002
12000	26000	1	RMS	25495	-56.78	-25	31.78	Pass	14002




9.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.73	-25	47.73	Pass	401
0.15	30	0.01	RMS	0.23	-72.7	-25	47.7	Pass	2986
30	1000	0.1	RMS	539.6	-64.75	-25	39.75	Pass	9701
1000	2490	1	RMS	2490	-51.93	-25	26.93	Pass	1491
2490	2580	1	RMS	2500.35	20.97	60	39.03	Pass	401
2580	3000	1	RMS	2995	-51.44	-25	26.44	Pass	421
3000	12000	1	RMS	11989	-64.02	-25	39.02	Pass	9002
12000	26000	1	RMS	25506	-56.6	-25	31.6	Pass	14002




9.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.76	-25	47.76	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-25	46.71	Pass	2986
30	1000	0.1	RMS	572.1	-65.17	-25	40.17	Pass	9701
1000	2490	1	RMS	2481	-52.51	-25	27.51	Pass	1491
2490	2580	1	RMS	2532.75	22.16	60	37.84	Pass	401
2580	3000	1	RMS	2990	-51.45	-25	26.45	Pass	421
3000	12000	1	RMS	11905	-64.01	-25	39.01	Pass	9002
12000	26000	1	RMS	25507	-56.72	-25	31.72	Pass	14002




9.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.23	-25	47.23	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-25	46.34	Pass	2986
30	1000	0.1	RMS	848.9	-65.2	-25	40.2	Pass	9701
1000	2490	1	RMS	2488	-52.55	-25	27.55	Pass	1491
2490	2580	1	RMS	2532.75	21.31	60	38.69	Pass	401
2580	3000	1	RMS	2985	-51.43	-25	26.43	Pass	421
3000	12000	1	RMS	11896	-64.01	-25	39.01	Pass	9002
12000	26000	1	RMS	25500	-56.73	-25	31.73	Pass	14002




9.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.73	-25	47.73	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-25	46.97	Pass	2986
30	1000	0.1	RMS	604.6	-64.97	-25	39.97	Pass	9701
1000	2490	1	RMS	2486	-52.46	-25	27.46	Pass	1491
2490	2580	1	RMS	2565.15	22.05	60	37.95	Pass	401
2580	3000	1	RMS	2994	-51.45	-25	26.45	Pass	421
3000	12000	1	RMS	12000	-63.88	-25	38.88	Pass	9002
12000	26000	1	RMS	25502	-56.63	-25	31.63	Pass	14002




**9.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.82	-25	47.82	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-25	47.42	Pass	2986
30	1000	0.1	RMS	840.8	-65.16	-25	40.16	Pass	9701
1000	2490	1	RMS	2488	-52.5	-25	27.5	Pass	1491
2490	2580	1	RMS	2565.15	21.15	60	38.85	Pass	401
2580	3000	1	RMS	2998	-51.46	-25	26.46	Pass	421
3000	12000	1	RMS	11900	-63.99	-25	38.99	Pass	9002
12000	26000	1	RMS	25501	-56.67	-25	31.67	Pass	14002




**9.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.22	-25	47.22	Pass	401
0.15	30	0.01	RMS	0.15	-72.87	-25	47.87	Pass	2986
30	1000	0.1	RMS	539.9	-63.8	-25	38.8	Pass	9701
1000	2490	1	RMS	2490	-50.86	-25	25.86	Pass	1491
2490	2580	1	RMS	2500.575	22.03	60	37.97	Pass	401
2580	3000	1	RMS	2983	-51.46	-25	26.46	Pass	421
3000	12000	1	RMS	11995	-63.97	-25	38.97	Pass	9002
12000	26000	1	RMS	25520	-56.73	-25	31.73	Pass	14002




**9.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.93	-25	47.93	Pass	401
0.15	30	0.01	RMS	0.21	-72.76	-25	47.76	Pass	2986
30	1000	0.1	RMS	539.9	-64.59	-25	39.59	Pass	9701
1000	2490	1	RMS	2490	-50.92	-25	25.92	Pass	1491
2490	2580	1	RMS	2500.575	21.14	60	38.86	Pass	401
2580	3000	1	RMS	2989	-51.46	-25	26.46	Pass	421
3000	12000	1	RMS	11994	-63.94	-25	38.94	Pass	9002
12000	26000	1	RMS	25508	-56.71	-25	31.71	Pass	14002




9.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.83	-25	47.83	Pass	401
0.15	30	0.01	RMS	0.16	-72.46	-25	47.46	Pass	2986
30	1000	0.1	RMS	569.9	-65.17	-25	40.17	Pass	9701
1000	2490	1	RMS	2485	-52.52	-25	27.52	Pass	1491
2490	2580	1	RMS	2530.5	22.15	60	37.85	Pass	401
2580	3000	1	RMS	2985	-51.44	-25	26.44	Pass	421
3000	12000	1	RMS	11998	-64.01	-25	39.01	Pass	9002
12000	26000	1	RMS	25496	-56.76	-25	31.76	Pass	14002




9.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.68	-25	47.68	Pass	401
0.15	30	0.01	RMS	0.16	-72.73	-25	47.73	Pass	2986
30	1000	0.1	RMS	569.9	-65.24	-25	40.24	Pass	9701
1000	2490	1	RMS	2490	-52.54	-25	27.54	Pass	1491
2490	2580	1	RMS	2530.5	21.22	60	38.78	Pass	401
2580	3000	1	RMS	3000	-51.44	-25	26.44	Pass	421
3000	12000	1	RMS	11895	-63.97	-25	38.97	Pass	9002
12000	26000	1	RMS	25503	-56.63	-25	31.63	Pass	14002




9.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.02	-25	47.02	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-25	46.74	Pass	2986
30	1000	0.1	RMS	599.9	-64.75	-25	39.75	Pass	9701
1000	2490	1	RMS	2490	-52.56	-25	27.56	Pass	1491
2490	2580	1	RMS	2560.425	22.01	60	37.99	Pass	401
2580	3000	1	RMS	2580	-51.21	-25	26.21	Pass	421
3000	12000	1	RMS	11997	-63.96	-25	38.96	Pass	9002
12000	26000	1	RMS	25515	-56.75	-25	31.75	Pass	14002




9.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.03	-25	47.03	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-25	46.66	Pass	2986
30	1000	0.1	RMS	599.9	-65.03	-25	40.03	Pass	9701
1000	2490	1	RMS	2483	-52.5	-25	27.5	Pass	1491
2490	2580	1	RMS	2560.425	21.12	60	38.88	Pass	401
2580	3000	1	RMS	2580	-51.23	-25	26.23	Pass	421
3000	12000	1	RMS	11894	-64.01	-25	39.01	Pass	9002
12000	26000	1	RMS	25514	-56.64	-25	31.64	Pass	14002




9.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73	-25	48	Pass	401
0.15	30	0.01	RMS	0.23	-72.93	-25	47.93	Pass	2986
30	1000	0.1	RMS	540.1	-64.38	-25	39.38	Pass	9701
1000	2490	1	RMS	2488	-48.14	-25	23.14	Pass	1491
2490	2580	1	RMS	2500.8	22.01	60	37.99	Pass	401
2580	3000	1	RMS	2987	-51.45	-25	26.45	Pass	421
3000	12000	1	RMS	11995	-63.97	-25	38.97	Pass	9002
12000	26000	1	RMS	25493	-56.69	-25	31.69	Pass	14002




9.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.43	-25	46.43	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-25	46.5	Pass	2986
30	1000	0.1	RMS	540.1	-64.88	-25	39.88	Pass	9701
1000	2490	1	RMS	2488	-49.14	-25	24.14	Pass	1491
2490	2580	1	RMS	2500.8	20.99	60	39.01	Pass	401
2580	3000	1	RMS	2986	-51.49	-25	26.49	Pass	421
3000	12000	1	RMS	11891	-63.99	-25	38.99	Pass	9002
12000	26000	1	RMS	25500	-56.63	-25	31.63	Pass	14002




9.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.67	-25	46.67	Pass	401
0.15	30	0.01	RMS	0.19	-72.96	-25	47.96	Pass	2986
30	1000	0.1	RMS	871.715	-65.29	-25	40.29	Pass	9701
1000	2490	1	RMS	2484	-52.52	-25	27.52	Pass	1491
2490	2580	1	RMS	2528.25	22.11	60	37.89	Pass	401
2580	3000	1	RMS	2996	-51.46	-25	26.46	Pass	421
3000	12000	1	RMS	11993	-63.93	-25	38.93	Pass	9002
12000	26000	1	RMS	25511	-56.74	-25	31.74	Pass	14002




9.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.59	-25	47.59	Pass	401
0.15	30	0.01	RMS	0.21	-72.42	-25	47.42	Pass	2986
30	1000	0.1	RMS	848.7	-65.33	-25	40.33	Pass	9701
1000	2490	1	RMS	2489	-52.48	-25	27.48	Pass	1491
2490	2580	1	RMS	2528.25	21.13	60	38.87	Pass	401
2580	3000	1	RMS	2987	-51.45	-25	26.45	Pass	421
3000	12000	1	RMS	11896	-64.01	-25	39.01	Pass	9002
12000	26000	1	RMS	25501	-56.7	-25	31.7	Pass	14002




9.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.15	-25	47.15	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-25	46.67	Pass	2986
30	1000	0.1	RMS	595.1	-64.79	-25	39.79	Pass	9701
1000	2490	1	RMS	2489	-52.54	-25	27.54	Pass	1491
2490	2580	1	RMS	2555.7	22.01	60	37.99	Pass	401
2580	3000	1	RMS	2582	-48.37	-25	23.37	Pass	421
3000	12000	1	RMS	11989	-64	-25	39	Pass	9002
12000	26000	1	RMS	25497	-56.67	-25	31.67	Pass	14002



9.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.17	-25	48.17	Pass	401
0.15	30	0.01	RMS	0.17	-72.62	-25	47.62	Pass	2986
30	1000	0.1	RMS	893.429	-65.24	-25	40.24	Pass	9701
1000	2490	1	RMS	2482	-52.55	-25	27.55	Pass	1491
2490	2580	1	RMS	2555.7	21.17	60	38.83	Pass	401
2580	3000	1	RMS	2582	-47.41	-25	22.41	Pass	421
3000	12000	1	RMS	11996	-64.03	-25	39.03	Pass	9002
12000	26000	1	RMS	25495	-56.74	-25	31.74	Pass	14002



9.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.7	-25	47.7	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-25	47.24	Pass	2986
30	1000	0.1	RMS	540.4	-64	-25	39	Pass	9701
1000	2490	1	RMS	2483	-49.22	-25	24.22	Pass	1491
2490	2580	1	RMS	2501.025	22.08	60	37.92	Pass	401
2580	3000	1	RMS	2988	-51.48	-25	26.48	Pass	421
3000	12000	1	RMS	11995	-64	-25	39	Pass	9002
12000	26000	1	RMS	25508	-56.74	-25	31.74	Pass	14002

