



9.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.82	-25	47.82	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-25	47.09	Pass	2986
30	1000	0.1	RMS	540.4	-64.54	-25	39.54	Pass	9701
1000	2490	1	RMS	2483	-50.14	-25	25.14	Pass	1491
2490	2580	1	RMS	2501.025	21.18	60	38.82	Pass	401
2580	3000	1	RMS	2991	-51.48	-25	26.48	Pass	421
3000	12000	1	RMS	11993	-63.96	-25	38.96	Pass	9002
12000	26000	1	RMS	25502	-56.72	-25	31.72	Pass	14002




9.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.34	-25	48.34	Pass	401
0.15	30	0.01	RMS	0.16	-72.78	-25	47.78	Pass	2986
30	1000	0.1	RMS	565.4	-64.81	-25	39.81	Pass	9701
1000	2490	1	RMS	2490	-52.48	-25	27.48	Pass	1491
2490	2580	1	RMS	2526	22.14	60	37.86	Pass	401
2580	3000	1	RMS	2985	-51.45	-25	26.45	Pass	421
3000	12000	1	RMS	11902	-63.9	-25	38.9	Pass	9002
12000	26000	1	RMS	25504	-56.71	-25	31.71	Pass	14002




9.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.91	-25	46.91	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-25	47.1	Pass	2986
30	1000	0.1	RMS	855.204	-65.3	-25	40.3	Pass	9701
1000	2490	1	RMS	2490	-52.46	-25	27.46	Pass	1491
2490	2580	1	RMS	2526	21.1	60	38.9	Pass	401
2580	3000	1	RMS	2993	-51.48	-25	26.48	Pass	421
3000	12000	1	RMS	11999	-64.02	-25	39.02	Pass	9002
12000	26000	1	RMS	25501	-56.71	-25	31.71	Pass	14002




9.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.12	-25	48.12	Pass	401
0.15	30	0.01	RMS	0.18	-72.65	-25	47.65	Pass	2986
30	1000	0.1	RMS	590.4	-64.65	-25	39.65	Pass	9701
1000	2490	1	RMS	2483	-52.48	-25	27.48	Pass	1491
2490	2580	1	RMS	2550.975	21.94	60	38.06	Pass	401
2580	3000	1	RMS	2583	-49.89	-25	24.89	Pass	421
3000	12000	1	RMS	11993	-64.02	-25	39.02	Pass	9002
12000	26000	1	RMS	25520	-56.71	-25	31.71	Pass	14002



9.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.73	-25	47.73	Pass	401
0.15	30	0.01	RMS	0.17	-72.6	-25	47.6	Pass	2986
30	1000	0.1	RMS	590.4	-65.1	-25	40.1	Pass	9701
1000	2490	1	RMS	2488	-52.55	-25	27.55	Pass	1491
2490	2580	1	RMS	2550.975	21.06	60	38.94	Pass	401
2580	3000	1	RMS	2586	-49.52	-25	24.52	Pass	421
3000	12000	1	RMS	11997	-63.98	-25	38.98	Pass	9002
12000	26000	1	RMS	25498	-56.69	-25	31.69	Pass	14002



10. LTE_Band30


10.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:27685, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.02	-40	33.02	Pass	401
0.15	30	0.01	RMS	0.22	-72.65	-40	32.65	Pass	2986
30	1000	0.1	RMS	344.6	-59.16	-40	19.16	Pass	9701
1000	2295	1	RMS	2295	-51.92	-40	11.92	Pass	1296
2295	2325	1	RMS	2305.275	23.37	60	36.63	Pass	401
2325	3000	1	RMS	2978	-51.48	-40	11.48	Pass	676
3000	12000	1	RMS	11989	-64.03	-40	24.03	Pass	9002
12000	24000	1	RMS	23890	-58.75	-40	18.75	Pass	12002




10.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:27685, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.91	-40	32.91	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-40	32.29	Pass	2986
30	1000	0.1	RMS	344.6	-59.71	-40	19.71	Pass	9701
1000	2295	1	RMS	2295	-52.02	-40	12.02	Pass	1296
2295	2325	1	RMS	2305.275	22.35	60	37.65	Pass	401
2325	3000	1	RMS	2982	-51.46	-40	11.46	Pass	676
3000	12000	1	RMS	11896	-64.03	-40	24.03	Pass	9002
12000	24000	1	RMS	22801	-58.7	-40	18.7	Pass	12002




10.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:27710, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.43	-40	32.43	Pass	401
0.15	30	0.01	RMS	0.15	-72.64	-40	32.64	Pass	2986
30	1000	0.1	RMS	347.1	-58.94	-40	18.94	Pass	9701
1000	2295	1	RMS	2295	-52.84	-40	12.84	Pass	1296
2295	2325	1	RMS	2307.75	23.21	60	36.79	Pass	401
2325	3000	1	RMS	2988	-51.44	-40	11.44	Pass	676
3000	12000	1	RMS	11897	-64.01	-40	24.01	Pass	9002
12000	24000	1	RMS	23875	-58.75	-40	18.75	Pass	12002




10.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:27685, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.42	-40	32.42	Pass	401
0.15	30	0.01	RMS	0.15	-72.57	-40	32.57	Pass	2986
30	1000	0.1	RMS	344.6	-58.74	-40	18.74	Pass	9701
1000	2295	1	RMS	2295	-51.86	-40	11.86	Pass	1296
2295	2325	1	RMS	2305.275	23.32	60	36.68	Pass	401
2325	3000	1	RMS	2993	-51.39	-40	11.39	Pass	676
3000	12000	1	RMS	11995	-64.04	-40	24.04	Pass	9002
12000	24000	1	RMS	23880	-58.72	-40	18.72	Pass	12002




10.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:27685, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.59	-40	32.59	Pass	401
0.15	30	0.01	RMS	0.16	-72.49	-40	32.49	Pass	2986
30	1000	0.1	RMS	344.6	-59.78	-40	19.78	Pass	9701
1000	2295	1	RMS	2295	-52.09	-40	12.09	Pass	1296
2295	2325	1	RMS	2305.275	22.36	60	37.64	Pass	401
2325	3000	1	RMS	2982	-51.44	-40	11.44	Pass	676
3000	12000	1	RMS	11983	-64.03	-40	24.03	Pass	9002
12000	24000	1	RMS	23877	-58.68	-40	18.68	Pass	12002




10.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:27710, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.41	-40	33.41	Pass	401
0.15	30	0.01	RMS	0.22	-72.62	-40	32.62	Pass	2986
30	1000	0.1	RMS	347.1	-59.19	-40	19.19	Pass	9701
1000	2295	1	RMS	2295	-52.92	-40	12.92	Pass	1296
2295	2325	1	RMS	2307.825	23.26	60	36.74	Pass	401
2325	3000	1	RMS	2938	-51.46	-40	11.46	Pass	676
3000	12000	1	RMS	11999	-63.98	-40	23.98	Pass	9002
12000	24000	1	RMS	23889	-58.75	-40	18.75	Pass	12002




10.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:27710, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.49	-40	32.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-40	31.67	Pass	2986
30	1000	0.1	RMS	347.1	-60.12	-40	20.12	Pass	9701
1000	2295	1	RMS	2295	-53.02	-40	13.02	Pass	1296
2295	2325	1	RMS	2307.75	22.39	60	37.61	Pass	401
2325	3000	1	RMS	2978	-51.47	-40	11.47	Pass	676
3000	12000	1	RMS	11999	-63.98	-40	23.98	Pass	9002
12000	24000	1	RMS	23908	-58.75	-40	18.75	Pass	12002




10.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:27735, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.86	-40	32.86	Pass	401
0.15	30	0.01	RMS	0.24	-72.41	-40	32.41	Pass	2986
30	1000	0.1	RMS	349.6	-59.42	-40	19.42	Pass	9701
1000	2295	1	RMS	2294	-53.12	-40	13.12	Pass	1296
2295	2325	1	RMS	2310.375	23.12	60	36.88	Pass	401
2325	3000	1	RMS	2981	-51.47	-40	11.47	Pass	676
3000	12000	1	RMS	11992	-64.01	-40	24.01	Pass	9002
12000	24000	1	RMS	23901	-58.73	-40	18.73	Pass	12002




10.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:27735, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.49	-40	32.49	Pass	401
0.15	30	0.01	RMS	0.16	-73.14	-40	33.14	Pass	2986
30	1000	0.1	RMS	349.6	-60.52	-40	20.52	Pass	9701
1000	2295	1	RMS	2293	-53.18	-40	13.18	Pass	1296
2295	2325	1	RMS	2310.3	22.3	60	37.7	Pass	401
2325	3000	1	RMS	2988	-51.44	-40	11.44	Pass	676
3000	12000	1	RMS	11999	-64.02	-40	24.02	Pass	9002
12000	24000	1	RMS	23892	-58.72	-40	18.72	Pass	12002




10.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:27710, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.65	-40	32.65	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-40	32.24	Pass	2986
30	1000	0.1	RMS	344.9	-58.15	-40	18.15	Pass	9701
1000	2295	1	RMS	2295	-50.78	-40	10.78	Pass	1296
2295	2325	1	RMS	2305.575	23.3	60	36.7	Pass	401
2325	3000	1	RMS	2325	-50.29	-40	10.29	Pass	676
3000	12000	1	RMS	11998	-64.02	-40	24.02	Pass	9002
12000	24000	1	RMS	23895	-58.7	-40	18.7	Pass	12002




10.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:27710, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.37	-40	32.37	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-40	32.22	Pass	2986
30	1000	0.1	RMS	344.9	-59.38	-40	19.38	Pass	9701
1000	2295	1	RMS	2295	-50.74	-40	10.74	Pass	1296
2295	2325	1	RMS	2305.5	22.36	60	37.64	Pass	401
2325	3000	1	RMS	2325	-50.25	-40	10.25	Pass	676
3000	12000	1	RMS	11997	-64.04	-40	24.04	Pass	9002
12000	24000	1	RMS	23905	-58.68	-40	18.68	Pass	12002




10.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:27710, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.28	-40	32.28	Pass	401
0.15	30	0.01	RMS	0.21	-72.32	-40	32.32	Pass	2986
30	1000	0.1	RMS	344.9	-58.19	-40	18.19	Pass	9701
1000	2295	1	RMS	2295	-50.67	-40	10.67	Pass	1296
2295	2325	1	RMS	2305.575	23.27	60	36.73	Pass	401
2325	3000	1	RMS	2325	-50.32	-40	10.32	Pass	676
3000	12000	1	RMS	12000	-64	-40	24	Pass	9002
12000	24000	1	RMS	23873	-58.7	-40	18.7	Pass	12002




10.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:27710, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.15	-40	32.15	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-40	31.51	Pass	2986
30	1000	0.1	RMS	344.9	-59.68	-40	19.68	Pass	9701
1000	2295	1	RMS	2295	-50.95	-40	10.95	Pass	1296
2295	2325	1	RMS	2305.5	22.49	60	37.51	Pass	401
2325	3000	1	RMS	2325	-50.35	-40	10.35	Pass	676
3000	12000	1	RMS	11886	-63.98	-40	23.98	Pass	9002
12000	24000	1	RMS	23900	-58.75	-40	18.75	Pass	12002




10.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:27710, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.87	-40	32.87	Pass	401
0.15	30	0.01	RMS	0.18	-71.63	-40	31.63	Pass	2986
30	1000	0.1	RMS	344.9	-58.32	-40	18.32	Pass	9701
1000	2295	1	RMS	2295	-50.79	-40	10.79	Pass	1296
2295	2325	1	RMS	2305.5	23.3	60	36.7	Pass	401
2325	3000	1	RMS	2325	-50.28	-40	10.28	Pass	676
3000	12000	1	RMS	11998	-64.02	-40	24.02	Pass	9002
12000	24000	1	RMS	23898	-58.71	-40	18.71	Pass	12002



10.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:27710, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.6	-40	32.6	Pass	401
0.15	30	0.01	RMS	0.16	-71.84	-40	31.84	Pass	2986
30	1000	0.1	RMS	344.9	-59.59	-40	19.59	Pass	9701
1000	2295	1	RMS	2295	-51.04	-40	11.04	Pass	1296
2295	2325	1	RMS	2305.5	22.47	60	37.53	Pass	401
2325	3000	1	RMS	2325	-50.7	-40	10.7	Pass	676
3000	12000	1	RMS	11899	-63.99	-40	23.99	Pass	9002
12000	24000	1	RMS	23898	-58.69	-40	18.69	Pass	12002



11. LTE_Band2


11.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	58.56	Pass	2986
30	1000	0.1	RMS	885.024	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1840	-53.18	-13	40.18	Pass	841
1840	1920	1	RMS	1850.2	23.82	60	36.18	Pass	401
1920	3000	1	RMS	2983	-51.41	-13	38.41	Pass	1081
3000	12000	1	RMS	11998	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.73	-13	26.73	Pass	8001




11.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-13	58.15	Pass	2986
30	1000	0.1	RMS	977.985	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1840	-53.22	-13	40.22	Pass	841
1840	1920	1	RMS	1850.2	22.92	60	37.08	Pass	401
1920	3000	1	RMS	2993	-51.41	-13	38.41	Pass	1081
3000	12000	1	RMS	11999	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13602	-39.77	-13	26.77	Pass	8001




11.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.17	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	845.4	-65.2	-13	52.2	Pass	9701
1000	1840	1	RMS	1839	-53.89	-13	40.89	Pass	841
1840	1920	1	RMS	1879.4	23.76	60	36.24	Pass	401
1920	3000	1	RMS	2994	-51.43	-13	38.43	Pass	1081
3000	12000	1	RMS	11997	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13604	-39.81	-13	26.81	Pass	8001




11.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	58.85	Pass	2986
30	1000	0.1	RMS	842.8	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1840	-53.89	-13	40.89	Pass	841
1840	1920	1	RMS	1879.4	22.89	60	37.11	Pass	401
1920	3000	1	RMS	2995	-51.4	-13	38.4	Pass	1081
3000	12000	1	RMS	11997	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13602	-39.72	-13	26.72	Pass	8001




11.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.16	-72.43	-13	59.43	Pass	2986
30	1000	0.1	RMS	974.383	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1838	-53.91	-13	40.91	Pass	841
1840	1920	1	RMS	1908.8	23.67	60	36.33	Pass	401
1920	3000	1	RMS	2995	-51.42	-13	38.42	Pass	1081
3000	12000	1	RMS	11996	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13600	-39.76	-13	26.76	Pass	8001




11.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.79	-13	58.79	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	843.5	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1839	-53.95	-13	40.95	Pass	841
1840	1920	1	RMS	1908.8	22.93	60	37.07	Pass	401
1920	3000	1	RMS	2991	-51.41	-13	38.41	Pass	1081
3000	12000	1	RMS	11996	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13602	-39.78	-13	26.78	Pass	8001




11.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.16	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	876.518	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1840	-52.49	-13	39.49	Pass	841
1840	1920	1	RMS	1850.2	23.95	60	36.05	Pass	401
1920	3000	1	RMS	2931	-51.44	-13	38.44	Pass	1081
3000	12000	1	RMS	11995	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13602	-39.76	-13	26.76	Pass	8001




11.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.89	-13	58.89	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	1000	0.1	RMS	847.6	-65.39	-13	52.39	Pass	9701
1000	1840	1	RMS	1840	-52.67	-13	39.67	Pass	841
1840	1920	1	RMS	1850.2	23.08	60	36.92	Pass	401
1920	3000	1	RMS	2986	-51.41	-13	38.41	Pass	1081
3000	12000	1	RMS	11997	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13600	-39.74	-13	26.74	Pass	8001




11.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-13	58.09	Pass	2986
30	1000	0.1	RMS	972.081	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1839	-53.95	-13	40.95	Pass	841
1840	1920	1	RMS	1878.6	23.76	60	36.24	Pass	401
1920	3000	1	RMS	2995	-51.4	-13	38.4	Pass	1081
3000	12000	1	RMS	11999	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13602	-39.76	-13	26.76	Pass	8001




11.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	838.9	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1827	-53.88	-13	40.88	Pass	841
1840	1920	1	RMS	1878.6	22.78	60	37.22	Pass	401
1920	3000	1	RMS	2838	-51.45	-13	38.45	Pass	1081
3000	12000	1	RMS	11997	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.76	-13	26.76	Pass	8001




11.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.16	-72.14	-13	59.14	Pass	2986
30	1000	0.1	RMS	852.402	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1819	-53.97	-13	40.97	Pass	841
1840	1920	1	RMS	1907.2	23.66	60	36.34	Pass	401
1920	3000	1	RMS	2996	-51.42	-13	38.42	Pass	1081
3000	12000	1	RMS	12000	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13600	-39.72	-13	26.72	Pass	8001




11.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	983.789	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1837	-53.96	-13	40.96	Pass	841
1840	1920	1	RMS	1907.2	22.96	60	37.04	Pass	401
1920	3000	1	RMS	2996	-51.38	-13	38.38	Pass	1081
3000	12000	1	RMS	11999	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13601	-39.7	-13	26.7	Pass	8001




11.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	58.24	Pass	2986
30	1000	0.1	RMS	848.1	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1840	-51.79	-13	38.79	Pass	841
1840	1920	1	RMS	1850.2	24.09	60	35.91	Pass	401
1920	3000	1	RMS	2992	-51.44	-13	38.44	Pass	1081
3000	12000	1	RMS	11995	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13610	-39.83	-13	26.83	Pass	8001




11.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.67	-13	58.67	Pass	401
0.15	30	0.01	RMS	0.2	-72.77	-13	59.77	Pass	2986
30	1000	0.1	RMS	893.129	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1840	-51.99	-13	38.99	Pass	841
1840	1920	1	RMS	1850.2	23.07	60	36.93	Pass	401
1920	3000	1	RMS	2991	-51.39	-13	38.39	Pass	1081
3000	12000	1	RMS	11998	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13600	-39.84	-13	26.84	Pass	8001




11.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	0.19	-72.39	-13	59.39	Pass	2986
30	1000	0.1	RMS	901.935	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1839	-53.89	-13	40.89	Pass	841
1840	1920	1	RMS	1877.8	23.74	60	36.26	Pass	401
1920	3000	1	RMS	2990	-51.4	-13	38.4	Pass	1081
3000	12000	1	RMS	11999	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13600	-39.7	-13	26.7	Pass	8001




11.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.17	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	836.4	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1838	-53.94	-13	40.94	Pass	841
1840	1920	1	RMS	1877.8	22.98	60	37.02	Pass	401
1920	3000	1	RMS	2999	-51.45	-13	38.45	Pass	1081
3000	12000	1	RMS	11998	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13600	-39.71	-13	26.71	Pass	8001




11.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.1	-13	60.1	Pass	401
0.15	30	0.01	RMS	0.16	-72.62	-13	59.62	Pass	2986
30	1000	0.1	RMS	932.655	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1835	-53.91	-13	40.91	Pass	841
1840	1920	1	RMS	1905.2	23.87	60	36.13	Pass	401
1920	3000	1	RMS	2986	-51.42	-13	38.42	Pass	1081
3000	12000	1	RMS	11994	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13604	-39.81	-13	26.81	Pass	8001




11.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	1000	0.1	RMS	842.2	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1834	-53.95	-13	40.95	Pass	841
1840	1920	1	RMS	1905.2	23	60	37	Pass	401
1920	3000	1	RMS	2986	-51.38	-13	38.38	Pass	1081
3000	12000	1	RMS	11998	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13603	-39.78	-13	26.78	Pass	8001




11.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	58.38	Pass	2986
30	1000	0.1	RMS	957.172	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1840	-49.96	-13	36.96	Pass	841
1840	1920	1	RMS	1850.6	23.97	60	36.03	Pass	401
1920	3000	1	RMS	2986	-51.38	-13	38.38	Pass	1081
3000	12000	1	RMS	12000	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13599	-39.8	-13	26.8	Pass	8001




11.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.17	-72.47	-13	59.47	Pass	2986
30	1000	0.1	RMS	845.2	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1840	-50.1	-13	37.1	Pass	841
1840	1920	1	RMS	1850.6	23.07	60	36.93	Pass	401
1920	3000	1	RMS	2992	-51.39	-13	38.39	Pass	1081
3000	12000	1	RMS	11995	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13603	-39.74	-13	26.74	Pass	8001




11.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	843.5	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1840	-53.84	-13	40.84	Pass	841
1840	1920	1	RMS	1875.4	23.72	60	36.28	Pass	401
1920	3000	1	RMS	2992	-51.4	-13	38.4	Pass	1081
3000	12000	1	RMS	11995	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13602	-39.81	-13	26.81	Pass	8001




11.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	58.72	Pass	2986
30	1000	0.1	RMS	848.7	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1825	-53.89	-13	40.89	Pass	841
1840	1920	1	RMS	1875.4	22.74	60	37.26	Pass	401
1920	3000	1	RMS	2977	-51.4	-13	38.4	Pass	1081
3000	12000	1	RMS	12000	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13600	-39.73	-13	26.73	Pass	8001




11.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.17	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	863.009	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1840	-53.97	-13	40.97	Pass	841
1840	1920	1	RMS	1900.4	23.73	60	36.27	Pass	401
1920	3000	1	RMS	1920	-49.07	-13	36.07	Pass	1081
3000	12000	1	RMS	11998	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13604	-39.75	-13	26.75	Pass	8001




11.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.48	-13	58.48	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	1000	0.1	RMS	871.515	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1837	-53.92	-13	40.92	Pass	841
1840	1920	1	RMS	1900.4	22.92	60	37.08	Pass	401
1920	3000	1	RMS	1920	-49.17	-13	36.17	Pass	1081
3000	12000	1	RMS	11999	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13602	-39.78	-13	26.78	Pass	8001




11.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.16	-71.67	-13	58.67	Pass	2986
30	1000	0.1	RMS	966.278	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1839	-48.43	-13	35.43	Pass	841
1840	1920	1	RMS	1850.8	23.9	60	36.1	Pass	401
1920	3000	1	RMS	2986	-51.4	-13	38.4	Pass	1081
3000	12000	1	RMS	11998	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13605	-39.75	-13	26.75	Pass	8001




11.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.22	-13	59.22	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	948.866	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1840	-48.99	-13	35.99	Pass	841
1840	1920	1	RMS	1850.8	23.02	60	36.98	Pass	401
1920	3000	1	RMS	2992	-51.43	-13	38.43	Pass	1081
3000	12000	1	RMS	12000	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13600	-39.75	-13	26.75	Pass	8001




11.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	58.58	Pass	2986
30	1000	0.1	RMS	988.392	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1840	-53.82	-13	40.82	Pass	841
1840	1920	1	RMS	1873.2	23.72	60	36.28	Pass	401
1920	3000	1	RMS	2992	-51.44	-13	38.44	Pass	1081
3000	12000	1	RMS	11996	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13599	-39.76	-13	26.76	Pass	8001




11.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.16	-72.47	-13	59.47	Pass	2986
30	1000	0.1	RMS	885.024	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1840	-53.82	-13	40.82	Pass	841
1840	1920	1	RMS	1873.2	22.81	60	37.19	Pass	401
1920	3000	1	RMS	2981	-51.43	-13	38.43	Pass	1081
3000	12000	1	RMS	11999	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13605	-39.77	-13	26.77	Pass	8001



11.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.46	-13	58.46	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	959.873	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1840	-53.92	-13	40.92	Pass	841
1840	1920	1	RMS	1895.8	23.75	60	36.25	Pass	401
1920	3000	1	RMS	1922	-45.3	-13	32.3	Pass	1081
3000	12000	1	RMS	11999	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13600	-39.75	-13	26.75	Pass	8001



11.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.17	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	846.1	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1838	-53.88	-13	40.88	Pass	841
1840	1920	1	RMS	1895.8	22.92	60	37.08	Pass	401
1920	3000	1	RMS	1922	-44.96	-13	31.96	Pass	1081
3000	12000	1	RMS	11998	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13601	-39.76	-13	26.76	Pass	8001

