



11.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.15	-71.03	-13	58.03	Pass	2986
30	1000	0.1	RMS	845.1	-65.14	-13	52.14	Pass	9701
1000	1840	1	RMS	1840	-49.66	-13	36.66	Pass	841
1840	1920	1	RMS	1851	23.92	60	36.08	Pass	401
1920	3000	1	RMS	2982	-51.42	-13	38.42	Pass	1081
3000	12000	1	RMS	11997	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13597	-39.77	-13	26.77	Pass	8001




11.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	59.29	Pass	2986
30	1000	0.1	RMS	963.476	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1840	-49.92	-13	36.92	Pass	841
1840	1920	1	RMS	1851	23.22	60	36.78	Pass	401
1920	3000	1	RMS	2980	-51.43	-13	38.43	Pass	1081
3000	12000	1	RMS	11999	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001




11.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.17	-71.55	-13	58.55	Pass	2986
30	1000	0.1	RMS	937.459	-65.38	-13	52.38	Pass	9701
1000	1840	1	RMS	1836	-53.38	-13	40.38	Pass	841
1840	1920	1	RMS	1871	23.8	60	36.2	Pass	401
1920	3000	1	RMS	3000	-51.45	-13	38.45	Pass	1081
3000	12000	1	RMS	11998	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13601	-39.83	-13	26.83	Pass	8001




11.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.67	-13	58.67	Pass	401
0.15	30	0.01	RMS	0.17	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	989.093	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1835	-53.52	-13	40.52	Pass	841
1840	1920	1	RMS	1871	22.77	60	37.23	Pass	401
1920	3000	1	RMS	2981	-51.43	-13	38.43	Pass	1081
3000	12000	1	RMS	11998	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13600	-39.83	-13	26.83	Pass	8001




11.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.28	-13	60.28	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	58.23	Pass	2986
30	1000	0.1	RMS	986.991	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1840	-53.9	-13	40.9	Pass	841
1840	1920	1	RMS	1891	23.85	60	36.15	Pass	401
1920	3000	1	RMS	1920	-49.93	-13	36.93	Pass	1081
3000	12000	1	RMS	12000	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13600	-39.86	-13	26.86	Pass	8001



11.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.48	-13	58.48	Pass	401
0.15	30	0.01	RMS	0.16	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	844.7	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1840	-53.96	-13	40.96	Pass	841
1840	1920	1	RMS	1891	22.84	60	37.16	Pass	401
1920	3000	1	RMS	1920	-49.88	-13	36.88	Pass	1081
3000	12000	1	RMS	11999	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001



12. LTE_Band4


12.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.46	-13	58.46	Pass	401
0.15	30	0.01	RMS	0.16	-72.56	-13	59.56	Pass	2986
30	1000	0.1	RMS	870.614	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1700	-53.46	-13	40.46	Pass	701
1700	1765	1	RMS	1710.238	23.65	60	36.35	Pass	401
1765	3000	1	RMS	2981	-51.39	-13	38.39	Pass	1236
3000	12000	1	RMS	11991	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13597	-39.88	-13	26.88	Pass	8001




12.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	0.19	-72.71	-13	59.71	Pass	2986
30	1000	0.1	RMS	851.702	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1700	-53.62	-13	40.62	Pass	701
1700	1765	1	RMS	1710.238	22.68	60	37.32	Pass	401
1765	3000	1	RMS	3000	-51.47	-13	38.47	Pass	1236
3000	12000	1	RMS	12000	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13604	-39.81	-13	26.81	Pass	8001




12.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.16	-71.46	-13	58.46	Pass	2986
30	1000	0.1	RMS	990.794	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1677	-54.08	-13	41.08	Pass	701
1700	1765	1	RMS	1732.013	23.64	60	36.36	Pass	401
1765	3000	1	RMS	2996	-51.4	-13	38.4	Pass	1236
3000	12000	1	RMS	11999	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001




12.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-13	59.29	Pass	2986
30	1000	0.1	RMS	823.8	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1678	-54.08	-13	41.08	Pass	701
1700	1765	1	RMS	1732.013	22.66	60	37.34	Pass	401
1765	3000	1	RMS	2990	-51.47	-13	38.47	Pass	1236
3000	12000	1	RMS	11999	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001




12.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	58.33	Pass	2986
30	1000	0.1	RMS	841.3	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1678	-54.05	-13	41.05	Pass	701
1700	1765	1	RMS	1753.788	23.7	60	36.3	Pass	401
1765	3000	1	RMS	2932	-51.46	-13	38.46	Pass	1236
3000	12000	1	RMS	11997	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13600	-39.81	-13	26.81	Pass	8001




12.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	866.011	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1680	-54.06	-13	41.06	Pass	701
1700	1765	1	RMS	1753.788	22.85	60	37.15	Pass	401
1765	3000	1	RMS	2999	-51.41	-13	38.41	Pass	1236
3000	12000	1	RMS	11992	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13603	-39.84	-13	26.84	Pass	8001




12.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	845.6	-65.37	-13	52.37	Pass	9701
1000	1700	1	RMS	1700	-52.86	-13	39.86	Pass	701
1700	1765	1	RMS	1710.238	23.73	60	36.27	Pass	401
1765	3000	1	RMS	2982	-51.43	-13	38.43	Pass	1236
3000	12000	1	RMS	12000	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13598	-39.79	-13	26.79	Pass	8001




12.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.2	-72.24	-13	59.24	Pass	2986
30	1000	0.1	RMS	993.095	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1700	-53.09	-13	40.09	Pass	701
1700	1765	1	RMS	1710.075	22.85	60	37.15	Pass	401
1765	3000	1	RMS	2992	-51.44	-13	38.44	Pass	1236
3000	12000	1	RMS	11999	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13605	-39.76	-13	26.76	Pass	8001




12.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-13	58.26	Pass	2986
30	1000	0.1	RMS	975.584	-65.37	-13	52.37	Pass	9701
1000	1700	1	RMS	1671	-54.1	-13	41.1	Pass	701
1700	1765	1	RMS	1731.2	23.6	60	36.4	Pass	401
1765	3000	1	RMS	2989	-51.42	-13	38.42	Pass	1236
3000	12000	1	RMS	11997	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13600	-39.83	-13	26.83	Pass	8001




12.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	926.351	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1677	-54.07	-13	41.07	Pass	701
1700	1765	1	RMS	1731.2	22.74	60	37.26	Pass	401
1765	3000	1	RMS	2984	-51.42	-13	38.42	Pass	1236
3000	12000	1	RMS	11994	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13600	-39.84	-13	26.84	Pass	8001




12.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	846.7	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1681	-54.06	-13	41.06	Pass	701
1700	1765	1	RMS	1752.163	23.64	60	36.36	Pass	401
1765	3000	1	RMS	2996	-51.43	-13	38.43	Pass	1236
3000	12000	1	RMS	11999	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13603	-39.84	-13	26.84	Pass	8001




12.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	865.711	-65.37	-13	52.37	Pass	9701
1000	1700	1	RMS	1678	-54.08	-13	41.08	Pass	701
1700	1765	1	RMS	1752.163	22.9	60	37.1	Pass	401
1765	3000	1	RMS	2992	-51.44	-13	38.44	Pass	1236
3000	12000	1	RMS	11999	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13604	-39.83	-13	26.83	Pass	8001




12.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.37	-13	60.37	Pass	401
0.15	30	0.01	RMS	0.16	-72.02	-13	59.02	Pass	2986
30	1000	0.1	RMS	947.665	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1700	-51.6	-13	38.6	Pass	701
1700	1765	1	RMS	1710.238	23.94	60	36.06	Pass	401
1765	3000	1	RMS	2981	-51.46	-13	38.46	Pass	1236
3000	12000	1	RMS	11997	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13605	-39.8	-13	26.8	Pass	8001




12.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.16	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	888.626	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1700	-52.18	-13	39.18	Pass	701
1700	1765	1	RMS	1710.238	22.86	60	37.14	Pass	401
1765	3000	1	RMS	2994	-51.43	-13	38.43	Pass	1236
3000	12000	1	RMS	12000	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13605	-39.81	-13	26.81	Pass	8001




12.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.23	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	994.096	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1680	-54.03	-13	41.03	Pass	701
1700	1765	1	RMS	1730.225	23.65	60	36.35	Pass	401
1765	3000	1	RMS	2931	-51.44	-13	38.44	Pass	1236
3000	12000	1	RMS	11990	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13599	-39.79	-13	26.79	Pass	8001




12.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.16	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	977.085	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1674	-54.08	-13	41.08	Pass	701
1700	1765	1	RMS	1730.225	22.95	60	37.05	Pass	401
1765	3000	1	RMS	2996	-51.46	-13	38.46	Pass	1236
3000	12000	1	RMS	11997	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13603	-39.82	-13	26.82	Pass	8001




12.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.16	-71.48	-13	58.48	Pass	2986
30	1000	0.1	RMS	914.543	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1675	-54.1	-13	41.1	Pass	701
1700	1765	1	RMS	1750.213	23.85	60	36.15	Pass	401
1765	3000	1	RMS	2937	-51.45	-13	38.45	Pass	1236
3000	12000	1	RMS	11999	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13602	-39.8	-13	26.8	Pass	8001




12.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	851.702	-65.16	-13	52.16	Pass	9701
1000	1700	1	RMS	1681	-54.07	-13	41.07	Pass	701
1700	1765	1	RMS	1750.213	23.03	60	36.97	Pass	401
1765	3000	1	RMS	2996	-51.45	-13	38.45	Pass	1236
3000	12000	1	RMS	12000	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13600	-39.81	-13	26.81	Pass	8001




12.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	59.16	Pass	2986
30	1000	0.1	RMS	988.492	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1693	-41.52	-13	28.52	Pass	701
1700	1765	1	RMS	1710.563	23.88	60	36.12	Pass	401
1765	3000	1	RMS	2996	-51.42	-13	38.42	Pass	1236
3000	12000	1	RMS	11999	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13603	-39.87	-13	26.87	Pass	8001




12.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	58.58	Pass	2986
30	1000	0.1	RMS	930.854	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1693	-42.73	-13	29.73	Pass	701
1700	1765	1	RMS	1710.563	23.03	60	36.97	Pass	401
1765	3000	1	RMS	2999	-51.42	-13	38.42	Pass	1236
3000	12000	1	RMS	11999	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13603	-39.72	-13	26.72	Pass	8001




12.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.19	-72.62	-13	59.62	Pass	2986
30	1000	0.1	RMS	835.7	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1680	-54.04	-13	41.04	Pass	701
1700	1765	1	RMS	1727.95	23.8	60	36.2	Pass	401
1765	3000	1	RMS	3000	-51.46	-13	38.46	Pass	1236
3000	12000	1	RMS	11995	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13603	-39.79	-13	26.79	Pass	8001




12.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	59.34	Pass	2986
30	1000	0.1	RMS	842.9	-65.37	-13	52.37	Pass	9701
1000	1700	1	RMS	1680	-54.07	-13	41.07	Pass	701
1700	1765	1	RMS	1727.95	22.72	60	37.28	Pass	401
1765	3000	1	RMS	2997	-51.47	-13	38.47	Pass	1236
3000	12000	1	RMS	11993	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13603	-39.75	-13	26.75	Pass	8001




12.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	995.597	-65.2	-13	52.2	Pass	9701
1000	1700	1	RMS	1682	-54.1	-13	41.1	Pass	701
1700	1765	1	RMS	1745.5	23.84	60	36.16	Pass	401
1765	3000	1	RMS	1765	-49.9	-13	36.9	Pass	1236
3000	12000	1	RMS	11997	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13601	-39.87	-13	26.87	Pass	8001




12.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.16	-71.5	-13	58.5	Pass	2986
30	1000	0.1	RMS	835.9	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1678	-54.06	-13	41.06	Pass	701
1700	1765	1	RMS	1745.5	23.03	60	36.97	Pass	401
1765	3000	1	RMS	1765	-49.88	-13	36.88	Pass	1236
3000	12000	1	RMS	11987	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13598	-39.75	-13	26.75	Pass	8001




12.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	829.7	-65.4	-13	52.4	Pass	9701
1000	1700	1	RMS	1698	-45.46	-13	32.46	Pass	701
1700	1765	1	RMS	1710.725	23.71	60	36.29	Pass	401
1765	3000	1	RMS	2989	-51.4	-13	38.4	Pass	1236
3000	12000	1	RMS	11999	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13600	-39.74	-13	26.74	Pass	8001




12.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	820.5	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1698	-46.39	-13	33.39	Pass	701
1700	1765	1	RMS	1710.725	22.86	60	37.14	Pass	401
1765	3000	1	RMS	2986	-51.42	-13	38.42	Pass	1236
3000	12000	1	RMS	11993	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13599	-39.82	-13	26.82	Pass	8001




12.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	870.414	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1699	-37.16	-13	24.16	Pass	701
1700	1765	1	RMS	1725.838	23.7	60	36.3	Pass	401
1765	3000	1	RMS	2984	-51.46	-13	38.46	Pass	1236
3000	12000	1	RMS	11998	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13604	-39.82	-13	26.82	Pass	8001




12.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	59.39	Pass	2986
30	1000	0.1	RMS	845.3	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1699	-38.65	-13	25.65	Pass	701
1700	1765	1	RMS	1725.675	22.73	60	37.27	Pass	401
1765	3000	1	RMS	2995	-51.44	-13	38.44	Pass	1236
3000	12000	1	RMS	12000	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13600	-39.82	-13	26.82	Pass	8001




12.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	58.37	Pass	2986
30	1000	0.1	RMS	819.9	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1675	-54.08	-13	41.08	Pass	701
1700	1765	1	RMS	1740.788	23.86	60	36.14	Pass	401
1765	3000	1	RMS	1767	-34.56	-13	21.56	Pass	1236
3000	12000	1	RMS	11998	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13602	-39.8	-13	26.8	Pass	8001




12.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	59.01	Pass	2986
30	1000	0.1	RMS	870.114	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1680	-54.05	-13	41.05	Pass	701
1700	1765	1	RMS	1740.788	22.81	60	37.19	Pass	401
1765	3000	1	RMS	1767	-35.31	-13	22.31	Pass	1236
3000	12000	1	RMS	12000	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13596	-39.81	-13	26.81	Pass	8001




12.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-13	59.06	Pass	2986
30	1000	0.1	RMS	980.087	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1693	-47.27	-13	34.27	Pass	701
1700	1765	1	RMS	1711.05	23.82	60	36.18	Pass	401
1765	3000	1	RMS	2922	-51.43	-13	38.43	Pass	1236
3000	12000	1	RMS	11997	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13603	-39.74	-13	26.74	Pass	8001




12.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	1000	0.1	RMS	982.789	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1693	-49.37	-13	36.37	Pass	701
1700	1765	1	RMS	1711.05	22.87	60	37.13	Pass	401
1765	3000	1	RMS	2984	-51.44	-13	38.44	Pass	1236
3000	12000	1	RMS	11997	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13601	-39.82	-13	26.82	Pass	8001




12.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.44	-13	58.44	Pass	401
0.15	30	0.01	RMS	0.17	-71.2	-13	58.2	Pass	2986
30	1000	0.1	RMS	846.5	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1688	-52.27	-13	39.27	Pass	701
1700	1765	1	RMS	1723.563	23.63	60	36.37	Pass	401
1765	3000	1	RMS	2993	-51.45	-13	38.45	Pass	1236
3000	12000	1	RMS	11996	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13599	-39.75	-13	26.75	Pass	8001




12.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	59.18	Pass	2986
30	1000	0.1	RMS	980.187	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1688	-52.64	-13	39.64	Pass	701
1700	1765	1	RMS	1723.563	22.73	60	37.27	Pass	401
1765	3000	1	RMS	3000	-51.41	-13	38.41	Pass	1236
3000	12000	1	RMS	11994	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13605	-39.85	-13	26.85	Pass	8001




12.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-13	59.21	Pass	2986
30	1000	0.1	RMS	871.715	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1700	-39.49	-13	26.49	Pass	701
1700	1765	1	RMS	1736.075	23.76	60	36.24	Pass	401
1765	3000	1	RMS	1772	-34.44	-13	21.44	Pass	1236
3000	12000	1	RMS	11994	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001



12.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.25	-72.76	-13	59.76	Pass	2986
30	1000	0.1	RMS	847.6	-65.2	-13	52.2	Pass	9701
1000	1700	1	RMS	1700	-40.9	-13	27.9	Pass	701
1700	1765	1	RMS	1736.075	22.92	60	37.08	Pass	401
1765	3000	1	RMS	1772	-34.68	-13	21.68	Pass	1236
3000	12000	1	RMS	11994	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13599	-39.89	-13	26.89	Pass	8001



13. LTE_Band25


13.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	929.353	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1840	-53.37	-13	40.37	Pass	841
1840	1925	1	RMS	1850.2	23.79	60	36.21	Pass	401
1925	3000	1	RMS	2980	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	11999	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001




13.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-13	57.94	Pass	2986
30	1000	0.1	RMS	867.212	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1840	-53.48	-13	40.48	Pass	841
1840	1925	1	RMS	1850.2	22.91	60	37.09	Pass	401
1925	3000	1	RMS	2984	-51.41	-13	38.41	Pass	1076
3000	12000	1	RMS	11998	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13602	-39.8	-13	26.8	Pass	8001




13.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.17	-71.58	-13	58.58	Pass	2986
30	1000	0.1	RMS	980.387	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1837	-53.99	-13	40.99	Pass	841
1840	1925	1	RMS	1881.863	23.64	60	36.36	Pass	401
1925	3000	1	RMS	2982	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	12000	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13601	-39.76	-13	26.76	Pass	8001




13.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.34	-13	58.34	Pass	401
0.15	30	0.01	RMS	0.16	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	843.1	-65.4	-13	52.4	Pass	9701
1000	1840	1	RMS	1840	-53.98	-13	40.98	Pass	841
1840	1925	1	RMS	1881.863	22.7	60	37.3	Pass	401
1925	3000	1	RMS	2993	-51.42	-13	38.42	Pass	1076
3000	12000	1	RMS	11999	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001




13.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.27	-13	60.27	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	59.42	Pass	2986
30	1000	0.1	RMS	840.9	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1830	-54.01	-13	41.01	Pass	841
1840	1925	1	RMS	1913.738	23.81	60	36.19	Pass	401
1925	3000	1	RMS	2994	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	12000	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13602	-39.81	-13	26.81	Pass	8001




13.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.24	-13	58.24	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	849.901	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1837	-53.97	-13	40.97	Pass	841
1840	1925	1	RMS	1913.738	22.75	60	37.25	Pass	401
1925	3000	1	RMS	3000	-51.48	-13	38.48	Pass	1076
3000	12000	1	RMS	11981	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13598	-39.79	-13	26.79	Pass	8001



13.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.14	-13	60.14	Pass	401
0.15	30	0.01	RMS	0.17	-71.35	-13	58.35	Pass	2986
30	1000	0.1	RMS	874.117	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1840	-52.87	-13	39.87	Pass	841
1840	1925	1	RMS	1850.2	23.84	60	36.16	Pass	401
1925	3000	1	RMS	2987	-51.44	-13	38.44	Pass	1076
3000	12000	1	RMS	11995	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13605	-39.82	-13	26.82	Pass	8001



13.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.16	-72.52	-13	59.52	Pass	2986
30	1000	0.1	RMS	880.421	-65.3	-13	52.3	Pass	9701
1000	1840	1	RMS	1840	-53.19	-13	40.19	Pass	841
1840	1925	1	RMS	1850.2	23.04	60	36.96	Pass	401
1925	3000	1	RMS	2985	-51.46	-13	38.46	Pass	1076
3000	12000	1	RMS	11996	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13602	-39.85	-13	26.85	Pass	8001

