



14.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	58.33	Pass	2986
30	1000	0.1	RMS	968.379	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1678	-54.04	-13	41.04	Pass	701
1700	1790	1	RMS	1770.425	23.7	60	36.3	Pass	401
1790	3000	1	RMS	1790	-50.66	-13	37.66	Pass	1211
3000	12000	1	RMS	11999	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13598	-39.81	-13	26.81	Pass	8001




14.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	0.21	-72.48	-13	59.48	Pass	2986
30	1000	0.1	RMS	825.6	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1676	-54.1	-13	41.1	Pass	701
1700	1790	1	RMS	1770.425	22.93	60	37.07	Pass	401
1790	3000	1	RMS	1790	-50.66	-13	37.66	Pass	1211
3000	12000	1	RMS	11996	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13604	-39.87	-13	26.87	Pass	8001




14.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.06	-13	59.06	Pass	401
0.15	30	0.01	RMS	0.17	-72.24	-13	59.24	Pass	2986
30	1000	0.1	RMS	841.4	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1698	-46.25	-13	33.25	Pass	701
1700	1790	1	RMS	1710.8	23.65	60	36.35	Pass	401
1790	3000	1	RMS	2991	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	11998	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13604	-39.85	-13	26.85	Pass	8001




14.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	839.1	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1698	-47.18	-13	34.18	Pass	701
1700	1790	1	RMS	1710.8	22.75	60	37.25	Pass	401
1790	3000	1	RMS	2991	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	11999	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13605	-39.86	-13	26.86	Pass	8001




14.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	58.5	Pass	2986
30	1000	0.1	RMS	958.372	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1680	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1738.25	23.62	60	36.38	Pass	401
1790	3000	1	RMS	2986	-51.47	-13	38.47	Pass	1211
3000	12000	1	RMS	12000	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001




14.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.15	-72.71	-13	59.71	Pass	2986
30	1000	0.1	RMS	985.991	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1676	-54.11	-13	41.11	Pass	701
1700	1790	1	RMS	1738.25	22.73	60	37.27	Pass	401
1790	3000	1	RMS	2995	-51.47	-13	38.47	Pass	1211
3000	12000	1	RMS	11995	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13604	-39.81	-13	26.81	Pass	8001




14.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	58.21	Pass	2986
30	1000	0.1	RMS	864.21	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1681	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1765.7	23.76	60	36.24	Pass	401
1790	3000	1	RMS	1792	-37.14	-13	24.14	Pass	1211
3000	12000	1	RMS	11996	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13603	-39.81	-13	26.81	Pass	8001




14.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.14	-13	59.14	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	59.13	Pass	2986
30	1000	0.1	RMS	838.5	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1681	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1765.7	22.83	60	37.17	Pass	401
1790	3000	1	RMS	1792	-38.31	-13	25.31	Pass	1211
3000	12000	1	RMS	11992	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13600	-39.79	-13	26.79	Pass	8001




14.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	59.18	Pass	2986
30	1000	0.1	RMS	835.4	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1693	-48.53	-13	35.53	Pass	701
1700	1790	1	RMS	1711.025	23.79	60	36.21	Pass	401
1790	3000	1	RMS	2999	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	11999	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13599	-39.8	-13	26.8	Pass	8001




14.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	59.49	Pass	2986
30	1000	0.1	RMS	864.41	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1693	-49.99	-13	36.99	Pass	701
1700	1790	1	RMS	1711.025	22.82	60	37.18	Pass	401
1790	3000	1	RMS	2991	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	11996	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13601	-39.79	-13	26.79	Pass	8001




14.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	938.559	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1700	-39.88	-13	26.88	Pass	701
1700	1790	1	RMS	1736	23.7	60	36.3	Pass	401
1790	3000	1	RMS	2985	-51.47	-13	38.47	Pass	1211
3000	12000	1	RMS	11997	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13599	-39.86	-13	26.86	Pass	8001




14.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.17	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	840.7	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1700	-40.93	-13	27.93	Pass	701
1700	1790	1	RMS	1736	22.68	60	37.32	Pass	401
1790	3000	1	RMS	3000	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	11999	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13599	-39.75	-13	26.75	Pass	8001




14.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.79	-13	58.79	Pass	401
0.15	30	0.01	RMS	0.15	-70.84	-13	57.84	Pass	2986
30	1000	0.1	RMS	847.4	-65.2	-13	52.2	Pass	9701
1000	1700	1	RMS	1681	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1760.975	23.71	60	36.29	Pass	401
1790	3000	1	RMS	1790	-51.17	-13	38.17	Pass	1211
3000	12000	1	RMS	11992	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13600	-39.81	-13	26.81	Pass	8001



14.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.17	-72.69	-13	59.69	Pass	2986
30	1000	0.1	RMS	838.3	-65.4	-13	52.4	Pass	9701
1000	1700	1	RMS	1678	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1760.975	22.85	60	37.15	Pass	401
1790	3000	1	RMS	1790	-51.24	-13	38.24	Pass	1211
3000	12000	1	RMS	11992	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13602	-39.77	-13	26.77	Pass	8001



15. LTE_Band38


15.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.45	-25	43.45	Pass	401
0.15	30	0.01	RMS	0.15	-67.84	-25	42.84	Pass	2986
30	1000	0.1	RMS	609.7	-60.78	-25	35.78	Pass	9701
1000	2560	1	RMS	2560	-44.67	-25	19.67	Pass	1561
2560	2630	1	RMS	2570.325	25.28	60	34.72	Pass	401
2630	3000	1	RMS	2905.65	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	11954	-49.83	-25	24.83	Pass	9002
12000	26500	1	RMS	25494	-50.9	-25	25.9	Pass	14502




15.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.86	-25	42.86	Pass	401
0.15	30	0.01	RMS	0.17	-68	-25	43	Pass	2986
30	1000	0.1	RMS	857.105	-61.25	-25	36.25	Pass	9701
1000	2560	1	RMS	2559	-46.66	-25	21.66	Pass	1561
2560	2630	1	RMS	2570.325	23.16	60	36.84	Pass	401
2630	3000	1	RMS	2902.875	-46.29	-25	21.29	Pass	401
3000	12000	1	RMS	11978	-49.87	-25	24.87	Pass	9002
12000	26500	1	RMS	25514	-50.96	-25	25.96	Pass	14502




15.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.12	-25	44.12	Pass	401
0.15	30	0.01	RMS	0.15	-68.25	-25	43.25	Pass	2986
30	1000	0.1	RMS	878.219	-61.42	-25	36.42	Pass	9701
1000	2560	1	RMS	2529	-48.3	-25	23.3	Pass	1561
2560	2630	1	RMS	2592.725	24.87	60	35.13	Pass	401
2630	3000	1	RMS	2900.1	-46.21	-25	21.21	Pass	401
3000	12000	1	RMS	11951	-49.89	-25	24.89	Pass	9002
12000	26500	1	RMS	25495	-50.86	-25	25.86	Pass	14502




15.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:38000, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.13	-25	43.13	Pass	401
0.15	30	0.01	RMS	0.15	-67.91	-25	42.91	Pass	2986
30	1000	0.1	RMS	877.919	-61.37	-25	36.37	Pass	9701
1000	2560	1	RMS	2540	-48.36	-25	23.36	Pass	1561
2560	2630	1	RMS	2592.9	23.14	60	36.86	Pass	401
2630	3000	1	RMS	2900.1	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11975	-49.84	-25	24.84	Pass	9002
12000	26500	1	RMS	25496	-50.93	-25	25.93	Pass	14502




15.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.07	-25	43.07	Pass	401
0.15	30	0.01	RMS	0.21	-68.05	-25	43.05	Pass	2986
30	1000	0.1	RMS	932.455	-61.39	-25	36.39	Pass	9701
1000	2560	1	RMS	2499	-48.29	-25	23.29	Pass	1561
2560	2630	1	RMS	2615.3	24.78	60	35.22	Pass	401
2630	3000	1	RMS	2902.875	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	11971	-49.87	-25	24.87	Pass	9002
12000	26500	1	RMS	25504	-50.87	-25	25.87	Pass	14502




15.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.35	-25	43.35	Pass	401
0.15	30	0.01	RMS	0.15	-67.61	-25	42.61	Pass	2986
30	1000	0.1	RMS	926.952	-61.31	-25	36.31	Pass	9701
1000	2560	1	RMS	2497	-48.29	-25	23.29	Pass	1561
2560	2630	1	RMS	2615.3	23.5	60	36.5	Pass	401
2630	3000	1	RMS	2900.1	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11957	-49.86	-25	24.86	Pass	9002
12000	26500	1	RMS	25502	-50.78	-25	25.78	Pass	14502




15.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.44	-25	42.44	Pass	401
0.15	30	0.01	RMS	0.16	-68.49	-25	43.49	Pass	2986
30	1000	0.1	RMS	609.9	-60.82	-25	35.82	Pass	9701
1000	2560	1	RMS	2560	-39.57	-25	14.57	Pass	1561
2560	2630	1	RMS	2570.675	25.02	60	34.98	Pass	401
2630	3000	1	RMS	2901.025	-46.23	-25	21.23	Pass	401
3000	12000	1	RMS	11962	-49.85	-25	24.85	Pass	9002
12000	26500	1	RMS	25498	-50.83	-25	25.83	Pass	14502




15.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.18	-25	43.18	Pass	401
0.15	30	0.01	RMS	0.17	-67.31	-25	42.31	Pass	2986
30	1000	0.1	RMS	971.181	-61.38	-25	36.38	Pass	9701
1000	2560	1	RMS	2560	-40.46	-25	15.46	Pass	1561
2560	2630	1	RMS	2570.5	23.72	60	36.28	Pass	401
2630	3000	1	RMS	2901.025	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11965	-49.82	-25	24.82	Pass	9002
12000	26500	1	RMS	25903	-50.9	-25	25.9	Pass	14502




15.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.34	-25	42.34	Pass	401
0.15	30	0.01	RMS	0.24	-68.4	-25	43.4	Pass	2986
30	1000	0.1	RMS	897.132	-61.31	-25	36.31	Pass	9701
1000	2560	1	RMS	2559	-47	-25	22	Pass	1561
2560	2630	1	RMS	2590.625	24.52	60	35.48	Pass	401
2630	3000	1	RMS	2899.175	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	11958	-49.83	-25	24.83	Pass	9002
12000	26500	1	RMS	25497	-50.93	-25	25.93	Pass	14502




15.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:38000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.34	-25	43.34	Pass	401
0.15	30	0.01	RMS	0.17	-68.03	-25	43.03	Pass	2986
30	1000	0.1	RMS	964.176	-61.27	-25	36.27	Pass	9701
1000	2560	1	RMS	2558	-47.75	-25	22.75	Pass	1561
2560	2630	1	RMS	2590.625	23.44	60	36.56	Pass	401
2630	3000	1	RMS	2909.35	-46.23	-25	21.23	Pass	401
3000	12000	1	RMS	11954	-49.82	-25	24.82	Pass	9002
12000	26500	1	RMS	25490	-50.92	-25	25.92	Pass	14502




15.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.21	-25	43.21	Pass	401
0.15	30	0.01	RMS	0.16	-68.32	-25	43.32	Pass	2986
30	1000	0.1	RMS	966.678	-61.43	-25	36.43	Pass	9701
1000	2560	1	RMS	2533	-48.1	-25	23.1	Pass	1561
2560	2630	1	RMS	2610.4	24.68	60	35.32	Pass	401
2630	3000	1	RMS	2630	-45.06	-25	20.06	Pass	401
3000	12000	1	RMS	11953	-49.86	-25	24.86	Pass	9002
12000	26500	1	RMS	25502	-50.94	-25	25.94	Pass	14502




15.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69	-25	44	Pass	401
0.15	30	0.01	RMS	0.17	-68.26	-25	43.26	Pass	2986
30	1000	0.1	RMS	850.201	-61.32	-25	36.32	Pass	9701
1000	2560	1	RMS	2531	-47.93	-25	22.93	Pass	1561
2560	2630	1	RMS	2610.4	23.35	60	36.65	Pass	401
2630	3000	1	RMS	2630	-44.26	-25	19.26	Pass	401
3000	12000	1	RMS	11951	-49.83	-25	24.83	Pass	9002
12000	26500	1	RMS	25884	-50.95	-25	25.95	Pass	14502




15.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.46	-25	43.46	Pass	401
0.15	30	0.01	RMS	0.16	-68	-25	43	Pass	2986
30	1000	0.1	RMS	610.1	-61.13	-25	36.13	Pass	9701
1000	2560	1	RMS	2558	-35.2	-25	10.2	Pass	1561
2560	2630	1	RMS	2570.85	25.02	60	34.98	Pass	401
2630	3000	1	RMS	2898.25	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11953	-49.84	-25	24.84	Pass	9002
12000	26500	1	RMS	25503	-50.86	-25	25.86	Pass	14502




15.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.51	-25	43.51	Pass	401
0.15	30	0.01	RMS	0.16	-68.23	-25	43.23	Pass	2986
30	1000	0.1	RMS	982.689	-61.29	-25	36.29	Pass	9701
1000	2560	1	RMS	2558	-38.42	-25	13.42	Pass	1561
2560	2630	1	RMS	2570.675	23.7	60	36.3	Pass	401
2630	3000	1	RMS	2899.175	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	11981	-49.86	-25	24.86	Pass	9002
12000	26500	1	RMS	25502	-50.73	-25	25.73	Pass	14502




15.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.05	-25	44.05	Pass	401
0.15	30	0.01	RMS	0.19	-68.36	-25	43.36	Pass	2986
30	1000	0.1	RMS	925.15	-61.3	-25	36.3	Pass	9701
1000	2560	1	RMS	2557	-47	-25	22	Pass	1561
2560	2630	1	RMS	2588.175	24.84	60	35.16	Pass	401
2630	3000	1	RMS	2898.25	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	11976	-49.81	-25	24.81	Pass	9002
12000	26500	1	RMS	25499	-50.84	-25	25.84	Pass	14502




15.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:38000, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.29	-25	43.29	Pass	401
0.15	30	0.01	RMS	0.18	-69.16	-25	44.16	Pass	2986
30	1000	0.1	RMS	843.4	-61.28	-25	36.28	Pass	9701
1000	2560	1	RMS	2558	-47.79	-25	22.79	Pass	1561
2560	2630	1	RMS	2588.175	23.52	60	36.48	Pass	401
2630	3000	1	RMS	2904.725	-46.24	-25	21.24	Pass	401
3000	12000	1	RMS	11958	-49.77	-25	24.77	Pass	9002
12000	26500	1	RMS	25512	-50.9	-25	25.9	Pass	14502




15.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.88	-25	43.88	Pass	401
0.15	30	0.01	RMS	0.17	-68.23	-25	43.23	Pass	2986
30	1000	0.1	RMS	988.192	-61.38	-25	36.38	Pass	9701
1000	2560	1	RMS	2534	-48.12	-25	23.12	Pass	1561
2560	2630	1	RMS	2605.675	25.13	60	34.87	Pass	401
2630	3000	1	RMS	2631.85	-42.81	-25	17.81	Pass	401
3000	12000	1	RMS	11955	-49.82	-25	24.82	Pass	9002
12000	26500	1	RMS	25497	-50.92	-25	25.92	Pass	14502




15.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.77	-25	42.77	Pass	401
0.15	30	0.01	RMS	0.16	-68.05	-25	43.05	Pass	2986
30	1000	0.1	RMS	898.733	-61.33	-25	36.33	Pass	9701
1000	2560	1	RMS	2553	-48.02	-25	23.02	Pass	1561
2560	2630	1	RMS	2605.85	24.09	60	35.91	Pass	401
2630	3000	1	RMS	2631.85	-39.66	-25	14.66	Pass	401
3000	12000	1	RMS	11951	-49.82	-25	24.82	Pass	9002
12000	26500	1	RMS	25503	-50.84	-25	25.84	Pass	14502




15.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.75	-25	43.75	Pass	401
0.15	30	0.01	RMS	0.21	-67.7	-25	42.7	Pass	2986
30	1000	0.1	RMS	918.646	-61.36	-25	36.36	Pass	9701
1000	2560	1	RMS	2553	-35.18	-25	10.18	Pass	1561
2560	2630	1	RMS	2571.025	24.93	60	35.07	Pass	401
2630	3000	1	RMS	2899.175	-46.24	-25	21.24	Pass	401
3000	12000	1	RMS	11952	-49.9	-25	24.9	Pass	9002
12000	26500	1	RMS	25502	-50.93	-25	25.93	Pass	14502




15.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.65	-25	43.65	Pass	401
0.15	30	0.01	RMS	0.18	-67.94	-25	42.94	Pass	2986
30	1000	0.1	RMS	848	-61.32	-25	36.32	Pass	9701
1000	2560	1	RMS	2553	-39.91	-25	14.91	Pass	1561
2560	2630	1	RMS	2571.025	23.74	60	36.26	Pass	401
2630	3000	1	RMS	2903.8	-46.28	-25	21.28	Pass	401
3000	12000	1	RMS	11974	-49.9	-25	24.9	Pass	9002
12000	26500	1	RMS	25508	-50.78	-25	25.78	Pass	14502




15.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.88	-25	42.88	Pass	401
0.15	30	0.01	RMS	0.2	-68.64	-25	43.64	Pass	2986
30	1000	0.1	RMS	989.993	-61.44	-25	36.44	Pass	9701
1000	2560	1	RMS	2553	-46.79	-25	21.79	Pass	1561
2560	2630	1	RMS	2586.075	24.66	60	35.34	Pass	401
2630	3000	1	RMS	2905.65	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	11959	-49.86	-25	24.86	Pass	9002
12000	26500	1	RMS	25498	-50.89	-25	25.89	Pass	14502




15.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.58	-25	43.58	Pass	401
0.15	30	0.01	RMS	0.33	-68.31	-25	43.31	Pass	2986
30	1000	0.1	RMS	822.5	-61.4	-25	36.4	Pass	9701
1000	2560	1	RMS	2560	-46.89	-25	21.89	Pass	1561
2560	2630	1	RMS	2586.075	23.54	60	36.46	Pass	401
2630	3000	1	RMS	2899.175	-46.27	-25	21.27	Pass	401
3000	12000	1	RMS	11975	-49.87	-25	24.87	Pass	9002
12000	26500	1	RMS	25502	-50.93	-25	25.93	Pass	14502




15.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.02	-25	43.02	Pass	401
0.15	30	0.01	RMS	0.15	-67.8	-25	42.8	Pass	2986
30	1000	0.1	RMS	859.407	-61.46	-25	36.46	Pass	9701
1000	2560	1	RMS	2530	-48.02	-25	23.02	Pass	1561
2560	2630	1	RMS	2600.95	24.75	60	35.25	Pass	401
2630	3000	1	RMS	2632.775	-42.85	-25	17.85	Pass	401
3000	12000	1	RMS	11958	-49.87	-25	24.87	Pass	9002
12000	26500	1	RMS	25506	-50.85	-25	25.85	Pass	14502



15.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.5	-25	42.5	Pass	401
0.15	30	0.01	RMS	0.15	-68.45	-25	43.45	Pass	2986
30	1000	0.1	RMS	965.277	-61.34	-25	36.34	Pass	9701
1000	2560	1	RMS	2560	-47.83	-25	22.83	Pass	1561
2560	2630	1	RMS	2601.125	23.54	60	36.46	Pass	401
2630	3000	1	RMS	2636.475	-43.12	-25	18.12	Pass	401
3000	12000	1	RMS	11966	-49.79	-25	24.79	Pass	9002
12000	26500	1	RMS	25881	-50.9	-25	25.9	Pass	14502



16. LTE_Band41 full


16.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.16	-25	43.16	Pass	401
0.15	30	0.01	RMS	0.15	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	535.6	-58.71	-25	33.71	Pass	9701
1000	2486	1	RMS	2486	-46.13	-25	21.13	Pass	1487
2486	2700	1	RMS	2496.165	23.87	60	36.13	Pass	401
2700	3000	1	RMS	2901	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11962	-59.97	-25	34.97	Pass	9002
12000	26500	1	RMS	25512	-50.18	-25	25.18	Pass	14502




16.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.6	-25	43.6	Pass	401
0.15	30	0.01	RMS	0.16	-68.05	-25	43.05	Pass	2986
30	1000	0.1	RMS	535.6	-59.91	-25	34.91	Pass	9701
1000	2486	1	RMS	2486	-46.87	-25	21.87	Pass	1487
2486	2700	1	RMS	2496.165	22.04	60	37.96	Pass	401
2700	3000	1	RMS	2906.25	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11963	-60.02	-25	35.02	Pass	9002
12000	26500	1	RMS	25500	-50.18	-25	25.18	Pass	14502




16.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.73	-25	43.73	Pass	401
0.15	30	0.01	RMS	0.23	-68.01	-25	43.01	Pass	2986
30	1000	0.1	RMS	988.192	-61.33	-25	36.33	Pass	9701
1000	2486	1	RMS	2483	-48.46	-25	23.46	Pass	1487
2486	2700	1	RMS	2590.325	23.97	60	36.03	Pass	401
2700	3000	1	RMS	2900.25	-46.24	-25	21.24	Pass	401
3000	12000	1	RMS	11948	-60.02	-25	35.02	Pass	9002
12000	26500	1	RMS	25503	-50.13	-25	25.13	Pass	14502




16.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:40620, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.62	-25	43.62	Pass	401
0.15	30	0.01	RMS	0.18	-68.8	-25	43.8	Pass	2986
30	1000	0.1	RMS	951.268	-61.4	-25	36.4	Pass	9701
1000	2486	1	RMS	2484	-48.42	-25	23.42	Pass	1487
2486	2700	1	RMS	2590.325	22.36	60	37.64	Pass	401
2700	3000	1	RMS	2903.25	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	11971	-60.03	-25	35.03	Pass	9002
12000	26500	1	RMS	25514	-50.2	-25	25.2	Pass	14502




16.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.98	-25	42.98	Pass	401
0.15	30	0.01	RMS	0.17	-68.6	-25	43.6	Pass	2986
30	1000	0.1	RMS	724.7	-59.97	-25	34.97	Pass	9701
1000	2486	1	RMS	2483	-48.48	-25	23.48	Pass	1487
2486	2700	1	RMS	2685.02	24.11	60	35.89	Pass	401
2700	3000	1	RMS	2900.25	-46.24	-25	21.24	Pass	401
3000	12000	1	RMS	11959	-59.99	-25	34.99	Pass	9002
12000	26500	1	RMS	25506	-50.18	-25	25.18	Pass	14502




16.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.97	-25	42.97	Pass	401
0.15	30	0.01	RMS	0.19	-68.13	-25	43.13	Pass	2986
30	1000	0.1	RMS	724.7	-59.77	-25	34.77	Pass	9701
1000	2486	1	RMS	2486	-48.41	-25	23.41	Pass	1487
2486	2700	1	RMS	2685.02	23.02	60	36.98	Pass	401
2700	3000	1	RMS	2899.5	-46.22	-25	21.22	Pass	401
3000	12000	1	RMS	11951	-60.03	-25	35.03	Pass	9002
12000	26500	1	RMS	25502	-50.16	-25	25.16	Pass	14502




16.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.99	-25	43.99	Pass	401
0.15	30	0.01	RMS	0.16	-68.07	-25	43.07	Pass	2986
30	1000	0.1	RMS	535.9	-60.27	-25	35.27	Pass	9701
1000	2486	1	RMS	2486	-40.58	-25	15.58	Pass	1487
2486	2700	1	RMS	2496.7	23.62	60	36.38	Pass	401
2700	3000	1	RMS	2902.5	-46.24	-25	21.24	Pass	401
3000	12000	1	RMS	11954	-60.08	-25	35.08	Pass	9002
12000	26500	1	RMS	25502	-50.26	-25	25.26	Pass	14502




16.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.53	-25	43.53	Pass	401
0.15	30	0.01	RMS	0.19	-68.04	-25	43.04	Pass	2986
30	1000	0.1	RMS	856.805	-61.44	-25	36.44	Pass	9701
1000	2486	1	RMS	2486	-41.56	-25	16.56	Pass	1487
2486	2700	1	RMS	2496.165	23.43	60	36.57	Pass	401
2700	3000	1	RMS	2901	-46.26	-25	21.26	Pass	401
3000	12000	1	RMS	11950	-60.06	-25	35.06	Pass	9002
12000	26500	1	RMS	25496	-50.13	-25	25.13	Pass	14502




16.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.19	-25	43.19	Pass	401
0.15	30	0.01	RMS	0.16	-67.86	-25	42.86	Pass	2986
30	1000	0.1	RMS	977.785	-61.39	-25	36.39	Pass	9701
1000	2486	1	RMS	2480	-48.33	-25	23.33	Pass	1487
2486	2700	1	RMS	2588.185	24.35	60	35.65	Pass	401
2700	3000	1	RMS	2901	-46.21	-25	21.21	Pass	401
3000	12000	1	RMS	11993	-60.02	-25	35.02	Pass	9002
12000	26500	1	RMS	25491	-50.17	-25	25.17	Pass	14502




16.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:40620, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-69.1	-25	44.1	Pass	401
0.15	30	0.01	RMS	0.15	-67.49	-25	42.49	Pass	2986
30	1000	0.1	RMS	997.098	-61.18	-25	36.18	Pass	9701
1000	2486	1	RMS	2483	-48.43	-25	23.43	Pass	1487
2486	2700	1	RMS	2588.185	23.29	60	36.71	Pass	401
2700	3000	1	RMS	2900.25	-46.23	-25	21.23	Pass	401
3000	12000	1	RMS	11956	-59.98	-25	34.98	Pass	9002
12000	26500	1	RMS	25501	-50.26	-25	25.26	Pass	14502



16.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.16	-25	43.16	Pass	401
0.15	30	0.01	RMS	0.19	-68.05	-25	43.05	Pass	2986
30	1000	0.1	RMS	719.9	-58.93	-25	33.93	Pass	9701
1000	2486	1	RMS	2486	-48.4	-25	23.4	Pass	1487
2486	2700	1	RMS	2680.205	23.39	60	36.61	Pass	401
2700	3000	1	RMS	2700.75	-44.46	-25	19.46	Pass	401
3000	12000	1	RMS	11972	-60.05	-25	35.05	Pass	9002
12000	26500	1	RMS	25498	-50.2	-25	25.2	Pass	14502



16.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.59	-25	42.59	Pass	401
0.15	30	0.01	RMS	0.15	-66.13	-25	41.13	Pass	2986
30	1000	0.1	RMS	719.9	-59.31	-25	34.31	Pass	9701
1000	2486	1	RMS	2482	-48.31	-25	23.31	Pass	1487
2486	2700	1	RMS	2680.205	23.94	60	36.06	Pass	401
2700	3000	1	RMS	2700	-44.32	-25	19.32	Pass	401
3000	12000	1	RMS	11948	-60.07	-25	35.07	Pass	9002
12000	26500	1	RMS	25501	-50.16	-25	25.16	Pass	14502

