



11.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	1	RMS	3797.975	12.37	40	27.63	Pass	401
3800	3801	0.39	RMS	3800	-28.5	-13	15.5	Pass	401
3801	3805	0.62	RMS	3801.02	-30.69	-13	17.69	Pass	401
3805	3815	1	RMS	3805	-33.68	-13	20.68	Pass	401




11.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3690.375	-42.03	-13	29.03	Pass	401
3695	3699	0.62	RMS	3698.63	-39.72	-13	26.72	Pass	401
3699	3700	0.39	RMS	3700	-27.46	-13	14.46	Pass	401
3700	3750	1	RMS	3701.25	21.05	40	18.95	Pass	401




11.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3694.875	-37.15	-13	24.15	Pass	401
3695	3699	0.62	RMS	3698.8	-38.01	-13	25.01	Pass	401
3699	3700	0.39	RMS	3699.993	-38.8	-13	25.8	Pass	401
3700	3750	1	RMS	3711.625	5.29	40	34.71	Pass	401




11.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3798.75	20.68	40	19.32	Pass	401
3800	3801	0.39	RMS	3800.003	-26.81	-13	13.81	Pass	401
3801	3805	0.62	RMS	3801.03	-40.33	-13	27.33	Pass	401
3805	3855	1	RMS	3809.5	-42.82	-13	29.82	Pass	401




11.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3761.5	4.97	40	35.03	Pass	401
3800	3801	0.39	RMS	3800.005	-37.25	-13	24.25	Pass	401
3801	3805	0.62	RMS	3803.57	-35.69	-13	22.69	Pass	401
3805	3855	1	RMS	3805.5	-33.93	-13	20.93	Pass	401




11.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3679.5	-42.31	-13	29.31	Pass	401
3695	3699	0.62	RMS	3699	-38.16	-13	25.16	Pass	401
3699	3700	0.051	RMS	3700	-34.62	-13	21.62	Pass	401
3700	3800	1	RMS	3701	20.85	40	19.15	Pass	401




11.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3694	-40.39	-13	27.39	Pass	401
3695	3699	0.62	RMS	3698.83	-41.62	-13	28.62	Pass	401
3699	3700	0.39	RMS	3700	-41.34	-13	28.34	Pass	401
3700	3800	1	RMS	3759.25	2.01	40	37.99	Pass	401




11.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3799	20.45	40	19.55	Pass	401
3800	3801	0.051	RMS	3800	-34.16	-13	21.16	Pass	401
3801	3805	0.62	RMS	3801	-38.22	-13	25.22	Pass	401
3805	3905	1	RMS	3820.5	-43.32	-13	30.32	Pass	401



11.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3759.25	2.03	40	37.97	Pass	401
3800	3801	0.39	RMS	3800.003	-38.26	-13	25.26	Pass	401
3801	3805	0.62	RMS	3804.69	-36.96	-13	23.96	Pass	401
3805	3905	1	RMS	3807.25	-35.38	-13	22.38	Pass	401



13. n7


13.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.494	-51.21	-25	26.21	Pass	401
2490.5	2496	1	RMS	2495.931	-45.28	-13	32.28	Pass	401
2496	2499	1	RMS	2499	-39.55	-10	29.55	Pass	4
2499	2500	0.051	RMS	2500	-21.84	-10	11.84	Pass	401
2500	2505	1	RMS	2500.313	19.58	30	10.42	Pass	401




13.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.496	-48.32	-25	23.32	Pass	401
2490.5	2496	1	RMS	2496	-36.42	-13	23.42	Pass	401
2496	2498.5	1	RMS	2498.475	-23.8	-10	13.8	Pass	401
2499	2500	0.1	RMS	2499.998	-28.65	-10	18.65	Pass	401
2500	2505	1	RMS	2501.938	13.24	30	16.76	Pass	401




13.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	1	RMS	2569.638	19.54	30	10.46	Pass	401
2570	2571	0.051	RMS	2570	-24.23	-10	14.23	Pass	401
2571.5	2575	1	RMS	2571.5	-32.01	-10	22.01	Pass	401
2575	2576	1	RMS	2575.005	-47.37	-13	34.37	Pass	401
2576	2580	1	RMS	2578.13	-47.88	-25	22.88	Pass	401




13.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	1	RMS	2566.263	13.26	30	16.74	Pass	401
2570	2571	0.1	RMS	2570	-28.45	-10	18.45	Pass	401
2571	2575	1	RMS	2571	-17.1	-10	7.1	Pass	401
2575	2576	1	RMS	2575	-39.9	-13	26.9	Pass	401
2576	2580	1	RMS	2576.02	-42.43	-25	17.43	Pass	401




13.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2480	2490.5	1	RMS	2489.975	-49.08	-25	24.08	Pass	401
2490.5	2496	1	RMS	2493.47	-42.5	-13	29.5	Pass	401
2496	2498.5	1	RMS	2498.5	-39.28	-10	29.28	Pass	401
2499	2500	0.051	RMS	2500	-32.29	-10	22.29	Pass	401
2500	2515	1	RMS	2500.45	19.51	30	10.49	Pass	401




13.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2480	2490.5	1	RMS	2490.5	-35.01	-25	10.01	Pass	401
2490.5	2496	1	RMS	2496	-28.47	-13	15.47	Pass	401
2496	2499	1	RMS	2499	-24.52	-10	14.52	Pass	401
2499	2500	0.3	RMS	2500	-26.03	-10	16.03	Pass	401
2500	2515	1	RMS	2513.163	8.82	30	21.18	Pass	401




13.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	1	RMS	2569.513	19.45	30	10.55	Pass	401
2570	2571	0.051	RMS	2570	-34.51	-10	24.51	Pass	401
2571.5	2575	1	RMS	2571.5	-40.17	-10	30.17	Pass	401
2575	2585	1	RMS	2576.4	-42.86	-13	29.86	Pass	401
2585	2590	1	RMS	2585	-50.71	-25	25.71	Pass	401




13.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	1	RMS	2557.7	8.34	30	21.66	Pass	401
2570	2571	0.3	RMS	2570	-27.34	-10	17.34	Pass	401
2571	2575	1	RMS	2571	-25.32	-10	15.32	Pass	401
2575	2585	1	RMS	2575	-30.17	-13	17.17	Pass	401
2585	2590	1	RMS	2585	-46.61	-25	21.61	Pass	401




13.13. Band Edge for SA_Part22-24-27(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490.5	1	RMS	2490.5	-46.01	-25	21.01	Pass	401
2490.5	2496	1	RMS	2491.298	-42.83	-13	29.83	Pass	401
2496	2498.5	1	RMS	2498.5	-41.6	-10	31.6	Pass	401
2499	2500	0.051	RMS	2500	-33.01	-10	23.01	Pass	401
2500	2520	1	RMS	2500.5	19.66	30	10.34	Pass	401




13.14. Band Edge for SA_Part22-24-27(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490.5	1	RMS	2490.5	-33.66	-25	8.66	Pass	401
2490.5	2496	1	RMS	2495.986	-29.26	-13	16.26	Pass	401
2496	2499	1	RMS	2499	-27.13	-10	17.13	Pass	401
2499	2500	0.39	RMS	2500	-22.95	-10	12.95	Pass	401
2500	2520	1	RMS	2517.95	7.8	30	22.2	Pass	401




13.15. Band Edge for SA_Part22-24-27(Subtest:3, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	19.58	30	10.42	Pass	401
2570	2571	0.051	RMS	2570	-34.68	-10	24.68	Pass	401
2571.5	2575	1	RMS	2571.5	-41.77	-10	31.77	Pass	401
2575	2590	1	RMS	2578.563	-43.29	-13	30.29	Pass	401
2590	2595	1	RMS	2590.638	-51.92	-25	26.92	Pass	401



13.16. Band Edge for SA_Part22-24-27(Subtest:4, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	1	RMS	2557.65	7	30	23	Pass	401
2570	2571	0.39	RMS	2570	-24.03	-10	14.03	Pass	401
2571	2575	1	RMS	2571	-27.41	-10	17.41	Pass	401
2575	2590	1	RMS	2575	-30.09	-13	17.09	Pass	401
2590	2595	1	RMS	2590.013	-48.58	-25	23.58	Pass	401



14. n38


14.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2560	1	RMS	2559.975	-49.05	-25	24.05	Pass	401
2560	2565	1	RMS	2562.463	-46.77	-13	33.77	Pass	401
2565	2569	1	RMS	2569	-27.28	-10	17.28	Pass	401
2569	2570	0.051	RMS	2570	-34.72	-10	24.72	Pass	401
2570	2580	1	RMS	2570.875	19.08	30	10.92	Pass	401




14.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2560	1	RMS	2560	-39.03	-25	14.03	Pass	401
2560	2565	1	RMS	2564.988	-28.38	-13	15.38	Pass	401
2565	2569	1	RMS	2569	-21.09	-10	11.09	Pass	401
2569	2570	0.2	RMS	2569.81	-26.8	-10	16.8	Pass	401
2570	2580	1	RMS	2575.3	10.26	30	19.74	Pass	401




14.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	1	RMS	2619.125	19.25	30	10.75	Pass	401
2620	2621	0.051	RMS	2620	-37.56	-10	27.56	Pass	401
2621	2625	1	RMS	2621	-29.59	-10	19.59	Pass	401
2625	2630	1	RMS	2625	-46.36	-13	33.36	Pass	401
2630	2635	1	RMS	2630	-48.53	-25	23.53	Pass	401




14.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	1	RMS	2617.6	10.43	30	19.57	Pass	401
2620	2621	0.2	RMS	2620.033	-29.11	-10	19.11	Pass	401
2621	2625	1	RMS	2621	-23.34	-10	13.34	Pass	401
2625	2630	1	RMS	2625	-30.22	-13	17.22	Pass	401
2630	2635	1	RMS	2630	-41.78	-25	16.78	Pass	401




14.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.575	-51.49	-25	26.49	Pass	401
2550	2565	1	RMS	2561.888	-42.13	-13	29.13	Pass	401
2565	2569	1	RMS	2569	-34.55	-10	24.55	Pass	401
2569	2570	0.051	RMS	2569.998	-42.9	-10	32.9	Pass	401
2570	2590	1	RMS	2571	19.18	30	10.82	Pass	401




14.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.988	-39.42	-25	14.42	Pass	401
2550	2565	1	RMS	2565	-26.9	-13	13.9	Pass	401
2565	2569	1	RMS	2568.79	-24.59	-10	14.59	Pass	401
2569	2570	0.39	RMS	2569.305	-28.56	-10	18.56	Pass	401
2570	2590	1	RMS	2587.85	7.19	30	22.81	Pass	401




14.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2619	19.38	30	10.62	Pass	401
2620	2621	0.051	RMS	2620.003	-45.48	-10	35.48	Pass	401
2621	2625	1	RMS	2621	-36.9	-10	26.9	Pass	401
2625	2640	1	RMS	2627.963	-42.47	-13	29.47	Pass	401
2640	2645	1	RMS	2640.15	-51.43	-25	26.43	Pass	401




14.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2617.35	7.48	30	22.52	Pass	401
2620	2621	0.39	RMS	2620.025	-29.49	-10	19.49	Pass	401
2621	2625	1	RMS	2621.02	-26.11	-10	16.11	Pass	401
2625	2640	1	RMS	2625	-28.07	-13	15.07	Pass	401
2640	2645	1	RMS	2640	-44.12	-25	19.12	Pass	401




14.13. Band Edge for SA_Part22-24-27(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2528.275	-51.98	-25	26.98	Pass	401
2530	2565	1	RMS	2552.4	-44.82	-13	31.82	Pass	401
2565	2569	1	RMS	2569	-33.98	-10	23.98	Pass	401
2569	2570	0.051	RMS	2569.998	-33.42	-10	23.42	Pass	401
2570	2610	1	RMS	2571.1	19.29	30	10.71	Pass	401




14.14. Band Edge for SA_Part22-24-27(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2529.938	-41.83	-25	16.83	Pass	401
2530	2565	1	RMS	2563.95	-29.78	-13	16.78	Pass	401
2565	2569	1	RMS	2569	-29	-10	19	Pass	401
2569	2570	0.82	RMS	2570	-20.82	-10	10.82	Pass	401
2570	2610	1	RMS	2608	4.19	30	25.81	Pass	401




14.15. Band Edge for SA_Part22-24-27(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2618.9	19.56	30	10.44	Pass	401
2620	2621	0.051	RMS	2620	-34.51	-10	24.51	Pass	401
2621	2625	1	RMS	2621.01	-34.31	-10	24.31	Pass	401
2625	2660	1	RMS	2637.6	-44.69	-13	31.69	Pass	401
2660	2665	1	RMS	2661.2	-51.92	-25	26.92	Pass	401



14.16. Band Edge for SA_Part22-24-27(Subtest:4, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2618	4.38	30	25.62	Pass	401
2620	2621	0.82	RMS	2620	-21.38	-10	11.38	Pass	401
2621	2625	1	RMS	2621.01	-28.18	-10	18.18	Pass	401
2625	2660	1	RMS	2625.175	-29.1	-13	16.1	Pass	401
2660	2665	1	RMS	2660.05	-47.78	-25	22.78	Pass	401



15. n41


15.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2481	2490.5	1	RMS	2490.453	-45.21	-25	20.21	Pass	401
2490.5	2495	1	RMS	2495	-25.46	-13	12.46	Pass	401
2495	2496	0.051	RMS	2495.998	-34.39	-13	21.39	Pass	401
2496	2506	1	RMS	2496.85	22.21	40	17.79	Pass	401




15.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2481	2490	1	RMS	2490	-29.76	-25	4.76	Pass*	10
2490.5	2495	1	RMS	2495	-18.68	-13	5.68	Pass*	401
2495	2496	0.2	RMS	2495.758	-24.05	-13	11.05	Pass	401
2496	2506	1	RMS	2503.125	13.9	40	26.1	Pass	401




15.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	1	RMS	2689.1	22.32	40	17.68	Pass	401
2690	2691	0.051	RMS	2690.003	-33.38	-10	23.38	Pass	401
2691	2695	1	RMS	2691	-26.17	-10	16.17	Pass	401
2695	2700	1	RMS	2695.013	-44.46	-13	31.46	Pass	401
2700	2705	1	RMS	2700.013	-47.08	-25	22.08	Pass	401




15.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	1	RMS	2682	14.02	40	25.98	Pass	401
2690	2691	0.2	RMS	2690	-20.73	-10	10.73	Pass	401
2691	2695	1	RMS	2691	-14.88	-10	4.88	Pass*	401
2695	2700	1	RMS	2695	-22.25	-13	9.25	Pass	401
2700	2705	1	RMS	2700	-34.39	-25	9.39	Pass	401




15.21. Band Edge for SA_Part22-24-27(Subtest:1, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2441	2490.5	1	RMS	2486.416	-41.7	-25	16.7	Pass	401
2490.5	2495	1	RMS	2494.989	-34.93	-13	21.93	Pass	401
2495	2496	0.051	RMS	2495.995	-38.22	-13	25.22	Pass	401
2496	2546	1	RMS	2497.25	22.34	40	17.66	Pass	401




15.22. Band Edge for SA_Part22-24-27(Subtest:2, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2441	2490.5	1	RMS	2490.253	-28.38	-25	3.38	Pass*	401
2490.5	2495	1	RMS	2494.19	-27.24	-13	14.24	Pass	401
2495	2496	1	RMS	2496	-17.62	-13	4.62	Pass*	401
2496	2546	1	RMS	2532.75	6.85	40	33.15	Pass	401



15.23. Band Edge for SA_Part22-24-27(Subtest:3, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2690	1	RMS	2688.75	22.38	40	17.62	Pass	401
2690	2691	0.051	RMS	2690.003	-36.26	-10	26.26	Pass	401
2691	2695	1	RMS	2691.01	-34.44	-10	24.44	Pass	401
2695	2740	1	RMS	2699.5	-41.23	-13	28.23	Pass	401
2740	2745	1	RMS	2743.438	-51.19	-25	26.19	Pass	401




15.24. Band Edge for SA_Part22-24-27(Subtest:4, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2690	1	RMS	2644	7.26	40	32.74	Pass	401
2690	2691	1	RMS	2690	-17.51	-10	7.51	Pass	401
2691	2695	1	RMS	2692.53	-23.04	-10	13.04	Pass	401
2695	2740	1	RMS	2696.463	-24.31	-13	11.31	Pass	401
2740	2745	1	RMS	2740.15	-44.42	-25	19.42	Pass	401




15.41. Band Edge for SA_Part22-24-27(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2475.326	-44.26	-25	19.26	Pass	401
2490.5	2495	1	RMS	2495	-30.06	-13	17.06	Pass	401
2495	2496	0.051	RMS	2496	-31.81	-13	18.81	Pass	401
2496	2596	1	RMS	2497	22.15	40	17.85	Pass	401




15.42. Band Edge for SA_Part22-24-27(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2490.5	-30.46	-25	5.46	Pass*	401
2490.5	2495	1	RMS	2492.041	-29.9	-13	16.9	Pass	401
2495	2495.5	1	RMS	2495.5	-27.85	-13	14.85	Pass	401
2496	2596	1	RMS	2533.25	3.9	40	36.1	Pass	401




15.43. Band Edge for SA_Part22-24-27(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2689	22.3	40	17.7	Pass	401
2690	2691	0.051	RMS	2690	-32.72	-10	22.72	Pass	401
2691	2695	1	RMS	2691	-31.05	-10	21.05	Pass	401
2695	2790	1	RMS	2710.438	-41.36	-13	28.36	Pass	401
2790	2795	1	RMS	2793.413	-51.48	-25	26.48	Pass	401



15.44. Band Edge for SA_Part22-24-27(Subtest:4, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2634.5	4.02	40	35.98	Pass	401
2690	2691	1	RMS	2690	-15.67	-10	5.67	Pass*	401
2691	2695	1	RMS	2691.37	-28.35	-10	18.35	Pass	401
2695	2790	1	RMS	2697.613	-28.94	-13	15.94	Pass	401
2790	2795	1	RMS	2794.838	-51.46	-25	26.46	Pass	401



1. n26 15kHz_Part90


1.1. Band Edge for SA_Part90(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.05	RMS	813.963	-29.76	-13	16.76	Pass	401
813.9625	814	0.002	RMS	813.993	-37.05	-20	17.05	Pass	401
814	819	0.1	RMS	814.325	10.73	30	19.27	Pass	401




1.2. Band Edge for SA_Part90(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.05	RMS	813.863	-30.44	-13	17.44	Pass	401
813.9625	814	0.05	RMS	813.999	-30.53	-20	10.53	Pass	401
814	819	0.1	RMS	815.088	-2.42	30	32.42	Pass	401




1.3. Band Edge for SA_Part90(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	10.72	30	19.28	Pass	401
824	824.0375	0.002	RMS	824.005	-40.57	-20	20.57	Pass	401
824.0375	829	0.05	RMS	824.038	-32.52	-13	19.52	Pass	401




1.4. Band Edge for SA_Part90(Subtest:4, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	820.125	-2.49	30	32.49	Pass	401
824	824.0375	0.05	RMS	824.029	-32.94	-20	12.94	Pass	401
824.0375	829	0.05	RMS	824.335	-32.84	-13	19.84	Pass	401




1.5. Band Edge for SA_Part90(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-31.58	-13	18.58	Pass	401
813.9625	814	0.002	RMS	813.992	-42.71	-20	22.71	Pass	401
814	824	0.1	RMS	814.4	10.8	30	19.2	Pass	401




1.6. Band Edge for SA_Part90(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.664	-32.43	-13	19.43	Pass	401
813.9625	814	0.1	RMS	813.994	-32.69	-20	12.69	Pass	401
814	824	0.1	RMS	817.575	-5.72	30	35.72	Pass	401



1.7. Band Edge for SA_Part90(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.1	RMS	823.575	10.75	30	19.26	Pass	401
824	824.0375	0.002	RMS	824.005	-46.14	-20	26.14	Pass	401
824.0375	834	0.1	RMS	824.038	-34.53	-13	21.53	Pass	401



1.8. Band Edge for SA_Part90(Subtest:4, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.1	RMS	817.575	-5.7	30	35.7	Pass	401
824	824.0375	0.1	RMS	824.001	-32.77	-20	12.77	Pass	401
824.0375	834	0.1	RMS	824.038	-33.05	-13	20.05	Pass	401

