

Main Antenna Test Result

Project Number: P-CC26060547

Test Time: 2026-07-20_23.49.45

EUT Name: Tablet

Temp.(°C): 23.1

Model Number: Inventus SD1

Humidity (%RH): 54

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11a CH44 P=16.5

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08

ANT7

RE Test case FCC Part 15E FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.500	40.22	-15.75	74.0	33.78	Peak	137.00	150	Vertical	Pass
1**	1199.500	30.18	-15.75	54.0	23.82	AV	137.00	150	Vertical	Pass
2	2181.500	43.33	-12.96	74.0	30.67	Peak	200.00	150	Vertical	Pass
2**	2181.500	32.35	-12.96	54.0	21.65	AV	200.00	150	Vertical	Pass
3	4027.500	47.85	-3.92	74.0	26.15	Peak	338.00	150	Vertical	Pass
3**	4027.500	35.85	-3.92	54.0	18.15	AV	338.00	150	Vertical	Pass
4	5222.000	102.72	-2.36	74.0	-28.72	Peak	50.00	150	Vertical	N/A
4**	5222.000	95.01	-2.36	54.0	-41.01	AV	50.00	150	Vertical	N/A
5	8413.250	47.44	-5.26	74.0	26.56	Peak	120.00	150	Vertical	Pass
5**	8413.250	36.64	-5.26	54.0	17.36	AV	120.00	150	Vertical	Pass
6	15255.562	50.00	-1.14	74.0	24.00	Peak	0.00	150	Vertical	Pass
6**	15255.562	38.80	-1.14	54.0	15.20	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-20_23.44.18

EUT Name: Tablet

Temp.(°C): 23.1

Model Number: Inventus SD1

Humidity (%RH): 54

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11a CH44 P=16.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1308.500	45.59	-15.69	74.0	28.41	Peak	218.00	150	Horizontal	Pass
1**	1308.500	35.37	-15.69	54.0	18.63	AV	218.00	150	Horizontal	Pass
2	2133.000	44.18	-13.37	74.0	29.82	Peak	319.00	150	Horizontal	Pass
2**	2133.000	33.08	-13.37	54.0	20.92	AV	319.00	150	Horizontal	Pass
3	3403.000	47.37	-5.54	74.0	26.63	Peak	349.00	150	Horizontal	Pass
3**	3403.000	36.80	-5.54	54.0	17.20	AV	349.00	150	Horizontal	Pass
4	5218.000	107.31	-2.38	74.0	-33.31	Peak	282.00	150	Horizontal	N/A
4**	5218.000	98.99	-2.38	54.0	-44.99	AV	282.00	150	Horizontal	N/A
5	10360.513	47.71	-3.14	74.0	26.29	Peak	264.00	150	Horizontal	Pass
5**	10360.513	36.90	-3.14	54.0	17.10	AV	264.00	150	Horizontal	Pass
6	15086.513	49.70	-1.90	74.0	24.30	Peak	0.00	150	Horizontal	Pass
6**	15086.513	38.80	-1.90	54.0	15.20	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 26-07-21_01.22.25

EUT Name: Tablet

Temp.(°C): 23.1

Model Number: Inventus SD1

Humidity (%RH): 54

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11ac20 CH44 P=16.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1101.250	42.54	-15.73	74.0	31.46	Peak	338.00	150	Vertical	Pass
1**	1101.250	32.34	-15.73	54.0	21.66	AV	338.00	150	Vertical	Pass
2	1940.000	44.30	-14.99	74.0	29.70	Peak	218.00	150	Vertical	Pass
2**	1940.000	33.47	-14.99	54.0	20.53	AV	218.00	150	Vertical	Pass
3	3374.500	47.83	-4.81	74.0	26.17	Peak	219.00	150	Vertical	Pass
3**	3374.500	37.03	-4.81	54.0	16.97	AV	219.00	150	Vertical	Pass
4	5221.500	100.64	-2.37	74.0	-26.64	Peak	279.00	150	Vertical	N/A
4**	5221.500	92.92	-2.37	54.0	-38.92	AV	279.00	150	Vertical	N/A
5	8495.425	48.13	-4.58	74.0	25.87	Peak	350.00	150	Vertical	Pass
5**	8495.425	36.30	-4.58	54.0	17.70	AV	350.00	150	Vertical	Pass
6	17260.800	49.98	-1.38	74.0	24.02	Peak	74.00	150	Vertical	Pass
6**	17260.800	38.79	-1.38	54.0	15.21	AV	74.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_01.31.05

EUT Name: Tablet

Temp.(°C): 23.1

Model Number: Inventus SD1

Humidity (%RH): 54

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11ac20 CH44 P=16.5

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08

ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1290.750	46.26	-15.82	74.0	27.74	Peak	217.00	150	Horizontal	Pass
1**	1290.750	36.91	-15.82	54.0	17.09	AV	217.00	150	Horizontal	Pass
2	2191.750	43.32	-13.37	74.0	30.68	Peak	144.00	150	Horizontal	Pass
2**	2191.750	32.87	-13.37	54.0	21.13	AV	144.00	150	Horizontal	Pass
3	3410.500	47.57	-5.31	74.0	26.43	Peak	9.00	150	Horizontal	Pass
3**	3410.500	36.91	-5.31	54.0	17.09	AV	9.00	150	Horizontal	Pass
4	5222.000	107.99	-2.36	74.0	-33.99	Peak	202.00	150	Horizontal	N/A
4**	5222.000	99.56	-2.36	54.0	-45.56	AV	202.00	150	Horizontal	N/A
5	9975.525	47.38	-3.77	74.0	26.62	Peak	360.00	150	Horizontal	Pass
5**	9975.525	36.58	-3.77	54.0	17.42	AV	360.00	150	Horizontal	Pass
6	17065.762	50.73	-0.93	74.0	23.27	Peak	102.00	150	Horizontal	Pass
6**	17065.762	39.35	-0.93	54.0	14.65	AV	102.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_01.16.08

EUT Name: Tablet

Temp.(°C): 23.1

Model Number: Inventus SD1

Humidity (%RH): 54

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11ac40 CH38 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case FCC Part 15E FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.250	41.87	-15.17	74.0	32.13	Peak	74.00	150	Vertical	Pass
1**	1065.250	32.87	-15.17	54.0	21.13	AV	74.00	150	Vertical	Pass
2	2117.000	42.82	-13.44	74.0	31.18	Peak	51.00	150	Vertical	Pass
2**	2117.000	30.33	-13.44	54.0	23.67	AV	51.00	150	Vertical	Pass
3	3612.000	46.43	-5.10	74.0	27.57	Peak	1.00	150	Vertical	Pass
3**	3612.000	35.29	-5.10	54.0	18.71	AV	1.00	150	Vertical	Pass
4	5194.500	98.30	-2.32	74.0	-24.30	Peak	149.00	150	Vertical	N/A
4**	5194.500	90.15	-2.32	54.0	-36.15	AV	149.00	150	Vertical	N/A
5	9159.238	47.84	-5.48	74.0	26.16	Peak	313.00	150	Vertical	Pass
5**	9159.238	36.33	-5.48	54.0	17.67	AV	313.00	150	Vertical	Pass
6	16975.989	49.61	-1.19	74.0	24.39	Peak	313.00	150	Vertical	Pass
6**	16975.989	38.96	-1.19	54.0	15.04	AV	313.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_01.11.05

EUT Name: Tablet

Temp.(°C): 23.1

Model Number: Inventus SD1

Humidity (%RH): 54

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11ac40 CH38 P=16

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08

ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1153.000	48.16	-15.68	74.0	25.84	Peak	69.00	150	Horizontal	Pass
1**	1153.000	36.15	-15.68	54.0	17.85	AV	69.00	150	Horizontal	Pass
2	2000.500	44.45	-14.30	74.0	29.55	Peak	137.00	150	Horizontal	Pass
2**	2000.500	33.14	-14.30	54.0	20.86	AV	137.00	150	Horizontal	Pass
3	3364.000	47.20	-5.28	74.0	26.80	Peak	279.00	150	Horizontal	Pass
3**	3364.000	36.80	-5.28	54.0	17.20	AV	279.00	150	Horizontal	Pass
4	5194.500	104.49	-2.32	74.0	-30.49	Peak	200.00	150	Horizontal	N/A
4**	5194.500	96.52	-2.32	54.0	-42.52	AV	200.00	150	Horizontal	N/A
5	9469.650	47.60	-4.17	74.0	26.40	Peak	7.00	150	Horizontal	Pass
5**	9469.650	36.72	-4.17	54.0	17.28	AV	7.00	150	Horizontal	Pass
6	16235.213	50.25	-1.21	74.0	23.75	Peak	277.00	150	Horizontal	Pass
6**	16235.213	38.68	-1.21	54.0	15.32	AV	277.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26060547

Test Time: 2026-09-02_21.06.40

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线 ANT7

RE Test case FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1258.500	39.65	-16.04	74.0	34.35	Peak	360.00	150	Vertical	Pass
1**	1258.500	27.44	-16.04	54.0	26.56	AV	360.00	150	Vertical	Pass
2	3434.500	48.34	-5.18	74.0	25.66	Peak	359.00	150	Vertical	Pass
2**	3434.500	37.70	-5.18	54.0	16.30	AV	359.00	150	Vertical	Pass
3	5218.500	96.65	-2.37	74.0	-22.65	Peak	289.00	150	Vertical	N/A
3**	5218.500	88.84	-2.37	54.0	-34.84	AV	289.00	150	Vertical	N/A
4	7906.500	53.94	1.57	74.0	20.06	Peak	289.00	150	Vertical	Pass
4**	7906.500	43.08	1.57	54.0	10.92	AV	289.00	150	Vertical	Pass
5	11675.550	47.68	-2.75	74.0	26.32	Peak	360.00	150	Vertical	Pass
5**	11675.550	36.84	-2.75	54.0	17.16	AV	360.00	150	Vertical	Pass
6	17247.412	49.44	-0.72	74.0	24.56	Peak	117.00	150	Vertical	Pass
6**	17247.412	39.62	-0.72	54.0	14.38	AV	117.00	150	Vertical	Pass


Test Result

Project Number: P-CC26060547

Test Time: 2026-09-02_21.10.50

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S03	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线 ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.750	42.41	-16.25	74.0	31.59	Peak	125.00	150	Horizontal	Pass
1**	1595.750	30.57	-16.25	54.0	23.43	AV	125.00	150	Horizontal	Pass
2	3460.500	47.26	-4.95	74.0	26.74	Peak	0.00	150	Horizontal	Pass
2**	3460.500	36.85	-4.95	54.0	17.15	AV	0.00	150	Horizontal	Pass
3	5215.500	102.23	-2.32	74.0	-28.23	Peak	279.00	150	Horizontal	N/A
3**	5215.500	93.50	-2.32	54.0	-39.50	AV	279.00	150	Horizontal	N/A
4	7631.500	54.06	0.66	74.0	19.94	Peak	129.00	150	Horizontal	Pass
4**	7631.500	42.53	0.66	54.0	11.47	AV	129.00	150	Horizontal	Pass
5	11277.500	47.52	-4.11	74.0	26.48	Peak	145.00	150	Horizontal	Pass
5**	11277.500	37.21	-4.11	54.0	16.79	AV	145.00	150	Horizontal	Pass
6	16752.074	50.37	-1.50	74.0	23.63	Peak	48.00	150	Horizontal	Pass
6**	16752.074	38.92	-1.50	54.0	15.08	AV	48.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_02.40.45

EUT Name: Tablet

Temp.(°C): 23.1

Model Number: Inventus SD1

Humidity (%RH): 54

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11ax20 CH44 P=16.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1113.750	43.48	-15.77	74.0	30.52	Peak	31.00	150	Vertical	Pass
1**	1113.750	32.80	-15.77	54.0	21.20	AV	31.00	150	Vertical	Pass
2	2317.500	43.92	-12.41	74.0	30.08	Peak	166.00	150	Vertical	Pass
2**	2317.500	31.76	-12.41	54.0	22.24	AV	166.00	150	Vertical	Pass
3	3581.000	46.79	-6.36	74.0	27.21	Peak	166.00	150	Vertical	Pass
3**	3581.000	36.04	-6.36	54.0	17.96	AV	166.00	150	Vertical	Pass
4	5224.000	101.39	-2.34	74.0	-27.39	Peak	272.00	150	Vertical	N/A
4**	5224.000	92.97	-2.34	54.0	-38.97	AV	272.00	150	Vertical	N/A
5	10338.425	47.59	-3.36	74.0	26.41	Peak	217.00	150	Vertical	Pass
5**	10338.425	36.16	-3.36	54.0	17.84	AV	217.00	150	Vertical	Pass
6	16932.412	50.26	-1.09	74.0	23.74	Peak	360.00	150	Vertical	Pass
6**	16932.412	39.93	-1.09	54.0	14.07	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_02.45.27

EUT Name: Tablet

Temp.(°C): 23.1

Model Number: Inventus SD1

Humidity (%RH): 54

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11ax20 CH44 P=16.5

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08

ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1151.250	51.11	-15.65	74.0	22.89	Peak	255.00	150	Horizontal	Pass
1**	1151.250	41.71	-15.65	54.0	12.29	AV	255.00	150	Horizontal	Pass
2	2213.250	43.12	-13.24	74.0	30.88	Peak	315.00	150	Horizontal	Pass
2**	2213.250	32.63	-13.24	54.0	21.37	AV	315.00	150	Horizontal	Pass
3	3599.500	46.88	-4.99	74.0	27.12	Peak	231.00	150	Horizontal	Pass
3**	3599.500	36.62	-4.99	54.0	17.38	AV	231.00	150	Horizontal	Pass
4	5222.500	109.33	-2.36	74.0	-35.33	Peak	200.00	150	Horizontal	N/A
4**	5222.500	100.05	-2.36	54.0	-46.05	AV	200.00	150	Horizontal	N/A
5	8358.625	47.95	-4.75	74.0	26.05	Peak	145.00	150	Horizontal	Pass
5**	8358.625	37.16	-4.75	54.0	16.84	AV	145.00	150	Horizontal	Pass
6	17467.386	50.51	-0.28	74.0	23.49	Peak	360.00	150	Horizontal	Pass
6**	17467.386	39.67	-0.28	54.0	14.33	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_03.29.45

EUT Name: Tablet

Temp.(°C): 23.1

Model Number: Inventus SD1

Humidity (%RH): 54

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11ax40 CH38 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1130.750	41.10	-15.55	74.0	32.90	Peak	27.00	150	Vertical	Pass
1**	1130.750	30.62	-15.55	54.0	23.38	AV	27.00	150	Vertical	Pass
2	2309.000	44.14	-12.52	74.0	29.86	Peak	178.00	150	Vertical	Pass
2**	2309.000	34.67	-12.52	54.0	19.33	AV	178.00	150	Vertical	Pass
3	3674.000	46.97	-5.26	74.0	27.03	Peak	1.00	150	Vertical	Pass
3**	3674.000	35.40	-5.26	54.0	18.60	AV	1.00	150	Vertical	Pass
4	5191.500	100.98	-2.30	74.0	-26.98	Peak	139.00	150	Vertical	N/A
4**	5191.500	92.47	-2.30	54.0	-38.47	AV	139.00	150	Vertical	N/A
5	10094.513	48.03	-4.09	74.0	25.97	Peak	7.00	150	Vertical	Pass
5**	10094.513	36.63	-4.09	54.0	17.37	AV	7.00	150	Vertical	Pass
6	16404.787	50.46	-1.82	74.0	23.54	Peak	312.00	150	Vertical	Pass
6**	16404.787	38.75	-1.82	54.0	15.25	AV	312.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_03.46.01

EUT Name: Tablet

Temp.(°C): 23.1

Model Number: Inventus SD1

Humidity (%RH): 54

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11ax40 CH38 P=17

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08

ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1186.500	39.07	-15.88	74.0	34.93	Peak	48.00	150	Horizontal	Pass
1**	1186.500	27.42	-15.88	54.0	26.58	AV	48.00	150	Horizontal	Pass
2	2288.500	42.19	-12.96	74.0	31.81	Peak	172.00	150	Horizontal	Pass
2**	2288.500	30.65	-12.96	54.0	23.35	AV	172.00	150	Horizontal	Pass
3	3599.500	47.23	-4.99	74.0	26.77	Peak	0.00	150	Horizontal	Pass
3**	3599.500	36.28	-4.99	54.0	17.72	AV	0.00	150	Horizontal	Pass
4	5186.500	106.00	-2.33	74.0	-32.00	Peak	208.00	150	Horizontal	N/A
4**	5186.500	97.01	-2.33	54.0	-43.01	AV	208.00	150	Horizontal	N/A
5	9130.738	47.14	-5.49	74.0	26.86	Peak	0.00	150	Horizontal	Pass
5**	9130.738	36.82	-5.49	54.0	17.18	AV	0.00	150	Horizontal	Pass
6	15293.362	49.66	-1.79	74.0	24.34	Peak	48.00	150	Horizontal	Pass
6**	15293.362	37.96	-1.79	54.0	16.04	AV	48.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_03.56.34

EUT Name: Tablet

Temp.(°C): 23.1

Model Number: Inventus SD1

Humidity (%RH): 54

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11ax80 CH42 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case FCC Part 15E FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1099.250	38.99	-15.74	74.0	35.01	Peak	278.00	150	Vertical	Pass
1**	1099.250	27.92	-15.74	54.0	26.08	AV	278.00	150	Vertical	Pass
2	2038.750	41.52	-13.27	74.0	32.48	Peak	12.00	150	Vertical	Pass
2**	2038.750	30.25	-13.27	54.0	23.75	AV	12.00	150	Vertical	Pass
3	3462.000	47.17	-5.05	74.0	26.83	Peak	21.00	150	Vertical	Pass
3**	3462.000	35.89	-5.05	54.0	18.11	AV	21.00	150	Vertical	Pass
4	5204.000	98.08	-2.41	74.0	-24.08	Peak	286.00	150	Vertical	N/A
4**	5204.000	88.03	-2.41	54.0	-34.03	AV	286.00	150	Vertical	N/A
5	9746.099	47.87	-3.84	74.0	26.13	Peak	191.00	150	Vertical	Pass
5**	9746.099	37.34	-3.84	54.0	16.66	AV	191.00	150	Vertical	Pass
6	15718.350	50.00	-1.85	74.0	24.00	Peak	187.00	150	Vertical	Pass
6**	15718.350	38.54	-1.85	54.0	15.46	AV	187.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_03.52.25

EUT Name: Tablet

Temp.(°C): 23.1

Model Number: Inventus SD1

Humidity (%RH): 54

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11ax80 CH42 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1100.250	39.24	-15.72	74.0	34.76	Peak	294.00	150	Horizontal	Pass
1**	1100.250	27.45	-15.72	54.0	26.55	AV	294.00	150	Horizontal	Pass
2	2115.000	42.01	-13.54	74.0	31.99	Peak	357.00	150	Horizontal	Pass
2**	2115.000	30.28	-13.54	54.0	23.72	AV	357.00	150	Horizontal	Pass
3	3368.500	47.58	-4.93	74.0	26.42	Peak	0.00	150	Horizontal	Pass
3**	3368.500	37.00	-4.93	54.0	17.00	AV	0.00	150	Horizontal	Pass
4	5213.000	103.88	-2.35	74.0	-29.88	Peak	288.00	150	Horizontal	N/A
4**	5213.000	93.78	-2.35	54.0	-39.78	AV	288.00	150	Horizontal	N/A
5	8929.812	48.21	-4.37	74.0	25.79	Peak	0.00	150	Horizontal	Pass
5**	8929.812	37.34	-4.37	54.0	16.66	AV	0.00	150	Horizontal	Pass
6	17632.500	50.69	0.19	74.0	23.31	Peak	83.00	150	Horizontal	Pass
6**	17632.500	40.03	0.19	54.0	13.97	AV	83.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_04.50.46

EUT Name: Tablet

Temp.(°C): 23.1

Model Number: Inventus SD1

Humidity (%RH): 54

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11be20 CH44 P=16

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08

ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1091.250	38.58	-15.83	74.0	35.42	Peak	315.00	150	Vertical	Pass
1**	1091.250	27.09	-15.83	54.0	26.91	AV	315.00	150	Vertical	Pass
2	2023.750	42.72	-14.04	74.0	31.28	Peak	99.00	150	Vertical	Pass
2**	2023.750	29.97	-14.04	54.0	24.03	AV	99.00	150	Vertical	Pass
3	3401.000	48.39	-5.63	74.0	25.61	Peak	13.00	150	Vertical	Pass
3**	3401.000	36.88	-5.63	54.0	17.12	AV	13.00	150	Vertical	Pass
4	5219.000	88.66	-2.36	74.0	-14.66	Peak	60.00	150	Vertical	N/A
4**	5219.000	79.93	-2.36	54.0	-25.93	AV	60.00	150	Vertical	N/A
5	9971.250	47.16	-3.81	74.0	26.84	Peak	333.00	150	Vertical	Pass
5**	9971.250	36.16	-3.81	54.0	17.84	AV	333.00	150	Vertical	Pass
6	16383.526	49.97	-1.39	74.0	24.03	Peak	0.00	150	Vertical	Pass
6**	16383.526	38.79	-1.39	54.0	15.21	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_04.46.28

EUT Name: Tablet

Temp.(°C): 23.1

Model Number: Inventus SD1

Humidity (%RH): 54

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11be20 CH44 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1072.250	38.75	-15.25	74.0	35.25	Peak	348.00	150	Horizontal	Pass
1**	1072.250	27.92	-15.25	54.0	26.08	AV	348.00	150	Horizontal	Pass
2	1763.500	41.57	-16.10	74.0	32.43	Peak	93.00	150	Horizontal	Pass
2**	1763.500	27.87	-16.10	54.0	26.13	AV	93.00	150	Horizontal	Pass
3	3405.000	47.72	-5.45	74.0	26.28	Peak	237.00	150	Horizontal	Pass
3**	3405.000	37.04	-5.45	54.0	16.96	AV	237.00	150	Horizontal	Pass
4	5219.500	94.30	-2.36	74.0	-20.30	Peak	209.00	150	Horizontal	N/A
4**	5219.500	84.80	-2.36	54.0	-30.80	AV	209.00	150	Horizontal	N/A
5	10320.375	48.58	-3.26	74.0	25.42	Peak	360.00	150	Horizontal	Pass
5**	10320.375	36.84	-3.26	54.0	17.16	AV	360.00	150	Horizontal	Pass
6	15721.238	49.82	-1.85	74.0	24.18	Peak	151.00	150	Horizontal	Pass
6**	15721.238	38.67	-1.85	54.0	15.33	AV	151.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_04.56.52

EUT Name: Tablet

Temp.(°C): 23.1

Model Number: Inventus SD1

Humidity (%RH): 54

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11be40 CH38 P=15


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.250	38.83	-15.58	74.0	35.17	Peak	120.00	150	Vertical	Pass
1**	1080.250	27.81	-15.58	54.0	26.19	AV	120.00	150	Vertical	Pass
2	1822.250	39.71	-16.05	74.0	34.29	Peak	237.00	150	Vertical	Pass
2**	1822.250	27.82	-16.05	54.0	26.18	AV	237.00	150	Vertical	Pass
3	2995.750	45.68	-8.85	74.0	28.32	Peak	105.00	150	Vertical	Pass
3**	2995.750	33.78	-8.85	54.0	20.22	AV	105.00	150	Vertical	Pass
4	5193.500	98.46	-2.31	74.0	-24.46	Peak	62.00	150	Vertical	N/A
4**	5193.500	90.00	-2.31	54.0	-36.00	AV	62.00	150	Vertical	N/A
5	10705.599	48.59	-4.06	74.0	25.41	Peak	239.00	150	Vertical	Pass
5**	10705.599	35.88	-4.06	54.0	18.12	AV	239.00	150	Vertical	Pass
6	16558.349	49.80	-0.92	74.0	24.20	Peak	115.00	150	Vertical	Pass
6**	16558.349	39.65	-0.92	54.0	14.35	AV	115.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_05.03.03

EUT Name: Tablet

Temp.(°C): 23.1

Model Number: Inventus SD1

Humidity (%RH): 54

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11be40 CH38 P=15


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1243.500	39.78	-16.08	74.0	34.22	Peak	218.00	150	Horizontal	Pass
1**	1243.500	27.62	-16.08	54.0	26.38	AV	218.00	150	Horizontal	Pass
2	2184.500	42.09	-13.11	74.0	31.91	Peak	8.00	150	Horizontal	Pass
2**	2184.500	31.27	-13.11	54.0	22.73	AV	8.00	150	Horizontal	Pass
3	3406.000	47.15	-5.41	74.0	26.85	Peak	211.00	150	Horizontal	Pass
3**	3406.000	36.63	-5.41	54.0	17.37	AV	211.00	150	Horizontal	Pass
4	5194.500	105.17	-2.32	74.0	-31.17	Peak	289.00	150	Horizontal	N/A
4**	5194.500	95.49	-2.32	54.0	-41.49	AV	289.00	150	Horizontal	N/A
5	9069.463	47.65	-4.57	74.0	26.35	Peak	236.00	150	Horizontal	Pass
5**	9069.463	36.74	-4.57	54.0	17.26	AV	236.00	150	Horizontal	Pass
6	14698.276	49.65	-2.18	74.0	24.35	Peak	286.00	150	Horizontal	Pass
6**	14698.276	39.08	-2.18	54.0	14.92	AV	286.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_06.10.49

EUT Name: Tablet

Temp.(°C): 23.1

Model Number: Inventus SD1

Humidity (%RH): 54

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11be80 CH42 P=15


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.000	39.02	-16.04	74.0	34.98	Peak	120.00	150	Vertical	Pass
1**	1335.000	27.64	-16.04	54.0	26.36	AV	120.00	150	Vertical	Pass
2	2208.500	42.17	-13.30	74.0	31.83	Peak	360.00	150	Vertical	Pass
2**	2208.500	30.62	-13.30	54.0	23.38	AV	360.00	150	Vertical	Pass
3	3429.000	48.30	-5.01	74.0	25.70	Peak	51.00	150	Vertical	Pass
3**	3429.000	36.55	-5.01	54.0	17.45	AV	51.00	150	Vertical	Pass
4	5206.500	94.65	-2.33	74.0	-20.65	Peak	142.00	150	Vertical	N/A
4**	5206.500	86.33	-2.33	54.0	-32.33	AV	142.00	150	Vertical	N/A
5	9545.888	47.46	-2.54	74.0	26.54	Peak	2.00	150	Vertical	Pass
5**	9545.888	37.62	-2.54	54.0	16.38	AV	2.00	150	Vertical	Pass
6	17660.588	50.93	0.46	74.0	23.07	Peak	220.00	150	Vertical	Pass
6**	17660.588	39.69	0.46	54.0	14.31	AV	220.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_06.06.22

EUT Name: Tablet

Temp.(°C): 23.1

Model Number: Inventus SD1

Humidity (%RH): 54

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11be80 CH42 P=15

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08

ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.000	38.92	-15.52	74.0	35.08	Peak	351.00	150	Horizontal	Pass
1**	1159.000	27.81	-15.52	54.0	26.19	AV	351.00	150	Horizontal	Pass
2	2037.500	41.29	-13.30	74.0	32.71	Peak	360.00	150	Horizontal	Pass
2**	2037.500	30.02	-13.30	54.0	23.98	AV	360.00	150	Horizontal	Pass
3	3370.500	46.83	-4.86	74.0	27.17	Peak	0.00	150	Horizontal	Pass
3**	3370.500	36.49	-4.86	54.0	17.51	AV	0.00	150	Horizontal	Pass
4	5214.500	103.92	-2.34	74.0	-29.92	Peak	209.00	150	Horizontal	N/A
4**	5214.500	94.45	-2.34	54.0	-40.45	AV	209.00	150	Horizontal	N/A
5	8931.474	47.16	-4.30	74.0	26.84	Peak	355.00	150	Horizontal	Pass
5**	8931.474	36.36	-4.30	54.0	17.64	AV	355.00	150	Horizontal	Pass
6	16176.151	50.10	-1.04	74.0	23.90	Peak	0.00	150	Horizontal	Pass
6**	16176.151	39.05	-1.04	54.0	14.95	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_09.37.29

EUT Name: Tablet

Temp.(°C): 23.5

Model Number: Inventus SD1

Humidity (%RH): 46

Sample Number: CC26060330-001-S07

Pressure(kPa): 101


Test Standard: 47 CFR Part 15E

Work Mode: Normal working Link(5G)

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A01+数据线: A08
ANT7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	35.238	39.09	-27.73	40.0	0.91	Peak	56.00	100	Vertical	Pass
1*	35.238	35.86	-27.73	40.0	4.14	QP	56.00	100	Vertical	Pass
2	130.152	32.54	-29.29	43.5	10.96	Peak	303.00	100	Vertical	Pass
3	224.388	32.50	-25.66	46.0	13.50	Peak	36.00	200	Vertical	Pass
4	378.327	38.56	-21.43	46.0	7.44	Peak	242.00	200	Vertical	Pass
5	555.982	33.62	-17.36	46.0	12.38	Peak	161.00	100	Vertical	Pass
6	750.128	31.09	-12.63	46.0	14.91	Peak	12.00	100	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_09.38.54

EUT Name: Tablet

Temp.(°C): 23.5

Model Number: Inventus SD1

Humidity (%RH): 46

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: Normal working Link(5G)


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A01+数据线: A08

ANT7



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	31.407	24.67	-29.06	40.0	15.33	Peak	292.00	100	Horizontal	Pass
2	66.326	17.93	-27.91	40.0	22.07	Peak	124.00	200	Horizontal	Pass
3	130.152	32.88	-29.29	43.5	10.62	Peak	256.00	100	Horizontal	Pass
4	222.303	36.20	-25.77	46.0	9.80	Peak	207.00	100	Horizontal	Pass
5	377.842	35.56	-21.42	46.0	10.44	Peak	74.00	100	Horizontal	Pass
6	746.927	30.17	-12.58	46.0	15.83	Peak	213.00	100	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_22.01.52

EUT Name: Tablet

Temp.(°C): 23.4

Model Number: Inventus SD1

Humidity (%RH): 49

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11a CH60 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1297.750	38.77	-15.65	74.0	35.23	Peak	87.00	150	Vertical	Pass
1**	1297.750	27.81	-15.65	54.0	26.19	AV	87.00	150	Vertical	Pass
2	2611.750	43.11	-10.76	74.0	30.89	Peak	355.00	150	Vertical	Pass
2**	2611.750	31.78	-10.76	54.0	22.22	AV	355.00	150	Vertical	Pass
3	4222.000	49.11	-4.02	74.0	24.89	Peak	1.00	150	Vertical	Pass
3**	4222.000	36.30	-4.02	54.0	17.70	AV	1.00	150	Vertical	Pass
4	5301.000	103.00	-2.07	74.0	-29.00	Peak	279.00	150	Vertical	N/A
4**	5301.000	94.32	-2.07	54.0	-40.32	AV	279.00	150	Vertical	N/A
5	9329.050	47.59	-5.05	74.0	26.41	Peak	121.00	150	Vertical	Pass
5**	9329.050	36.64	-5.05	54.0	17.36	AV	121.00	150	Vertical	Pass
6	15624.637	49.53	-1.57	74.0	24.47	Peak	360.00	150	Vertical	Pass
6**	15624.637	39.58	-1.57	54.0	14.42	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_21.56.37

EUT Name: Tablet

Temp.(°C): 23.4

Model Number: Inventus SD1

Humidity (%RH): 49

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11a CH60 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case FCC Part 15E FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1196.500	46.97	-15.71	74.0	27.03	Peak	230.00	150	Horizontal	Pass
1**	1196.500	36.53	-15.71	54.0	17.47	AV	230.00	150	Horizontal	Pass
2	1994.750	46.37	-14.56	74.0	27.63	Peak	152.00	150	Horizontal	Pass
2**	1994.750	35.96	-14.56	54.0	18.04	AV	152.00	150	Horizontal	Pass
3	4176.500	47.23	-4.09	74.0	26.77	Peak	0.00	150	Horizontal	Pass
3**	4176.500	37.00	-4.09	54.0	17.00	AV	0.00	150	Horizontal	Pass
4	5298.000	109.03	-2.04	74.0	-35.03	Peak	173.00	150	Horizontal	N/A
4**	5298.000	102.00	-2.04	54.0	-48.00	AV	173.00	150	Horizontal	N/A
5	8259.112	47.92	-4.49	74.0	26.08	Peak	76.00	150	Horizontal	Pass
5**	8259.112	36.73	-4.49	54.0	17.27	AV	76.00	150	Horizontal	Pass
6	15389.700	50.07	-2.15	74.0	23.93	Peak	247.00	150	Horizontal	Pass
6**	15389.700	38.22	-2.15	54.0	15.78	AV	247.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_22.41.37

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH60 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1073.250	43.16	-15.28	74.0	30.84	Peak	284.00	150	Vertical	Pass
1**	1073.250	33.58	-15.28	54.0	20.42	AV	284.00	150	Vertical	Pass
2	2039.250	46.36	-13.27	74.0	27.64	Peak	93.00	150	Vertical	Pass
2**	2039.250	31.20	-13.27	54.0	22.80	AV	93.00	150	Vertical	Pass
3	4015.500	46.91	-4.08	74.0	27.09	Peak	62.00	150	Vertical	Pass
3**	4015.500	36.04	-4.08	54.0	17.96	AV	62.00	150	Vertical	Pass
4	5299.000	100.43	-2.01	74.0	-26.43	Peak	52.00	150	Vertical	N/A
4**	5299.000	93.22	-2.01	54.0	-39.22	AV	52.00	150	Vertical	N/A
5	10773.763	47.57	-3.07	74.0	26.43	Peak	28.00	150	Vertical	Pass
5**	10773.763	36.91	-3.07	54.0	17.09	AV	28.00	150	Vertical	Pass
6	17285.474	50.09	-1.23	74.0	23.91	Peak	360.00	150	Vertical	Pass
6**	17285.474	39.48	-1.23	54.0	14.52	AV	360.00	150	Vertical	Pass


Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_22.36.42

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH60 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1136.000	49.70	-15.53	74.0	24.30	Peak	261.00	150	Horizontal	Pass
1**	1136.000	38.29	-15.53	54.0	15.71	AV	261.00	150	Horizontal	Pass
2	2013.250	47.89	-14.23	74.0	26.11	Peak	153.00	150	Horizontal	Pass
2**	2013.250	38.03	-14.23	54.0	15.97	AV	153.00	150	Horizontal	Pass
3	4176.500	47.40	-4.09	74.0	26.60	Peak	230.00	150	Horizontal	Pass
3**	4176.500	36.37	-4.09	54.0	17.63	AV	230.00	150	Horizontal	Pass
4	5298.000	107.81	-2.04	74.0	-33.81	Peak	191.00	150	Horizontal	N/A
4**	5298.000	100.44	-2.04	54.0	-46.44	AV	191.00	150	Horizontal	N/A
5	10263.375	47.23	-3.20	74.0	26.77	Peak	360.00	150	Horizontal	Pass
5**	10263.375	36.72	-3.20	54.0	17.28	AV	360.00	150	Horizontal	Pass
6	16541.025	50.58	-1.51	74.0	23.42	Peak	40.00	150	Horizontal	Pass
6**	16541.025	39.08	-1.51	54.0	14.92	AV	40.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_22.49.46

EUT Name: Tablet

Temp.(°C): 23.4

Model Number: Inventus SD1

Humidity (%RH): 49

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11n40 CH54 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1017.000	45.00	-14.84	74.0	29.00	Peak	205.00	150	Vertical	Pass
1**	1017.000	30.87	-14.84	54.0	23.13	AV	205.00	150	Vertical	Pass
2	1903.250	46.28	-15.51	74.0	27.72	Peak	117.00	150	Vertical	Pass
2**	1903.250	31.60	-15.51	54.0	22.40	AV	117.00	150	Vertical	Pass
3	4356.500	47.44	-3.49	74.0	26.56	Peak	20.00	150	Vertical	Pass
3**	4356.500	36.71	-3.49	54.0	17.29	AV	20.00	150	Vertical	Pass
4	5273.500	99.36	-2.43	74.0	-25.36	Peak	59.00	150	Vertical	N/A
4**	5273.500	91.54	-2.43	54.0	-37.54	AV	59.00	150	Vertical	N/A
5	10252.687	47.73	-3.16	74.0	26.27	Peak	6.00	150	Vertical	Pass
5**	10252.687	36.73	-3.16	54.0	17.27	AV	6.00	150	Vertical	Pass
6	16735.537	50.45	-1.50	74.0	23.55	Peak	317.00	150	Vertical	Pass
6**	16735.537	39.15	-1.50	54.0	14.85	AV	317.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_22.55.46

EUT Name: Tablet

Temp.(°C): 23.4

Model Number: Inventus SD1

Humidity (%RH): 49

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11n40 CH54 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1105.000	48.41	-15.73	74.0	25.59	Peak	265.00	150	Horizontal	Pass
1**	1105.000	37.04	-15.73	54.0	16.96	AV	265.00	150	Horizontal	Pass
2	2011.750	49.62	-14.22	74.0	24.38	Peak	156.00	150	Horizontal	Pass
2**	2011.750	37.80	-14.22	54.0	16.20	AV	156.00	150	Horizontal	Pass
3	3779.000	47.05	-5.32	74.0	26.95	Peak	258.00	150	Horizontal	Pass
3**	3779.000	35.24	-5.32	54.0	18.76	AV	258.00	150	Horizontal	Pass
4	5282.000	106.62	-2.25	74.0	-32.62	Peak	188.00	150	Horizontal	N/A
4**	5282.000	96.91	-2.25	54.0	-42.91	AV	188.00	150	Horizontal	N/A
5	9385.338	47.28	-4.53	74.0	26.72	Peak	1.00	150	Horizontal	Pass
5**	9385.338	36.04	-4.53	54.0	17.96	AV	1.00	150	Horizontal	Pass
6	15443.250	50.03	-1.80	74.0	23.97	Peak	252.00	150	Horizontal	Pass
6**	15443.250	38.83	-1.80	54.0	15.17	AV	252.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_23.05.42

EUT Name: Tablet

Temp.(°C): 23.4

Model Number: Inventus SD1

Humidity (%RH): 49

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11ac80 CH58 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.500	43.58	-15.75	74.0	30.42	Peak	192.00	150	Vertical	Pass
1**	1199.500	29.81	-15.75	54.0	24.19	AV	192.00	150	Vertical	Pass
2	1891.750	47.15	-15.38	74.0	26.85	Peak	126.00	150	Vertical	Pass
2**	1891.750	32.34	-15.38	54.0	21.66	AV	126.00	150	Vertical	Pass
3	4286.000	47.61	-3.87	74.0	26.39	Peak	344.00	150	Vertical	Pass
3**	4286.000	36.41	-3.87	54.0	17.59	AV	344.00	150	Vertical	Pass
4	5286.000	97.23	-2.12	74.0	-23.23	Peak	60.00	150	Vertical	N/A
4**	5286.000	88.07	-2.12	54.0	-34.07	AV	60.00	150	Vertical	N/A
5	10276.200	47.84	-3.29	74.0	26.16	Peak	312.00	150	Vertical	Pass
5**	10276.200	36.84	-3.29	54.0	17.16	AV	312.00	150	Vertical	Pass
6	17802.338	51.55	1.07	74.0	22.45	Peak	359.00	150	Vertical	Pass
6**	17802.338	40.02	1.07	54.0	13.98	AV	359.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_23.16.51

EUT Name: Tablet

Temp.(°C): 23.4

Model Number: Inventus SD1

Humidity (%RH): 49

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11ac80 CH58 P=16

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A08

ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1194.500	50.26	-15.75	74.0	23.74	Peak	223.00	150	Horizontal	Pass
1**	1194.500	38.56	-15.75	54.0	15.44	AV	223.00	150	Horizontal	Pass
2	1998.750	48.52	-14.35	74.0	25.48	Peak	152.00	150	Horizontal	Pass
2**	1998.750	38.67	-14.35	54.0	15.33	AV	152.00	150	Horizontal	Pass
3	4384.500	48.07	-3.73	74.0	25.93	Peak	10.00	150	Horizontal	Pass
3**	4384.500	36.67	-3.73	54.0	17.33	AV	10.00	150	Horizontal	Pass
4	5288.000	102.56	-2.05	74.0	-28.56	Peak	187.00	150	Horizontal	N/A
4**	5288.000	94.32	-2.05	54.0	-40.32	AV	187.00	150	Horizontal	N/A
5	8374.063	48.02	-4.43	74.0	25.98	Peak	360.00	150	Horizontal	Pass
5**	8374.063	36.85	-4.43	54.0	17.15	AV	360.00	150	Horizontal	Pass
6	14376.450	49.13	-1.91	74.0	24.87	Peak	0.00	150	Horizontal	Pass
6**	14376.450	37.88	-1.91	54.0	16.12	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_23.58.26

EUT Name: Tablet

Temp.(°C): 23.4

Model Number: Inventus SD1

Humidity (%RH): 49

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11ac160 CH50 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1168.750	39.22	-15.50	74.0	34.78	Peak	347.00	150	Vertical	Pass
1**	1168.750	27.72	-15.50	54.0	26.28	AV	347.00	150	Vertical	Pass
2	2207.500	41.82	-13.32	74.0	32.18	Peak	344.00	150	Vertical	Pass
2**	2207.500	30.77	-13.32	54.0	23.23	AV	344.00	150	Vertical	Pass
3	3963.500	47.44	-3.81	74.0	26.56	Peak	181.00	150	Vertical	Pass
3**	3963.500	36.16	-3.81	54.0	17.84	AV	181.00	150	Vertical	Pass
4	5241.000	92.42	-2.17	74.0	-18.42	Peak	62.00	150	Vertical	N/A
4**	5241.000	84.22	-2.17	54.0	-30.22	AV	62.00	150	Vertical	N/A
5	9950.825	47.53	-4.01	74.0	26.47	Peak	193.00	150	Vertical	Pass
5**	9950.825	36.43	-4.01	54.0	17.57	AV	193.00	150	Vertical	Pass
6	17088.074	50.50	-0.76	74.0	23.50	Peak	1.00	150	Vertical	Pass
6**	17088.074	39.20	-0.76	54.0	14.80	AV	1.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_00.03.55

EUT Name: Tablet

Temp.(°C): 23.4

Model Number: Inventus SD1

Humidity (%RH): 49

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11ac160 CH50 P=16

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08

ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1049.000	39.02	-15.39	74.0	34.98	Peak	72.00	150	Horizontal	Pass
1**	1049.000	27.57	-15.39	54.0	26.43	AV	72.00	150	Horizontal	Pass
2	2054.750	41.31	-13.78	74.0	32.69	Peak	54.00	150	Horizontal	Pass
2**	2054.750	30.29	-13.78	54.0	23.71	AV	54.00	150	Horizontal	Pass
3	3878.000	46.84	-4.72	74.0	27.16	Peak	92.00	150	Horizontal	Pass
3**	3878.000	36.05	-4.72	54.0	17.95	AV	92.00	150	Horizontal	Pass
4	5261.000	99.84	-2.19	74.0	-25.84	Peak	181.00	150	Horizontal	N/A
4**	5261.000	90.75	-2.19	54.0	-36.75	AV	181.00	150	Horizontal	N/A
5	8360.525	48.38	-4.72	74.0	25.62	Peak	146.00	150	Horizontal	Pass
5**	8360.525	36.49	-4.72	54.0	17.51	AV	146.00	150	Horizontal	Pass
6	17222.214	49.64	-0.85	74.0	24.36	Peak	360.00	150	Horizontal	Pass
6**	17222.214	39.01	-0.85	54.0	14.99	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_03.44.08

EUT Name: Tablet

Temp.(°C): 23.4

Model Number: Inventus SD1

Humidity (%RH): 49

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11ax20 CH60 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1223.250	39.26	-15.98	74.0	34.74	Peak	0.00	150	Vertical	Pass
1**	1223.250	27.34	-15.98	54.0	26.66	AV	0.00	150	Vertical	Pass
2	2234.000	42.10	-13.12	74.0	31.90	Peak	142.00	150	Vertical	Pass
2**	2234.000	30.76	-13.12	54.0	23.24	AV	142.00	150	Vertical	Pass
3	3427.500	48.04	-4.93	74.0	25.96	Peak	360.00	150	Vertical	Pass
3**	3427.500	36.75	-4.93	54.0	17.25	AV	360.00	150	Vertical	Pass
4	5298.500	103.05	-2.03	74.0	-29.05	Peak	280.00	150	Vertical	N/A
4**	5298.500	94.21	-2.03	54.0	-40.21	AV	280.00	150	Vertical	N/A
5	9531.638	47.94	-3.26	74.0	26.06	Peak	28.00	150	Vertical	Pass
5**	9531.638	36.25	-3.26	54.0	17.75	AV	28.00	150	Vertical	Pass
6	15267.375	49.43	-1.05	74.0	24.57	Peak	360.00	150	Vertical	Pass
6**	15267.375	39.06	-1.05	54.0	14.94	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_03.48.12

EUT Name: Tablet

Temp.(°C): 23.4

Model Number: Inventus SD1

Humidity (%RH): 49

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11ax20 CH60 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1040.000	39.22	-15.38	74.0	34.78	Peak	71.00	150	Horizontal	Pass
1**	1040.000	28.45	-15.38	54.0	25.55	AV	71.00	150	Horizontal	Pass
2	1943.000	40.13	-14.90	74.0	33.87	Peak	0.00	150	Horizontal	Pass
2**	1943.000	29.49	-14.90	54.0	24.51	AV	0.00	150	Horizontal	Pass
3	3430.500	47.61	-5.02	74.0	26.39	Peak	307.00	150	Horizontal	Pass
3**	3430.500	36.88	-5.02	54.0	17.12	AV	307.00	150	Horizontal	Pass
4	5294.000	109.70	-1.98	74.0	-35.70	Peak	190.00	150	Horizontal	N/A
4**	5294.000	99.07	-1.98	54.0	-45.07	AV	190.00	150	Horizontal	N/A
5	11614.513	49.90	-2.26	74.0	24.10	Peak	147.00	150	Horizontal	Pass
5**	11614.513	37.66	-2.26	54.0	16.34	AV	147.00	150	Horizontal	Pass
6	15787.912	49.88	-1.87	74.0	24.12	Peak	211.00	150	Horizontal	Pass
6**	15787.912	38.46	-1.87	54.0	15.54	AV	211.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_04.17.24

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax40 CH54 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT7

RE Test case FCC Part 15E FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1148.750	39.76	-15.66	74.0	34.24	Peak	0.00	150	Vertical	Pass
1**	1148.750	27.56	-15.66	54.0	26.44	AV	0.00	150	Vertical	Pass
2	2242.500	42.12	-12.92	74.0	31.88	Peak	356.00	150	Vertical	Pass
2**	2242.500	30.64	-12.92	54.0	23.36	AV	356.00	150	Vertical	Pass
3	3387.000	47.47	-5.57	74.0	26.53	Peak	240.00	150	Vertical	Pass
3**	3387.000	36.40	-5.57	54.0	17.60	AV	240.00	150	Vertical	Pass
4	5277.000	102.05	-2.37	74.0	-28.05	Peak	280.00	150	Vertical	N/A
4**	5277.000	91.03	-2.37	54.0	-37.03	AV	280.00	150	Vertical	N/A
5	10254.113	47.62	-3.20	74.0	26.38	Peak	191.00	150	Vertical	Pass
5**	10254.113	36.89	-3.20	54.0	17.11	AV	191.00	150	Vertical	Pass
6	16389.037	49.99	-1.40	74.0	24.01	Peak	243.00	150	Vertical	Pass
6**	16389.037	39.01	-1.40	54.0	14.99	AV	243.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_04.21.22

EUT Name: Tablet

Temp.(°C): 23.4

Model Number: Inventus SD1

Humidity (%RH): 49

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11ax40 CH54 P=17

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08

ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1071.500	38.79	-15.22	74.0	35.21	Peak	83.00	150	Horizontal	Pass
1**	1071.500	27.93	-15.22	54.0	26.07	AV	83.00	150	Horizontal	Pass
2	2080.750	41.71	-13.80	74.0	32.29	Peak	12.00	150	Horizontal	Pass
2**	2080.750	30.13	-13.80	54.0	23.87	AV	12.00	150	Horizontal	Pass
3	3596.500	46.38	-5.11	74.0	27.62	Peak	78.00	150	Horizontal	Pass
3**	3596.500	36.47	-5.11	54.0	17.53	AV	78.00	150	Horizontal	Pass
4	5266.500	107.20	-2.39	74.0	-33.20	Peak	199.00	150	Horizontal	N/A
4**	5266.500	98.04	-2.39	54.0	-44.04	AV	199.00	150	Horizontal	N/A
5	8369.075	47.71	-4.49	74.0	26.29	Peak	148.00	150	Horizontal	Pass
5**	8369.075	37.36	-4.49	54.0	16.64	AV	148.00	150	Horizontal	Pass
6	15938.588	49.72	-2.38	74.0	24.28	Peak	360.00	150	Horizontal	Pass
6**	15938.588	39.55	-2.38	54.0	14.45	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_04.39.14

EUT Name: Tablet

Temp.(°C): 23.4

Model Number: Inventus SD1

Humidity (%RH): 49

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11ax80 CH58 P=16

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08

ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1426.000	40.06	-15.96	74.0	33.94	Peak	241.00	150	Vertical	Pass
1**	1426.000	27.61	-15.96	54.0	26.39	AV	241.00	150	Vertical	Pass
2	2252.500	41.81	-12.96	74.0	32.19	Peak	0.00	150	Vertical	Pass
2**	2252.500	30.80	-12.96	54.0	23.20	AV	0.00	150	Vertical	Pass
3	3415.000	47.61	-5.19	74.0	26.39	Peak	32.00	150	Vertical	Pass
3**	3415.000	36.08	-5.19	54.0	17.92	AV	32.00	150	Vertical	Pass
4	5294.500	97.70	-2.00	74.0	-23.70	Peak	279.00	150	Vertical	N/A
4**	5294.500	87.47	-2.00	54.0	-33.47	AV	279.00	150	Vertical	N/A
5	10260.287	47.64	-3.17	74.0	26.36	Peak	0.00	150	Vertical	Pass
5**	10260.287	36.77	-3.17	54.0	17.23	AV	0.00	150	Vertical	Pass
6	15890.288	49.04	-1.61	74.0	24.96	Peak	360.00	150	Vertical	Pass
6**	15890.288	38.62	-1.61	54.0	15.38	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_04.35.05

EUT Name: Tablet

Temp.(°C): 23.4

Model Number: Inventus SD1

Humidity (%RH): 49

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11ax80 CH58 P=16

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08

ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1102.500	38.90	-15.74	74.0	35.10	Peak	0.00	150	Horizontal	Pass
1**	1102.500	27.59	-15.74	54.0	26.41	AV	0.00	150	Horizontal	Pass
2	2171.000	41.55	-13.00	74.0	32.45	Peak	0.00	150	Horizontal	Pass
2**	2171.000	30.40	-13.00	54.0	23.60	AV	0.00	150	Horizontal	Pass
3	3853.000	47.10	-5.27	74.0	26.90	Peak	148.00	150	Horizontal	Pass
3**	3853.000	35.63	-5.27	54.0	18.37	AV	148.00	150	Horizontal	Pass
4	5299.500	104.90	-2.02	74.0	-30.90	Peak	179.00	150	Horizontal	N/A
4**	5299.500	95.13	-2.02	54.0	-41.13	AV	179.00	150	Horizontal	N/A
5	9219.562	46.91	-5.60	74.0	27.09	Peak	121.00	150	Horizontal	Pass
5**	9219.562	36.67	-5.60	54.0	17.33	AV	121.00	150	Horizontal	Pass
6	17435.888	50.22	0.07	74.0	23.78	Peak	360.00	150	Horizontal	Pass
6**	17435.888	39.13	0.07	54.0	14.87	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_05.24.20

EUT Name: Tablet

Temp.(°C): 23.4

Model Number: Inventus SD1

Humidity (%RH): 49

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11ax160 CH50 P=15


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1270.750	39.02	-15.88	74.0	34.98	Peak	0.00	150	Vertical	Pass
1**	1270.750	27.46	-15.88	54.0	26.54	AV	0.00	150	Vertical	Pass
2	2183.750	41.60	-13.06	74.0	32.40	Peak	0.00	150	Vertical	Pass
2**	2183.750	30.54	-13.06	54.0	23.46	AV	0.00	150	Vertical	Pass
3	3802.500	47.14	-4.49	74.0	26.86	Peak	81.00	150	Vertical	Pass
3**	3802.500	35.54	-4.49	54.0	18.46	AV	81.00	150	Vertical	Pass
4	5263.000	96.30	-2.26	74.0	-22.30	Peak	278.00	150	Vertical	N/A
4**	5263.000	85.41	-2.26	54.0	-31.41	AV	278.00	150	Vertical	N/A
5	9516.912	47.44	-2.90	74.0	26.56	Peak	50.00	150	Vertical	Pass
5**	9516.912	36.69	-2.90	54.0	17.31	AV	50.00	150	Vertical	Pass
6	17210.925	50.41	-0.32	74.0	23.59	Peak	360.00	150	Vertical	Pass
6**	17210.925	38.48	-0.32	54.0	15.52	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_05.20.06

EUT Name: Tablet

Temp.(°C): 23.4

Model Number: Inventus SD1

Humidity (%RH): 49

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11ax160 CH50 P=15


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1459.250	39.23	-16.16	74.0	34.77	Peak	45.00	150	Horizontal	Pass
1**	1459.250	27.71	-16.16	54.0	26.29	AV	45.00	150	Horizontal	Pass
2	2360.750	41.78	-12.82	74.0	32.22	Peak	22.00	150	Horizontal	Pass
2**	2360.750	30.38	-12.82	54.0	23.62	AV	22.00	150	Horizontal	Pass
3	3377.500	47.21	-4.96	74.0	26.79	Peak	49.00	150	Horizontal	Pass
3**	3377.500	36.95	-4.96	54.0	17.05	AV	49.00	150	Horizontal	Pass
4	5238.500	100.19	-2.23	74.0	-26.19	Peak	200.00	150	Horizontal	N/A
4**	5238.500	91.39	-2.23	54.0	-37.39	AV	200.00	150	Horizontal	N/A
5	9894.776	47.71	-4.34	74.0	26.29	Peak	360.00	150	Horizontal	Pass
5**	9894.776	36.60	-4.34	54.0	17.40	AV	360.00	150	Horizontal	Pass
6	16284.826	49.95	-1.44	74.0	24.05	Peak	360.00	150	Horizontal	Pass
6**	16284.826	39.10	-1.44	54.0	14.90	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_05.30.11

EUT Name: Tablet

Temp.(°C): 23.4

Model Number: Inventus SD1

Humidity (%RH): 49

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11be20 CH60 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case FCC Part 15E FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1108.250	39.21	-15.76	74.0	34.79	Peak	0.00	150	Vertical	Pass
1**	1108.250	27.47	-15.76	54.0	26.53	AV	0.00	150	Vertical	Pass
2	2082.250	41.32	-13.81	74.0	32.68	Peak	242.00	150	Vertical	Pass
2**	2082.250	30.27	-13.81	54.0	23.73	AV	242.00	150	Vertical	Pass
3	3462.500	48.06	-5.06	74.0	25.94	Peak	107.00	150	Vertical	Pass
3**	3462.500	36.12	-5.06	54.0	17.88	AV	107.00	150	Vertical	Pass
4	5300.000	101.24	-2.04	74.0	-27.24	Peak	39.00	150	Vertical	N/A
4**	5300.000	93.16	-2.04	54.0	-39.16	AV	39.00	150	Vertical	N/A
5	8994.175	47.38	-4.50	74.0	26.62	Peak	238.00	150	Vertical	Pass
5**	8994.175	36.57	-4.50	54.0	17.43	AV	238.00	150	Vertical	Pass
6	16613.738	49.94	-1.21	74.0	24.06	Peak	142.00	150	Vertical	Pass
6**	16613.738	39.17	-1.21	54.0	14.83	AV	142.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_05.34.09

EUT Name: Tablet

Temp.(°C): 23.4

Model Number: Inventus SD1

Humidity (%RH): 49

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11be20 CH60 P=16

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08

ANT7

RE Test case FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1110.000	38.34	-15.77	74.0	35.66	Peak	111.00	150	Horizontal	Pass
1**	1110.000	27.94	-15.77	54.0	26.06	AV	111.00	150	Horizontal	Pass
2	2000.750	41.20	-14.29	74.0	32.80	Peak	220.00	150	Horizontal	Pass
2**	2000.750	29.34	-14.29	54.0	24.66	AV	220.00	150	Horizontal	Pass
3	3446.500	47.85	-5.15	74.0	26.15	Peak	308.00	150	Horizontal	Pass
3**	3446.500	36.19	-5.15	54.0	17.81	AV	308.00	150	Horizontal	Pass
4	5305.000	108.24	-2.03	74.0	-34.24	Peak	178.00	150	Horizontal	N/A
4**	5305.000	98.73	-2.03	54.0	-44.73	AV	178.00	150	Horizontal	N/A
5	8933.613	47.65	-4.22	74.0	26.35	Peak	0.00	150	Horizontal	Pass
5**	8933.613	36.77	-4.22	54.0	17.23	AV	0.00	150	Horizontal	Pass
6	16554.412	50.14	-0.86	74.0	23.86	Peak	313.00	150	Horizontal	Pass
6**	16554.412	39.31	-0.86	54.0	14.69	AV	313.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_06.13.36

EUT Name: Tablet

Temp.(°C): 23.4

Model Number: Inventus SD1

Humidity (%RH): 49

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11be40 CH54 P=15

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08

ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.000	39.33	-15.47	74.0	34.67	Peak	0.00	150	Vertical	Pass
1**	1161.000	28.22	-15.47	54.0	25.78	AV	0.00	150	Vertical	Pass
2	1951.250	40.42	-14.84	74.0	33.58	Peak	321.00	150	Vertical	Pass
2**	1951.250	29.40	-14.84	54.0	24.60	AV	321.00	150	Vertical	Pass
3	3458.000	46.44	-4.93	74.0	27.56	Peak	346.00	150	Vertical	Pass
3**	3458.000	36.23	-4.93	54.0	17.77	AV	346.00	150	Vertical	Pass
4	5271.500	100.02	-2.43	74.0	-26.02	Peak	277.00	150	Vertical	N/A
4**	5271.500	91.02	-2.43	54.0	-37.02	AV	277.00	150	Vertical	N/A
5	9296.987	47.63	-5.48	74.0	26.37	Peak	360.00	150	Vertical	Pass
5**	9296.987	36.12	-5.48	54.0	17.88	AV	360.00	150	Vertical	Pass
6	16642.875	50.00	-1.03	74.0	24.00	Peak	360.00	150	Vertical	Pass
6**	16642.875	38.67	-1.03	54.0	15.33	AV	360.00	150	Vertical	Pass


Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_06.09.34

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11be40 CH54 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1046.500	39.01	-15.39	74.0	34.99	Peak	41.00	150	Horizontal	Pass
1**	1046.500	27.66	-15.39	54.0	26.34	AV	41.00	150	Horizontal	Pass
2	2033.750	41.18	-13.44	74.0	32.82	Peak	0.00	150	Horizontal	Pass
2**	2033.750	30.14	-13.44	54.0	23.86	AV	0.00	150	Horizontal	Pass
3	3428.000	46.89	-4.91	74.0	27.11	Peak	353.00	150	Horizontal	Pass
3**	3428.000	36.75	-4.91	54.0	17.25	AV	353.00	150	Horizontal	Pass
4	5270.500	105.97	-2.50	74.0	-31.97	Peak	178.00	150	Horizontal	N/A
4**	5270.500	94.83	-2.50	54.0	-40.83	AV	178.00	150	Horizontal	N/A
5	8940.500	47.68	-4.41	74.0	26.32	Peak	285.00	150	Horizontal	Pass
5**	8940.500	36.59	-4.41	54.0	17.41	AV	285.00	150	Horizontal	Pass
6	15937.537	50.06	-2.36	74.0	23.94	Peak	74.00	150	Horizontal	Pass
6**	15937.537	39.04	-2.36	54.0	14.96	AV	74.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_06.19.16

EUT Name: Tablet

Temp.(°C): 23.4

Model Number: Inventus SD1

Humidity (%RH): 49

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11be80 CH58 P=15


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1107.250	39.36	-15.77	74.0	34.64	Peak	0.00	150	Vertical	Pass
1**	1107.250	27.64	-15.77	54.0	26.36	AV	0.00	150	Vertical	Pass
2	1730.750	39.77	-16.20	74.0	34.23	Peak	157.00	150	Vertical	Pass
2**	1730.750	27.85	-16.20	54.0	26.15	AV	157.00	150	Vertical	Pass
3	3407.500	48.20	-5.33	74.0	25.80	Peak	7.00	150	Vertical	Pass
3**	3407.500	36.86	-5.33	54.0	17.14	AV	7.00	150	Vertical	Pass
4	5287.500	97.68	-2.07	74.0	-23.68	Peak	288.00	150	Vertical	N/A
4**	5287.500	86.64	-2.07	54.0	-32.64	AV	288.00	150	Vertical	N/A
5	9027.900	47.22	-4.35	74.0	26.78	Peak	0.00	150	Vertical	Pass
5**	9027.900	36.06	-4.35	54.0	17.94	AV	0.00	150	Vertical	Pass
6	15458.213	49.91	-2.15	74.0	24.09	Peak	278.00	150	Vertical	Pass
6**	15458.213	38.41	-2.15	54.0	15.59	AV	278.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_06.44.12

EUT Name: Tablet

Temp.(°C): 23.4

Model Number: Inventus SD1

Humidity (%RH): 49

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11be80 CH58 P=15

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08

ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.500	38.78	-15.20	74.0	35.22	Peak	111.00	150	Horizontal	Pass
1**	1064.500	27.95	-15.20	54.0	26.05	AV	111.00	150	Horizontal	Pass
2	1999.000	40.22	-14.34	74.0	33.78	Peak	178.00	150	Horizontal	Pass
2**	1999.000	29.47	-14.34	54.0	24.53	AV	178.00	150	Horizontal	Pass
3	3423.000	47.25	-4.91	74.0	26.75	Peak	2.00	150	Horizontal	Pass
3**	3423.000	36.46	-4.91	54.0	17.54	AV	2.00	150	Horizontal	Pass
4	5293.000	104.43	-1.96	74.0	-30.43	Peak	179.00	150	Horizontal	N/A
4**	5293.000	94.63	-1.96	54.0	-40.63	AV	179.00	150	Horizontal	N/A
5	9381.300	47.22	-4.65	74.0	26.78	Peak	337.00	150	Horizontal	Pass
5**	9381.300	36.28	-4.65	54.0	17.72	AV	337.00	150	Horizontal	Pass
6	17233.238	50.53	-0.46	74.0	23.47	Peak	313.00	150	Horizontal	Pass
6**	17233.238	39.98	-0.46	54.0	14.02	AV	313.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_07.28.20

EUT Name: Tablet

Temp.(°C): 23.4

Model Number: Inventus SD1

Humidity (%RH): 49

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11be160 CH50 P=15


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1290.000	39.32	-15.84	74.0	34.68	Peak	358.00	150	Vertical	Pass
1**	1290.000	27.55	-15.84	54.0	26.45	AV	358.00	150	Vertical	Pass
2	2204.750	41.50	-13.32	74.0	32.50	Peak	108.00	150	Vertical	Pass
2**	2204.750	30.61	-13.32	54.0	23.39	AV	108.00	150	Vertical	Pass
3	3599.500	46.27	-4.99	74.0	27.73	Peak	360.00	150	Vertical	Pass
3**	3599.500	36.10	-4.99	54.0	17.90	AV	360.00	150	Vertical	Pass
4	5240.500	93.27	-2.18	74.0	-19.27	Peak	278.00	150	Vertical	N/A
4**	5240.500	81.77	-2.18	54.0	-27.77	AV	278.00	150	Vertical	N/A
5	8660.250	47.36	-5.63	74.0	26.64	Peak	119.00	150	Vertical	Pass
5**	8660.250	36.46	-5.63	54.0	17.54	AV	119.00	150	Vertical	Pass
6	16547.588	50.12	-1.30	74.0	23.88	Peak	313.00	150	Vertical	Pass
6**	16547.588	38.95	-1.30	54.0	15.05	AV	313.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_07.23.43

EUT Name: Tablet

Temp.(°C): 23.4

Model Number: Inventus SD1

Humidity (%RH): 49

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11be160 CH50 P=15


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1150.500	38.61	-15.65	74.0	35.39	Peak	145.00	150	Horizontal	Pass
1**	1150.500	27.80	-15.65	54.0	26.20	AV	145.00	150	Horizontal	Pass
2	2307.750	41.94	-12.57	74.0	32.06	Peak	310.00	150	Horizontal	Pass
2**	2307.750	31.05	-12.57	54.0	22.95	AV	310.00	150	Horizontal	Pass
3	3710.500	45.94	-4.93	74.0	28.06	Peak	358.00	150	Horizontal	Pass
3**	3710.500	34.78	-4.93	54.0	19.22	AV	358.00	150	Horizontal	Pass
4	5255.500	100.91	-2.08	74.0	-26.91	Peak	172.00	150	Horizontal	N/A
4**	5255.500	90.19	-2.08	54.0	-36.19	AV	172.00	150	Horizontal	N/A
5	9547.550	47.36	-2.54	74.0	26.64	Peak	360.00	150	Horizontal	Pass
5**	9547.550	37.36	-2.54	54.0	16.64	AV	360.00	150	Horizontal	Pass
6	16631.850	49.82	-1.61	74.0	24.18	Peak	360.00	150	Horizontal	Pass
6**	16631.850	38.34	-1.61	54.0	15.66	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_13.50.00

EUT Name: Tablet

Temp.(°C): 22.9

Model Number: Inventus SD1

Humidity (%RH): 52

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11a CH116 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.750	40.50	-16.14	74.0	33.50	Peak	107.00	150	Vertical	Pass
1**	1499.750	28.87	-16.14	54.0	25.13	AV	107.00	150	Vertical	Pass
2	3253.500	44.95	-7.38	74.0	29.05	Peak	202.00	150	Vertical	Pass
2**	3253.500	35.59	-7.38	54.0	18.41	AV	202.00	150	Vertical	Pass
3	5578.000	97.93	-2.89	74.0	-23.93	Peak	290.00	150	Vertical	N/A
3**	5578.000	89.41	-2.89	54.0	-35.41	AV	290.00	150	Vertical	N/A
4	7787.000	54.90	1.58	74.0	19.10	Peak	261.00	150	Vertical	Pass
4**	7787.000	43.44	1.58	54.0	10.56	AV	261.00	150	Vertical	Pass
5	11486.737	48.63	-3.19	74.0	25.37	Peak	240.00	150	Vertical	Pass
5**	11486.737	37.37	-3.19	54.0	16.63	AV	240.00	150	Vertical	Pass
6	17140.312	50.91	0.08	74.0	23.09	Peak	178.00	150	Vertical	Pass
6**	17140.312	40.30	0.08	54.0	13.70	AV	178.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_13.46.04

EUT Name: Tablet

Temp.(°C): 22.9

Model Number: Inventus SD1

Humidity (%RH): 52

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11a CH116 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.500	43.43	-16.25	74.0	30.57	Peak	174.00	150	Horizontal	Pass
1**	1595.500	32.32	-16.25	54.0	21.68	AV	174.00	150	Horizontal	Pass
2	3236.500	46.93	-6.89	74.0	27.07	Peak	360.00	150	Horizontal	Pass
2**	3236.500	35.09	-6.89	54.0	18.91	AV	360.00	150	Horizontal	Pass
3	5577.000	105.76	-2.90	74.0	-31.76	Peak	172.00	150	Horizontal	N/A
3**	5577.000	98.05	-2.90	54.0	-44.05	AV	172.00	150	Horizontal	N/A
4	7339.000	54.23	1.14	74.0	19.77	Peak	114.00	150	Horizontal	Pass
4**	7339.000	42.94	1.14	54.0	11.06	AV	114.00	150	Horizontal	Pass
5	10131.562	48.22	-3.87	74.0	25.78	Peak	308.00	150	Horizontal	Pass
5**	10131.562	37.33	-3.87	54.0	16.67	AV	308.00	150	Horizontal	Pass
6	16402.426	49.62	-1.78	74.0	24.38	Peak	360.00	150	Horizontal	Pass
6**	16402.426	38.98	-1.78	54.0	15.02	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_13.54.05

EUT Name: Tablet

Temp.(°C): 22.9

Model Number: Inventus SD1

Humidity (%RH): 52

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11n20 CH116 P=17

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A01+数据线: A08

ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1399.250	38.91	-15.99	74.0	35.09	Peak	187.00	150	Vertical	Pass
1**	1399.250	27.92	-15.99	54.0	26.08	AV	187.00	150	Vertical	Pass
2	3302.500	45.34	-6.87	74.0	28.66	Peak	241.00	150	Vertical	Pass
2**	3302.500	35.21	-6.87	54.0	18.79	AV	241.00	150	Vertical	Pass
3	5582.000	97.46	-2.85	74.0	-23.46	Peak	290.00	150	Vertical	N/A
3**	5582.000	89.70	-2.85	54.0	-35.70	AV	290.00	150	Vertical	N/A
4	7736.500	54.08	1.24	74.0	19.92	Peak	172.00	150	Vertical	Pass
4**	7736.500	43.31	1.24	54.0	10.69	AV	172.00	150	Vertical	Pass
5	10414.425	47.74	-3.30	74.0	26.26	Peak	6.00	150	Vertical	Pass
5**	10414.425	36.89	-3.30	54.0	17.11	AV	6.00	150	Vertical	Pass
6	16981.762	50.08	-1.14	74.0	23.92	Peak	0.00	150	Vertical	Pass
6**	16981.762	39.80	-1.14	54.0	14.20	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_13.58.09

EUT Name: Tablet

Temp.(°C): 22.9

Model Number: Inventus SD1

Humidity (%RH): 52

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11n20 CH116 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.750	43.18	-16.21	74.0	30.82	Peak	164.00	150	Horizontal	Pass
1**	1593.750	29.67	-16.21	54.0	24.33	AV	164.00	150	Horizontal	Pass
2	3317.000	46.09	-6.38	74.0	27.91	Peak	115.00	150	Horizontal	Pass
2**	3317.000	37.72	-6.38	54.0	16.28	AV	115.00	150	Horizontal	Pass
3	5582.000	100.83	-2.85	74.0	-26.83	Peak	272.00	150	Horizontal	N/A
3**	5582.000	93.29	-2.85	54.0	-39.29	AV	272.00	150	Horizontal	N/A
4	7861.000	54.44	1.68	74.0	19.56	Peak	360.00	150	Horizontal	Pass
4**	7861.000	43.26	1.68	54.0	10.74	AV	360.00	150	Horizontal	Pass
5	10734.576	47.68	-3.85	74.0	26.32	Peak	0.00	150	Horizontal	Pass
5**	10734.576	36.83	-3.85	54.0	17.17	AV	0.00	150	Horizontal	Pass
6	16912.725	49.98	-0.64	74.0	24.02	Peak	12.00	150	Horizontal	Pass
6**	16912.725	39.37	-0.64	54.0	14.63	AV	12.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_14.06.41

EUT Name: Tablet

Temp.(°C): 22.9

Model Number: Inventus SD1

Humidity (%RH): 52

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11n40 CH118 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1454.750	39.39	-16.10	74.0	34.61	Peak	113.00	150	Vertical	Pass
1**	1454.750	28.29	-16.10	54.0	25.71	AV	113.00	150	Vertical	Pass
2	3250.000	46.75	-7.43	74.0	27.25	Peak	360.00	150	Vertical	Pass
2**	3250.000	36.98	-7.43	54.0	17.02	AV	360.00	150	Vertical	Pass
3	5583.500	94.39	-2.83	74.0	-20.39	Peak	291.00	150	Vertical	N/A
3**	5583.500	86.02	-2.83	54.0	-32.02	AV	291.00	150	Vertical	N/A
4	7785.500	54.12	1.55	74.0	19.88	Peak	84.00	150	Vertical	Pass
4**	7785.500	43.40	1.55	54.0	10.60	AV	84.00	150	Vertical	Pass
5	9962.937	47.88	-3.94	74.0	26.12	Peak	0.00	150	Vertical	Pass
5**	9962.937	36.91	-3.94	54.0	17.09	AV	0.00	150	Vertical	Pass
6	15215.925	50.41	-2.01	74.0	23.59	Peak	245.00	150	Vertical	Pass
6**	15215.925	38.44	-2.01	54.0	15.56	AV	245.00	150	Vertical	Pass


Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_14.02.44

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH118 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1663.250	39.35	-16.23	74.0	34.65	Peak	60.00	150	Horizontal	Pass
1**	1663.250	27.85	-16.23	54.0	26.15	AV	60.00	150	Horizontal	Pass
2	3298.500	46.18	-6.88	74.0	27.82	Peak	360.00	150	Horizontal	Pass
2**	3298.500	35.48	-6.88	54.0	18.52	AV	360.00	150	Horizontal	Pass
3	5595.000	102.88	-2.82	74.0	-28.88	Peak	172.00	150	Horizontal	N/A
3**	5595.000	95.00	-2.82	54.0	-41.00	AV	172.00	150	Horizontal	N/A
4	7858.500	54.51	1.65	74.0	19.49	Peak	25.00	150	Horizontal	Pass
4**	7858.500	43.67	1.65	54.0	10.33	AV	25.00	150	Horizontal	Pass
5	10843.112	47.14	-3.49	74.0	26.86	Peak	7.00	150	Horizontal	Pass
5**	10843.112	37.30	-3.49	54.0	16.70	AV	7.00	150	Horizontal	Pass
6	16801.688	50.02	-1.20	74.0	23.98	Peak	40.00	150	Horizontal	Pass
6**	16801.688	39.61	-1.20	54.0	14.39	AV	40.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_23.15.33

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1044.500	44.11	-15.44	74.0	29.89	Peak	253.00	150	Vertical	Pass
1**	1044.500	32.70	-15.44	54.0	21.30	AV	253.00	150	Vertical	Pass
2	1883.750	46.94	-15.31	74.0	27.06	Peak	123.00	150	Vertical	Pass
2**	1883.750	37.19	-15.31	54.0	16.81	AV	123.00	150	Vertical	Pass
3	4617.000	48.35	-3.06	74.0	25.65	Peak	102.00	150	Vertical	Pass
3**	4617.000	38.08	-3.06	54.0	15.92	AV	102.00	150	Vertical	Pass
4	5525.000	90.93	-2.44	74.0	-16.93	Peak	292.00	150	Vertical	N/A
4**	5525.000	83.31	-2.44	54.0	-29.31	AV	292.00	150	Vertical	N/A
5	9970.775	47.58	-3.78	74.0	26.42	Peak	360.00	150	Vertical	Pass
5**	9970.775	36.90	-3.78	54.0	17.10	AV	360.00	150	Vertical	Pass
6	16636.838	50.07	-1.15	74.0	23.93	Peak	0.00	150	Vertical	Pass
6**	16636.838	39.38	-1.15	54.0	14.62	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_23.19.30

EUT Name: Tablet

Temp.(°C): 23.5

Model Number: Inventus SD1

Humidity (%RH): 46

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ac80 CH106 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1196.250	48.71	-15.72	74.0	25.29	Peak	258.00	150	Horizontal	Pass
1**	1196.250	33.69	-15.72	54.0	20.31	AV	258.00	150	Horizontal	Pass
2	2057.000	45.75	-13.83	74.0	28.25	Peak	151.00	150	Horizontal	Pass
2**	2057.000	33.75	-13.83	54.0	20.25	AV	151.00	150	Horizontal	Pass
3	4621.000	48.93	-2.78	74.0	25.07	Peak	81.00	150	Horizontal	Pass
3**	4621.000	37.95	-2.78	54.0	16.05	AV	81.00	150	Horizontal	Pass
4	5514.500	101.01	-2.56	74.0	-27.01	Peak	180.00	150	Horizontal	N/A
4**	5514.500	91.82	-2.56	54.0	-37.82	AV	180.00	150	Horizontal	N/A
5	9740.401	47.29	-3.95	74.0	26.71	Peak	262.00	150	Horizontal	Pass
5**	9740.401	37.58	-3.95	54.0	16.42	AV	262.00	150	Horizontal	Pass
6	14367.787	49.87	-1.41	74.0	24.13	Peak	15.00	150	Horizontal	Pass
6**	14367.787	39.63	-1.41	54.0	14.37	AV	15.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_14.25.12

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac160 CH114 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1360.250	39.81	-15.86	74.0	34.19	Peak	182.00	150	Vertical	Pass
1**	1360.250	28.29	-15.86	54.0	25.71	AV	182.00	150	Vertical	Pass
2	3187.500	46.00	-7.58	74.0	28.00	Peak	114.00	150	Vertical	Pass
2**	3187.500	37.73	-7.58	54.0	16.27	AV	114.00	150	Vertical	Pass
3	5572.500	86.85	-2.97	74.0	-12.85	Peak	290.00	150	Vertical	N/A
3**	5572.500	75.82	-2.97	54.0	-21.82	AV	290.00	150	Vertical	N/A
4	7395.500	53.63	0.80	74.0	20.37	Peak	162.00	150	Vertical	Pass
4**	7395.500	42.69	0.80	54.0	11.31	AV	162.00	150	Vertical	Pass
5	10501.349	47.80	-3.23	74.0	26.20	Peak	350.00	150	Vertical	Pass
5**	10501.349	37.26	-3.23	54.0	16.74	AV	350.00	150	Vertical	Pass
6	15444.825	49.39	-1.74	74.0	24.61	Peak	246.00	150	Vertical	Pass
6**	15444.825	39.38	-1.74	54.0	14.62	AV	246.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_14.21.21

EUT Name: Tablet

Temp.(°C): 22.9

Model Number: Inventus SD1

Humidity (%RH): 52

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ac160 CH114 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A01+数据线: A08 ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.750	41.68	-16.22	74.0	32.32	Peak	217.00	150	Horizontal	Pass
1**	1596.750	30.12	-16.22	54.0	23.88	AV	217.00	150	Horizontal	Pass
2	3217.500	45.33	-6.47	74.0	28.67	Peak	6.00	150	Horizontal	Pass
2**	3217.500	35.91	-6.47	54.0	18.09	AV	6.00	150	Horizontal	Pass
3	5567.000	96.29	-2.93	74.0	-22.29	Peak	173.00	150	Horizontal	N/A
3**	5567.000	89.52	-2.93	54.0	-35.52	AV	173.00	150	Horizontal	N/A
4	7765.000	54.32	1.32	74.0	19.68	Peak	360.00	150	Horizontal	Pass
4**	7765.000	43.14	1.32	54.0	10.86	AV	360.00	150	Horizontal	Pass
5	10849.526	47.59	-3.43	74.0	26.41	Peak	310.00	150	Horizontal	Pass
5**	10849.526	37.05	-3.43	54.0	16.95	AV	310.00	150	Horizontal	Pass
6	16830.037	49.41	-1.33	74.0	24.59	Peak	313.00	150	Horizontal	Pass
6**	16830.037	39.17	-1.33	54.0	14.83	AV	313.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_14.30.06

EUT Name: Tablet

Temp.(°C): 22.9

Model Number: Inventus SD1

Humidity (%RH): 52

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ax20 CH116 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1350.250	38.41	-15.94	74.0	35.59	Peak	0.00	150	Vertical	Pass
1**	1350.250	27.89	-15.94	54.0	26.11	AV	0.00	150	Vertical	Pass
2	3250.000	46.88	-7.43	74.0	27.12	Peak	320.00	150	Vertical	Pass
2**	3250.000	37.30	-7.43	54.0	16.70	AV	320.00	150	Vertical	Pass
3	5584.500	98.49	-2.84	74.0	-24.49	Peak	291.00	150	Vertical	N/A
3**	5584.500	88.02	-2.84	54.0	-34.02	AV	291.00	150	Vertical	N/A
4	7705.500	54.47	1.48	74.0	19.53	Peak	360.00	150	Vertical	Pass
4**	7705.500	42.72	1.48	54.0	11.28	AV	360.00	150	Vertical	Pass
5	10881.588	47.73	-3.22	74.0	26.27	Peak	240.00	150	Vertical	Pass
5**	10881.588	36.91	-3.22	54.0	17.09	AV	240.00	150	Vertical	Pass
6	16171.162	49.88	-0.98	74.0	24.12	Peak	245.00	150	Vertical	Pass
6**	16171.162	39.16	-0.98	54.0	14.84	AV	245.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_14.34.17

EUT Name: Tablet

Temp.(°C): 22.9

Model Number: Inventus SD1

Humidity (%RH): 52

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ax20 CH116 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.250	42.21	-16.21	74.0	31.79	Peak	224.00	150	Horizontal	Pass
1**	1598.250	31.44	-16.21	54.0	22.56	AV	224.00	150	Horizontal	Pass
2	3190.500	44.65	-7.63	74.0	29.35	Peak	279.00	150	Horizontal	Pass
2**	3190.500	35.42	-7.63	54.0	18.58	AV	279.00	150	Horizontal	Pass
3	5581.500	105.49	-2.85	74.0	-31.49	Peak	181.00	150	Horizontal	N/A
3**	5581.500	97.69	-2.85	54.0	-43.69	AV	181.00	150	Horizontal	N/A
4	7431.000	53.72	0.79	74.0	20.28	Peak	329.00	150	Horizontal	Pass
4**	7431.000	42.40	0.79	54.0	11.60	AV	329.00	150	Horizontal	Pass
5	10047.250	47.62	-3.91	74.0	26.38	Peak	5.00	150	Horizontal	Pass
5**	10047.250	37.23	-3.91	54.0	16.77	AV	5.00	150	Horizontal	Pass
6	16547.324	50.37	-1.30	74.0	23.63	Peak	346.00	150	Horizontal	Pass
6**	16547.324	39.07	-1.30	54.0	14.93	AV	346.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_14.42.40

EUT Name: Tablet

Temp.(°C): 22.9

Model Number: Inventus SD1

Humidity (%RH): 52

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ax40 CH118 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1379.500	39.14	-16.00	74.0	34.86	Peak	237.00	150	Vertical	Pass
1**	1379.500	28.12	-16.00	54.0	25.88	AV	237.00	150	Vertical	Pass
2	3417.000	47.47	-5.12	74.0	26.53	Peak	2.00	150	Vertical	Pass
2**	3417.000	36.09	-5.12	54.0	17.91	AV	2.00	150	Vertical	Pass
3	5592.000	96.77	-2.80	74.0	-22.77	Peak	163.00	150	Vertical	N/A
3**	5592.000	86.57	-2.80	54.0	-32.57	AV	163.00	150	Vertical	N/A
4	7792.000	54.21	1.63	74.0	19.79	Peak	280.00	150	Vertical	Pass
4**	7792.000	43.23	1.63	54.0	10.77	AV	280.00	150	Vertical	Pass
5	10251.975	48.02	-3.14	74.0	25.98	Peak	217.00	150	Vertical	Pass
5**	10251.975	36.71	-3.14	54.0	17.29	AV	217.00	150	Vertical	Pass
6	15257.400	49.49	-1.10	74.0	24.51	Peak	360.00	150	Vertical	Pass
6**	15257.400	38.82	-1.10	54.0	15.18	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_14.38.48

EUT Name: Tablet

Temp.(°C): 22.9

Model Number: Inventus SD1

Humidity (%RH): 52

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ax40 CH118 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.250	41.42	-16.24	74.0	32.58	Peak	218.00	150	Horizontal	Pass
1**	1596.250	31.67	-16.24	54.0	22.33	AV	218.00	150	Horizontal	Pass
2	3436.000	48.58	-5.22	74.0	25.42	Peak	329.00	150	Horizontal	Pass
2**	3436.000	36.67	-5.22	54.0	17.33	AV	329.00	150	Horizontal	Pass
3	5594.000	103.96	-2.82	74.0	-29.96	Peak	173.00	150	Horizontal	N/A
3**	5594.000	95.45	-2.82	54.0	-41.45	AV	173.00	150	Horizontal	N/A
4	7501.500	53.75	0.41	74.0	20.25	Peak	121.00	150	Horizontal	Pass
4**	7501.500	42.36	0.41	54.0	11.64	AV	121.00	150	Horizontal	Pass
5	9892.875	47.84	-4.29	74.0	26.16	Peak	50.00	150	Horizontal	Pass
5**	9892.875	36.62	-4.29	54.0	17.38	AV	50.00	150	Horizontal	Pass
6	15892.388	49.15	-1.56	74.0	24.85	Peak	345.00	150	Horizontal	Pass
6**	15892.388	39.12	-1.56	54.0	14.88	AV	345.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_23.10.39

EUT Name: Tablet

Temp.(°C): 23.5

Model Number: Inventus SD1

Humidity (%RH): 46

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ax80 CH106 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.250	45.31	-15.23	74.0	28.69	Peak	241.00	150	Vertical	Pass
1**	1063.250	35.43	-15.23	54.0	18.57	AV	241.00	150	Vertical	Pass
2	1900.000	46.17	-15.50	74.0	27.83	Peak	125.00	150	Vertical	Pass
2**	1900.000	31.80	-15.50	54.0	22.20	AV	125.00	150	Vertical	Pass
3	4678.500	49.51	-3.71	74.0	24.49	Peak	218.00	150	Vertical	Pass
3**	4678.500	37.22	-3.71	54.0	16.78	AV	218.00	150	Vertical	Pass
4	5532.000	91.73	-2.54	74.0	-17.73	Peak	121.00	150	Vertical	N/A
4**	5532.000	82.38	-2.54	54.0	-28.38	AV	121.00	150	Vertical	N/A
5	9659.412	47.06	-3.21	74.0	26.94	Peak	285.00	150	Vertical	Pass
5**	9659.412	36.94	-3.21	54.0	17.06	AV	285.00	150	Vertical	Pass
6	15037.162	49.60	-2.19	74.0	24.40	Peak	0.00	150	Vertical	Pass
6**	15037.162	38.53	-2.19	54.0	15.47	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_23.07.03

EUT Name: Tablet

Temp.(°C): 23.5

Model Number: Inventus SD1

Humidity (%RH): 46

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ax80 CH106 P=16

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A08

ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1084.250	47.32	-15.72	74.0	26.68	Peak	156.00	150	Horizontal	Pass
1**	1084.250	36.19	-15.72	54.0	17.81	AV	156.00	150	Horizontal	Pass
2	2123.500	45.44	-13.28	74.0	28.56	Peak	169.00	150	Horizontal	Pass
2**	2123.500	32.44	-13.28	54.0	21.56	AV	169.00	150	Horizontal	Pass
3	4940.000	49.75	-1.81	74.0	24.25	Peak	13.00	150	Horizontal	Pass
3**	4940.000	39.14	-1.81	54.0	14.86	AV	13.00	150	Horizontal	Pass
4	5525.000	103.80	-2.44	74.0	-29.80	Peak	170.00	150	Horizontal	N/A
4**	5525.000	93.30	-2.44	54.0	-39.30	AV	170.00	150	Horizontal	N/A
5	9111.975	47.00	-5.17	74.0	27.00	Peak	360.00	150	Horizontal	Pass
5**	9111.975	36.75	-5.17	54.0	17.25	AV	360.00	150	Horizontal	Pass
6	15929.925	49.81	-2.32	74.0	24.19	Peak	84.00	150	Horizontal	Pass
6**	15929.925	38.35	-2.32	54.0	15.65	AV	84.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_14.46.51

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax160 CH114 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1306.500	39.50	-15.63	74.0	34.50	Peak	25.00	150	Vertical	Pass
1**	1306.500	28.01	-15.63	54.0	25.99	AV	25.00	150	Vertical	Pass
2	3218.500	46.34	-6.41	74.0	27.66	Peak	360.00	150	Vertical	Pass
2**	3218.500	35.69	-6.41	54.0	18.31	AV	360.00	150	Vertical	Pass
3	5578.500	87.84	-2.88	74.0	-13.84	Peak	172.00	150	Vertical	N/A
3**	5578.500	78.75	-2.88	54.0	-24.75	AV	172.00	150	Vertical	N/A
4	7768.000	53.96	1.30	74.0	20.04	Peak	360.00	150	Vertical	Pass
4**	7768.000	42.93	1.30	54.0	11.07	AV	360.00	150	Vertical	Pass
5	10276.437	47.42	-3.29	74.0	26.58	Peak	335.00	150	Vertical	Pass
5**	10276.437	37.49	-3.29	54.0	16.51	AV	335.00	150	Vertical	Pass
6	16626.338	49.86	-1.29	74.0	24.14	Peak	360.00	150	Vertical	Pass
6**	16626.338	39.09	-1.29	54.0	14.91	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_14.50.47

EUT Name: Tablet

Temp.(°C): 22.9

Model Number: Inventus SD1

Humidity (%RH): 52

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ax160 CH114 P=15


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A01+数据线: A08 ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.750	41.16	-16.21	74.0	32.84	Peak	218.00	150	Horizontal	Pass
1**	1592.750	30.65	-16.21	54.0	23.35	AV	218.00	150	Horizontal	Pass
2	3706.000	45.85	-5.33	74.0	28.15	Peak	291.00	150	Horizontal	Pass
2**	3706.000	34.23	-5.33	54.0	19.77	AV	291.00	150	Horizontal	Pass
3	5582.000	96.87	-2.85	74.0	-22.87	Peak	173.00	150	Horizontal	N/A
3**	5582.000	87.79	-2.85	54.0	-33.79	AV	173.00	150	Horizontal	N/A
4	7961.000	54.63	2.35	74.0	19.37	Peak	329.00	150	Horizontal	Pass
4**	7961.000	43.12	2.35	54.0	10.88	AV	329.00	150	Horizontal	Pass
5	11000.575	47.73	-2.73	74.0	26.27	Peak	333.00	150	Horizontal	Pass
5**	11000.575	37.53	-2.73	54.0	16.47	AV	333.00	150	Horizontal	Pass
6	16737.113	49.61	-1.62	74.0	24.39	Peak	72.00	150	Horizontal	Pass
6**	16737.113	39.45	-1.62	54.0	14.55	AV	72.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_14.58.56

EUT Name: Tablet

Temp.(°C): 22.9

Model Number: Inventus SD1

Humidity (%RH): 52

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11be20 CH116 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1416.750	38.98	-15.95	74.0	35.02	Peak	111.00	150	Vertical	Pass
1**	1416.750	27.92	-15.95	54.0	26.08	AV	111.00	150	Vertical	Pass
2	3152.500	45.44	-7.26	74.0	28.56	Peak	241.00	150	Vertical	Pass
2**	3152.500	34.74	-7.26	54.0	19.26	AV	241.00	150	Vertical	Pass
3	5577.500	97.66	-2.89	74.0	-23.66	Peak	289.00	150	Vertical	N/A
3**	5577.500	88.44	-2.89	54.0	-34.44	AV	289.00	150	Vertical	N/A
4	7870.000	53.85	1.84	74.0	20.15	Peak	360.00	150	Vertical	Pass
4**	7870.000	43.46	1.84	54.0	10.54	AV	360.00	150	Vertical	Pass
5	10787.299	47.95	-2.99	74.0	26.05	Peak	190.00	150	Vertical	Pass
5**	10787.299	37.38	-2.99	54.0	16.62	AV	190.00	150	Vertical	Pass
6	15673.987	49.77	-1.54	74.0	24.23	Peak	345.00	150	Vertical	Pass
6**	15673.987	38.30	-1.54	54.0	15.70	AV	345.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_14.55.03

EUT Name: Tablet

Temp.(°C): 22.9

Model Number: Inventus SD1

Humidity (%RH): 52

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11be20 CH116 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.500	41.70	-16.22	74.0	32.30	Peak	156.00	150	Horizontal	Pass
1**	1598.500	30.69	-16.22	54.0	23.31	AV	156.00	150	Horizontal	Pass
2	3217.000	46.32	-6.49	74.0	27.68	Peak	312.00	150	Horizontal	Pass
2**	3217.000	35.56	-6.49	54.0	18.44	AV	312.00	150	Horizontal	Pass
3	5581.000	104.93	-2.85	74.0	-30.93	Peak	172.00	150	Horizontal	N/A
3**	5581.000	96.93	-2.85	54.0	-42.93	AV	172.00	150	Horizontal	N/A
4	7795.500	54.46	1.68	74.0	19.54	Peak	261.00	150	Horizontal	Pass
4**	7795.500	43.46	1.68	54.0	10.54	AV	261.00	150	Horizontal	Pass
5	10566.425	47.97	-3.22	74.0	26.03	Peak	0.00	150	Horizontal	Pass
5**	10566.425	36.83	-3.22	54.0	17.17	AV	0.00	150	Horizontal	Pass
6	16891.463	50.37	-0.44	74.0	23.63	Peak	360.00	150	Horizontal	Pass
6**	16891.463	39.80	-0.44	54.0	14.20	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_15.03.13

EUT Name: Tablet

Temp.(°C): 22.9

Model Number: Inventus SD1

Humidity (%RH): 52

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11be40 CH118 P=15


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1396.750	39.33	-16.04	74.0	34.67	Peak	133.00	150	Vertical	Pass
1**	1396.750	28.65	-16.04	54.0	25.35	AV	133.00	150	Vertical	Pass
2	3188.000	46.96	-7.58	74.0	27.04	Peak	133.00	150	Vertical	Pass
2**	3188.000	37.95	-7.58	54.0	16.05	AV	133.00	150	Vertical	Pass
3	5588.000	94.30	-2.82	74.0	-20.30	Peak	163.00	150	Vertical	N/A
3**	5588.000	85.26	-2.82	54.0	-31.26	AV	163.00	150	Vertical	N/A
4	7748.500	54.31	1.47	74.0	19.69	Peak	43.00	150	Vertical	Pass
4**	7748.500	43.18	1.47	54.0	10.82	AV	43.00	150	Vertical	Pass
5	10847.625	47.85	-3.52	74.0	26.15	Peak	98.00	150	Vertical	Pass
5**	10847.625	37.57	-3.52	54.0	16.43	AV	98.00	150	Vertical	Pass
6	17224.837	50.07	-0.70	74.0	23.93	Peak	141.00	150	Vertical	Pass
6**	17224.837	39.63	-0.70	54.0	14.37	AV	141.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_15.07.10

EUT Name: Tablet

Temp.(°C): 22.9

Model Number: Inventus SD1

Humidity (%RH): 52

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11be40 CH118 P=15


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.750	40.31	-16.12	74.0	33.69	Peak	121.00	150	Horizontal	Pass
1**	1581.750	28.30	-16.12	54.0	25.70	AV	121.00	150	Horizontal	Pass
2	3262.000	46.03	-6.97	74.0	27.97	Peak	38.00	150	Horizontal	Pass
2**	3262.000	35.88	-6.97	54.0	18.12	AV	38.00	150	Horizontal	Pass
3	5588.500	102.30	-2.79	74.0	-28.30	Peak	175.00	150	Horizontal	N/A
3**	5588.500	93.20	-2.79	54.0	-39.20	AV	175.00	150	Horizontal	N/A
4	7915.500	54.20	1.85	74.0	19.80	Peak	360.00	150	Horizontal	Pass
4**	7915.500	43.72	1.85	54.0	10.28	AV	360.00	150	Horizontal	Pass
5	10799.887	48.14	-3.22	74.0	25.86	Peak	286.00	150	Horizontal	Pass
5**	10799.887	37.42	-3.22	54.0	16.58	AV	286.00	150	Horizontal	Pass
6	16852.875	49.33	-1.31	74.0	24.67	Peak	311.00	150	Horizontal	Pass
6**	16852.875	38.88	-1.31	54.0	15.12	AV	311.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 26-07-22_22.59.26.

EUT Name: Tablet

Temp.(°C): 23.5

Model Number: Inventus SD1

Humidity (%RH): 46

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11be80 CH106 P=15


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1047.000	42.29	-15.39	74.0	31.71	Peak	243.00	150	Vertical	Pass
1**	1047.000	31.62	-15.39	54.0	22.38	AV	243.00	150	Vertical	Pass
2	1892.000	46.43	-15.39	74.0	27.57	Peak	114.00	150	Vertical	Pass
2**	1892.000	35.94	-15.39	54.0	18.06	AV	114.00	150	Vertical	Pass
3	4385.500	48.75	-3.70	74.0	25.25	Peak	200.00	150	Vertical	Pass
3**	4385.500	37.19	-3.70	54.0	16.81	AV	200.00	150	Vertical	Pass
4	5531.500	80.56	-2.54	74.0	-6.56	Peak	172.00	150	Vertical	N/A
4**	5531.500	71.65	-2.54	54.0	-17.65	AV	172.00	150	Vertical	N/A
5	8906.537	47.32	-4.72	74.0	26.68	Peak	331.00	150	Vertical	Pass
5**	8906.537	36.24	-4.72	54.0	17.76	AV	331.00	150	Vertical	Pass
6	14772.300	50.25	-0.87	74.0	23.75	Peak	0.00	150	Vertical	Pass
6**	14772.300	38.83	-0.87	54.0	15.17	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_23.03.11

EUT Name: Tablet

Temp.(°C): 23.5

Model Number: Inventus SD1

Humidity (%RH): 46

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11be80 CH106 P=15


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.250	48.43	-15.72	74.0	25.57	Peak	267.00	150	Horizontal	Pass
1**	1197.250	37.11	-15.72	54.0	16.89	AV	267.00	150	Horizontal	Pass
2	2019.750	45.44	-14.16	74.0	28.56	Peak	150.00	150	Horizontal	Pass
2**	2019.750	32.11	-14.16	54.0	21.89	AV	150.00	150	Horizontal	Pass
3	4522.500	48.18	-2.57	74.0	25.82	Peak	152.00	150	Horizontal	Pass
3**	4522.500	37.79	-2.57	54.0	16.21	AV	152.00	150	Horizontal	Pass
4	5537.000	91.58	-2.65	74.0	-17.58	Peak	184.00	150	Horizontal	N/A
4**	5537.000	81.81	-2.65	54.0	-27.81	AV	184.00	150	Horizontal	N/A
5	9979.800	47.60	-3.67	74.0	26.40	Peak	118.00	150	Horizontal	Pass
5**	9979.800	36.80	-3.67	54.0	17.20	AV	118.00	150	Horizontal	Pass
6	16171.425	49.42	-0.99	74.0	24.58	Peak	50.00	150	Horizontal	Pass
6**	16171.425	38.63	-0.99	54.0	15.37	AV	50.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_15.15.11

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11be160 CH114 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1405.000	39.41	-16.00	74.0	34.59	Peak	219.00	150	Vertical	Pass
1**	1405.000	28.39	-16.00	54.0	25.61	AV	219.00	150	Vertical	Pass
2	3229.000	46.04	-6.73	74.0	27.96	Peak	360.00	150	Vertical	Pass
2**	3229.000	35.06	-6.73	54.0	18.94	AV	360.00	150	Vertical	Pass
3	5576.000	87.39	-2.94	74.0	-13.39	Peak	290.00	150	Vertical	N/A
3**	5576.000	78.17	-2.94	54.0	-24.17	AV	290.00	150	Vertical	N/A
4	7783.000	54.02	1.45	74.0	19.98	Peak	290.00	150	Vertical	Pass
4**	7783.000	42.90	1.45	54.0	11.10	AV	290.00	150	Vertical	Pass
5	10500.400	48.08	-3.19	74.0	25.92	Peak	352.00	150	Vertical	Pass
5**	10500.400	37.23	-3.19	54.0	16.77	AV	352.00	150	Vertical	Pass
6	16300.575	49.70	-1.54	74.0	24.30	Peak	314.00	150	Vertical	Pass
6**	16300.575	39.23	-1.54	54.0	14.77	AV	314.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_15.11.18

EUT Name: Tablet

Temp.(°C): 22.9

Model Number: Inventus SD1

Humidity (%RH): 52

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11be160 CH114 P=15


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A01+数据线: A08 ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1543.750	42.53	-16.06	74.0	31.47	Peak	173.00	150	Horizontal	Pass
1**	1543.750	31.78	-16.06	54.0	22.22	AV	173.00	150	Horizontal	Pass
2	3244.500	46.54	-7.34	74.0	27.46	Peak	170.00	150	Horizontal	Pass
2**	3244.500	34.75	-7.34	54.0	19.25	AV	170.00	150	Horizontal	Pass
3	5568.000	97.59	-2.95	74.0	-23.59	Peak	170.00	150	Horizontal	N/A
3**	5568.000	87.79	-2.95	54.0	-33.79	AV	170.00	150	Horizontal	N/A
4	7859.000	54.32	1.67	74.0	19.68	Peak	92.00	150	Horizontal	Pass
4**	7859.000	43.11	1.67	54.0	10.89	AV	92.00	150	Horizontal	Pass
5	10871.137	48.04	-3.31	74.0	25.96	Peak	0.00	150	Horizontal	Pass
5**	10871.137	36.56	-3.31	54.0	17.44	AV	0.00	150	Horizontal	Pass
6	16247.550	49.03	-1.55	74.0	24.97	Peak	360.00	150	Horizontal	Pass
6**	16247.550	38.72	-1.55	54.0	15.28	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_02.41.16

EUT Name: Tablet

Temp.(°C): 23.5

Model Number: Inventus SD1

Humidity (%RH): 46

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11a CH157 P=17

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08

ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1042.250	42.57	-15.38	74.0	31.43	Peak	242.00	150	Vertical	Pass
1**	1042.250	32.85	-15.38	54.0	21.15	AV	242.00	150	Vertical	Pass
2	1913.000	46.95	-15.47	74.0	27.05	Peak	130.00	150	Vertical	Pass
2**	1913.000	36.12	-15.47	54.0	17.88	AV	130.00	150	Vertical	Pass
3	3413.500	47.73	-5.27	74.0	26.27	Peak	117.00	150	Vertical	Pass
3**	3413.500	37.73	-5.27	54.0	16.27	AV	117.00	150	Vertical	Pass
4	5786.500	102.82	-1.53	74.0	-28.82	Peak	296.00	150	Vertical	N/A
4**	5786.500	94.95	-1.53	54.0	-40.95	AV	296.00	150	Vertical	N/A
5	8712.263	47.45	-5.27	74.0	26.55	Peak	216.00	150	Vertical	Pass
5**	8712.263	36.65	-5.27	54.0	17.35	AV	216.00	150	Vertical	Pass
6	14902.762	49.52	-1.67	74.0	24.48	Peak	360.00	150	Vertical	Pass
6**	14902.762	38.65	-1.67	54.0	15.35	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_02.45.34

EUT Name: Tablet

Temp.(°C): 23.5

Model Number: Inventus SD1

Humidity (%RH): 46

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11a CH157 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1195.500	46.09	-15.75	74.0	27.91	Peak	194.00	150	Horizontal	Pass
1**	1195.500	37.57	-15.75	54.0	16.43	AV	194.00	150	Horizontal	Pass
2	1979.250	45.23	-14.80	74.0	28.77	Peak	162.00	150	Horizontal	Pass
2**	1979.250	34.31	-14.80	54.0	19.69	AV	162.00	150	Horizontal	Pass
3	3598.000	47.16	-5.09	74.0	26.84	Peak	223.00	150	Horizontal	Pass
3**	3598.000	36.35	-5.09	54.0	17.65	AV	223.00	150	Horizontal	Pass
4	5786.000	107.35	-1.53	74.0	-33.35	Peak	175.00	150	Horizontal	N/A
4**	5786.000	99.77	-1.53	54.0	-45.77	AV	175.00	150	Horizontal	N/A
5	9966.262	48.09	-3.85	74.0	25.91	Peak	123.00	150	Horizontal	Pass
5**	9966.262	36.51	-3.85	54.0	17.49	AV	123.00	150	Horizontal	Pass
6	16394.287	50.01	-1.13	74.0	23.99	Peak	174.00	150	Horizontal	Pass
6**	16394.287	40.15	-1.13	54.0	13.85	AV	174.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_02.54.38

EUT Name: Tablet

Temp.(°C): 23.5

Model Number: Inventus SD1

Humidity (%RH): 46

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ac20 CH157 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1023.500	42.59	-15.34	74.0	31.41	Peak	243.00	150	Vertical	Pass
1**	1023.500	32.58	-15.34	54.0	21.42	AV	243.00	150	Vertical	Pass
2	1995.500	47.95	-14.53	74.0	26.05	Peak	112.00	150	Vertical	Pass
2**	1995.500	35.65	-14.53	54.0	18.35	AV	112.00	150	Vertical	Pass
3	3605.500	46.76	-5.00	74.0	27.24	Peak	283.00	150	Vertical	Pass
3**	3605.500	34.93	-5.00	54.0	19.07	AV	283.00	150	Vertical	Pass
4	5788.000	102.54	-1.55	74.0	-28.54	Peak	295.00	150	Vertical	N/A
4**	5788.000	94.52	-1.55	54.0	-40.52	AV	295.00	150	Vertical	N/A
5	9546.838	47.66	-2.53	74.0	26.34	Peak	145.00	150	Vertical	Pass
5**	9546.838	37.01	-2.53	54.0	16.99	AV	145.00	150	Vertical	Pass
6	14262.000	50.02	-2.34	74.0	23.98	Peak	1.00	150	Vertical	Pass
6**	14262.000	38.42	-2.34	54.0	15.58	AV	1.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_02.50.43

EUT Name: Tablet

Temp.(°C): 23.5

Model Number: Inventus SD1

Humidity (%RH): 46

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ac20 CH157 P=17

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08

ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1286.750	45.73	-15.92	74.0	28.27	Peak	176.00	150	Horizontal	Pass
1**	1286.750	30.08	-15.92	54.0	23.92	AV	176.00	150	Horizontal	Pass
2	1998.750	43.09	-14.35	74.0	30.91	Peak	45.00	150	Horizontal	Pass
2**	1998.750	32.84	-14.35	54.0	21.16	AV	45.00	150	Horizontal	Pass
3	3599.000	46.74	-5.03	74.0	27.26	Peak	15.00	150	Horizontal	Pass
3**	3599.000	36.16	-5.03	54.0	17.84	AV	15.00	150	Horizontal	Pass
4	5784.000	107.30	-1.54	74.0	-33.30	Peak	208.00	150	Horizontal	N/A
4**	5784.000	99.17	-1.54	54.0	-45.17	AV	208.00	150	Horizontal	N/A
5	9548.026	48.72	-2.54	74.0	25.28	Peak	26.00	150	Horizontal	Pass
5**	9548.026	37.45	-2.54	54.0	16.55	AV	26.00	150	Horizontal	Pass
6	17075.213	50.27	-0.79	74.0	23.73	Peak	360.00	150	Horizontal	Pass
6**	17075.213	39.52	-0.79	54.0	14.48	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_03.19.14

EUT Name: Tablet

Temp.(°C): 23.5

Model Number: Inventus SD1

Humidity (%RH): 46

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ac40 CH151 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.250	44.49	-15.25	74.0	29.51	Peak	248.00	150	Vertical	Pass
1**	1062.250	33.81	-15.25	54.0	20.19	AV	248.00	150	Vertical	Pass
2	1903.250	46.83	-15.51	74.0	27.17	Peak	106.00	150	Vertical	Pass
2**	1903.250	37.93	-15.51	54.0	16.07	AV	106.00	150	Vertical	Pass
3	3409.000	47.69	-5.35	74.0	26.31	Peak	98.00	150	Vertical	Pass
3**	3409.000	36.59	-5.35	54.0	17.41	AV	98.00	150	Vertical	Pass
4	5757.000	99.69	-2.02	74.0	-25.69	Peak	295.00	150	Vertical	N/A
4**	5757.000	91.86	-2.02	54.0	-37.86	AV	295.00	150	Vertical	N/A
5	9265.637	47.35	-5.28	74.0	26.65	Peak	0.00	150	Vertical	Pass
5**	9265.637	36.06	-5.28	54.0	17.94	AV	0.00	150	Vertical	Pass
6	17582.625	50.93	0.24	74.0	23.07	Peak	210.00	150	Vertical	Pass
6**	17582.625	39.42	0.24	54.0	14.58	AV	210.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_03.23.41

EUT Name: Tablet

Temp.(°C): 23.5

Model Number: Inventus SD1

Humidity (%RH): 46

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ac40 CH151 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1117.750	44.24	-15.81	74.0	29.76	Peak	225.00	150	Horizontal	Pass
1**	1117.750	33.57	-15.81	54.0	20.43	AV	225.00	150	Horizontal	Pass
2	2109.500	46.38	-13.60	74.0	27.62	Peak	143.00	150	Horizontal	Pass
2**	2109.500	34.24	-13.60	54.0	19.76	AV	143.00	150	Horizontal	Pass
3	3874.500	47.50	-4.92	74.0	26.50	Peak	245.00	150	Horizontal	Pass
3**	3874.500	35.76	-4.92	54.0	18.24	AV	245.00	150	Horizontal	Pass
4	5757.500	105.13	-2.00	74.0	-31.13	Peak	174.00	150	Horizontal	N/A
4**	5757.500	96.87	-2.00	54.0	-42.87	AV	174.00	150	Horizontal	N/A
5	9893.826	48.03	-4.28	74.0	25.97	Peak	286.00	150	Horizontal	Pass
5**	9893.826	36.54	-4.28	54.0	17.46	AV	286.00	150	Horizontal	Pass
6	17658.225	50.94	0.58	74.0	23.06	Peak	345.00	150	Horizontal	Pass
6**	17658.225	39.64	0.58	54.0	14.36	AV	345.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_03.39.23

EUT Name: Tablet

Temp.(°C): 23.5

Model Number: Inventus SD1

Humidity (%RH): 46

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ac80 CH155 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1074.500	41.48	-15.36	74.0	32.52	Peak	239.00	150	Vertical	Pass
1**	1074.500	30.98	-15.36	54.0	23.02	AV	239.00	150	Vertical	Pass
2	1997.250	46.48	-14.42	74.0	27.52	Peak	98.00	150	Vertical	Pass
2**	1997.250	33.28	-14.42	54.0	20.72	AV	98.00	150	Vertical	Pass
3	3810.000	46.42	-4.37	74.0	27.58	Peak	360.00	150	Vertical	Pass
3**	3810.000	35.90	-4.37	54.0	18.10	AV	360.00	150	Vertical	Pass
4	5777.500	98.27	-1.52	74.0	-24.27	Peak	294.00	150	Vertical	N/A
4**	5777.500	90.08	-1.52	54.0	-36.08	AV	294.00	150	Vertical	N/A
5	9976.475	47.98	-3.74	74.0	26.02	Peak	360.00	150	Vertical	Pass
5**	9976.475	37.18	-3.74	54.0	16.82	AV	360.00	150	Vertical	Pass
6	17076.000	51.15	-0.84	74.0	22.85	Peak	360.00	150	Vertical	Pass
6**	17076.000	39.73	-0.84	54.0	14.27	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_03.35.12

EUT Name: Tablet

Temp.(°C): 23.5

Model Number: Inventus SD1

Humidity (%RH): 46

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ac80 CH155 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1198.500	44.35	-15.75	74.0	29.65	Peak	32.00	150	Horizontal	Pass
1**	1198.500	34.85	-15.75	54.0	19.15	AV	32.00	150	Horizontal	Pass
2	1992.000	45.25	-14.68	74.0	28.75	Peak	152.00	150	Horizontal	Pass
2**	1992.000	32.82	-14.68	54.0	21.18	AV	152.00	150	Horizontal	Pass
3	4007.000	46.82	-4.62	74.0	27.18	Peak	186.00	150	Horizontal	Pass
3**	4007.000	36.03	-4.62	54.0	17.97	AV	186.00	150	Horizontal	Pass
4	5776.500	100.91	-1.54	74.0	-26.91	Peak	174.00	150	Horizontal	N/A
4**	5776.500	92.62	-1.54	54.0	-38.62	AV	174.00	150	Horizontal	N/A
5	9365.387	48.07	-4.94	74.0	25.93	Peak	0.00	150	Horizontal	Pass
5**	9365.387	36.34	-4.94	54.0	17.66	AV	0.00	150	Horizontal	Pass
6	17251.875	50.61	-0.66	74.0	23.39	Peak	345.00	150	Horizontal	Pass
6**	17251.875	38.91	-0.66	54.0	15.09	AV	345.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_04.08.30

EUT Name: Tablet

Temp.(°C): 23.5

Model Number: Inventus SD1

Humidity (%RH): 46

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ax20 CH157 P=17

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08

ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1033.000	42.46	-15.38	74.0	31.54	Peak	252.00	150	Vertical	Pass
1**	1033.000	32.78	-15.38	54.0	21.22	AV	252.00	150	Vertical	Pass
2	1828.500	42.52	-16.08	74.0	31.48	Peak	133.00	150	Vertical	Pass
2**	1828.500	32.21	-16.08	54.0	21.79	AV	133.00	150	Vertical	Pass
3	3453.500	47.18	-4.94	74.0	26.82	Peak	296.00	150	Vertical	Pass
3**	3453.500	36.20	-4.94	54.0	17.80	AV	296.00	150	Vertical	Pass
4	5784.500	103.74	-1.54	74.0	-29.74	Peak	296.00	150	Vertical	N/A
4**	5784.500	95.12	-1.54	54.0	-41.12	AV	296.00	150	Vertical	N/A
5	9987.162	47.46	-3.74	74.0	26.54	Peak	123.00	150	Vertical	Pass
5**	9987.162	36.88	-3.74	54.0	17.12	AV	123.00	150	Vertical	Pass
6	14031.787	50.26	-1.87	74.0	23.74	Peak	0.00	150	Vertical	Pass
6**	14031.787	38.56	-1.87	54.0	15.44	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-23_04.04.23

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH157 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT7



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1115.750	44.99	-15.78	74.0	29.01	Peak	198.00	150	Horizontal	Pass
1**	1115.750	34.69	-15.78	54.0	19.31	AV	198.00	150	Horizontal	Pass
2	2203.250	44.80	-13.34	74.0	29.20	Peak	145.00	150	Horizontal	Pass
2**	2203.250	32.77	-13.34	54.0	21.23	AV	145.00	150	Horizontal	Pass
3	3401.500	47.91	-5.60	74.0	26.09	Peak	1.00	150	Horizontal	Pass
3**	3401.500	37.07	-5.60	54.0	16.93	AV	1.00	150	Horizontal	Pass
4	5785.500	107.18	-1.53	74.0	-33.18	Peak	176.00	150	Horizontal	N/A
4**	5785.500	98.92	-1.53	54.0	-44.92	AV	176.00	150	Horizontal	N/A
5	11204.350	48.70	-4.12	74.0	25.30	Peak	75.00	150	Horizontal	Pass
5**	11204.350	37.11	-4.12	54.0	16.89	AV	75.00	150	Horizontal	Pass
6	17235.075	50.55	-0.53	74.0	23.45	Peak	360.00	150	Horizontal	Pass
6**	17235.075	40.17	-0.53	54.0	13.83	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_04.13.43

EUT Name: Tablet

Temp.(°C): 23.5

Model Number: Inventus SD1

Humidity (%RH): 46

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ax40 CH151 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.500	44.63	-15.23	74.0	29.37	Peak	252.00	150	Vertical	Pass
1**	1063.500	29.28	-15.23	54.0	24.72	AV	252.00	150	Vertical	Pass
2	2015.000	43.92	-14.22	74.0	30.08	Peak	136.00	150	Vertical	Pass
2**	2015.000	31.63	-14.22	54.0	22.37	AV	136.00	150	Vertical	Pass
3	4048.000	47.11	-4.20	74.0	26.89	Peak	217.00	150	Vertical	Pass
3**	4048.000	36.14	-4.20	54.0	17.86	AV	217.00	150	Vertical	Pass
4	5758.000	101.46	-1.98	74.0	-27.46	Peak	295.00	150	Vertical	N/A
4**	5758.000	92.97	-1.98	54.0	-38.97	AV	295.00	150	Vertical	N/A
5	9084.425	47.27	-4.94	74.0	26.73	Peak	147.00	150	Vertical	Pass
5**	9084.425	36.19	-4.94	54.0	17.81	AV	147.00	150	Vertical	Pass
6	15445.613	50.72	-1.73	74.0	23.28	Peak	143.00	150	Vertical	Pass
6**	15445.613	38.88	-1.73	54.0	15.12	AV	143.00	150	Vertical	Pass


Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_04.18.05

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH151 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1124.500	45.87	-15.65	74.0	28.13	Peak	198.00	150	Horizontal	Pass
1**	1124.500	31.80	-15.65	54.0	22.20	AV	198.00	150	Horizontal	Pass
2	2000.250	44.54	-14.30	74.0	29.46	Peak	148.00	150	Horizontal	Pass
2**	2000.250	33.58	-14.30	54.0	20.42	AV	148.00	150	Horizontal	Pass
3	3443.500	46.79	-5.27	74.0	27.21	Peak	360.00	150	Horizontal	Pass
3**	3443.500	35.93	-5.27	54.0	18.07	AV	360.00	150	Horizontal	Pass
4	5750.500	106.25	-2.11	74.0	-32.25	Peak	174.00	150	Horizontal	N/A
4**	5750.500	96.91	-2.11	54.0	-42.91	AV	174.00	150	Horizontal	N/A
5	8375.250	47.56	-4.46	74.0	26.44	Peak	264.00	150	Horizontal	Pass
5**	8375.250	37.05	-4.46	54.0	16.95	AV	264.00	150	Horizontal	Pass
6	15752.212	50.16	-1.99	74.0	23.84	Peak	278.00	150	Horizontal	Pass
6**	15752.212	38.68	-1.99	54.0	15.32	AV	278.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_04.59.00

EUT Name: Tablet

Temp.(°C): 23.5

Model Number: Inventus SD1

Humidity (%RH): 46

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ax80 CH155 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1040.000	43.67	-15.38	74.0	30.33	Peak	240.00	150	Vertical	Pass
1**	1040.000	32.88	-15.38	54.0	21.12	AV	240.00	150	Vertical	Pass
2	2191.000	45.54	-13.35	74.0	28.46	Peak	106.00	150	Vertical	Pass
2**	2191.000	34.91	-13.35	54.0	19.09	AV	106.00	150	Vertical	Pass
3	3942.500	46.81	-4.22	74.0	27.19	Peak	360.00	150	Vertical	Pass
3**	3942.500	36.20	-4.22	54.0	17.80	AV	360.00	150	Vertical	Pass
4	5778.000	98.39	-1.53	74.0	-24.39	Peak	292.00	150	Vertical	N/A
4**	5778.000	89.03	-1.53	54.0	-35.03	AV	292.00	150	Vertical	N/A
5	10508.000	48.95	-3.34	74.0	25.05	Peak	0.00	150	Vertical	Pass
5**	10508.000	37.20	-3.34	54.0	16.80	AV	0.00	150	Vertical	Pass
6	15790.800	50.20	-1.78	74.0	23.80	Peak	141.00	150	Vertical	Pass
6**	15790.800	38.38	-1.78	54.0	15.62	AV	141.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_04.54.40

EUT Name: Tablet

Temp.(°C): 23.5

Model Number: Inventus SD1

Humidity (%RH): 46

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ax80 CH155 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1098.250	45.59	-15.73	74.0	28.41	Peak	155.00	150	Horizontal	Pass
1**	1098.250	34.13	-15.73	54.0	19.87	AV	155.00	150	Horizontal	Pass
2	2028.000	45.28	-13.78	74.0	28.72	Peak	318.00	150	Horizontal	Pass
2**	2028.000	34.03	-13.78	54.0	19.97	AV	318.00	150	Horizontal	Pass
3	4023.000	47.45	-3.96	74.0	26.55	Peak	1.00	150	Horizontal	Pass
3**	4023.000	36.26	-3.96	54.0	17.74	AV	1.00	150	Horizontal	Pass
4	5786.000	102.38	-1.53	74.0	-28.38	Peak	176.00	150	Horizontal	N/A
4**	5786.000	91.53	-1.53	54.0	-37.53	AV	176.00	150	Horizontal	N/A
5	9226.925	47.46	-5.61	74.0	26.54	Peak	335.00	150	Horizontal	Pass
5**	9226.925	36.32	-5.61	54.0	17.68	AV	335.00	150	Horizontal	Pass
6	16383.000	51.14	-1.35	74.0	22.86	Peak	360.00	150	Horizontal	Pass
6**	16383.000	38.41	-1.35	54.0	15.59	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_05.10.06

EUT Name: Tablet

Temp.(°C): 23.5

Model Number: Inventus SD1

Humidity (%RH): 46

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11be20 CH157 P=16

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08

ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1058.250	41.95	-15.35	74.0	32.05	Peak	251.00	150	Vertical	Pass
1**	1058.250	29.72	-15.35	54.0	24.28	AV	251.00	150	Vertical	Pass
2	1997.750	44.51	-14.40	74.0	29.49	Peak	103.00	150	Vertical	Pass
2**	1997.750	33.71	-14.40	54.0	20.29	AV	103.00	150	Vertical	Pass
3	3466.000	47.58	-5.16	74.0	26.42	Peak	132.00	150	Vertical	Pass
3**	3466.000	36.96	-5.16	54.0	17.04	AV	132.00	150	Vertical	Pass
4	5788.500	102.25	-1.55	74.0	-28.25	Peak	291.00	150	Vertical	N/A
4**	5788.500	92.80	-1.55	54.0	-38.80	AV	291.00	150	Vertical	N/A
5	8485.925	47.31	-4.80	74.0	26.69	Peak	5.00	150	Vertical	Pass
5**	8485.925	37.29	-4.80	54.0	16.71	AV	5.00	150	Vertical	Pass
6	15794.475	49.98	-1.74	74.0	24.02	Peak	360.00	150	Vertical	Pass
6**	15794.475	38.91	-1.74	54.0	15.09	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_05.14.09

EUT Name: Tablet

Temp.(°C): 23.5

Model Number: Inventus SD1

Humidity (%RH): 46

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11be20 CH157 P=16


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1242.250	44.82	-16.08	74.0	29.18	Peak	175.00	150	Horizontal	Pass
1**	1242.250	35.82	-16.08	54.0	18.18	AV	175.00	150	Horizontal	Pass
2	2306.250	42.06	-12.65	74.0	31.94	Peak	139.00	150	Horizontal	Pass
2**	2306.250	31.19	-12.65	54.0	22.81	AV	139.00	150	Horizontal	Pass
3	3642.000	46.19	-5.54	74.0	27.81	Peak	360.00	150	Horizontal	Pass
3**	3642.000	35.15	-5.54	54.0	18.85	AV	360.00	150	Horizontal	Pass
4	5783.500	107.84	-1.54	74.0	-33.84	Peak	172.00	150	Horizontal	N/A
4**	5783.500	98.50	-1.54	54.0	-44.50	AV	172.00	150	Horizontal	N/A
5	9018.162	47.26	-4.59	74.0	26.74	Peak	359.00	150	Horizontal	Pass
5**	9018.162	36.71	-4.59	54.0	17.29	AV	359.00	150	Horizontal	Pass
6	16505.588	50.40	-1.54	74.0	23.60	Peak	310.00	150	Horizontal	Pass
6**	16505.588	38.42	-1.54	54.0	15.58	AV	310.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_05.47.15

EUT Name: Tablet

Temp.(°C): 23.5

Model Number: Inventus SD1

Humidity (%RH): 46

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11be40 CH151 P=15

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08

ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1196.250	38.33	-15.72	74.0	35.67	Peak	105.00	150	Vertical	Pass
1**	1196.250	27.72	-15.72	54.0	26.28	AV	105.00	150	Vertical	Pass
2	2354.500	42.38	-12.61	74.0	31.62	Peak	34.00	150	Vertical	Pass
2**	2354.500	30.31	-12.61	54.0	23.69	AV	34.00	150	Vertical	Pass
3	3430.000	46.99	-5.02	74.0	27.01	Peak	17.00	150	Vertical	Pass
3**	3430.000	36.56	-5.02	54.0	17.44	AV	17.00	150	Vertical	Pass
4	5757.500	99.13	-2.00	74.0	-25.13	Peak	295.00	150	Vertical	N/A
4**	5757.500	90.04	-2.00	54.0	-36.04	AV	295.00	150	Vertical	N/A
5	9730.425	47.69	-4.26	74.0	26.31	Peak	334.00	150	Vertical	Pass
5**	9730.425	36.86	-4.26	54.0	17.14	AV	334.00	150	Vertical	Pass
6	17236.126	50.46	-0.64	74.0	23.54	Peak	178.00	150	Vertical	Pass
6**	17236.126	39.77	-0.64	54.0	14.23	AV	178.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_05.43.19

EUT Name: Tablet

Temp.(°C): 23.5

Model Number: Inventus SD1

Humidity (%RH): 46

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11be40 CH151 P=15

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08

ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.000	42.85	-15.75	74.0	31.15	Peak	161.00	150	Horizontal	Pass
1**	1199.000	32.28	-15.75	54.0	21.72	AV	161.00	150	Horizontal	Pass
2	2195.000	42.79	-13.32	74.0	31.21	Peak	206.00	150	Horizontal	Pass
2**	2195.000	31.09	-13.32	54.0	22.91	AV	206.00	150	Horizontal	Pass
3	3376.000	47.23	-4.87	74.0	26.77	Peak	360.00	150	Horizontal	Pass
3**	3376.000	36.16	-4.87	54.0	17.84	AV	360.00	150	Horizontal	Pass
4	5755.500	104.09	-2.07	74.0	-30.09	Peak	174.00	150	Horizontal	N/A
4**	5755.500	93.78	-2.07	54.0	-39.78	AV	174.00	150	Horizontal	N/A
5	8499.937	47.09	-4.67	74.0	26.91	Peak	0.00	150	Horizontal	Pass
5**	8499.937	36.71	-4.67	54.0	17.29	AV	0.00	150	Horizontal	Pass
6	15265.537	50.32	-1.02	74.0	23.68	Peak	278.00	150	Horizontal	Pass
6**	15265.537	38.81	-1.02	54.0	15.19	AV	278.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_05.53.52

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11be80 CH155 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1033.750	41.49	-15.37	74.0	32.51	Peak	98.00	150	Vertical	Pass
1**	1033.750	31.00	-15.37	54.0	23.00	AV	98.00	150	Vertical	Pass
2	2199.000	42.85	-13.32	74.0	31.15	Peak	108.00	150	Vertical	Pass
2**	2199.000	33.11	-13.32	54.0	20.89	AV	108.00	150	Vertical	Pass
3	3588.500	46.39	-6.24	74.0	27.61	Peak	291.00	150	Vertical	Pass
3**	3588.500	35.68	-6.24	54.0	18.32	AV	291.00	150	Vertical	Pass
4	5772.000	95.75	-1.64	74.0	-21.75	Peak	291.00	150	Vertical	N/A
4**	5772.000	86.69	-1.64	54.0	-32.69	AV	291.00	150	Vertical	N/A
5	9377.974	48.09	-4.65	74.0	25.91	Peak	6.00	150	Vertical	Pass
5**	9377.974	36.32	-4.65	54.0	17.68	AV	6.00	150	Vertical	Pass
6	17095.162	49.91	-0.72	74.0	24.09	Peak	360.00	150	Vertical	Pass
6**	17095.162	40.08	-0.72	54.0	13.92	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_05.57.39

EUT Name: Tablet

Temp.(°C): 23.5

Model Number: Inventus SD1

Humidity (%RH): 46

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11be80 CH155 P=15


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A01+数据线: A08
ANT7

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.750	42.77	-15.73	74.0	31.23	Peak	0.00	150	Horizontal	Pass
1**	1197.750	32.79	-15.73	54.0	21.21	AV	0.00	150	Horizontal	Pass
2	2024.500	42.84	-13.98	74.0	31.16	Peak	211.00	150	Horizontal	Pass
2**	2024.500	31.08	-13.98	54.0	22.92	AV	211.00	150	Horizontal	Pass
3	3428.000	46.86	-4.91	74.0	27.14	Peak	322.00	150	Horizontal	Pass
3**	3428.000	36.53	-4.91	54.0	17.47	AV	322.00	150	Horizontal	Pass
4	5773.000	102.02	-1.61	74.0	-28.02	Peak	174.00	150	Horizontal	N/A
4**	5773.000	92.92	-1.61	54.0	-38.92	AV	174.00	150	Horizontal	N/A
5	9888.125	47.57	-4.13	74.0	26.43	Peak	100.00	150	Horizontal	Pass
5**	9888.125	37.15	-4.13	54.0	16.85	AV	100.00	150	Horizontal	Pass
6	14453.363	49.73	-2.63	74.0	24.27	Peak	310.00	150	Horizontal	Pass
6**	14453.363	39.03	-2.63	54.0	14.97	AV	310.00	150	Horizontal	Pass