


Aux. Antenna Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_00.52.27

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.03	3.82	74.0	18.97	Peak	286.00	150	Vertical	Pass
1**	5150.000	45.32	3.82	54.0	8.68	AV	286.00	150	Vertical	Pass
2	4864.650	55.95	3.95	74.0	18.05	Peak	123.00	150	Vertical	Pass
2**	4864.650	44.39	3.95	54.0	9.61	AV	123.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_00.53.55

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.46	3.82	74.0	17.54	Peak	95.01	150	Horizontal	Pass
1**	5150.000	45.69	3.82	54.0	8.31	AV	95.01	150	Horizontal	Pass
2	4978.400	56.25	3.49	74.0	17.75	Peak	210.00	150	Horizontal	Pass
2**	4978.400	44.40	3.49	54.0	9.60	AV	210.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_00.58.04

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=16.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8

Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.36	4.04	74.0	18.64	Peak	320.00	150	Vertical	Pass
1**	5350.000	44.85	4.04	54.0	9.15	AV	320.00	150	Vertical	Pass
2	5361.990	57.31	4.19	74.0	16.69	Peak	52.00	150	Vertical	Pass
2**	5361.990	44.82	4.19	54.0	9.18	AV	52.00	150	Vertical	Pass


Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_00.56.52

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=16.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8

Bandedge_FCC-WIFI_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.49	4.04	74.0	19.51	Peak	0.00	150	Horizontal	Pass
1**	5350.000	44.77	4.04	54.0	9.23	AV	0.00	150	Horizontal	Pass
2	5382.560	57.39	4.05	74.0	16.61	Peak	0.00	150	Horizontal	Pass
2**	5382.560	44.65	4.05	54.0	9.35	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_01.19.38

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac20 CH36 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.27	3.82	74.0	18.73	Peak	283.02	150	Vertical	Pass
1**	5150.000	45.59	3.82	54.0	8.41	AV	283.02	150	Vertical	Pass
2	5117.500	56.39	3.69	74.0	17.61	Peak	1.00	150	Vertical	Pass
2**	5117.500	44.77	3.69	54.0	9.23	AV	1.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_01.20.54

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac20 CH36 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.02	3.82	74.0	17.98	Peak	64.00	150	Horizontal	Pass
1**	5150.000	45.55	3.82	54.0	8.45	AV	64.00	150	Horizontal	Pass
2	4940.050	56.07	4.05	74.0	17.93	Peak	236.00	150	Horizontal	Pass
2**	4940.050	44.78	4.05	54.0	9.22	AV	236.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_01.15.30

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac20 CH48 P=16.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.00	4.04	74.0	19.00	Peak	230.00	150	Vertical	Pass
1**	5350.000	44.76	4.04	54.0	9.24	AV	230.00	150	Vertical	Pass
2	5382.670	56.57	4.05	74.0	17.43	Peak	360.00	150	Vertical	Pass
2**	5382.670	44.68	4.05	54.0	9.32	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_01.14.19

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac20 CH48 P=16.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.87	4.04	74.0	19.13	Peak	0.00	150	Horizontal	Pass
1**	5350.000	45.06	4.04	54.0	8.94	AV	0.00	150	Horizontal	Pass
2	5440.970	57.02	3.75	74.0	16.98	Peak	14.00	150	Horizontal	Pass
2**	5440.970	44.54	3.75	54.0	9.46	AV	14.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_01.49.59

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac40 CH38 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.26	3.82	74.0	17.74	Peak	283.00	150	Vertical	Pass
1**	5150.000	46.08	3.82	54.0	7.92	AV	283.00	150	Vertical	Pass
2	5047.300	55.74	3.69	74.0	18.26	Peak	192.00	150	Vertical	Pass
2**	5047.300	44.68	3.69	54.0	9.32	AV	192.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_01.51.27

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac40 CH38 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.10	3.82	74.0	15.90	Peak	94.00	150	Horizontal	Pass
1**	5150.000	47.53	3.82	54.0	6.47	AV	94.00	150	Horizontal	Pass
2	5143.500	58.76	4.01	74.0	15.24	Peak	57.00	150	Horizontal	Pass
2**	5143.500	45.98	4.01	54.0	8.02	AV	57.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_01.56.34

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac40 CH46 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8

Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.52	4.04	74.0	19.48	Peak	88.00	150	Vertical	Pass
1**	5350.000	44.77	4.04	54.0	9.23	AV	88.00	150	Vertical	Pass
2	5350.110	57.18	4.04	74.0	16.82	Peak	308.00	150	Vertical	Pass
2**	5350.110	44.78	4.04	54.0	9.22	AV	308.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_01.55.20

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac40 CH46 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.03	4.04	74.0	18.97	Peak	38.00	150	Horizontal	Pass
1**	5350.000	44.86	4.04	54.0	9.14	AV	38.00	150	Horizontal	Pass
2	5351.870	56.62	4.08	74.0	17.38	Peak	268.00	150	Horizontal	Pass
2**	5351.870	44.71	4.08	54.0	9.29	AV	268.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_02.18.49

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.93	3.82	74.0	17.07	Peak	286.00	150	Vertical	Pass
1**	5150.000	47.09	3.82	54.0	6.91	AV	286.00	150	Vertical	Pass
2	5135.700	58.45	3.98	74.0	15.55	Peak	283.00	150	Vertical	Pass
2**	5135.700	46.46	3.98	54.0	7.54	AV	283.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_02.13.30

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.71	3.82	74.0	15.29	Peak	91.00	150	Horizontal	Pass
1**	5150.000	48.06	3.82	54.0	5.94	AV	91.00	150	Horizontal	Pass
2	5135.700	61.29	3.98	74.0	12.71	Peak	111.00	150	Horizontal	Pass
2**	5135.700	47.43	3.98	54.0	6.57	AV	111.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_02.22.02

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH36 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.66	3.82	74.0	16.34	Peak	283.00	150	Vertical	Pass
1**	5150.000	46.75	3.82	54.0	7.25	AV	283.00	150	Vertical	Pass
2	4856.850	56.88	4.11	74.0	17.12	Peak	137.00	150	Vertical	Pass
2**	4856.850	44.85	4.11	54.0	9.15	AV	137.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_02.24.26

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH36 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.65	3.82	74.0	15.35	Peak	159.98	150	Horizontal	Pass
1**	5150.000	47.76	3.82	54.0	6.24	AV	159.98	150	Horizontal	Pass
2	5142.850	58.90	4.02	74.0	15.10	Peak	57.00	150	Horizontal	Pass
2**	5142.850	45.83	4.02	54.0	8.17	AV	57.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_02.29.07

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH48 P=16.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.86	4.04	74.0	19.14	Peak	0.00	150	Vertical	Pass
1**	5350.000	44.82	4.04	54.0	9.18	AV	0.00	150	Vertical	Pass
2	5357.480	56.70	4.20	74.0	17.30	Peak	225.00	150	Vertical	Pass
2**	5357.480	44.85	4.20	54.0	9.15	AV	225.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_02.27.51

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax20 CH48 P=16.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.24	4.04	74.0	18.76	Peak	186.00	150	Horizontal	Pass
1**	5350.000	44.85	4.04	54.0	9.15	AV	186.00	150	Horizontal	Pass
2	5352.310	56.51	4.09	74.0	17.49	Peak	360.00	150	Horizontal	Pass
2**	5352.310	44.90	4.09	54.0	9.10	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_02.41.17

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH38 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.93	3.82	74.0	11.07	Peak	280.00	150	Vertical	Pass
1**	5150.000	50.06	3.82	54.0	3.94	AV	280.00	150	Vertical	Pass
2	5142.200	62.96	4.04	74.0	11.04	Peak	284.00	150	Vertical	Pass
2**	5142.200	47.35	4.04	54.0	6.65	AV	284.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_02.43.02

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH38 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.58	3.82	74.0	11.42	Peak	161.00	150	Horizontal	Pass
1**	5150.000	49.85	3.82	54.0	4.15	AV	161.00	150	Horizontal	Pass
2	5147.400	64.71	3.89	74.0	9.29	Peak	164.00	150	Horizontal	Pass
2**	5147.400	49.04	3.89	54.0	4.96	AV	164.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_02.47.56

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH46 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.84	4.04	74.0	19.16	Peak	93.00	150	Vertical	Pass
1**	5350.000	44.90	4.04	54.0	9.10	AV	93.00	150	Vertical	Pass
2	5389.930	57.28	4.00	74.0	16.72	Peak	264.00	150	Vertical	Pass
2**	5389.930	44.63	4.00	54.0	9.37	AV	264.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_02.46.05

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax40 CH46 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.20	4.04	74.0	18.80	Peak	332.00	150	Horizontal	Pass
1**	5350.000	44.90	4.04	54.0	9.10	AV	332.00	150	Horizontal	Pass
2	5427.220	57.37	3.71	74.0	16.63	Peak	0.00	150	Horizontal	Pass
2**	5427.220	44.82	3.71	54.0	9.18	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_02.59.08

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax80 CH42 P=14.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.59	3.82	74.0	11.41	Peak	289.00	150	Vertical	Pass
1**	5150.000	50.37	3.82	54.0	3.63	AV	289.00	150	Vertical	Pass
2	5146.100	65.68	3.93	74.0	8.32	Peak	286.00	150	Vertical	Pass
2**	5146.100	50.35	3.93	54.0	3.65	AV	286.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_02:57:58

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ax80 CH42 P=14.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	63.06	3.82	74.0	10.94	Peak	55.01	150	Horizontal	Pass
1**	5150.000	50.46	3.82	54.0	3.54	AV	55.01	150	Horizontal	Pass
2	5146.100	64.55	3.93	74.0	9.45	Peak	163.00	150	Horizontal	Pass
2**	5146.100	49.92	3.93	54.0	4.08	AV	163.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_03.02.54

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11be20 CH36 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.09	3.82	74.0	15.91	Peak	280.00	150	Vertical	Pass
1**	5150.000	46.53	3.82	54.0	7.47	AV	280.00	150	Vertical	Pass
2	5138.950	56.28	4.06	74.0	17.72	Peak	286.00	150	Vertical	Pass
2**	5138.950	45.13	4.06	54.0	8.87	AV	286.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_03.04.08

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11be20 CH36 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.50	3.82	74.0	15.50	Peak	95.99	150	Horizontal	Pass
1**	5150.000	46.47	3.82	54.0	7.53	AV	95.99	150	Horizontal	Pass
2	5146.750	58.52	3.91	74.0	15.48	Peak	165.00	150	Horizontal	Pass
2**	5146.750	45.75	3.91	54.0	8.25	AV	165.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_03.09.03

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11be20 CH48 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.22	4.04	74.0	18.78	Peak	360.00	150	Vertical	Pass
1**	5350.000	44.73	4.04	54.0	9.27	AV	360.00	150	Vertical	Pass
2	5373.760	56.99	4.01	74.0	17.01	Peak	360.00	150	Vertical	Pass
2**	5373.760	44.68	4.01	54.0	9.32	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_03.07.38

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11be20 CH48 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.69	4.04	74.0	19.31	Peak	56.00	150	Horizontal	Pass
1**	5350.000	44.86	4.04	54.0	9.14	AV	56.00	150	Horizontal	Pass
2	5357.920	56.54	4.21	74.0	17.46	Peak	0.00	150	Horizontal	Pass
2**	5357.920	44.88	4.21	54.0	9.12	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_03.18.06

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11be40 CH38 P=14.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	63.39	3.82	74.0	10.61	Peak	282.00	150	Vertical	Pass
1**	5150.000	48.46	3.82	54.0	5.54	AV	282.00	150	Vertical	Pass
2	5148.700	63.87	3.85	74.0	10.13	Peak	279.00	150	Vertical	Pass
2**	5148.700	48.50	3.85	54.0	5.50	AV	279.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_03.16.51

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11be40 CH38 P=1.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	63.37	3.82	74.0	10.63	Peak	54.01	150	Horizontal	Pass
1**	5150.000	49.06	3.82	54.0	4.94	AV	54.01	150	Horizontal	Pass
2	5148.700	64.95	3.85	74.0	9.05	Peak	163.00	150	Horizontal	Pass
2**	5148.700	48.06	3.85	54.0	5.94	AV	163.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_03.11.49

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11be40 CH46 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.87	4.04	74.0	19.13	Peak	0.00	150	Vertical	Pass
1**	5350.000	44.80	4.04	54.0	9.20	AV	0.00	150	Vertical	Pass
2	5355.060	57.29	4.14	74.0	16.71	Peak	357.00	150	Vertical	Pass
2**	5355.060	44.90	4.14	54.0	9.10	AV	357.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_03.13.44

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11be40 CH46 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.40	4.04	74.0	18.60	Peak	360.00	150	Horizontal	Pass
1**	5350.000	44.82	4.04	54.0	9.18	AV	360.00	150	Horizontal	Pass
2	5396.860	56.49	4.07	74.0	17.51	Peak	187.00	150	Horizontal	Pass
2**	5396.860	44.55	4.07	54.0	9.45	AV	187.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_03.24.04

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11be80 CH42 P=14.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	63.56	3.82	74.0	10.44	Peak	281.00	150	Vertical	Pass
1**	5150.000	51.00	3.82	54.0	3.00	AV	281.00	150	Vertical	Pass
2	5146.750	65.82	3.91	74.0	8.18	Peak	281.00	150	Vertical	Pass
2**	5146.750	50.18	3.91	54.0	3.82	AV	281.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_03.25.23

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11be80 CH42 P=14.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	64.02	3.82	74.0	9.98	Peak	56.02	150	Horizontal	Pass
1**	5150.000	50.76	3.82	54.0	3.24	AV	56.02	150	Horizontal	Pass
2	5146.100	66.16	3.93	74.0	7.84	Peak	161.00	150	Horizontal	Pass
2**	5146.100	50.68	3.93	54.0	3.32	AV	161.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_10.25.55

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.06	3.82	74.0	18.94	Peak	335.96	150	Vertical	Pass
1**	5150.000	44.88	3.82	54.0	9.12	AV	335.96	150	Vertical	Pass
2	4858.150	56.14	4.08	74.0	17.86	Peak	0.00	150	Vertical	Pass
2**	4858.150	44.58	4.08	54.0	9.42	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_10.27.35

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.67	3.82	74.0	19.33	Peak	212.97	150	Horizontal	Pass
1**	5150.000	44.72	3.82	54.0	9.28	AV	212.97	150	Horizontal	Pass
2	5057.050	56.40	3.74	74.0	17.60	Peak	14.00	150	Horizontal	Pass
2**	5057.050	44.74	3.74	54.0	9.26	AV	14.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_10.37.33

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH64 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.69	4.04	74.0	17.31	Peak	238.00	150	Vertical	Pass
1**	5350.000	46.89	4.04	54.0	7.11	AV	238.00	150	Vertical	Pass
2	5350.440	59.39	4.05	74.0	14.61	Peak	158.00	150	Vertical	Pass
2**	5350.440	46.79	4.05	54.0	7.21	AV	158.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_10.39.06

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH64 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.44	4.04	74.0	14.56	Peak	56.00	150	Horizontal	Pass
1**	5350.000	49.48	4.04	54.0	4.52	AV	56.00	150	Horizontal	Pass
2	5350.110	61.77	4.04	74.0	12.23	Peak	58.00	150	Horizontal	Pass
2**	5350.110	49.20	4.04	54.0	4.80	AV	58.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_10.42.56

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH52 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.79	3.82	74.0	19.21	Peak	0.06	150	Vertical	Pass
1**	5150.000	45.11	3.82	54.0	8.89	AV	0.06	150	Vertical	Pass
2	4977.750	56.77	3.52	74.0	17.23	Peak	355.00	150	Vertical	Pass
2**	4977.750	44.45	3.52	54.0	9.55	AV	355.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_10.41.24

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH52 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.03	3.82	74.0	18.97	Peak	359.99	150	Horizontal	Pass
1**	5150.000	44.75	3.82	54.0	9.25	AV	359.99	150	Horizontal	Pass
2	5096.050	57.06	3.76	74.0	16.94	Peak	148.00	150	Horizontal	Pass
2**	5096.050	44.54	3.76	54.0	9.46	AV	148.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_10.49.29

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH64 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8

Bandedge_FCC-WIFI_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.59	4.04	74.0	16.41	Peak	286.00	150	Vertical	Pass
1**	5350.000	46.97	4.04	54.0	7.03	AV	286.00	150	Vertical	Pass
2	5350.220	58.65	4.04	74.0	15.35	Peak	155.00	150	Vertical	Pass
2**	5350.220	46.73	4.04	54.0	7.27	AV	155.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_10.48.04

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH64 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.44	4.04	74.0	12.56	Peak	60.00	150	Horizontal	Pass
1**	5350.000	49.73	4.04	54.0	4.27	AV	60.00	150	Horizontal	Pass
2	5351.540	63.37	4.07	74.0	10.63	Peak	62.00	150	Horizontal	Pass
2**	5351.540	48.95	4.07	54.0	5.05	AV	62.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_10.54.21

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH54 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.30	3.82	74.0	19.70	Peak	359.93	150	Vertical	Pass
1**	5150.000	44.92	3.82	54.0	9.08	AV	359.93	150	Vertical	Pass
2	4875.050	56.26	4.03	74.0	17.74	Peak	70.00	150	Vertical	Pass
2**	4875.050	44.33	4.03	54.0	9.67	AV	70.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_10.55.37

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH54 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.26	3.82	74.0	18.74	Peak	35.00	150	Horizontal	Pass
1**	5150.000	44.97	3.82	54.0	9.03	AV	35.00	150	Horizontal	Pass
2	5097.350	56.86	3.82	74.0	17.14	Peak	100.00	150	Horizontal	Pass
2**	5097.350	44.63	3.82	54.0	9.37	AV	100.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_11.03.19

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH62 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.70	4.04	74.0	18.30	Peak	276.00	150	Vertical	Pass
1**	5350.000	46.54	4.04	54.0	7.46	AV	276.00	150	Vertical	Pass
2	5350.440	57.85	4.05	74.0	16.15	Peak	280.00	150	Vertical	Pass
2**	5350.440	46.20	4.05	54.0	7.80	AV	280.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_11.02.03

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH62 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.25	4.04	74.0	14.75	Peak	69.00	150	Horizontal	Pass
1**	5350.000	48.83	4.04	54.0	5.17	AV	69.00	150	Horizontal	Pass
2	5350.330	60.09	4.05	74.0	13.91	Peak	94.00	150	Horizontal	Pass
2**	5350.330	48.65	4.05	54.0	5.35	AV	94.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_11.11.05

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac80 CH58 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.89	4.04	74.0	16.11	Peak	236.00	150	Vertical	Pass
1**	5350.000	48.11	4.04	54.0	5.89	AV	236.00	150	Vertical	Pass
2	5350.110	60.37	4.04	74.0	13.63	Peak	271.00	150	Vertical	Pass
2**	5350.110	47.98	4.04	54.0	6.02	AV	271.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_11.09.45

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac80 CH58 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.54	4.04	74.0	12.46	Peak	94.00	150	Horizontal	Pass
1**	5350.000	50.95	4.04	54.0	3.05	AV	94.00	150	Horizontal	Pass
2	5361.660	63.51	4.20	74.0	10.49	Peak	60.00	150	Horizontal	Pass
2**	5361.660	49.81	4.20	54.0	4.19	AV	60.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_11.13.20

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac160 CH50 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.41	3.82	74.0	15.59	Peak	276.00	150	Vertical	Pass
1**	5150.000	48.50	3.82	54.0	5.50	AV	276.00	150	Vertical	Pass
2	5140.900	61.06	4.07	74.0	12.94	Peak	282.00	150	Vertical	Pass
2**	5140.900	49.40	4.07	54.0	4.60	AV	282.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_11.14.34

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac160 CH50 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.54	3.82	74.0	14.46	Peak	91.99	150	Horizontal	Pass
1**	5150.000	49.17	3.82	54.0	4.83	AV	91.99	150	Horizontal	Pass
2	5135.700	61.06	3.98	74.0	12.94	Peak	60.00	150	Horizontal	Pass
2**	5135.700	48.79	3.98	54.0	5.21	AV	60.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_11.17.34

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax20 CH52 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.32	3.82	74.0	18.68	Peak	125.04	150	Vertical	Pass
1**	5150.000	45.18	3.82	54.0	8.82	AV	125.04	150	Vertical	Pass
2	4854.900	56.68	4.20	74.0	17.32	Peak	360.00	150	Vertical	Pass
2**	4854.900	44.66	4.20	54.0	9.34	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_11.16.23

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax20 CH52 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.07	3.82	74.0	17.93	Peak	196.98	150	Horizontal	Pass
1**	5150.000	44.84	3.82	54.0	9.16	AV	196.98	150	Horizontal	Pass
2	4856.200	56.70	4.13	74.0	17.30	Peak	197.00	150	Horizontal	Pass
2**	4856.200	44.65	4.13	54.0	9.35	AV	197.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_11.27.05

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax20 CH64 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.78	4.04	74.0	16.22	Peak	240.00	150	Vertical	Pass
1**	5350.000	46.83	4.04	54.0	7.17	AV	240.00	150	Vertical	Pass
2	5354.290	58.50	4.12	74.0	15.50	Peak	157.00	150	Vertical	Pass
2**	5354.290	46.04	4.12	54.0	7.96	AV	157.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_11.25.44

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax20 CH64 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.58	4.04	74.0	13.42	Peak	62.00	150	Horizontal	Pass
1**	5350.000	49.89	4.04	54.0	4.11	AV	62.00	150	Horizontal	Pass
2	5353.630	62.47	4.11	74.0	11.53	Peak	71.00	150	Horizontal	Pass
2**	5353.630	48.31	4.11	54.0	5.69	AV	71.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_11.28.39

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax40 CH54 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.78	3.82	74.0	19.22	Peak	74.00	150	Vertical	Pass
1**	5150.000	44.89	3.82	54.0	9.11	AV	74.00	150	Vertical	Pass
2	4916.650	56.36	3.67	74.0	17.64	Peak	153.00	150	Vertical	Pass
2**	4916.650	44.64	3.67	54.0	9.36	AV	153.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_11.29.53

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax40 CH54 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.39	3.82	74.0	19.61	Peak	42.05	150	Horizontal	Pass
1**	5150.000	44.81	3.82	54.0	9.19	AV	42.05	150	Horizontal	Pass
2	5076.550	56.42	3.53	74.0	17.58	Peak	32.00	150	Horizontal	Pass
2**	5076.550	44.68	3.53	54.0	9.32	AV	32.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_11.37.31

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax40 CH62 P=12
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.90	4.04	74.0	17.10	Peak	280.00	150	Vertical	Pass
1**	5350.000	45.54	4.04	54.0	8.46	AV	280.00	150	Vertical	Pass
2	5350.550	59.02	4.05	74.0	14.98	Peak	156.00	150	Vertical	Pass
2**	5350.550	45.48	4.05	54.0	8.52	AV	156.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_11.36.08

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax40 CH62 P=12
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.64	4.04	74.0	14.36	Peak	86.00	150	Horizontal	Pass
1**	5350.000	47.30	4.04	54.0	6.70	AV	86.00	150	Horizontal	Pass
2	5355.940	61.47	4.17	74.0	12.53	Peak	86.00	150	Horizontal	Pass
2**	5355.940	46.40	4.17	54.0	7.60	AV	86.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_11.48.02

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax80 CH58 P=12
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.80	4.04	74.0	17.20	Peak	157.00	150	Vertical	Pass
1**	5350.000	45.85	4.04	54.0	8.15	AV	157.00	150	Vertical	Pass
2	5351.430	59.73	4.07	74.0	14.27	Peak	157.00	150	Vertical	Pass
2**	5351.430	45.77	4.07	54.0	8.23	AV	157.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_11.46.28

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax80 CH58 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.66	4.04	74.0	14.34	Peak	62.00	150	Horizontal	Pass
1**	5350.000	47.40	4.04	54.0	6.60	AV	62.00	150	Horizontal	Pass
2	5351.320	63.77	4.07	74.0	10.23	Peak	62.00	150	Horizontal	Pass
2**	5351.320	47.48	4.07	54.0	6.52	AV	62.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_13.11.17

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax160 CH50 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.94	3.82	74.0	16.06	Peak	283.00	150	Vertical	Pass
1**	5150.000	46.85	3.82	54.0	7.15	AV	283.00	150	Vertical	Pass
2	5138.950	62.16	4.06	74.0	11.84	Peak	283.00	150	Vertical	Pass
2**	5138.950	47.12	4.06	54.0	6.88	AV	283.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_11.52.35

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax160 CH50 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.92	3.82	74.0	14.08	Peak	99.00	150	Horizontal	Pass
1**	5150.000	48.33	3.82	54.0	5.67	AV	99.00	150	Horizontal	Pass
2	5137.650	63.32	4.03	74.0	10.68	Peak	59.00	150	Horizontal	Pass
2**	5137.650	48.47	4.03	54.0	5.53	AV	59.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_13.13.05

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11be20 CH52 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.01	3.82	74.0	17.99	Peak	355.97	150	Vertical	Pass
1**	5150.000	44.74	3.82	54.0	9.26	AV	355.97	150	Vertical	Pass
2	5135.700	56.59	3.98	74.0	17.41	Peak	185.00	150	Vertical	Pass
2**	5135.700	44.75	3.98	54.0	9.25	AV	185.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_13.14.19

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11be20 CH52 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.95	3.82	74.0	19.05	Peak	359.98	150	Horizontal	Pass
1**	5150.000	44.96	3.82	54.0	9.04	AV	359.98	150	Horizontal	Pass
2	5112.300	56.84	3.61	74.0	17.16	Peak	6.00	150	Horizontal	Pass
2**	5112.300	44.83	3.61	54.0	9.17	AV	6.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_13.20.10

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11be20 CH64 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.25	4.04	74.0	14.75	Peak	283.00	150	Vertical	Pass
1**	5350.000	46.61	4.04	54.0	7.39	AV	283.00	150	Vertical	Pass
2	5350.990	58.24	4.06	74.0	15.76	Peak	267.00	150	Vertical	Pass
2**	5350.990	46.77	4.06	54.0	7.23	AV	267.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_13.18.49

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11be20 CH64 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.40	4.04	74.0	14.60	Peak	53.00	150	Horizontal	Pass
1**	5350.000	49.77	4.04	54.0	4.23	AV	53.00	150	Horizontal	Pass
2	5350.220	62.42	4.04	74.0	11.58	Peak	68.00	150	Horizontal	Pass
2**	5350.220	49.35	4.04	54.0	4.65	AV	68.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_06.02.51

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11be40 CH54 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.73	3.82	74.0	18.27	Peak	94.03	150	Vertical	Pass
1**	5150.000	44.54	3.82	54.0	9.46	AV	94.03	150	Vertical	Pass
2	5118.150	56.21	3.70	74.0	17.79	Peak	106.00	150	Vertical	Pass
2**	5118.150	44.53	3.70	54.0	9.47	AV	106.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_06.01.11

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11be40 CH54 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.51	3.82	74.0	19.49	Peak	74.05	150	Horizontal	Pass
1**	5150.000	44.55	3.82	54.0	9.45	AV	74.05	150	Horizontal	Pass
2	5144.800	56.08	3.97	74.0	17.92	Peak	74.00	150	Horizontal	Pass
2**	5144.800	44.53	3.97	54.0	9.47	AV	74.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_13.27.43

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11be40 CH62 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.66	4.04	74.0	15.34	Peak	283.00	150	Vertical	Pass
1**	5350.000	47.52	4.04	54.0	6.48	AV	283.00	150	Vertical	Pass
2	5350.880	61.39	4.06	74.0	12.61	Peak	280.00	150	Vertical	Pass
2**	5350.880	47.94	4.06	54.0	6.06	AV	280.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_13.26.20

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11be40 CH62 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.61	4.04	74.0	10.39	Peak	51.00	150	Horizontal	Pass
1**	5350.000	50.32	4.04	54.0	3.68	AV	51.00	150	Horizontal	Pass
2	5350.990	66.14	4.06	74.0	7.86	Peak	60.00	150	Horizontal	Pass
2**	5350.990	50.32	4.06	54.0	3.68	AV	60.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_13.34.39

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11be80 CH58 P=12
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.06	4.04	74.0	17.94	Peak	241.00	150	Vertical	Pass
1**	5350.000	45.82	4.04	54.0	8.18	AV	241.00	150	Vertical	Pass
2	5351.760	59.07	4.08	74.0	14.93	Peak	270.00	150	Vertical	Pass
2**	5351.760	45.86	4.08	54.0	8.14	AV	270.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_13.32.57

EUT Name:	Tablet	Temp.(°C):	22.9
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11be80 CH58 P=12
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.83	4.04	74.0	14.17	Peak	64.00	150	Horizontal	Pass
1**	5350.000	47.90	4.04	54.0	6.10	AV	64.00	150	Horizontal	Pass
2	5357.370	63.28	4.20	74.0	10.72	Peak	95.00	150	Horizontal	Pass
2**	5357.370	47.10	4.20	54.0	6.90	AV	95.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_07.18.17

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11be160 CH50 P=14.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.09	4.04	74.0	15.91	Peak	153.00	150	Vertical	Pass
1**	5350.000	46.82	4.04	54.0	7.18	AV	153.00	150	Vertical	Pass
2	5375.080	63.52	4.02	74.0	10.48	Peak	150.00	150	Vertical	Pass
2**	5375.080	47.72	4.02	54.0	6.28	AV	150.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_07.16.58

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11be160 CH50 P=14.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.77	4.04	74.0	12.23	Peak	109.00	150	Horizontal	Pass
1**	5350.000	49.35	4.04	54.0	4.65	AV	109.00	150	Horizontal	Pass
2	5386.190	67.70	4.05	74.0	6.30	Peak	59.00	150	Horizontal	Pass
2**	5386.190	49.97	4.05	54.0	4.03	AV	59.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-23_01.55.45

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.97	3.78	68.2	13.23	Peak	314.57	150	Vertical	Pass
1**	5460.000	44.59	3.78	54.0	9.41	AV	314.57	150	Vertical	Pass
2	5469.280	56.86	4.08	68.2	11.34	Peak	237.00	150	Vertical	Pass
2**	5469.280	45.70	4.08	--	-45.70	AV	237.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-23_01.54.32

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.19	3.78	68.2	13.01	Peak	3.34	150	Horizontal	Pass
1**	5460.000	45.41	3.78	54.0	8.59	AV	3.34	150	Horizontal	Pass
2	5465.200	60.04	3.95	68.2	8.16	Peak	63.00	150	Horizontal	Pass
2**	5465.200	46.76	3.95	--	-46.76	AV	63.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-23_01.57.23

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH140 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.16	4.31	68.2	9.04	Peak	261.00	150	Vertical	Pass
2	5729.250	60.57	4.19	68.2	7.63	Peak	325.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-23_01.58.41

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH140 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.34	4.31	68.2	7.86	Peak	40.00	150	Horizontal	Pass
2	5734.125	61.81	4.19	68.2	6.39	Peak	100.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-23_01.51.30

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac20 CH100 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.37	3.78	68.2	13.83	Peak	83.41	150	Vertical	Pass
1**	5460.000	44.74	3.78	54.0	9.26	AV	83.41	150	Vertical	Pass
2	5468.200	58.02	4.05	68.2	10.18	Peak	230.00	150	Vertical	Pass
2**	5468.200	45.73	4.05	--	-45.73	AV	230.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_01.52.47

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac20 CH100 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.19	3.78	68.2	12.01	Peak	38.34	150	Horizontal	Pass
1**	5460.000	45.53	3.78	54.0	8.47	AV	38.34	150	Horizontal	Pass
2	5468.800	59.25	4.06	68.2	8.95	Peak	66.00	150	Horizontal	Pass
2**	5468.800	47.90	4.06	--	-47.90	AV	66.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_01.49.09

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac20 CH140 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.80	4.31	68.2	6.40	Peak	230.00	150	Vertical	Pass
2	5727.625	60.62	4.23	68.2	7.58	Peak	268.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_01.47.52

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac20 CH140 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	64.23	4.31	68.2	3.97	Peak	99.00	150	Horizontal	Pass
2	5725.125	64.87	4.31	68.2	3.33	Peak	76.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_01.41.21

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac40 CH102 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.30	3.78	68.2	12.90	Peak	205.14	150	Vertical	Pass
1**	5460.000	45.23	3.78	54.0	8.77	AV	205.14	150	Vertical	Pass
2	5468.200	62.93	4.05	68.2	5.27	Peak	236.00	150	Vertical	Pass
2**	5468.200	47.88	4.05	--	-47.88	AV	236.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_01.39.51

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac40 CH102 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	59.89	3.78	68.2	8.31	Peak	71.34	150	Horizontal	Pass
1**	5460.000	47.17	3.78	54.0	6.83	AV	71.34	150	Horizontal	Pass
2	5469.880	65.15	4.09	68.2	3.05	Peak	70.00	150	Horizontal	Pass
2**	5469.880	52.31	4.09	--	-52.31	AV	70.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-23_01.43.59

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac40 CH134 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.75	4.31	68.2	10.45	Peak	316.00	150	Vertical	Pass
2	5727.500	58.60	4.23	68.2	9.60	Peak	227.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-23_01.45.18

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac40 CH134 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.53	4.31	68.2	9.67	Peak	80.00	150	Horizontal	Pass
2	5725.125	59.86	4.31	68.2	8.34	Peak	80.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_01.27.06

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.99	3.78	68.2	11.21	Peak	258.30	150	Vertical	Pass
1**	5460.000	47.11	3.78	54.0	6.89	AV	258.30	150	Vertical	Pass
2	5468.680	60.16	4.06	68.2	8.04	Peak	272.00	150	Vertical	Pass
2**	5468.680	48.52	4.06	--	-48.52	AV	272.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_01.22.54

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	60.12	3.78	68.2	8.08	Peak	67.34	150	Horizontal	Pass
1**	5460.000	49.56	3.78	54.0	4.44	AV	67.34	150	Horizontal	Pass
2	5469.760	63.03	4.09	68.2	5.17	Peak	66.00	150	Horizontal	Pass
2**	5469.760	50.16	4.09	--	-50.16	AV	66.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_19.47.45

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH122 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.16	4.31	68.2	11.04	Peak	277.00	150	Vertical	Pass
2	5833.250	58.61	5.31	68.2	9.59	Peak	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_19.44.47

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH122 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.39	4.31	68.2	10.81	Peak	64.00	150	Horizontal	Pass
2	5726.125	59.56	4.27	68.2	8.64	Peak	76.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_19.57.45

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac160 CH114 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.19	4.31	68.2	9.01	Peak	70.00	150	Vertical	Pass
2	5726.625	62.00	4.26	68.2	6.20	Peak	274.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_19.55.26

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac160 CH114 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.71	4.31	68.2	8.49	Peak	137.00	150	Horizontal	Pass
2	5726.625	62.74	4.26	68.2	5.46	Peak	120.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-23_01.05.31

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH100 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.12	3.78	68.2	13.08	Peak	215.35	150	Vertical	Pass
1**	5460.000	45.12	3.78	54.0	8.88	AV	215.35	150	Vertical	Pass
2	5467.480	58.66	4.03	68.2	9.54	Peak	265.00	150	Vertical	Pass
2**	5467.480	47.29	4.03	--	-47.29	AV	265.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_01.06.58

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH100 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.58	3.78	68.2	11.62	Peak	58.65	150	Horizontal	Pass
1**	5460.000	46.58	3.78	54.0	7.42	AV	58.65	150	Horizontal	Pass
2	5468.320	62.52	4.05	68.2	5.68	Peak	72.00	150	Horizontal	Pass
2**	5468.320	50.02	4.05	--	-50.02	AV	72.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_01.16.08

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH140 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.03	4.31	68.2	5.17	Peak	271.00	150	Vertical	Pass
2	5725.375	65.18	4.30	68.2	3.02	Peak	267.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_01.14.41

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH140 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.63	4.31	68.2	4.57	Peak	84.00	150	Horizontal	Pass
2	5725.125	64.38	4.31	68.2	3.82	Peak	97.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_01.01.55

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH102
			P=13.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08
			ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.30	3.78	68.2	12.90	Peak	228.14	150	Vertical	Pass
1**	5460.000	45.03	3.78	54.0	8.97	AV	228.14	150	Vertical	Pass
2	5469.280	60.85	4.08	68.2	7.35	Peak	149.00	150	Vertical	Pass
2**	5469.280	46.76	4.08	--	-46.76	AV	149.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_01.00.09

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH102
			P=13.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.21	3.78	68.2	10.99	Peak	59.31	150	Horizontal	Pass
1**	5460.000	46.52	3.78	54.0	7.48	AV	59.31	150	Horizontal	Pass
2	5466.040	63.29	3.97	68.2	4.91	Peak	68.00	150	Horizontal	Pass
2**	5466.040	48.87	3.97	--	-48.87	AV	68.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-23_00.52.10

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH134 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.38	4.31	68.2	7.82	Peak	231.00	150	Vertical	Pass
2	5728.500	63.28	4.21	68.2	4.92	Peak	271.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_00.50.43

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH134 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.74	4.31	68.2	7.46	Peak	104.00	150	Horizontal	Pass
2	5728.375	63.87	4.21	68.2	4.33	Peak	100.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_20.54.56

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH106 P=12
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.86	3.78	68.2	10.34	Peak	98.00	150	H	Pass
1**	5460.000	46.65	3.78	54.0	7.35	AV	98.00	150	H	Pass
2	5466.160	62.79	3.98	68.2	5.41	Peak	64.00	150	Horizontal	Pass
2**	5466.160	47.36	3.98	--	-47.36	AV	64.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_20.54.56

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH106 P=12
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.86	3.78	68.2	10.34	Peak	98.00	150	H	Pass
1**	5460.000	46.65	3.78	54.0	7.35	AV	98.00	150	H	Pass
2	5466.160	62.79	3.98	68.2	5.41	Peak	64.00	150	Horizontal	Pass
2**	5466.160	47.36	3.98	--	-47.36	AV	64.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-23_00.46.08

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH122 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.41	4.31	68.2	8.79	Peak	271.00	150	Vertical	Pass
2	5731.625	61.21	4.18	68.2	6.99	Peak	271.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-23_00.47.30

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH122 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.90	4.31	68.2	7.30	Peak	104.00	150	Horizontal	Pass
2	5726.250	61.94	4.26	68.2	6.26	Peak	71.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-22_21.07.27

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax160 CH114 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.18	4.31	68.2	6.02	Peak	277.00	150	Vertical	Pass
2	5726.375	63.43	4.26	68.2	4.77	Peak	155.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_21.12.57

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax160 CH114 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.37	4.31	68.2	4.83	Peak	123.00	150	Horizontal	Pass
2	5727.000	63.87	4.25	68.2	4.33	Peak	90.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-23_00.28.01

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11be20 CH100 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.88	3.78	68.2	13.32	Peak	233.80	150	Vertical	Pass
1**	5460.000	44.77	3.78	54.0	9.23	AV	233.80	150	Vertical	Pass
2	5468.200	58.58	4.05	68.2	9.62	Peak	274.00	150	Vertical	Pass
2**	5468.200	46.54	4.05	--	-46.54	AV	274.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-23_00.29.20

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11be20 CH100 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.55	3.78	68.2	11.65	Peak	68.01	150	Horizontal	Pass
1**	5460.000	45.95	3.78	54.0	8.05	AV	68.01	150	Horizontal	Pass
2	5469.040	61.47	4.07	68.2	6.73	Peak	64.00	150	Horizontal	Pass
2**	5469.040	49.24	4.07	--	-49.24	AV	64.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_00.42.30

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11be20 CH140 P=14.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.58	4.31	68.2	6.62	Peak	270.00	150	Vertical	Pass
2	5726.000	63.63	4.27	68.2	4.57	Peak	270.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_00.41.03

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11be20 CH140 P=14.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.15	4.31	68.2	5.05	Peak	96.00	150	Horizontal	Pass
2	5726.000	62.64	4.27	68.2	5.56	Peak	96.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_00.24.27

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11be40 CH102 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.87	3.78	68.2	13.33	Peak	172.48	150	Vertical	Pass
1**	5460.000	44.74	3.78	54.0	9.26	AV	172.48	150	Vertical	Pass
2	5467.960	59.81	4.04	68.2	8.39	Peak	230.00	150	Vertical	Pass
2**	5467.960	45.93	4.04	--	-45.93	AV	230.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-23_00.23.05

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11be40 CH102 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.70	3.78	68.2	11.50	Peak	61.64	150	Horizontal	Pass
1**	5460.000	45.78	3.78	54.0	8.22	AV	61.64	150	Horizontal	Pass
2	5468.920	64.63	4.07	68.2	3.57	Peak	65.00	150	Horizontal	Pass
2**	5468.920	49.56	4.07	--	-49.56	AV	65.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_00.11.54

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11be40 CH134 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.18	4.31	68.2	9.02	Peak	270.00	150	Vertical	Pass
2	5725.750	61.47	4.28	68.2	6.73	Peak	270.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_00.13.13

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11be40 CH134 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.55	4.31	68.2	8.65	Peak	71.00	150	Horizontal	Pass
2	5742.250	60.37	4.25	68.2	7.83	Peak	112.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_22.06.32

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11be80 CH106 P=12
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.08	3.78	68.2	12.12	Peak	173.34	150	Vertical	Pass
1**	5460.000	45.54	3.78	54.0	8.46	AV	173.34	150	Vertical	Pass
2	5466.040	59.31	3.97	68.2	8.89	Peak	253.00	150	Vertical	Pass
2**	5466.040	46.21	3.97	--	-46.21	AV	253.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_22.04.35

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11be80 CH106 P=12
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	59.12	3.78	68.2	9.08	Peak	94.00	150	Horizontal	Pass
1**	5460.000	48.20	3.78	54.0	5.80	AV	94.00	150	Horizontal	Pass
2	5466.880	63.33	4.00	68.2	4.87	Peak	94.00	150	Horizontal	Pass
2**	5466.880	48.60	4.00	--	-48.60	AV	94.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_00.02.32

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11be80 CH122 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.05	4.31	68.2	10.15	Peak	269.00	150	Vertical	Pass
2	5728.125	61.23	4.22	68.2	6.97	Peak	261.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_00.05.00

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11be80 CH122 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.02	4.31	68.2	6.18	Peak	101.00	150	Horizontal	Pass
2	5727.625	62.01	4.23	68.2	6.19	Peak	104.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_21.53.09

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11be160 CH114 P=11
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.125	58.90	4.31	68.2	9.30	Peak	288.00	150	Vertical	Pass
2	5726.375	62.91	4.26	68.2	5.29	Peak	118.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-22_21.51.31

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11be160 CH114 P=11
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.125	59.52	4.31	68.2	8.68	Peak	111.00	150	Horizontal	Pass
2	5726.500	63.56	4.26	68.2	4.64	Peak	66.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-23_08.34.18

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.66	3.81	68.2	12.54	Peak	235.76	150	Vertical	Pass
2	5637.125	57.32	3.72	68.2	10.88	Peak	120.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_08.33.05

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.35	3.81	68.2	12.85	Peak	315.90	150	Horizontal	Pass
2	5636.125	57.16	3.71	68.2	11.04	Peak	92.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_08.41.41

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.74	6.44	68.2	11.46	Peak	246.86	150	Vertical	Pass
2	5955.300	58.15	6.14	68.2	10.05	Peak	266.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_08.40.28

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.74	6.44	68.2	11.46	Peak	360.00	150	Horizontal	Pass
2	5950.500	58.41	6.22	68.2	9.79	Peak	58.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_08.47.19

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH149 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.44	3.81	68.2	12.76	Peak	354.79	150	Vertical	Pass
2	5634.000	56.90	3.70	68.2	11.30	Peak	355.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-23_08.46.10

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH149 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.99	3.81	68.2	12.21	Peak	130.92	150	Horizontal	Pass
2	5637.625	57.09	3.73	68.2	11.11	Peak	77.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-23_08.52.32

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH165 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.86	6.44	68.2	11.34	Peak	0.08	150	Vertical	Pass
2	5979.450	58.14	6.05	68.2	10.06	Peak	163.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_08.51.21

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n20 CH165 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.31	6.44	68.2	10.89	Peak	217.84	150	Horizontal	Pass
2	5961.750	58.69	6.13	68.2	9.51	Peak	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-23_08.57.58

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH151 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.25	3.81	68.2	11.95	Peak	108.94	150	Vertical	Pass
2	5612.375	56.74	3.61	68.2	11.46	Peak	265.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_08.56.48

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH151 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.87	3.81	68.2	12.33	Peak	87.94	150	Horizontal	Pass
2	5644.250	57.98	3.77	68.2	10.22	Peak	217.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_09.04.32

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH159 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.02	6.44	68.2	11.18	Peak	100.26	150	Vertical	Pass
2	5978.100	58.92	6.08	68.2	9.28	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-23_09.03.22

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11n40 CH159 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.74	6.44	68.2	11.46	Peak	359.56	150	Horizontal	Pass
2	5944.350	58.51	6.14	68.2	9.69	Peak	124.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_03.53.40

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac80 CH155 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.45	3.81	68.2	12.75	Peak	34.10	150	Vertical	Pass
2	5621.000	56.70	3.60	68.2	11.50	Peak	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_03.52.22

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac80 CH155 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.41	3.81	68.2	11.79	Peak	0.00	150	H	Pass
2	5619.500	56.85	3.58	68.2	11.35	Peak	16.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-23_08.21.07

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH149 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.34	3.81	68.2	12.86	Peak	0.33	150	Vertical	Pass
2	5622.625	57.14	3.62	68.2	11.06	Peak	285.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_08.19.52

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH149 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.74	3.81	68.2	12.46	Peak	353.98	150	Horizontal	Pass
2	5640.000	57.04	3.74	68.2	11.16	Peak	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_07.25.36

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH165 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.98	6.44	68.2	11.22	Peak	263.06	150	Vertical	Pass
2	5932.500	58.38	6.27	68.2	9.82	Peak	268.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_07.29.09

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH165 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.09	6.44	68.2	11.11	Peak	358.63	150	Horizontal	Pass
2	5936.250	59.14	6.14	68.2	9.06	Peak	9.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_04.25.22

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH151 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.69	3.81	68.2	12.51	Peak	23.23	150	Vertical	Pass
2	5627.000	57.35	3.64	68.2	10.85	Peak	346.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_04.26.37

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH151 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.83	3.81	68.2	11.37	Peak	202.94	150	Horizontal	Pass
2	5624.125	56.73	3.64	68.2	11.47	Peak	240.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_07.14.01

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH159 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.17	6.44	68.2	11.03	Peak	324.89	150	Vertical	Pass
2	5930.250	58.93	6.31	68.2	9.27	Peak	359.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_07.15.28

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH159 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.82	6.44	68.2	11.38	Peak	320.05	150	Horizontal	Pass
2	5931.600	58.82	6.29	68.2	9.38	Peak	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_04.50.23

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax80 CH155 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.43	3.81	68.2	12.77	Peak	205.09	150	Vertical	Pass
2	5628.750	57.31	3.67	68.2	10.89	Peak	302.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-23_04.49.06

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax80 CH155 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.17	3.81	68.2	12.03	Peak	342.65	150	Horizontal	Pass
2	5624.125	56.63	3.64	68.2	11.57	Peak	267.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_07.10.34

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11be20 CH149 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.38	3.81	68.2	11.82	Peak	293.79	150	Vertical	Pass
2	5639.500	57.29	3.74	68.2	10.91	Peak	37.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_07.09.13

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11be20 CH149 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.51	3.81	68.2	12.69	Peak	338.82	150	Horizontal	Pass
2	5618.750	56.40	3.58	68.2	11.80	Peak	339.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-23_07.03.20

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11be20 CH165 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.77	6.44	68.2	10.43	Peak	103.90	150	Vertical	Pass
2	5990.550	59.49	6.39	68.2	8.71	Peak	26.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_07.01.45

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11be20 CH165 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.00	6.44	68.2	11.20	Peak	236.90	150	Horizontal	Pass
2	5927.100	58.55	6.40	68.2	9.65	Peak	190.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_05.37.33

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11be40 CH151 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.29	3.81	68.2	12.91	Peak	348.65	150	Vertical	Pass
2	5633.000	57.42	3.70	68.2	10.78	Peak	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_05.36.17

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11be40 CH151 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.94	3.81	68.2	12.26	Peak	0.35	150	Horizontal	Pass
2	5612.875	56.99	3.61	68.2	11.21	Peak	82.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_06.51.35

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11be40 CH159 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.16	6.44	68.2	11.04	Peak	40.95	150	Vertical	Pass
2	5927.400	58.48	6.39	68.2	9.72	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_06.53.01

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11be40 CH159 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.26	6.44	68.2	10.94	Peak	359.66	150	Horizontal	Pass
2	5937.600	58.61	6.09	68.2	9.59	Peak	335.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-23_06.06.27

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11be80 CH155 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.67	3.81	68.2	12.53	Peak	0.00	150	Vertical	Pass
2	5610.750	56.53	3.60	68.2	11.67	Peak	266.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-23_06.07.37

EUT Name:	Tablet	Temp.(°C):	23.5
Model Number:	Inventus SD1	Humidity (%RH):	46
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11be80 CH155 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.81	3.81	68.2	12.39	Peak	356.67	150	Horizontal	Pass
2	5632.750	57.09	3.70	68.2	11.11	Peak	271.00	150	Horizontal	Pass