


Main Antenna Test Result

Project Number: P-CC26060547
Test Time: 2026-07-19_21.55.42

EUT Name:	Tablet	Temp.(°C):	23.3
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 ax20 CH1 P=5.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5686.575	58.69	4.14	88.2	29.51	Peak	37.00	150	Vertical	Pass
1**	5686.575	47.33	4.14	68.2	20.87	AV	37.00	150	Vertical	Pass
2	5902.900	60.16	6.23	88.2	28.04	Peak	0.00	150	Vertical	Pass
2**	5902.900	48.53	6.23	68.2	19.67	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-19_21.57.20

EUT Name:	Tablet	Temp.(°C):	23.3
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 ax20 CH1 P=5.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5603.275	58.10	3.70	88.2	30.10	Peak	344.00	150	Horizontal	Pass
1**	5603.275	46.67	3.70	68.2	21.53	AV	344.00	150	Horizontal	Pass
2	5900.987	60.05	6.25	88.2	28.15	Peak	291.00	150	Horizontal	Pass
2**	5900.987	48.68	6.25	68.2	19.52	AV	291.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-19_22.04.01

EUT Name:	Tablet	Temp.(°C):	23.3
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 ax40 CH43 P=6
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5729.075	58.90	4.19	88.2	29.30	Peak	268.00	150	Vertical	Pass
1**	5729.075	47.44	4.19	68.2	20.76	AV	268.00	150	Vertical	Pass
2	5880.587	59.95	5.55	88.2	28.25	Peak	77.00	150	Vertical	Pass
2**	5880.587	48.28	5.55	68.2	19.92	AV	77.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-19_22.05.43

EUT Name:	Tablet	Temp.(°C):	23.3
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 ax40 CH43 P=6
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5684.663	58.51	4.23	88.2	29.69	Peak	309.00	150	Horizontal	Pass
1**	5684.663	47.23	4.23	68.2	20.97	AV	309.00	150	Horizontal	Pass
2	5922.662	59.95	6.49	88.2	28.25	Peak	0.00	150	Horizontal	Pass
2**	5922.662	48.77	6.49	68.2	19.43	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-19_22.11.46

EUT Name:	Tablet	Temp.(°C):	23.3
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 ax80 CH39 P=9.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5767.750	58.68	4.66	88.2	29.52	Peak	253.00	150	Vertical	Pass
1**	5767.750	47.53	4.66	68.2	20.67	AV	253.00	150	Vertical	Pass
2	5907.788	61.00	6.19	88.2	27.20	Peak	191.00	150	Vertical	Pass
2**	5907.788	48.55	6.19	68.2	19.65	AV	191.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-19_22.09.19

EUT Name:	Tablet	Temp.(°C):	23.3
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 ax80 CH39 P=9.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5554.612	58.31	3.52	88.2	29.89	Peak	87.00	150	Horizontal	Pass
1**	5554.612	46.54	3.52	68.2	21.66	AV	87.00	150	Horizontal	Pass
2	5675.313	60.10	4.35	88.2	28.10	Peak	105.00	150	Horizontal	Pass
2**	5675.313	47.48	4.35	68.2	20.72	AV	105.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-19_22.30.19

EUT Name:	Tablet	Temp.(°C):	23.3
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 ax160 CH15 P=11.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5606.462	58.77	3.64	88.2	29.43	Peak	203.00	150	Vertical	Pass
1**	5606.462	46.73	3.64	68.2	21.47	AV	203.00	150	Vertical	Pass
2	5872.088	59.80	5.24	88.2	28.40	Peak	47.00	150	Vertical	Pass
2**	5872.088	48.08	5.24	68.2	20.12	AV	47.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-19_22.28.42

EUT Name:	Tablet	Temp.(°C):	23.3
Model Number:	Inventus SD1	Humidity (%RH):	52
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 ax160 CH15 P=11.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5718.025	58.77	4.42	88.2	29.43	Peak	186.00	150	Horizontal	Pass
1**	5718.025	47.33	4.42	68.2	20.87	AV	186.00	150	Horizontal	Pass
2	5896.737	59.75	6.13	88.2	28.45	Peak	129.00	150	Horizontal	Pass
2**	5896.737	48.64	6.13	68.2	19.56	AV	129.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-20_19.21.14

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 be20 CH1 P=5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5765.837	59.31	4.65	88.2	28.89	Peak	268.00	150	Vertical	Pass
1**	5765.837	47.47	4.65	68.2	20.73	AV	268.00	150	Vertical	Pass
2	5911.187	59.44	6.20	88.2	28.76	Peak	297.00	150	Vertical	Pass
2**	5911.187	48.64	6.20	68.2	19.56	AV	297.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-20_19.19.50

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 be20 CH1 P=5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5676.163	58.88	4.36	88.2	29.32	Peak	83.00	150	Horizontal	Pass
1**	5676.163	47.28	4.36	68.2	20.92	AV	83.00	150	Horizontal	Pass
2	5906.513	59.82	6.21	88.2	28.38	Peak	0.00	150	Horizontal	Pass
2**	5906.513	48.48	6.21	68.2	19.72	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-20_19.16.36

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 be40 CH3 P=6.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5596.050	58.41	3.69	88.2	29.79	Peak	118.00	150	Vertical	Pass
1**	5596.050	46.75	3.69	68.2	21.45	AV	118.00	150	Vertical	Pass
2	5773.913	59.77	4.86	88.2	28.43	Peak	237.00	150	Vertical	Pass
2**	5773.913	47.58	4.86	68.2	20.62	AV	237.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-20_19.18.06

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 be40 CH3 P=6.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5701.237	59.11	4.00	88.2	29.09	Peak	153.00	150	Horizontal	Pass
1**	5701.237	47.29	4.00	68.2	20.91	AV	153.00	150	Horizontal	Pass
2	5915.438	59.66	6.40	88.2	28.54	Peak	360.00	150	Horizontal	Pass
2**	5915.438	48.50	6.40	68.2	19.70	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-20_19.15.07

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 be80 CH7 P=9.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5660.650	58.30	3.93	88.2	29.90	Peak	70.00	150	Vertical	Pass
1**	5660.650	47.22	3.93	68.2	20.98	AV	70.00	150	Vertical	Pass
2	5918.837	60.13	6.52	88.2	28.07	Peak	246.00	150	Vertical	Pass
2**	5918.837	49.33	6.52	68.2	18.87	AV	246.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-20_19.13.41

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 be80 CH7 P=9.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5599.875	58.55	3.78	88.2	29.65	Peak	255.00	150	Horizontal	Pass
1**	5599.875	46.79	3.78	68.2	21.41	AV	255.00	150	Horizontal	Pass
2	5906.725	60.62	6.21	88.2	27.58	Peak	306.00	150	Horizontal	Pass
2**	5906.725	49.00	6.21	68.2	19.20	AV	306.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-20_19.08.42

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 be160 CH15 P=11.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5906.513	61.77	6.21	88.2	26.43	Peak	307.00	150	Vertical	Pass
1**	5906.513	49.31	6.21	68.2	18.89	AV	307.00	150	Vertical	Pass
2	5784.963	59.03	4.95	88.2	29.17	Peak	51.00	150	Vertical	Pass
2**	5784.963	47.40	4.95	68.2	20.80	AV	51.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-20_19.10.44

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 be160 CH15 P=11.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5898.650	61.77	6.23	88.2	26.43	Peak	215.00	150	Horizontal	Pass
1**	5898.650	49.53	6.23	68.2	18.67	AV	215.00	150	Horizontal	Pass
2	5910.125	63.50	6.16	88.2	24.70	Peak	215.00	150	Horizontal	Pass
2**	5910.125	50.46	6.16	68.2	17.74	AV	215.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-20_19.05.55

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 be320 CH31 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5809.187	66.60	4.90	88.2	21.60	Peak	302.00	150	Vertical	Pass
1**	5809.187	53.46	4.90	68.2	14.74	AV	302.00	150	Vertical	Pass
2	5893.975	67.44	6.01	88.2	20.76	Peak	307.00	150	Vertical	Pass
2**	5893.975	54.76	6.01	68.2	13.44	AV	307.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-20_19.04.34

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 be320 CH31 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5818.325	69.32	5.29	88.2	18.88	Peak	175.00	150	Horizontal	Pass
1**	5818.325	56.52	5.29	68.2	11.68	AV	175.00	150	Horizontal	Pass
2	5889.087	69.91	5.83	88.2	18.29	Peak	212.00	150	Horizontal	Pass
2**	5889.087	57.36	5.83	68.2	10.84	AV	212.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_19.59.15

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 ax20 CH229 P=9.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7147.375	61.50	6.76	88.2	26.70	Peak	219.00	150	Vertical	Pass
1**	7147.375	50.01	6.76	68.2	18.19	AV	219.00	150	Vertical	Pass
2	7212.938	63.07	8.70	88.2	25.13	Peak	9.00	150	Vertical	Pass
2**	7212.938	51.33	8.70	68.2	16.87	AV	9.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-21_19.57.52

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 ax20 CH229 P=9.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7151.875	61.90	6.93	88.2	26.30	Peak	234.00	150	Horizontal	Pass
1**	7151.875	50.30	6.93	68.2	17.90	AV	234.00	150	Horizontal	Pass
2	7198.750	62.58	7.90	88.2	25.62	Peak	10.00	150	Horizontal	Pass
2**	7198.750	51.04	7.90	68.2	17.16	AV	10.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-21_20.04.31

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 ax40 CH227 P=10
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7169.937	62.18	7.34	88.2	26.02	Peak	33.00	150	Vertical	Pass
1**	7169.937	50.64	7.34	68.2	17.56	AV	33.00	150	Vertical	Pass
2	7194.625	63.12	7.68	88.2	25.08	Peak	12.00	150	Vertical	Pass
2**	7194.625	51.12	7.68	68.2	17.08	AV	12.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-21_20.06.00

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 ax40 CH227 P=10
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7177.937	62.36	7.33	88.2	25.84	Peak	154.00	150	Horizontal	Pass
1**	7177.937	50.44	7.33	68.2	17.76	AV	154.00	150	Horizontal	Pass
2	7219.375	62.60	8.67	88.2	25.60	Peak	360.00	150	Horizontal	Pass
2**	7219.375	51.56	8.67	68.2	16.64	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-21_20.09.14

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 ax80 CH215 P=12
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7170.937	61.67	7.37	88.2	26.53	Peak	206.00	150	Vertical	Pass
1**	7170.937	50.73	7.37	68.2	17.47	AV	206.00	150	Vertical	Pass
2	7203.125	63.15	8.26	88.2	25.05	Peak	173.00	150	Vertical	Pass
2**	7203.125	51.39	8.26	68.2	16.81	AV	173.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-21_20.07.42

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 ax80 CH215 P=12
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7209.000	62.53	8.68	88.2	25.67	Peak	214.00	150	Horizontal	Pass
1**	7209.000	51.51	8.68	68.2	16.69	AV	214.00	150	Horizontal	Pass
2	7161.187	62.90	7.02	88.2	25.30	Peak	76.00	150	Horizontal	Pass
2**	7161.187	50.55	7.02	68.2	17.65	AV	76.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-21_18.05.18

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 ax160 CH207 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7151.938	62.28	6.93	88.2	25.92	Peak	288.00	150	Vertical	Pass
1**	7151.938	50.53	6.93	68.2	17.67	AV	288.00	150	Vertical	Pass
2	7209.875	62.57	8.74	88.2	25.63	Peak	353.00	150	Vertical	Pass
2**	7209.875	51.34	8.74	68.2	16.86	AV	353.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_18.03.49

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 ax160 CH207 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7138.313	63.93	6.87	88.2	24.27	Peak	191.00	150	Horizontal	Pass
1**	7138.313	50.71	6.87	68.2	17.49	AV	191.00	150	Horizontal	Pass
2	7160.875	64.15	7.02	88.2	24.05	Peak	186.00	150	Horizontal	Pass
2**	7160.875	50.69	7.02	68.2	17.51	AV	186.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_20.12.47

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 be20 CH229 P=9.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7163.687	62.64	7.10	88.2	25.56	Peak	155.00	150	Vertical	Pass
1**	7163.687	50.48	7.10	68.2	17.72	AV	155.00	150	Vertical	Pass
2	7204.750	62.81	8.38	88.2	25.39	Peak	141.00	150	Vertical	Pass
2**	7204.750	51.23	8.38	68.2	16.97	AV	141.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_20.14.21

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 be20 CH229 P=9.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7164.250	62.50	7.13	88.2	25.70	Peak	132.00	150	Horizontal	Pass
1**	7164.250	50.40	7.13	68.2	17.80	AV	132.00	150	Horizontal	Pass
2	7202.000	62.90	8.18	88.2	25.30	Peak	186.00	150	Horizontal	Pass
2**	7202.000	51.29	8.18	68.2	16.91	AV	186.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_20.21.37

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 be40 CH227 P=10
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7175.563	61.61	7.38	88.2	26.59	Peak	51.00	150	Vertical	Pass
1**	7175.563	50.74	7.38	68.2	17.46	AV	51.00	150	Vertical	Pass
2	7207.813	62.59	8.60	88.2	25.61	Peak	127.00	150	Vertical	Pass
2**	7207.813	51.42	8.60	68.2	16.78	AV	127.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-21_20.16.42

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 be40 CH227 P=10
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7187.188	62.56	7.41	88.2	25.64	Peak	175.00	150	Horizontal	Pass
1**	7187.188	50.78	7.41	68.2	17.42	AV	175.00	150	Horizontal	Pass
2	7213.687	62.67	8.70	88.2	25.53	Peak	308.00	150	Horizontal	Pass
2**	7213.687	51.30	8.70	68.2	16.90	AV	308.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_20.23.31

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 be80 CH215 P=12
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7178.313	62.11	7.33	88.2	26.09	Peak	196.00	150	Vertical	Pass
1**	7178.313	50.89	7.33	68.2	17.31	AV	196.00	150	Vertical	Pass
2	7218.875	62.86	8.67	88.2	25.34	Peak	6.00	150	Vertical	Pass
2**	7218.875	51.19	8.67	68.2	17.01	AV	6.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_20.26.13

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 be80 CH215 P=12
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7157.000	62.01	7.00	88.2	26.19	Peak	316.00	150	Horizontal	Pass
1**	7157.000	50.61	7.00	68.2	17.59	AV	316.00	150	Horizontal	Pass
2	7213.375	62.71	8.70	88.2	25.49	Peak	0.00	150	Horizontal	Pass
2**	7213.375	51.34	8.70	68.2	16.86	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-21_17.02.19

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 be160 CH207 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7141.562	63.61	6.83	88.2	24.59	Peak	289.00	150	Vertical	Pass
1**	7141.562	50.74	6.83	68.2	17.46	AV	289.00	150	Vertical	Pass
2	7135.500	63.74	6.92	88.2	24.46	Peak	327.00	150	Vertical	Pass
2**	7135.500	50.57	6.92	68.2	17.63	AV	327.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-21_17.00.44

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 be160 CH207 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7201.625	64.33	8.14	88.2	23.87	Peak	188.00	150	Horizontal	Pass
1**	7201.625	51.50	8.14	68.2	16.70	AV	188.00	150	Horizontal	Pass
2	7141.250	65.98	6.83	88.2	22.22	Peak	193.00	150	Horizontal	Pass
2**	7141.250	51.81	6.83	68.2	16.39	AV	193.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_16.55.05

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 be320 CH191 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7190.125	65.32	7.45	88.2	22.88	Peak	292.00	150	Vertical	Pass
1**	7190.125	51.72	7.45	68.2	16.48	AV	292.00	150	Vertical	Pass
2	7152.563	66.80	6.95	88.2	21.40	Peak	289.00	150	Vertical	Pass
2**	7152.563	52.46	6.95	68.2	15.74	AV	289.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_16.57.11

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 be320 CH191 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7147.812	69.32	6.76	88.2	18.88	Peak	190.00	150	Horizontal	Pass
1**	7147.812	54.48	6.76	68.2	13.72	AV	190.00	150	Horizontal	Pass
2	7153.187	69.38	6.97	88.2	18.82	Peak	190.00	150	Horizontal	Pass
2**	7153.187	54.57	6.97	68.2	13.63	AV	190.00	150	Horizontal	Pass

Aux. Antenna Test Result

Project Number: P-CC26060547
Test Time: 2026-07-20_21.18.30

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 ax20 CH1 P=5.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5702.087	59.48	4.01	88.2	28.72	Peak	88.00	150	Vertical	Pass
1**	5702.087	47.29	4.01	68.2	20.91	AV	88.00	150	Vertical	Pass
2	5920.112	60.16	6.55	88.2	28.04	Peak	0.00	150	Vertical	Pass
2**	5920.112	48.49	6.55	68.2	19.71	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-20_21.15.28

EUT Name: Tablet

Temp.(°C): 23.1

Model Number: Inventus SD1

Humidity (%RH): 54

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 6G UNII5 ax20 CH1 P=5.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A01+数据线: A08

ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5610.500	58.67	3.59	88.2	29.53	Peak	120.00	150	Horizontal	Pass
1**	5610.500	46.67	3.59	68.2	21.53	AV	120.00	150	Horizontal	Pass
2	5886.750	60.00	5.75	88.2	28.20	Peak	222.00	150	Horizontal	Pass
2**	5886.750	48.22	5.75	68.2	19.98	AV	222.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-20_21.21.06

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 ax40 CH43 P=6
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5743.312	59.55	4.22	88.2	28.65	Peak	212.00	150	Vertical	Pass
1**	5743.312	47.64	4.22	68.2	20.56	AV	212.00	150	Vertical	Pass
2	5894.400	60.38	6.02	88.2	27.82	Peak	212.00	150	Vertical	Pass
2**	5894.400	48.22	6.02	68.2	19.98	AV	212.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-20_21.22.57

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 ax40 CH43 P=6
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5654.063	58.94	3.84	88.2	29.26	Peak	1.00	150	Horizontal	Pass
1**	5654.063	47.28	3.84	68.2	20.92	AV	1.00	150	Horizontal	Pass
2	5921.175	59.91	6.53	88.2	28.29	Peak	295.00	150	Horizontal	Pass
2**	5921.175	48.89	6.53	68.2	19.31	AV	295.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-20_21.27.31

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 ax80 CH39 P=9.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5680.625	59.00	4.36	88.2	29.20	Peak	54.00	150	Vertical	Pass
1**	5680.625	47.49	4.36	68.2	20.71	AV	54.00	150	Vertical	Pass
2	5916.075	60.49	6.43	88.2	27.71	Peak	0.00	150	Vertical	Pass
2**	5916.075	48.89	6.43	68.2	19.31	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-20_21.26.01

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 ax80 CH39 P=9.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5792.612	59.95	4.79	88.2	28.25	Peak	48.00	150	Horizontal	Pass
1**	5792.612	47.49	4.79	68.2	20.71	AV	48.00	150	Horizontal	Pass
2	5669.788	58.79	4.30	88.2	29.41	Peak	360.00	150	Horizontal	Pass
2**	5669.788	47.43	4.30	68.2	20.77	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-20_21.31.38

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 ax160 CH15 P=11.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5671.700	58.66	4.31	88.2	29.54	Peak	315.00	150	Vertical	Pass
1**	5671.700	47.27	4.31	68.2	20.93	AV	315.00	150	Vertical	Pass
2	5823.638	60.05	5.36	88.2	28.15	Peak	297.00	150	Vertical	Pass
2**	5823.638	48.24	5.36	68.2	19.96	AV	297.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-20_21.34.43

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 ax160 CH15 P=11.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5526.350	58.99	3.71	88.2	29.21	Peak	359.00	150	Horizontal	Pass
1**	5526.350	46.56	3.71	68.2	21.64	AV	359.00	150	Horizontal	Pass
2	5907.788	60.53	6.19	88.2	27.67	Peak	13.00	150	Horizontal	Pass
2**	5907.788	49.28	6.19	68.2	18.92	AV	13.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-20_21.43.08

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 be20 CH1 P=5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5535.700	58.60	3.74	88.2	29.60	Peak	360.00	150	Vertical	Pass
1**	5535.700	46.46	3.74	68.2	21.74	AV	360.00	150	Vertical	Pass
2	5898.650	59.64	6.23	88.2	28.56	Peak	360.00	150	Vertical	Pass
2**	5898.650	48.68	6.23	68.2	19.52	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-20_21.38.52

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 be20 CH1 P=5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5855.300	59.64	5.14	88.2	28.56	Peak	250.00	150	Horizontal	Pass
1**	5855.300	47.95	5.14	68.2	20.25	AV	250.00	150	Horizontal	Pass
2	5917.350	59.75	6.48	88.2	28.45	Peak	271.00	150	Horizontal	Pass
2**	5917.350	48.49	6.48	68.2	19.71	AV	271.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-20_21.45.55

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 be40 CH3 P=6.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5780.287	59.42	5.08	88.2	28.78	Peak	6.00	150	Vertical	Pass
1**	5780.287	47.66	5.08	68.2	20.54	AV	6.00	150	Vertical	Pass
2	5888.450	59.74	5.81	88.2	28.46	Peak	283.00	150	Vertical	Pass
2**	5888.450	48.26	5.81	68.2	19.94	AV	283.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-20_21.48.13

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 be40 CH3 P=6.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5696.987	58.23	3.97	88.2	29.97	Peak	360.00	150	Horizontal	Pass
1**	5696.987	47.06	3.97	68.2	21.14	AV	360.00	150	Horizontal	Pass
2	5879.737	60.02	5.51	88.2	28.18	Peak	360.00	150	Horizontal	Pass
2**	5879.737	48.36	5.51	68.2	19.84	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-20_21.53.21

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 be80 CH7 P=9.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5570.975	58.30	3.78	88.2	29.90	Peak	325.00	150	Vertical	Pass
1**	5570.975	46.72	3.78	68.2	21.48	AV	325.00	150	Vertical	Pass
2	5912.037	59.66	6.23	88.2	28.54	Peak	47.00	150	Vertical	Pass
2**	5912.037	48.44	6.23	68.2	19.76	AV	47.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-20_21.50.29

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 be80 CH7 P=9.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5604.125	58.24	3.69	88.2	29.96	Peak	76.00	150	Horizontal	Pass
1**	5604.125	46.87	3.69	68.2	21.33	AV	76.00	150	Horizontal	Pass
2	5827.250	59.67	5.29	88.2	28.53	Peak	2.00	150	Horizontal	Pass
2**	5827.250	47.59	5.29	68.2	20.61	AV	2.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-20_21.56.03

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 be160 CH15 P=11.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.237	58.88	3.81	88.2	29.32	Peak	354.00	150	Vertical	Pass
1**	5650.237	47.05	3.81	68.2	21.15	AV	354.00	150	Vertical	Pass
2	5921.812	60.01	6.51	88.2	28.19	Peak	268.00	150	Vertical	Pass
2**	5921.812	49.04	6.51	68.2	19.16	AV	268.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-20_22.00.03

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 be160 CH15 P=11.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5781.987	59.80	5.03	88.2	28.40	Peak	2.00	150	Horizontal	Pass
1**	5781.987	47.43	5.03	68.2	20.77	AV	2.00	150	Horizontal	Pass
2	5894.188	60.33	6.02	88.2	27.87	Peak	92.00	150	Horizontal	Pass
2**	5894.188	48.95	6.02	68.2	19.25	AV	92.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-20_22.05.29

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 be320 CH31 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5860.400	66.84	5.06	88.2	21.36	Peak	268.00	150	Vertical	Pass
1**	5860.400	53.11	5.06	68.2	15.09	AV	268.00	150	Vertical	Pass
2	5808.337	65.84	4.88	88.2	22.36	Peak	259.00	150	Vertical	Pass
2**	5808.337	52.50	4.88	68.2	15.70	AV	259.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-20_22.02.42

EUT Name:	Tablet	Temp.(°C):	23.1
Model Number:	Inventus SD1	Humidity (%RH):	54
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII5 be320 CH31 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5861.038	67.63	5.06	88.2	20.57	Peak	60.00	150	Horizontal	Pass
1**	5861.038	54.40	5.06	68.2	13.80	AV	60.00	150	Horizontal	Pass
2	5817.688	67.93	5.26	88.2	20.27	Peak	80.00	150	Horizontal	Pass
2**	5817.688	55.39	5.26	68.2	12.81	AV	80.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-21_21.09.16

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 ax20 CH229 P=9.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7178.438	62.20	7.33	88.2	26.00	Peak	23.00	150	Vertical	Pass
1**	7178.438	50.55	7.33	68.2	17.65	AV	23.00	150	Vertical	Pass
2	7222.938	62.85	8.53	88.2	25.35	Peak	210.00	150	Vertical	Pass
2**	7222.938	51.03	8.53	68.2	17.17	AV	210.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_21.07.42

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 ax20 CH229 P=9.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7177.500	61.49	7.34	88.2	26.71	Peak	63.00	150	Horizontal	Pass
1**	7177.500	50.37	7.34	68.2	17.83	AV	63.00	150	Horizontal	Pass
2	7206.500	62.71	8.51	88.2	25.49	Peak	360.00	150	Horizontal	Pass
2**	7206.500	51.47	8.51	68.2	16.73	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_21.02.10

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 ax40 CH227 P=10
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7176.688	61.85	7.36	88.2	26.35	Peak	129.00	150	Vertical	Pass
1**	7176.688	50.73	7.36	68.2	17.47	AV	129.00	150	Vertical	Pass
2	7218.625	62.91	8.67	88.2	25.29	Peak	14.00	150	Vertical	Pass
2**	7218.625	51.40	8.67	68.2	16.80	AV	14.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-21_21.14.37

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 ax40 CH227 P=10
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7183.312	62.56	7.36	88.2	25.64	Peak	18.00	150	Horizontal	Pass
1**	7183.312	50.90	7.36	68.2	17.30	AV	18.00	150	Horizontal	Pass
2	7205.437	63.26	8.43	88.2	24.94	Peak	360.00	150	Horizontal	Pass
2**	7205.437	51.21	8.43	68.2	16.99	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-21_20.56.47

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 ax80 CH215 P=12
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7174.312	61.97	7.39	88.2	26.23	Peak	114.00	150	Vertical	Pass
1**	7174.312	50.80	7.39	68.2	17.40	AV	114.00	150	Vertical	Pass
2	7219.000	63.20	8.67	88.2	25.00	Peak	66.00	150	Vertical	Pass
2**	7219.000	51.14	8.67	68.2	17.06	AV	66.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-21_20.55.36

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 ax80 CH215 P=12
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7172.625	62.05	7.40	88.2	26.15	Peak	360.00	150	Horizontal	Pass
1**	7172.625	50.73	7.40	68.2	17.47	AV	360.00	150	Horizontal	Pass
2	7202.687	62.69	8.23	88.2	25.51	Peak	206.00	150	Horizontal	Pass
2**	7202.687	51.35	8.23	68.2	16.85	AV	206.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-21_20.48.44

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 ax160 CH207 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7162.125	61.84	7.04	88.2	26.36	Peak	212.00	150	Vertical	Pass
1**	7162.125	50.38	7.04	68.2	17.82	AV	212.00	150	Vertical	Pass
2	7202.563	63.18	8.22	88.2	25.02	Peak	80.00	150	Vertical	Pass
2**	7202.563	51.43	8.22	68.2	16.77	AV	80.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_20.51.25

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 ax160 CH207 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7129.187	62.61	6.99	88.2	25.59	Peak	0.00	150	Horizontal	Pass
1**	7129.187	50.59	6.99	68.2	17.61	AV	0.00	150	Horizontal	Pass
2	7219.875	62.85	8.67	88.2	25.35	Peak	127.00	150	Horizontal	Pass
2**	7219.875	51.31	8.67	68.2	16.89	AV	127.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-21_20.45.30

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 be20 CH229 P=9.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7206.625	62.54	8.52	88.2	25.66	Peak	228.00	150	Vertical	Pass
1**	7206.625	51.47	8.52	68.2	16.73	AV	228.00	150	Vertical	Pass
2	7214.250	63.11	8.69	88.2	25.09	Peak	0.00	150	Vertical	Pass
2**	7214.250	51.27	8.69	68.2	16.93	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_20.42.56

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 be20 CH229 P=9.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7184.500	62.53	7.37	88.2	25.67	Peak	360.00	150	Horizontal	Pass
1**	7184.500	50.62	7.37	68.2	17.58	AV	360.00	150	Horizontal	Pass
2	7192.312	63.01	7.56	88.2	25.19	Peak	138.00	150	Horizontal	Pass
2**	7192.312	50.93	7.56	68.2	17.27	AV	138.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-21_20.35.10

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 be40 CH227 P=10
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7195.188	62.69	7.70	88.2	25.51	Peak	15.00	150	Vertical	Pass
1**	7195.188	51.01	7.70	68.2	17.19	AV	15.00	150	Vertical	Pass
2	7207.875	62.82	8.60	88.2	25.38	Peak	306.00	150	Vertical	Pass
2**	7207.875	51.30	8.60	68.2	16.90	AV	306.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_20.37.59

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 be40 CH227 P=10
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7179.500	62.38	7.33	88.2	25.82	Peak	137.00	150	Horizontal	Pass
1**	7179.500	50.55	7.33	68.2	17.65	AV	137.00	150	Horizontal	Pass
2	7207.312	63.04	8.56	88.2	25.16	Peak	219.00	150	Horizontal	Pass
2**	7207.312	51.41	8.56	68.2	16.79	AV	219.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-21_20.32.01

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 be80 CH215 P=12
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7171.750	62.00	7.39	88.2	26.20	Peak	270.00	150	Vertical	Pass
1**	7171.750	50.82	7.39	68.2	17.38	AV	270.00	150	Vertical	Pass
2	7216.000	63.35	8.68	88.2	24.85	Peak	0.00	150	Vertical	Pass
2**	7216.000	51.25	8.68	68.2	16.95	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-21_20.30.04

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 be80 CH215 P=12
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7179.250	62.13	7.33	88.2	26.07	Peak	77.00	150	Horizontal	Pass
1**	7179.250	50.59	7.33	68.2	17.61	AV	77.00	150	Horizontal	Pass
2	7215.563	63.19	8.69	88.2	25.01	Peak	102.00	150	Horizontal	Pass
2**	7215.563	51.33	8.69	68.2	16.87	AV	102.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-21_16.23.05

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 be160 CH207 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7136.312	63.28	6.90	88.2	24.92	Peak	278.00	150	Vertical	Pass
1**	7136.312	50.54	6.90	68.2	17.66	AV	278.00	150	Vertical	Pass
2	7141.938	63.33	6.82	88.2	24.87	Peak	271.00	150	Vertical	Pass
2**	7141.938	50.48	6.82	68.2	17.72	AV	271.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547
Test Time: 2026-07-21_16.24.28

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 be160 CH207 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7185.000	61.43	7.38	88.2	26.77	Peak	314.00	150	Horizontal	Pass
1**	7185.000	50.82	7.38	68.2	17.38	AV	314.00	150	Horizontal	Pass
2	7210.875	63.16	8.73	88.2	25.04	Peak	349.00	150	Horizontal	Pass
2**	7210.875	51.43	8.73	68.2	16.77	AV	349.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_16.29.02

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 be320 CH191 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7157.813	62.55	7.01	88.2	25.65	Peak	209.00	150	Horizontal	Pass
1**	7157.813	50.77	7.01	68.2	17.43	AV	209.00	150	Horizontal	Pass
2	7212.500	63.76	8.71	88.2	24.44	Peak	209.00	150	Horizontal	Pass
2**	7212.500	51.36	8.71	68.2	16.84	AV	209.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_16.26.56

EUT Name:	Tablet	Temp.(°C):	23.4
Model Number:	Inventus SD1	Humidity (%RH):	49
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G UNII8 be320 CH191 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7146.250	61.25	6.76	88.2	26.95	Peak	164.00	150	Horizontal	Pass
1**	7146.250	50.47	6.76	68.2	17.73	AV	164.00	150	Horizontal	Pass
2	7192.062	63.33	7.54	88.2	24.87	Peak	132.00	150	Horizontal	Pass
2**	7192.062	50.80	7.54	68.2	17.40	AV	132.00	150	Horizontal	Pass